UNIVERSITY^{OF} BIRMINGHAM University of Birmingham Research at Birmingham

Intensive care admissions of children with paediatric inflammatory multisystem syndrome temporally associated with SARS-CoV-2 (PIMS-TS) in the UK

Davies, Patrick; Evans, Claire; Kanthimathinathan, Hari Krishnan; Lillie, Jon; Brierley, Joseph; Waters, Gareth; Johnson, Mae; Griffiths, Benedict; du Pré, Pascale; Mohammad, Zoha; Deep, Akash; Playfor, Stephen; Singh, Davinder; Inwald, David; Jardine, Michelle; Ross, Oliver; Shetty, Nayan; Worrall, Mark; Sinha, Ruchi; Koul, Ashwani

DOI:

10.1016/S2352-4642(20)30215-7

License: Creative Commons: Attribution-NonCommercial-NoDerivs (CC BY-NC-ND)

Document Version Peer reviewed version

Citation for published version (Harvard):

Davies, P, Évans, C, Kanthimàthinathán, HK, Lillie, J, Brierley, J, Waters, G, Johnson, M, Griffiths, B, du Pré, P, Mohammad, Z, Deep, A, Playfor, S, Singh, D, Inwald, D, Jardine, M, Ross, O, Shetty, N, Worrall, M, Sinha, R, Koul, A, Whittaker, E, Vyas, H, Scholefield, BR & Ramnarayan, P 2020, 'Intensive care admissions of children with paediatric inflammatory multisystem syndrome temporally associated with SARS-CoV-2 (PIMS-TS) in the UK: a multicentre observational study', *The Lancet Child & Adolescent Health*, vol. 4, no. 9, pp. 669-677. https://doi.org/10.1016/S2352-4642(20)30215-7

Link to publication on Research at Birmingham portal

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

•Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.

•User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?) •Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.







Figure 2

Demographic features			
Male sex	52 (67%)		
Age groups: <1 year	2 (2.6%)		
1-4 years	5 (6·4%)		
5-10 years	29 (37%)		
11-15 years	38 (49%)		
16-17 years	4 (5.1%)		
Median in years (IQR)	11 (8-14)		
Median observed/Expected weight ratio ([QR]	1.22 [1.06-1.41]		
Known contact with COVID-19 case	8 (10%)		
Co-Morbidities			
None	61 (78%)		
Usually expected to require primary care	15 (19%)		
Usually expected to require hospital care	2 (2.6%)		
Ethnicity: Afro-Caribbean [95% CI]	37 (47%) [37%-58%]		
Asian [95% CI]	22 (28%) [19%-39%]		
Caucasian [95% CI]	17 (22%) [14%-32%]		
Other [95% CI]	2 (2.6%) [0%-9%]		
SARS CoV2 antigen PCR +	17 (22%)		
SARS CoV2 antigen PCR -	61 (78%)		
SARS-CoV2 IgG serology in PCR + ve patients			
Positive	9/10 (90%)		
Negative	1/10 (10%)		
Not tested	7/17 (41%)		
SARS-CoV2 IgG serology in PCR –ve patients			
Positive	24/25 (96%)		
Negative	1/25 (4.0%)		
Not tested	36/61 (59%)		
PCR-ve, serology -ve, without known COVID-19 contact	1/78 (1.3%)		
(met PIMS-TS criteria, did not meet MIS-C criteria)			
PCR-ve. serology unknown, without known COVID-19 contact	32/78 (41%)		
(met PIMS-TS criteria, unknown whether would meet MIS-C criteria)			
Infections with non SARS-CoV-2 pathogens			
None	75 (96%)		
Bacterial	2 (2.6%)		
Viral	1(1.3%)		
Outcome: Discharged from critical care	75 (96%)		
Still on critical care	1 (1:3%)		
Died	2(2.6%)		
Thrombus	3 (3.8%)		
Median length of stay (n=71) [IOR]	5 days [3-6:5]		
Clinical presenting features			
Fever	78 (100%)		
Shock	68 (87%)		
Vacadilated	55 (71%)		
Vasoconstricted	13 (17%)		
Abdominal nain	48 (62%)		
Diarrhoea	50 (64%)		
Vomiting	40 (63%)		
Any shdominal symptom (nain diamhann symitting)	49 (0570) 70 (00%)		
Any addominal symptom (pain, diarrnoea, vomiting)	/0 (90%)		
Kasn	33 (43%)		
Conjunctivitis	23 (29%)		

Table 1: Demographics and clinical features of PICU admission for 78 PIMS-TS patients presenting to UK Paediatric Intensive Care Units.

Table 2: Laboratory results for the first 4 days of PICU admission: median [interquartile range]

Laboratory results for the first 4 days of PICU admission: median [interquartile range]							
	Day of Admission	Day 2	Day 3	Day 4			
	N=78	N=44	N=43	N=36			
Neutrophil count (x10 ⁹ /L)	12.3 [10.7-22.9]	13.2 [9.2-17.6]	13.0 [8.9-19.4]	11.9 [7.2-20.0]			
Lymphocyte count (x10 ⁹ /L)	0.70 [0.42-1.1]	0.9 [0.7-1.6]	1.2 [0.9-1.7]	1.8 [1.0-2.3]			
Platelet count $(x10^9/L)$	125 [75-178]	179 [115-272]	187 [109-293]	201 [100-358]			
C-Reactive Protein (mg/L)	264 [192-316)	233 [143-308]	191 [77-283]	96 [39-197]			
D-Dimer (µg/L)	4030 [2349-7422]	2293 [1319-4638]	3503 [1902-5291]	1659 [646-3792]			
Ferritin (mcg/L)	1042 (538-1746]	1152 [473-1529]	842 [495-1422]	757 [484-1198]			
Troponin (ng/L)	157 [43-810]	232 [70-829]	355 [66-2252]	358 [30-3015]			
Creatinine (micromol/L)	75 [46-103]	54 [41-77]	48 [34-67]	49 [32-64]			
ALT (iU/L)	50 [30-93]	51 [27-77]	43 [30-68]	51 [35-71]			

Table 3: Interventions on PIMS-TS patients on the intensive care unit

Interventions	Total
Highest Level of Respiratory support	
No respiratory support	12 (15%)
Oxygen only	12 (15%)
High Flow Nasal Cannula therapy (HFNC)	13 (17%)
Non Invasive Ventilation (NIV)	5 (6.4%)
Invasive Mechanical Ventilation (IMV)	36 (46%)
Extracorporeal Membrane Oxygenation	3 (3.8%)
Cardiovascular support	
Fluid bolus	72 (92%)
Inotropic/vasoactive infusion	65 (83%)
Renal Replacement Therapy	1 (1.3%)
Drug therapies	
Antibiotics	78 (100%)
Steroids	57 (73%)
Intravenous Immunoglobulin	59 (76%)
Immunomodulation with biologic agents	17 (22%)
Anakinra	8 (10%)
Infliximab	7 (9.0%)
Tocilizumab	3 (3.8%)
Rituximab	1 (1.3%)
Aspirin/other antiplatelet therapy	45 (58%)
Anticoagulation Prophylactic	32 (41%)
Therapeutic	7 (9.0%)
Antiviral therapy (Remdesivir)	1(1.3%)

Table 4

Table 4: Comparison between the demographics, highest or lowest laboratory tests over the first four days of admission, presenting features, and therapies of those patients with any coronary artery abnormalities (aneurysms or echogenicity) and those with normal coronary arteries, and between those not invasively ventilated and those invasively ventilated.

	Any coronary artery abnormality n=28 (36%)	No coronary artery abnormality N=50 (64%)		Invasively Ventilated N=36 (46%)	Not invasively ventilated n=42 (54%)	
Age (median)	11	11		9.5	11	
Male Sex M:F	16/28 (57%)	34/50 (68%)		23/36 (64%)	29/42 (69%)	
Non-Caucasian	23/28 (82%)	38/50 (76%)		29/36 (81%)	32/42 (76%)	
Highest CRP (mg/L, IQR)	227 [166-292]	283 [206-328]		294 (225-355)	227 ((179-298)	
Lowest Platelet count (x10 ⁹ /L)	143 (95-164)	150 (83-197)		125 (81-168)	151 (96-185)	
Lowest Lymphocyte count (x10 ⁹ /L)	0.70 [0.4-1.2]	0.72 [0.5-1.0]		0.74 (0.5-51.0)	0.70 (0.4-1.1)	
Highest Ferritin (µg/L, IQR))	1205 (536-2468)	1156 (563-1803)		1205 (653-2124)	858 (449-1506)	
Highest Troponin (ng/L, IQR)	187 (49-574)	120 (21-818)		253 (68-892)	147 (45-809)	
Highest D Dimers (ng/L, IQR))	4990 (2425-7691)	4080 (2538-7537)		4897 (3350-9420)	3660 (2021-6409)	
Rash	11/28 (39%)	22/50 (44%)		15/36 (42%)	20/42 (48%)	
Conjunctivitis	9/28 (32%)	13/50 (26%)		8/36 (22%)	15/42 36%	
Shock	26/28 (93%)	42/50 (84%)		30/36 (83%)	38/42 (90%)	
Invasively ventilated	10/28 (36%)	26/50 (52%)	1		N/A	N/A
Inotropic infusion	24/28 (86%)	41/50 (82%)		32/36 (89%)	33/42 (79%)	
Given IVIG	26/28 (93%)	33/50 (66%)		26/36 (72%)	33/42 (79%)	
Given steroids	25/28 (89%)	32/50 (64%)		26/36 (72%)	31/42 (74%)	









Click here to access/download **Necessary Additional Data** Supplementary material.pdf