

## Evaluating interventions to improve ethical decision-making in clinical practice

Ignatowicz, Agnieszka; Slowther, Anne-Marie ; Bassford, Christopher; Griffiths, Frances; Johnson, Samantha ; Rees, Karen

DOI:

[10.1136/medethics-2021-107966](https://doi.org/10.1136/medethics-2021-107966)

License:

Creative Commons: Attribution-NonCommercial (CC BY-NC)

*Document Version*

Peer reviewed version

*Citation for published version (Harvard):*

Ignatowicz, A, Slowther, A-M, Bassford, C, Griffiths, F, Johnson, S & Rees, K 2022, 'Evaluating interventions to improve ethical decision-making in clinical practice: a review of the literature and reflections on the challenges posed', *Journal of Medical Ethics*. <https://doi.org/10.1136/medethics-2021-107966>

[Link to publication on Research at Birmingham portal](#)

### **Publisher Rights Statement:**

This article has been accepted for publication in *Journal of Medical Ethics* following peer review, and the Version of Record can be accessed online at <http://dx.doi.org/10.1136/medethics-2021-107966>

### **General rights**

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

### **Take down policy**

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact [UBIRA@lists.bham.ac.uk](mailto:UBIRA@lists.bham.ac.uk) providing details and we will remove access to the work immediately and investigate.

1 Evaluating interventions to improve ethical decision-making in clinical  
2 practice: a review of the literature and reflections on the challenges  
3 posed

4 Agnieszka Ignatowicz, Anne-Marie Slowther, Christopher Bassford, Frances Griffiths,  
5 Samantha Johnson and Karen Rees

6

7 **Corresponding author:** Prof Anne-Marie Slowther, Professor of Clinical Ethics, Division of  
8 Health Sciences, Warwick Medical School, The University of Warwick, Coventry, CV4 7AL.

9

10 **Authors:**

11 **Agnieszka Ignatowicz**, Institute of Applied Health Research, College of Medical and Dental  
12 Sciences, University of Birmingham, Birmingham, B15 2TT. E-mail:  
13 a.m.ignatowicz@bham.ac.uk

14

15 **Anne-Marie Slowther**, Division of Health Sciences, Warwick Medical School, The  
16 University of Warwick, Coventry, CV4 7AL. E-mail: a-m.slowther@warwick.ac.uk

17

18 **Christopher Bassford**, Division of Health Sciences, Warwick Medical School, The  
19 University of Warwick, Coventry, CV4 7AL and University Hospitals Coventry and  
20 Warwickshire NHS Trust, Clifford Bridge Road, Coventry, CV2 2DX. E-mail:  
21 christopher.bassford@uhcw.nhs.uk

22

23 **Frances Griffiths**, Division of Health Sciences, Warwick Medical School, The University of  
24 Warwick, Coventry, CV4 7AL. E-mail: f.e.griffiths@warwick.ac.uk

25 **Samantha Johnson**, The Library, Warwick Medical School, The University of Warwick,  
26 Coventry, CV4 7AL. E-mail: s.a.johnson@warwick.ac.uk

27

28 **Karen Rees**, Division of Health Sciences, Warwick Medical School, The University of  
29 Warwick, Coventry, CV4 7AL. E-mail: karen.rees@warwick.ac.uk

30

### 31 **Keywords**

32 ethical decision-making, clinical practise, evaluation tools, evaluation instruments

33

34 **Word count: 3641**

35

### 36 **Statements:**

#### 37 [Funding](#)

38 This paper presents independent research funded by the National Institute for Health

39 Research (NIHR) under the Health Service and Delivery Research programme (project

40 number 13/10/14. The views expressed in this publication are those of the authors and not

41 necessarily those of the NIHR or the Department of Health and Social Care.

42

#### 43 [Acknowledgments](#)

44 Not applicable

45

#### 46 [Competing interests](#)

47 AMS, FG, KR and AI received grants from the UK National Institute of Health Research

48 during the conduct of the study.

#### 49 [Ethics approval statement](#)

50 The study that this systematic review is part of was approved by the National Research Ethics

51 Service Committee West Midlands – Black Country (Ref. 15/WM/0025).

52 Contributorship Statement (Specific contribution of authors in the paper)  
53 AMS and CB led the study from design through to writing up study reports. FG led the  
54 qualitative component of the study. KR led the literature synthesis component of the study.  
55 AI, AMS and KR undertook this systematic review. SJ structured the database searches for  
56 the systematic review. AI and AMS drafted this paper. All authors contributed to writing the  
57 paper and read and approved the final version.

58

59

60

61

## 62 Abstract

63 Since the 1980s there has been an increasing acknowledgement of the importance of  
64 recognising the ethical dimension of clinical decision-making. Medical professional  
65 regulatory authorities in some countries now include ethical knowledge and practice in their  
66 required competencies for undergraduate and post graduate medical training. Educational  
67 interventions and clinical ethics support services have been developed to support and improve  
68 ethical decision-making in clinical practice, but research evaluating the effectiveness of these  
69 interventions has been limited. We undertook a systematic review of the published literature  
70 on measures or models of evaluation used to assess the impact of interventions to improve  
71 ethical decision making in clinical care. We identified a range of measures to evaluate  
72 educational interventions, and one tool used to evaluate a clinical ethics support intervention.  
73 Most measures did not evaluate the key impact of interest, that is the quality of ethical  
74 decision-making in real world clinical practice. We describe the results of our review and  
75 reflect on the challenges of assessing ethical decision-making in clinical practice that face  
76 both developers of educational and support interventions and the regulatory organisations that  
77 set and assess competency standards.

78

## 79 Background

80 Since the 1980s the ethical dimension of clinical decision-making has received increasing  
81 attention from academic ethicists, from those responsible for training future health care  
82 professionals and from health care organisations and practising clinicians themselves.

83 Advances in medical science, changing demographics and limited resources create ethical  
84 dilemmas across the spectrum of care including treatment decisions, sharing of information,  
85 and rationing access to interventions. Individual clinicians must make decisions using their

86 clinical knowledge and skill, taking into account their patient's values and wishes, and work  
87 within the normative framework of wider society. Medical schools and professional  
88 organisations have recognised the need to include relevant education and assessment around  
89 the ethical dimension of clinical decision-making. The Association of American Medical  
90 Colleges (AAMC) (1) has published the "Entrustable Professional Activities" (EPAs)— a  
91 competency-based list of clinical activities used in undergraduate and graduate medical  
92 education to assess the skills that students and trainees can be trusted to perform with  
93 minimal or no supervision (2). The EPAs are divided into units of professional practice and  
94 include activities around demonstration and understanding of ethical principles in provision  
95 of care. In the UK, the General Medical Council, which is responsible for licensing medical  
96 schools, has included ethical knowledge and skills in its required learning outcomes for  
97 graduates since 2009 (3). The Institute of Medical Ethics has published an updated core  
98 curriculum for medical training in medical ethics and law (4) and some professional  
99 organisations now include reference to recognising and applying ethical principles in relation  
100 to clinical practice in their specialty training curricula (5). The method of assessing ethical  
101 knowledge and skills in clinical practice at both an undergraduate and postgraduate level is  
102 however less clearly defined (6, 7). The emphasis in medical curricula on the ethical  
103 dimension of clinical decision-making and the requirement to achieve competency in this  
104 element of clinical practice recognises that ethical decision making can affect patient care  
105 with poor ethical decision-making having potentially harmful outcomes for patients. There is  
106 therefore a moral imperative to describe and assess the competencies required for good  
107 ethical decision making in clinical practice.

108 Recognition of the ethical dimension of clinical practice, and the ethical challenges faced by  
109 clinicians, has also resulted in the emergence of clinical ethics support services in hospitals  
110 and community health care organisations. This international phenomenon includes a diverse  
111 range of services for providing advice and support to health care professionals facing difficult  
112 ethical decisions related to treatment and care of patients. Clinical ethics committees, ethics  
113 consultants, and moral deliberation groups are three of the commonest examples of such  
114 services. Despite the proliferation of these interventions, there has been little evidence of  
115 robust evaluation, specifically in relation to the ethical decision-making of the health care  
116 professionals these services aim to support.

117

118 To investigate this apparent lack of evaluation of the impact of either educational or ethics  
119 support interventions on the ethical decision-making of health care professionals in practice  
120 we conducted a systematic review of published literature, as part of a larger project focusing  
121 on the process of referral and admission decisions for intensive care (8), to answer the  
122 following question: what measures or tools of evaluation have been used to assess the impact  
123 of interventions to improve ethical decision-making in clinical practice? Based on the  
124 findings from the review and other literature, we explore how competency in ethical decision-  
125 making is currently assessed and reflect upon broader challenges of assessing ethical  
126 decision-making in education and real-world clinical practice.

127

128 The paper proceeds as follows. First, we briefly consider development of interventions to  
129 improve ethical decision-making in clinical practice, and a parallel development of tools to  
130 evaluate ethical sensitivity and ethical judgment more generally. We note that this is some  
131 overlap in these two streams of research but argue that a robust assessment of such  
132 interventions needs to go beyond ethical sensitivity and judgment and capture the process of

133 ethical decision-making in the clinic. We next describe our systematic literature review which  
134 focussed on evaluation tools or measures specifically used to assess interventions to improve  
135 ethical decision making in clinical practice. We present an overview of the review findings  
136 and conclude that none of the tools identified work-based assessments of ethical decision-  
137 making. Finally, we sketch out the problems that exist for assessing ethical decision-making  
138 in education and real-word clinical practice and discuss the need for further work on  
139 developing valid and reliable instruments to evaluate clinicians' ethical decision-making in  
140 practice.

141

## 142 [Interventions to improve ethical decision-making](#)

143 Interventions to improve ethical decision-making in clinical practice can be broadly divided  
144 into educational interventions aimed at equipping health care professionals with the  
145 knowledge, skills and attitudes required for decision-making, and interventions that provide  
146 real time support for clinicians facing ethical challenges in their work. Educational  
147 interventions have largely focused on medical and nursing students rather than postgraduate  
148 trainees. The development of clinical ethics support services and their integration into front  
149 line care has been documented in the literature (9-12). In the UK, both the Royal College of  
150 Physicians and the Nuffield Council on Bioethics have referred to the importance of support  
151 for clinicians in dealing with the ethical dimension of their work (13, 14). However, clinical  
152 ethics support services have faced a persistent challenge from health care funders and some  
153 clinicians to demonstrate the impact of these interventions on clinical decision-making and  
154 patient care. Authors have noted the lack of robust studies demonstrating effectiveness of  
155 clinical ethics support (12, 15-18). Schildmann et al. specifically looked at outcome criteria  
156 used in evaluation studies of clinical ethics support. They did not identify any studies that  
157 evaluated clinician's decisions following advice in an ethics consultation, or the ethical



158 quality of decision-making within the service itself (12, 19). The Euro-MCD Instrument,  
159 specifically designed to measure outcomes of moral case deliberation, focuses on how  
160 participants perceive the importance of outcomes and experience these outcomes after the  
161 deliberation (20, 21). Recent systematic and literature reviews on clinical ethical support cite  
162 a number of other evaluation tools, but conclude that evaluation is still an underdeveloped  
163 area (22, 23). Research on moral deliberation groups or individual ethics consultations have  
164 found that clinicians find them helpful and report that they reduce conflict, save money and  
165 improve the overall quality of patient care (24, 25), but little is known about whether and how  
166 these actually shape and influence health care professionals' decision-making in practice  
167 (26).

168

## 169 Evaluation tools measuring ethical sensitivity and judgment

170 Concurrent with, but unrelated to, research on interventions to support healthcare  
171 professionals in ethical decision-making in practice, there has been a stream of research  
172 focused on the development of reliable and valid tools (often referred to as frameworks,  
173 instruments or methods in the literature) to assess ethical reasoning and judgement. Some of  
174 these have been used, or adapted for use, in the evaluation of ethics educational interventions.  
175 Early tools originated in moral psychology and were generic and profession non-specific.  
176 The most extensively used tool to study moral reasoning is the Defining Issues Test (DIT)  
177 (27), which is designed to measure default schema by which individuals interpret moral  
178 issues. The DIT assesses one of the four components of Rest's model of moral behaviour  
179 (moral judgment), the other three components being ethical sensitivity, moral motivation, and  
180 moral character (28-30). Some profession-specific instruments have been developed for use  
181 in medicine and dentistry, based on the DIT. The Medical Ethical Reasoning and Judgement  
182 Test (MERJT) (31) uses ethical dilemmas relevant to medical students and doctors. Other

183 instruments include the ‘Dental Ethical Reasoning and Judgement Test’ (DERJT), the  
184 Nursing Dilemmas Test (32) and Ketefian’s Judgement About Nursing Dilemmas Test (33).  
185 Several authors have recognised the need to extend assessment of ethical decision-making to  
186 include the other three components of the four-component model (34-36). The Dental Ethical  
187 Sensitivity Test (DEST), for example, measures ethical sensitivity in dentistry (37), and  
188 Hebert et al.’s vignette questionnaire tests the ability to recognise ethical issues in  
189 undergraduate medical students and healthcare professionals (38). Research in behavioural  
190 ethics and business ethics suggests that other factors including cognitive error, social,  
191 organisational, and contextual factors may also play a significant role in ethical decision-  
192 making (39). In 2002, Bebeau commented on the relative neglect of moral motivation and  
193 moral character in education and assessment in the professions compared to the focus on  
194 ethical reasoning and sensitivity and there has been increasing focus on professionalism and  
195 professional values within health care education in the last decade (40). However, the  
196 ultimate challenge for assessment of moral reasoning and behaviour is to capture its  
197 implementation in practice. Well-developed ethical sensitivity and reasoning skills that  
198 perform well in hypothetical situations do not necessarily predict ethical competency in  
199 implementing action plans in the high-pressured environment of clinical practice. There is a  
200 need for valid and reliable instruments to evaluate how clinicians make ethical decisions in  
201 this environment.

202

## 203 [Literature review](#)

204 In collaboration with an experienced information specialist (SJ), we searched MEDLINE,  
205 EMBASE, PsycINFO via OVID and Web of Science (SCI and SSCI). We used specific  
206 Medical Subject Heading (MeSH) terms in Medline and their equivalent for the different  
207 other databases. Our initial search was run on 21<sup>st</sup> March 2016. We repeated the search in

208 March 2018 and November 2020 to capture any studies published since the original search.

209 See Supplementary file 1 for full search strategy.

210

211 We included empirical studies that:

- 212 • evaluated an intervention(s) aimed at improving ethical decision-making in clinical  
213 care (we used the term “intervention” to refer to any strategy used to inform, build or  
214 encourage healthcare professionals’ or students’ skills in dealing with ethical  
215 challenges in clinical practice); and
- 216 • described tools or instruments that evaluated one or more components of the  
217 intervention(s) aimed at improving ethical decision-making in clinical care.

218

219 The combined searches yielded 3594 papers after deduplication (465 of these were from the  
220 updated search in 2020). Two primary reviewers (AI, AMS) independently screened all  
221 included papers on the title and abstract and identified 86 potentially relevant papers for full  
222 text review. During the full text review process a further three papers were identified by a  
223 bibliography search of included papers. 14 papers (13 studies) were included for data  
224 extraction. See Supplementary file 2 for PRISMA study flow diagram.

225

226 AI and AMS independently carried out data extraction for each study. All included were  
227 evaluated for methodological quality using an adapted version of items from the COnsensus-  
228 based Standards for the selection of health status Measurement INstruments (COSMIN)  
229 checklist (41) (please see Supplementary file 3 for evaluation of methodological and  
230 reporting quality). We used a narrative approach to summarise the findings.

231

## 232 Results of the systematic review

233 Characteristics of the included studies are presented in table 1. All studies except one (42),  
234 evaluated interventions that were educational in type. These educational interventions were  
235 diverse and included: a general medical curriculum with some lectures and discussion  
236 relating to ethics in the Introduction to Medicine course (43); specific ethics course within a  
237 medical or nursing curriculum (44-48); an integrated ethics thread in a medical curriculum  
238 (49, 50); a specific educational tool for teaching ethics in a nursing curriculum (guided  
239 design) (51); and a general medical or nursing undergraduate curriculum as part of the  
240 medical or nursing curriculum in ethics (40, 52-54). Eight studies recruited medical students,  
241 four studies nursing students and one study clinical ethics consultants as their participants.

242

243 INSERT TABLE 1 HERE

244 Table 1. Summary of included studies.

245

## 246 Tools and instruments to evaluate interventions to improve ethical decision-making in 247 clinical practice

248 Almost all evaluation tools (12) were administered to medical and nursing students and  
249 assessed educational interventions to improve ethical decision-making related to clinical  
250 practice. Amongst these 12 instruments, five were already existing instruments and seven  
251 were new instruments developed for the purpose of the study. Ten out of 13 studies included  
252 described evaluation tools based on written assessments (43-51, 54), two described tools that  
253 included an Objective Structured Clinical Examination (OSCE) station/s (52, 53), and one a  
254 combination of performance based assessment with a standardised patient and written  
255 assessment of a clinical case (40).

256

257 Of the ten studies describing written assessment evaluation tools, three studies used the  
258 previously developed and validated tools. Turner and Bechtel (51) and Kim and Park (48)  
259 used Judging About Nursing Decisions (JAND) test (55) that assesses nurses' ability to judge  
260 which course of action in a series of scenarios most closely accords with the American  
261 Nursing Association's code of ethics and how likely the participant is to follow it.  
262 Akabayashi et al. (43) modified the Defining Issues Test and combined it with the Problem  
263 Identification Test. Both, DIT and PIT are questionnaire surveys based on vignettes and  
264 participants are asked to list the ethical issues in the vignette (PIT) or choose the most  
265 suitable action from a list (DIT). The other seven studies that used written assessment  
266 developed the new instruments for the purpose of the study. Three studies used case vignettes  
267 but the number of cases varied from one (The Ethical Reasoning Tool)(45) to 12 (Ethics and  
268 Health Care Survey Instrument)(49, 50, 54)). Three tools asked students to state and justify  
269 what they would do in each case vignette (44-46), and one tool required students to choose  
270 from a pre-specified list of actions for each vignette and then to justify their decision (49, 50,  
271 54). One tool combined the performance based assessment with a standardised patient and  
272 written assessment of a clinical case (40). Students were asked to complete ten OSCE stations  
273 and interact with the standardised patient. Following the encounter with the standardised  
274 patients, students had a pre-defined time to list the moral conflicts in the case and briefly  
275 analyse at least two of these conflicts. In one study, the description of the written assessment  
276 evaluation tool - the nursing ethical decision-making ability scale (47) - was not described  
277 well enough to establish whether case vignettes were used.

278

279 Of the performance-based tools, two studies used OSCE as an assessment tool to evaluate  
280 medical students' and residents' performance in the ethics stations (52, 53). The studies were  
281 designed around either six or four ethics stations based on actual clinical and legal cases.

282 Students' performance was scored using a checklist that was developed using the comments  
283 made by practising physicians who were videotaped playing the role of the student and  
284 interacting with the standardised patients. Each item on the checklist corresponded with the  
285 comment made by the physicians and students were scored by two independent raters.  
286  
287 Only one study described an instrument for evaluating ethical decision-making in actual  
288 clinical practice rather than using hypothetical scenarios (42). The instrument (Ethics  
289 Consultation Quality Assessment Tool – ECQAT) was used to evaluate written records of  
290 case consultations, which then form part of the patient clinical record. The ECQAT was  
291 based on a holistic assessment model covering four key elements in the case consultation:  
292 identifying the ethics question; eliciting consultation specific information; ethical analysis;  
293 and making practical recommendations. The key elements have sub-elements that explain the  
294 characteristics of the element and serve as the basis for rating the quality of the ethics  
295 consultation. Each key element is then scored on a rating scale of 1-4 with 1 being poor and 4  
296 strong. An overall assessment of acceptable/less than acceptable was also given. Interrater  
297 reliability was 43% for the individual key element scores and 74% for the overall holistic  
298 assessment score.

299

## 300 Discussion

301 This review aimed to identify and describe instruments that were specifically designed to  
302 evaluate interventions to improve ethical decision-making in clinical practice. Of the 13  
303 studies identified, 12 described an evaluation tool that could be used to assess or the use of an  
304 existing tool to assess, educational interventions to improve ethical decision-making in  
305 medical or nursing students. None of these tools included work-based assessments with

306 health care professionals. A single study described a tool to evaluate clinical ethics case  
307 consultation in practice using consultation records.

308

309 A striking finding from our review was that we found no educational interventions aimed at  
310 post graduate practising clinicians. The evaluation tools and instruments for educational  
311 interventions identified focussed on students' skills in reasoning about and articulating  
312 principles for ethical action with the aim of improving ethical competence in future practice.  
313 Despite the emphasis on clinical veracity in the use of clinical case reports and simulated  
314 patients, the tools were not designed to be used as a workplace assessment. This is perhaps  
315 not surprising given the interventions were aimed at students, although work place  
316 assessment of clinical skills can form part of medical and nursing education. Thus, while the  
317 literature acknowledges the importance of recognising the ethical dimension of clinical  
318 decision-making, currently available evaluation tools and instruments for assessing  
319 interventions to improve ethical decision-making in clinical practice appear to be limited in  
320 this respect.

321

322 Assessing knowledge and reasoning skills in an educational setting is an important part of  
323 developing competencies in health care professional students as a foundation for competent  
324 clinical practice in the workplace. This is true of both clinical and ethical decision-making.  
325 Assessment of clinical competency is a requirement of continuing professional training and  
326 development. However, the use of workplace assessment for ethical competency, however  
327 defined, is more challenging than similar assessment of clinical procedural skills. Firstly,  
328 there is the complexity of assessing how ethical decision-making happens in clinical practice,  
329 and therefore precisely what are the elements of good ethical decision-making. Ability to  
330 recognise and articulate ethical issues or concerns (moral sensitivity); to draw on ethical

331 principles and consider arguments for alternative courses of action (ethical reasoning) and to  
332 make a judgment based on ethical reasoning will clearly be needed. But ethical decision  
333 making in the clinic, like clinical decision making, is a dynamic and interactive process,  
334 requiring dialogue between clinician and patient, and often a patient's family, identifying  
335 perspectives and values of those involved, and knowledge of personal, organisational and  
336 societal constraints on decision-making in a specific situation. Thus, any assessment tool for  
337 ethical decision making in clinical practice needs to first identify the full complement of  
338 competencies that the tool needs to include for a comprehensive evaluation. This will also  
339 include a discussion of what are the aims of good ethical decision making and whether the  
340 tool can measure whether these aims have been achieved.

341

342 The importance of clarifying the key aims and components of the process to be evaluated  
343 have been highlighted in the literature on evaluation of clinical ethics support services. A  
344 recent systematic review on ethical case interventions and their impact on care for patients  
345 found no data on decisional conflict, moral distress, patient involvement in decision-making,  
346 quality of life of patients or ethical competency (56). Another review of tools used to assess  
347 clinical ethics consultations concluded that the diversity of these tools used in studies stem  
348 from the diverse goals of assessing consultations, different contextual factors and practical  
349 limitations (57).

350

351 Even with an agreed set of competencies for ethical decision making in clinical practice  
352 underpinning an evaluation tool, there remains the challenge of how to implement such a tool  
353 in a workplace setting. Ideally evaluation of ethical decision-making should be embedded in  
354 overall assessment of clinical practice and therefore it might be useful to look to current  
355 models of workplace assessment for clinicians for inspiration. The UK foundation doctor



356 training programme includes a range of ‘supervised learning events’ that contribute to the  
357 trainee’s portfolio which forms the basis of the decision regarding their competency to  
358 progress. These include case-based discussions and ‘Mini Cex’ assessments involving direct  
359 observation of a doctor’s interaction with, and clinical management of, a patient. Both  
360 learning events use a structured framework for assessing competency in specific domains that  
361 guide the supervisor (58). Inclusion of a framework that evaluated ethical decision-making  
362 could be incorporated into this kind of assessment. In the area of communication skills  
363 training for clinicians, studies have described using observation and feedback from senior  
364 clinicians and patients and families in the assessment of communication skills for trainee  
365 physicians (59, 60). Similar approaches may work for ethical decision-making training and  
366 evaluation.

367

368 The recent calls for setting standards for training and evaluating the impact and efficacy of  
369 ethics consultation in the U.S. have also led to the development of new tools. The Assessing  
370 Clinical Ethics Skills (ACES) tool (61) is designed to be used in an educational setting with  
371 simulated ethics consultation cases and assesses a range of interpersonal skills, including  
372 specific behaviours that the trainee ethics consultant should demonstrate. (7). Adapting such a  
373 tool to capture the elements of ethical decision-making in clinical practice could be a  
374 powerful educational tool for use in both the classroom (with simulation) or in clinical  
375 practice.

376

377 These workplace and educational assessment tools and models have potential for  
378 development of assessment of ethical decision-making that translate into clinical practice but  
379 they are resource intensive (62). Furthermore, direct observation and feedback on a very  
380 limited number of cases may not capture consistency of ethical decision-making across the

381 diversity and complexity of clinical situations that health care professionals encounter. There  
382 is a need for valid and reliable tools that can evaluate not only whether individual clinicians  
383 have the competencies for ethical decision-making but also whether ethical decision-making  
384 is implemented consistently in practice.

385

## 386 Conclusion

387 Despite previous calls for research to develop evaluation methods that address elements of  
388 ethical decision-making other than moral judgment and in particular assessment of ethical  
389 decision-making in practice (35), our review found that little progress has been made. Given  
390 the increasing focus on the ethical dimension of decisions relating to patient care, and the  
391 potential harm to patients of poor ethical decision-making, there is a moral obligation for  
392 clinicians, their trainers, and those providing ethics support to clinicians, to demonstrate that  
393 educational and other interventions have an impact on this element of clinical practice. There  
394 is a clear need for further work to develop valid and reliable instruments to evaluate  
395 clinicians' ethical decision-making in practice. These could be used as part of formative  
396 assessment and learning in clinical training and continuing professional development, in  
397 addition to providing a mechanism for evaluating interventions aiming to support and  
398 improve ethical decision-making in relation to patient care.

## 399 List of abbreviations

400

401 UK – United Kingdom

402 EPA - Entrustable Professional Activities

403 NIHR - National Institute for Health Research

404 PIT - Problem Identification Test

405 MERJT - Medical Ethical Reasoning and Judgement Test

406 DERJT - Dental Ethical Reasoning and Judgement Test

407 DEST - Dental Ethical Sensitivity Test

408 OSCE - objective structured clinical examination

409 ECQAT - Ethics Consultation Quality Assessment Tool

410

## 411 [References](#)

- 412 1. The Association of American Medical Colleges. The Core Entrustable Professional Activities  
413 (EPAs) for Entering Residency. 2018.
- 414 2. Ten Cate O, Scheele F. Viewpoint: competency-based postgraduate training: can we bridge  
415 the gap between theory and clinical practice? *Acad Med.* 2007;82(7):542–7.
- 416 3. General Medical Council. Outcomes for graduates. General Medical Council; 2018.
- 417 4. Institute of Medical Ethics. Core Curriculum for Undergraduate Medical Ethics and Law 2019.
- 418 5. Joint Royal Colleges of Physicians. Training Board Curriculum for internal medicine. 2019.
- 419 6. Brooks L, Bell D. Teaching, learning and assessment of medical ethics at the UK medical  
420 schools. *J Med Ethics.* 2017;43(9):606-12.
- 421 7. Pinilla S, Lenouvel E, Cantisani A, Klöppel S, Strik W, Huwendiek S, et al. Working with  
422 entrustable professional activities in clinical education in undergraduate medical education: a  
423 scoping review. *BMC Med Educ.* 2021;21(172).
- 424 8. Bassford C, Slowther AM, Griffiths F, Perkins G, Ryan M, Dale J, et al. Gatekeeping in  
425 intensive care: Understanding and improving the decision-making process surrounding admission to  
426 the intensive care unit. *Protocol.* . Health Services and Delivery Research 2015;13/10/14.
- 427 9. Molewijk B, Verkerk M, Milius H, Widdershoven G. Implementing moral case deliberation in  
428 a psychiatric hospital: process and outcome. *Medicine, health care, and philosophy.* 2008;11(1):43-  
429 56.
- 430 10. Foglia MB, Fox E, Chanko B, Bottrell MM. Preventive ethics: addressing ethics quality gaps on  
431 a systems level. *Joint Commission journal on quality and patient safety.* 2012;38(3):103-11.
- 432 11. Reiter-Theil S, Mertz M, Schurmann J, Stingelin Giles N, Meyer-Zehnder B. Evidence -  
433 competence - discourse: the theoretical framework of the multi-centre clinical ethics support project  
434 METAP. *Bioethics.* 2011;25(7):403-12.
- 435 12. van der Dam S, Molewijk B, Widdershoven GAM, Abma TA. Ethics support in institutional  
436 elderly care: a review of the literature. *Journal of Medical Ethics.* 2014.
- 437 13. Royal College of Physicians of London. Ethics in practice. Background and recommendations  
438 for enhanced support. Report of a Working Party, 2005; 2005.
- 439 14. Nuffield Council on Bioethics. Critical care decisions in fetal and neonatal medicine: ethical  
440 issues. Nuffield Council; 2006.
- 441 15. Hem MH, Pedersen R, Norvoll R, Molewijk B. Evaluating clinical ethics support in mental  
442 healthcare: a systematic literature review. *Nursing ethics.* 2015;22(4):452-66.
- 443 16. Aulisio MP, Arnold RM, Youngner SJ. Health care ethics consultation: nature, goals, and  
444 competencies. A position paper from the Society for Health and Human Values-Society for Bioethics  
445 Consultation Task Force on Standards for Bioethics Consultation. *Ann Intern Med.* 2000;133(1):59-  
446 69.
- 447 17. Slowther A, Bunch C, Woolnough B, Hope T. Clinical ethics support services in the UK: an  
448 investigation of the current provision of ethics support to health professionals in the UK. *Journal of  
449 medical ethics.* 2001;27 Suppl 1:i2-8.

- 450 18. Molewijk AC, Abma T, Stolper M, Widdershoven G. Teaching ethics in the clinic. The theory  
451 and practice of moral case deliberation. *Journal of medical ethics*. 2008;34(2):120-4.
- 452 19. Schildmann J, Molewijk B, Benaroyo L, Forde R, Neitzke G. Evaluation of clinical ethics  
453 support services and its normativity. *Journal of medical ethics*. 2013;39(11):681-5.
- 454 20. de Snoo-Trimp JC, Molewijk B, Ursin G, Brinchmann BS, Widdershoven GA, de Vet HC, et al.  
455 Field-testing the Euro-MCD Instrument: Experienced outcomes of moral case deliberation. *Nurs  
456 Ethics*. 2020;27(2):390-406.
- 457 21. de Snoo-Trimp JC, Molewijk AC, Svantesson M, Widdershoven GAM, de Vet HCW. Field-  
458 Testing the Euro-MCD Instrument: Important Outcomes According to Participants Before and After  
459 Moral Case Deliberation. *HEC Forum*. 2020.
- 460 22. Haan MM, van Gulp JLP, Naber SM, Groenewoud AS. Impact of moral case deliberation in  
461 healthcare settings: a literature review. *BMC Medical Ethics*. 2018;19(1):85.
- 462 23. Schildmann J, Nadolny S, Haltaufderheide J, Gysels M, Vollmann J, Bausewein C. Do we  
463 understand the intervention? What complex intervention research can teach us for the evaluation of  
464 clinical ethics support services (CESS). *BMC Medical Ethics*. 2019;20(1):48.
- 465 24. Dauwse L, Weidema F, Abma T, Molewijk B, Widdershoven G. Implicit and explicit clinical  
466 ethics support in The Netherlands: a mixed methods overview study. *HEC Forum*. 2014;26(2):95-109.
- 467 25. Andereck WS. Development of a hospital ethics committee: lessons from five years of case  
468 consultations. *Cambridge quarterly of healthcare ethics : CQ : the international journal of healthcare  
469 ethics committees*. 1992;1(1):41-50.
- 470 26. Cardy RL, Selvarajan TT. Assessing ethical behavior: the impact of outcomes on judgment  
471 bias. *Journal of Managerial Psychology*. 2006;21(1):52-72.
- 472 27. Rest JR, Narvaez, D., Thoma, S. J., & Bebeau, M. J. DIT2: Devising and Testing a Revised  
473 Instrument of Moral Judgment. *Journal of Educational Psychology*. 1999;91(4):644-59.
- 474 28. Rest J. The major components of morality. In: Kurtines W GJ, editor. *Morality, moral  
475 development, and moral behavior*. New York: Wiley 1984. p. 24-38.
- 476 29. Rest JR, Narvaez D. *Moral development in the professions*. Hillsdale, NJ: Lawrence Erlbaum;  
477 1994.
- 478 30. Rest J, Narvaez D, Bebeau MJ, Thoma SJ. *Postconventional moral thinking: a neo-  
479 Kohlbergian approach*. Mahwah, NJ: Lawrence Erlbaum; 1999.
- 480 31. Caldicott C, Faber-Langendoen K, Bebeau M, Thoma S. *Assessing Moral Reasoning in Medical  
481 Training and Practice: A Pilot Study*. New York City, USA: Cambridge Consortium for Bioethics  
482 Education; 2010.
- 483 32. Crisham P. Measuring moral judgment in nursing dilemmas. *Nurs Res*. 1981;30(2):104-10.
- 484 33. Ketefian S. Professional and bureaucratic role conceptions and moral behavior among  
485 nurses. *Nurs Res*. 1985;34(4):248-53.
- 486 34. Kotzee B, Ignatowicz A. Measuring 'virtue' in medicine. *Medicine, health care, and  
487 philosophy*. 2016;19(2):149-61.
- 488 35. Bebeau MJ. The Defining Issues Test and the Four Component Model: Contributions to  
489 professional education. *Journal of Moral Education*. 2002;31(3):271-95.
- 490 36. Baldwin D, Self D. The Assessment of Moral Reasoning and Professionalism in Medical  
491 Education and Practice. In: Stern D, editor. *Measuring Medical Professionalism*. Oxford: Oxford  
492 University Press; 2005.
- 493 37. Bebeau MJ, Rest JR, Yamoore CM. Measuring dental students' ethical sensitivity. *J Dent Educ*.  
494 1985;49(4):225-35.
- 495 38. Hebert P, Meslin E, Dunn E, Byrne N, Reid S. Evaluating Ethical Sensitivity in Medical  
496 Students: using vignettes as instrument. *Journal of medical ethics*. 1990;16(3):141-45.
- 497 39. Drumwright M, Prentice R, Biasucci C. Behavioral Ethics and Teaching Ethical Decision  
498 Making. *Decision Sciences Journal of Innovative Education*. 2015;133(3):431-58.
- 499 40. Smith S, Balint J, Krause K, Moore-West M, Viles P. Performance-Based Assessment of Moral  
500 Reasoning and Ethical Judgement Among Medical Students. *Academic Medicine*. 1994;69(5):381-6.

- 501 41. Mookink LB, Terwee CB, Patrick DL, Alonso J, Stratford PW, Knol DL, et al. The COSMIN  
502 checklist for assessing the methodological quality of studies on measurement properties of health  
503 status measurement instruments: an international Delphi study. *Quality of life research*.  
504 2010;19(4):539-49.
- 505 42. Pearlman RA, Foglia MB, Fox E, Cohen JH, Chanko BL, Berkowitz KA. Ethics consultation  
506 quality assessment tool: A novel method for assessing the quality of ethics case consultations based  
507 on written records. *The American Journal of Bioethics*. 2016;16(3):3-14.
- 508 43. Akabayashi A, Slingsby BT, Kai I, Nishimura T, Yamagishi A. The development of a brief and  
509 objective method for evaluating moral sensitivity and reasoning in medical students. *BMC Medical  
510 Ethics*. 2004;5:E1.
- 511 44. Siegler M, Rezler AG, Connell KJ. Using simulated case studies to evaluate a clinical ethics  
512 course for junior students. *J Med Educ*. 1982;57(5):380-5.
- 513 45. McAlpine H, Kristjanson L, Poroch D. Development and testing of the ethical reasoning tool  
514 (ERT): an instrument to measure the ethical reasoning of nurses. *J Adv Nurs*. 1997;25(6):1151-61.
- 515 46. Savulescu J, Crisp R, Fulford K, Hope T. Evaluating ethics competence in medical education.  
516 *Journal of medical ethics*. 1999;25(5):367-74.
- 517 47. Chao S-Y, Chang Y-C, Yang S, Clark M. Development, implementation, and effects of an  
518 integrated web-based teaching model in a nursing ethics course. *Nurse education today*.  
519 2017;55:31-7.
- 520 48. Kim WJ, Park JH. The effects of debate-based ethics education on the moral sensitivity and  
521 judgment of nursing students: A quasi-experimental study. *Nurse Educ Today*. 2019;83:104200.
- 522 49. Goldie J, Schwartz L, McConnachie A, Morrison J. The impact of three years' ethics teaching,  
523 in an integrated medical curriculum, on students' proposed behaviour on meeting ethical dilemmas.  
524 *Medical education*. 2002;36(5):489-97.
- 525 50. Goldie J, Schwartz L, McConnachie A, Morrison J. The impact of a modern medical  
526 curriculum on students' proposed behaviour on meeting ethical dilemmas. *Medical education*.  
527 2004;38(9):942-9.
- 528 51. Turner SL, Bechtel GA. The effectiveness of guided design on ethical decision making and  
529 moral reasoning among community nursing students. *Nursingconnections*. 1998;11(1):69-74.
- 530 52. Singer PA, Robb A, Cohen R, Norman G, Turnbull J. Evaluation of a multicenter ethics  
531 objective structured clinical examination. *Journal of general internal medicine*. 1994;9(12):690-2.
- 532 53. Singer PA, Robb A, Cohen R, Norman G, Turnbull J. Performance-based assessment of clinical  
533 ethics using an objective structured clinical examination. *Acad Med*. 1996;71(5):495-8.
- 534 54. Lohfeld L, Goldie J, Schwartz L, Eva K, Cotton P, Morrison J, et al. Testing the validity of a  
535 scenario-based questionnaire to assess the ethical sensitivity of undergraduate medical students.  
536 *Med Teach*. 2012;34(8):635-42.
- 537 55. Ketefian S. Moral reasoning and ethical practice in nursing. *Measurement issues. Nursing  
538 Clinics of North America*. 1989;24(2):509-21.
- 539 56. Schildmann J, Nadolny S, Hltaufderheide J, Gysels M, Vollmann J, Bausewein C. Ethical case  
540 interventions for adult patients. *Cochrane Database of Systematic Reviews*. 2019(7):Art. No.:  
541 CD012636.
- 542 57. Yoon NYS, Ong YT, Yap HW, Tay KT, Lim EG, Cheong CWS, et al. Evaluating assessment tools  
543 of the quality of clinical ethics consultations: a systematic scoping review from 1992 to 2019. *BMC  
544 Medical Ethics*. 2020;21(1):51.
- 545 58. UK Foundation Programme. Supervised Learning Events [Available from:  
546 <https://foundationprogramme.nhs.uk/curriculum/supervised-learning-events/>].
- 547 59. Roze des Ordons AL, Doig CJ, Couillard P, Lord J. From Communication Skills to Skillful  
548 Communication: A Longitudinal Integrated Curriculum for Critical Care Medicine Fellows. *Academic  
549 medicine : journal of the Association of American Medical Colleges*. 2017;92(4):501-5.

550 60. Sullivan AM, Rock LK, Gadmer NM, Norwich DE, Schwartzstein RM. The Impact of Resident  
551 Training on Communication with Families in the Intensive Care Unit. Resident and Family Outcomes.  
552 Annals of the American Thoracic Society. 2016;13(4):512-21.

553 61. Wasson K, Adams WH, Berkowitz K, Danis M, Derse AR, Kuczewski MG, et al. What Is the  
554 Minimal Competency for a Clinical Ethics Consult Simulation? Setting a Standard for Use of the  
555 Assessing Clinical Ethics Skills (ACES) Tool. AJOB Empir Bioeth. 2019;10(3):164-72.

556 62. Wilkinson JR, Crossley JG, Wragg A, Mills P, Cowan G, Wade W. Implementing workplace-  
557 based assessment across the medical specialties in the United Kingdom. Medical education.  
558 2008;42(4):364-73.

559

560 **Table 1. Summary of included studies**

561

Authors and year	Country	Name/brief description of evaluation tool	Target population	Validity testing	Reliability testing	Intervention evaluated	Language of tool	What was measured
Siegler, 1982 (44)	US	A series of case vignettes with questions related to clinical and ethical dimension of the case; students asked to give reasons for their answers to the individual question	Medical students (36 in the experimental group and 29 in the control group)	Scoring categorisation of reasons developed by several members of weighting of reasons reflected values of teaching staff	Two independent scorers each scored 10 students' assessments and reached agreement on 88% of responses	Experimental teaching course in ethics	English	Ethical reflectiveness and reasoning
Smith, 1994 (40)	US	Performance based clinical skills assessment; students assessed on performance with standardised patient based on five behaviours and on written element of the assessment which asked students to list the moral conflicts identified and analyse 2 of them.	511 medical students	Not described	For written portion: the Spearman rank-correlation coefficients for pairs of readers who jointly rated more than ten students	Medical curriculum	English	Moral reasoning and ethical judgement
Singer, 1994 (52)	Canada	Objective structured clinical examination (OSCE); six ethics OSCE stations; stations based on actual cases described; scoring checklists developed using videotaped encounters between attending physicians and standardized patients.	66 medical students and residents	Performance of eight expert clinicians in response to the scenarios	Interrater reliability determined using intra class correlation coefficient Internal consistency reliability calculated using Cronbach's alpha	Medical curriculum	English	Performance in the OSCE
Singer, 1996 (53)	US	Four ethics stations on the objective structured clinical examination (OSCE); cases developed based on legal cases; scoring checklists developed by videotaping performances of 4-6 staff physicians on each of the stations, then transcribed and reviewed by the physicians to identify comments most commonly mentioned and consistent with bioethical principles.	88 final year medical students	Content validity tested by use of staff physicians in development of station	Interrater reliability scored using inter-class correlation coefficients.	Medical curriculum	English	Performance in the OSCE
McAlpine, 1997 (45)	Australia	Ethical Reasoning Tool (ERT). Case reflections are scored for each component of ethical reasoning against three professional response levels (traditional/traditional reflective/reflective). And eight components of ethical reasoning: (1) recognition of ethical issue; (2) use of ethical framework; (3) use of personal values; (4) use of professional values; (5) perception of the nurse's role; (6) perception of therapeutic nurse-patient relationship; (7) communication patterns; (8) potential action.	30 nursing students	Content validity-assessed by panel Construct validity Wilcoxon matched pairs signed rank test used to test changes in scores from pre-test to post test. Confirmed by a content analysis of students' reflections	Philosopher not connected with the study used the tool to score a random sample of 25% of papers. At least 75% agreement on level of response was achieved for 11 of 15 students.	Ethics study unit in medical curriculum	English	Cognitive reasoning

				on completing the post test.				
Turner and Bechtel, 1998 (51)	US	Ketefian's Judgment about Nursing Decisions (JAND), six stories with ethical dilemmas in practice; respondents rank which behaviour is most professionally desirable (moral reasoning) and which is most likely to occur (ethical decision-making).	Community health nursing students (149 students)	Content validity of JAND reported as being established with internal consistency measures giving alpha coefficients from 0.66 to 0.73 for ethical decision-making	Not described	Nursing curricula (nursing students enrolled in the study from three undergraduate programmes)	English	Ethical decision-making and moral reasoning
Savulescu, 1999 (46)	UK	Six vignettes constructed to reflect ethical issues arising in clinical practice; answers to vignettes evaluated by three markers with formal training in philosophy/bioethics and experience of teaching medical ethics and using a set of principles/marketing criteria developed for that purpose.	Medical students (30 scripts assessed)	Content validity assessed by naïve markers scores compared with marks by primary markers using the marking scheme.	Test-retest reliability evaluated by the extent to which the same student answering the same script two months later was given the same mark, from the same rater.	Medical ethics course in medical curriculum	English	Ethical awareness and core critical thinking skills
Goldie et al., 2002 and 2004 (49, 50)	UK	Ethics and health care survey instrument (EQUAT)/ 12 case vignettes which include an ethical dimension; nine have consensus opinion regarding preferred answer and 3 where there is reasonable dissensus; participants asked to choose preferred answer and justify their decision.	238 medical students	Not described	Not described	Integrated medical curriculum	English	Proposed behaviour in ethical situation
Akabayashi et al., 2004 (43)	Japan	Two component survey -1. Japanese version of the ethical sensitivity test (Problem Identification Test (PIT) Students are asked to list all the ethical issues related to each case in 3 vignettes. 2. Two vignettes from the Japanese version of the Defining Issues Test (DIT). In the DIT students are asked to choose the most suitable action, list reasons for that action and order four most important reasons.	Medical students and graduates (residents) (559 medical school students and 272 residents)	Referred to validity of the test in other papers	Not described	Medical curriculum with second year medical ethics lectures	Japanese	Moral sensitivity and reasoning
Lohfeld et al., 2012 (54)	UK	EHCQ-2 (Ethics in health care questionnaire) version 2 - ethical dilemmas in 12 clinical vignettes; subjects are asked to choose the best option from several pre-set responses; rationale for the choice is also explored by asking subjects to write a short answer that explains their thinking. These explanations are then scored through a formal coding system.	Medical students (20 final year McMaster University students and 45 final year Glasgow students)	Content validity was ensured by having a team of experts review the cases and reach consensus on the final versions.	Assessment of the performance of medical students on two occasions, separated by 2 weeks, using 2 or 3 trained raters at each site	Medical curriculum (McMaster - problem-based programme; Glasgow University - integrated, problem-based curriculum)	English	Ethical sensitivity
Pearlman et al., 2016 (42)	US	A records-based assessment using the record of a clinical ethics case consultation. Scoring is based on four key elements of an ethics consultation	Clinical ethics consultants (14	Verbal feedback from nine reviewers who were members	Scoring of a sample of case consultation records as part of an ASBH quality attestation	Clinical ethics consultation	English	Identification of ethical issue, relevant



		(ethics question, consultation specific information, ethical analysis, conclusions and recommendations. Each element is scored within 2 categories acceptable/less than acceptable using 4 key descriptors: poor; less than adequate; adequate; and strong. Each element has a set of descriptors about what should be included in the record.	different consultations)	of the SBH Quality Attestation Presidents Taskforce	pilot. 43% inter rater agreement between scores and 74% agreement regarding acceptable/not acceptable categories			information gathering, ethical analysis and ethical decision-making
Chao et al., 2017 (47)	Taiwan	Nursing ethical decision-making ability scale Questionnaire survey of 30 questions reflecting four dimensions of ethical decision-making recognising differences, comparing differences, self-dialogue and identifying implications. Self-assessment.	Nursing students (51 in the experimental group and 49 in the control group)	Not described References validity testing in an unpublished paper	Not described	Web based ethics course	Taiwanese	Self-assessment of ethical decision-making
Kim and Park 2019 (48)	Korea	Ketefian's Judgment about Nursing Decisions (JAND), translated and customized for the Korean context by the authors, with six patient-care vignettes each containing moral or ethical implications	64 senior years nursing students (35 in the debate group and 29 in the lecture group).	Content validity of Korean JAND reported in another referenced paper by the authors	Not described	Experimental debate-based ethics education	Korean	Moral judgement