

'Knowing the noise that surrounds the athlete'

Jones, Eleanor; Martin, Paul; Barr, Marc; Soundy, Andy; Heneghan, Nicola R

DOI:

[10.1097/PHM.0000000000002065](https://doi.org/10.1097/PHM.0000000000002065)

License:

None: All rights reserved

Document Version

Peer reviewed version

Citation for published version (Harvard):

Jones, E, Martin, P, Barr, M, Soundy, A & Heneghan, NR 2022, 'Knowing the noise that surrounds the athlete': a qualitative study exploring the health seeking behaviours of athletes with limb deficiency drawing on the experiences and perceptions of the medical staff and athletes', *American journal of physical medicine & rehabilitation*. <https://doi.org/10.1097/PHM.0000000000002065>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

This is a pre-copyedited, author-produced version of an article accepted for publication in American Journal of Physical Medicine & Rehabilitation. The published version of record, Jones, E., Martin, P., Barr, M., Soundy, A. and Heneghan, N.R., 2022. 'Knowing the noise that surrounds the athlete': a qualitative study exploring the health seeking behaviours of athletes with limb deficiency drawing on the experiences and perceptions of the medical staff and athletes. *American journal of physical medicine & rehabilitation*., is available online at: <https://doi.org/10.1097/PHM.0000000000002065>.

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

American Journal of Physical Medicine & Rehabilitation

'Knowing the noise that surrounds the athlete': a qualitative study exploring the health seeking behaviours of athletes with limb deficiency drawing on the experiences and perceptions of the medical staff and athletes

--Manuscript Draft--

Manuscript Number:	AJPMR-D-21-00878R3
Article Type:	Research Article
Keywords:	Limb deficiency; Qualitative; Focus Groups; Paralympic Medicine; Elite Sport; Health Seeking Behaviour
Corresponding Author:	Nicola R Heneghan, PhD University of Birmingham Birmingham, Birmingham UNITED KINGDOM
First Author:	Eleanor Jones, MSc
Order of Authors:	Eleanor Jones, MSc
	Paul Martin, MSc
	Marc Barr, MSc
	Andy Soundy, PhD
	Nicola R Heneghan, PhD
Manuscript Region of Origin:	UNITED KINGDOM
Abstract:	<p>Objective To explore the health seeking behaviours (HSB) of athletes with limb deficiency, drawing on the experiences and perception of the SMT and athletes.</p> <p>Design An interpretive hermeneutic phenomenological methodology with a subtle realist paradigmatic view to investigate commonality in unique experiences within reality. Data collection was completed with two focus groups in December 2019 and March 2020. Thirteen participants took part including athletes and SMT members (Physiotherapists, Doctors, and Strength and Conditioning Coaches) working in Parasports. Focus group manuscripts were transcribed verbatim from audio recordings. An inductive, iterative process was used to identify themes and subthemes, with processes in place to establish rigour.</p> <p>Results Two themes and five sub themes emerged in relation to the 'internalisation and adjustment to social identity' and 'the importance and impact of factors which impact the athlete social identity'.</p> <p>Conclusions HSB of athletes with limb deficiency were influenced by a unique blend of personal and environmental factors that contribute towards social identity. The SMT require specific awareness of factors that may diminish HSB to deliver a personalised approach and negate consequences.</p>

Centre of Precision Rehabilitation for Spinal Pain,
School of Sport, Exercise and Rehabilitation Sciences
University of Birmingham
Edgbaston
Birmingham B15 2TT

0121 415 8367
Email: n.heneghan@bham.ac.uk

1/6/22

Dear Editor,

Reference Manuscript: ***'Knowing the noise that surrounds the athlete': a qualitative study exploring the health seeking behaviours of athletes with limb deficiency drawing on the experiences and perceptions of the medical staff and athletes***

Thank you to the reviewers and editor for reviewing our manuscript, providing feedback and giving us the opportunity to re-submit this important research to the American Journal of Physical Medicine and Rehabilitation with minor revisions.

All authors have agreed to re-submission of this manuscript to the American Journal of Physical Medicine and Rehabilitation. The authors have no conflicts of interest to declare in the submission of this research for publication. We have made the changes as requested in recent emails.

There have been no previous publications from the same study.

I look forward to hearing your evaluation of the paper's suitability for the American Journal of Physical Medicine and Rehabilitation

Yours sincerely

A handwritten signature in dark ink, reading 'Nicola Heneghan'. The signature is written in a cursive, flowing style.

Nicola Heneghan
PhD. MSc. FMACP.

Reviewer 1:

Thank you for the revised manuscript.

Sentence 59 still includes incorrect information, and I suggest to delete "incidence of injury during isolated Paralympic games", and just write "Research to scrutinise Para athletes' interaction with their SMT in relation to the SMT's endorsement in sporting success and quality of life does not exist"

Thank you. This has now been revised as suggested.

'Knowing the noise that surrounds the athlete': a qualitative study exploring the health seeking behaviours of athletes with limb deficiency drawing on the experiences and perceptions of the medical staff and athletes

Eleanor Jones ^{a, b}, Paul Martin P ^c, Marc Barr ^d, Andy Soundy ^e, Nicola R Heneghan ^b

^a Eleanor Jones,

^a Physiotherapist, English Institute of Sport, English Institute of Sport, Lilleshall National Sports Centre, Newport, TF10 9AT

^b Centre of Precision Rehabilitation for Spinal Pain (CPR Spine), School of Sport, Exercise & Rehabilitation Sciences, University of Birmingham, Edgbaston, Birmingham, UK

Email: eleanor.jones@eis2win.co.uk

^c Paul Martin, Paralympic Technical Lead Physiotherapist, English Institute of Sport, London, UK

Email: Paul.Martin@eis2win.co.uk

^d Marc Barr, Physiotherapist, English Institute of Sport; Coleridge Road, Sheffield, S9 5DA

Email: Marc.Barr@eis2win.co.uk

^e Andrew Soundy, Lecturer, School of Sport, Exercise & Rehabilitation Sciences, University of Birmingham, Edgbaston, Birmingham, UK

E-mail: a.a.soundy@bham.ac.uk

^b Nicola R Heneghan, Senior Lecturer Musculoskeletal Rehabilitation Sciences, Centre of Precision Rehabilitation for Spinal Pain (CPR Spine), School of Sport, Exercise & Rehabilitation Sciences, University of Birmingham, Edgbaston, Birmingham, UK

E-mail: n.heneghan@bham.ac.uk

Corresponding author: Nicola R Heneghan.

E-mail: n.heneghan@bham.ac.uk

Postal address: Centre of Precision Rehabilitation for Spinal Pain, School of Sport, Exercise & Rehabilitation Sciences, University of Birmingham, Birmingham, B15 2TT, UK.

Word count:

Number of figures: 2

Number of tables: 1

Number of references: 41

Number of supplementary files: 3

Funding: This research project has been funded by the English Institute of Sport as part of a Physiotherapy Masters qualification.

ABSTRACT

Objective

To explore the health seeking behaviours (HSB) of athletes with limb deficiency, drawing on the experiences and perception of the SMT and athletes.

Design

An interpretive hermeneutic phenomenological methodology with a subtle realist paradigmatic view to investigate commonality in unique experiences within reality. Data collection was completed with two focus groups in December 2019 and March 2020. Thirteen participants took part including athletes and SMT members (Physiotherapists, Doctors, and Strength and Conditioning Coaches) working in Parasports. Focus group manuscripts were transcribed verbatim from audio recordings. An inductive, iterative process was used to identify themes and subthemes, with processes in place to establish rigour.

Results

Two themes and five sub themes emerged in relation to the 'internalisation and adjustment to social identity' and 'the importance and impact of factors which impact the athlete social identity'.

Conclusions

HSB of athletes with limb deficiency were influenced by a unique blend of personal and environmental factors that contribute towards social identity. The SMT require specific awareness of factors that may diminish HSB to deliver a personalised approach and negate consequences.

Key Words

Limb deficiency, Qualitative, Focus Groups, Paralympic Medicine, Elite Sport, Health Seeking Behaviour

What is Known: Health Seeking Behaviours describe an individual's decision-making as to when to pursue an '*interpersonal interaction*' to aid recovery or enhance performance. Delayed HSB is known to negatively impact any desirable resolution with interactions with healthcare professionals influencing care expectations, patient perceptions of capacity and psychological factors contributing to rehabilitation.

What is New: Sports medicine team and athletes perceive how social and internalised identity shape health seeking behaviours in elite athletes with limb deficiency. Unique journeys and interactions contribute towards positive and negative health seeking behaviours. Understanding personal and environmental factors are important to personalise care.

BACKGROUND

Exposure of sport to the disabled population has grown exponentially since the start of the Paralympic Games. From just 17 countries participating in 1960, over 164 now compete, with the Paralympic population of over 4000 worldwide.¹ Athletes with limb deficiency are just one of the eligible impairment groups and constitute a significant sub-population.² Within this specific impairment group, athletes may have acquired/traumatic or congenital limb deficiency.

The potential for success in Para sport has accelerated funding and performance support across the United Kingdom. Performance support includes access to a multidisciplinary sports medicine team (SMT) which might include physiotherapists, strength and conditioning coaches, physicians and psychologists, all of whom seek an inclusive, individualised understanding of athlete behaviour linked to injury prevention and athlete health management.³ Research to scrutinise Para athletes' interaction with their SMT in relation to the SMT's endorsement in sporting success and quality of life does not exist.^{2,4} Whole-person SMT approaches acknowledge the complexity of modern sports medicine and corroborate that context-sensitive research can imply intervention need. The different context offered by population-specific impairments challenge the SMT when delivering personalised care to achieve performance outcomes within a sports setting. Hence this research paper looks to explore the SMT and elite athlete perception of health seeking behaviours (HSB).

HSB describe an individual's decision-making process (how and when) to pursue an '*interpersonal interaction*' to aid recovery or enhance performance, when their ability for independent resolution is challenged.⁵ Understanding HSB epitomises personalised care in athlete health. Research regarding HSB in sport is currently limited to those seeking mental health support and the barriers/facilitation that allow participation.^{6,7} This is similarly seen amongst a Para athlete population and focus on physical health with limb loss specific research, with any approach to physical health limiting itself more generally to barriers of participation for example prosthetic adaptations, injury time loss or

access to sporting facilities.⁴ There is a clear gap in literature attempting to explore the collaboration of HSB and the engagement of the SMT yet, delayed HSB is known to negatively impact any desirable resolution, with emotional and instrumental antecedents often absent in determining HSB.⁵ Whilst there is some analysis of antecedents and defining attributes of HSB, research investigating specific population groups is now needed to inform population specific recommendations.

Literature suggests that those with congenital limb deficiency exhibit reduced cognitive strain around limb deficiency as a result of ‘growing up’ and learning, rather than adapting following trauma.⁸ Individuals with acquired limb deficiency evidence social and psychological challenges for up to two years post-surgery.⁹ Whilst recognising the variability of adjustment periods and impact of intrinsic and extrinsic anxieties, there is no real acknowledgement of how this may influence HSB. A limited body of research (patient narrative) does report an influence of healthcare professionals interactions on expectations of care, perceptions of their body’s capacity¹⁰ and psychological factors contributing to rehabilitation.¹¹ It is evident from this that HSB go beyond conceptualisations of socio-structural phenomenon and should examine reasons that reside uniquely in individuals as part of personalised care.^{12,13}

Aim

To explore the HSB of athletes with limb deficiency drawing on the experiences and perceptions of the SMT and athletes.

Objectives

- To determine factors influencing HSB in elite athletes with limb deficiency.
- To explore the influences of an athlete’s disability journey on their desired health needs from the SMT.
- To explore the influence of the SMT on HSB and promotion of HSB.

- To explore the SMT's meta-perception of the athlete's social identity and how these influence relationships in the context of HSB.

METHODS

Design

A qualitative exploratory study comprising two focus groups is reported in accordance with the Consolidated Criteria for Reporting Qualitative Research (COREQ) (see Supplementary file 1).¹⁴

Focus groups involving athletes and members of the SMT enabled an exploration of the HSB in elite athletes with limb deficiency through sharing dialogues and care.

Theoretical Framework

A subtle realist paradigmatic world view was assumed for the purpose of this research. Research that utilises this position focuses and represents experiences that are shared. This position attempts to represent reality rather than obtain the 'truth'¹⁵ and at no time can the researcher claim to have absolute certainty regarding the findings.¹⁶ This position recognises the unique experiences individuals have but suggests that within those experiences there is a common reality. The goal of this research was to achieve 'naturalistic generalisability'¹⁷ in that we were able to access rich experiences of individuals immersed in an environment and sharing common experiences that 'ring true' for the reader. We identified value in using SMT members to access a great deal of lived experiences and interactions with athletes but in order to focus on common realities needed to compliment this by small numbers of athletes. Interpretive hermeneutic phenomenology¹⁷ was selected as the methodology which would be best suited to this research question.

Research Team

Focus groups were facilitated by an experienced researcher (NH) to ensure all views were considered. The lead author, (EJ) recorded field notes during the focus groups, as a first experience of qualitative

research. A specialist Parasport Physiotherapist (MB), with experience of qualitative theme coding supported the data analysis. A Parasport Technical Lead (PM) was involved throughout the design, data collection and analysis to aid trustworthiness, specifically credibility. A qualitative research lead (AS) supervised the analysis.

Participant Sampling Strategy

Purposive, homogeneity, sampling ensured credibility, involving those with experience, a range of expertise and professional backgrounds. Two focus groups offered flexibility for attendance. The inclusion of athletes allowed a deeper, thorough analysis and challenged SMT perceptions to ensure a balanced exploration. No participants, having consented to participation, declined to contribute, or dropped out.

Ethical Considerations

Ethical approval was secured from the University of Birmingham. All participants were given an information sheet and provided written consent. Following transcription of audio files, participants were assigned a unique identifying code to assure participants anonymity from the point of analysis through to dissemination.

Data Collection

A topic guide was informed by the literature and co-designed with the research team. An *a priori* cognitive interview with an athlete with limb deficiency ensured data generation aligned with the study's objectives.¹⁸ No changes were made to the topic guide following the cognitive interview. (See Supplementary file 2)

Data collection occurred in December 2019 and March 2020. Focus groups allowed the facilitation of interaction between participants to challenge and comment on past remarks to gain a deeper and nuanced understanding.¹⁹ The focus groups were hosted in familiar settings to create a relaxed

environment and afford participant comfort. Due to logistical challenges and to ensure safety during the Covid-19 pandemic, participants were allowed to contribute via remote means, including video calls.

Following participant introductions, the topic guide was followed to prompt appropriate conversation. Introductory discussion around the definition of HSB helped to develop relationships and initiate an open forum to understanding each other's perceptions. The interviewer encouraged relaxed conversation and asked explorative questions to gather an in-depth analysis, summarising answers to evoke full discussion of points and stimulate true openness.²⁰

Data analysis

See Figure 1 for data analysis flow chart as guided by the framework of Palmer et al²¹. Steps to ensure rigour followed the guidance¹⁵ including key verification strategies.²² We also acknowledge guidance on prompts for transparency and ethical considerations²³. See Supplementary file 3 for audit trail.

Patient and public involvement and engagement

The study was conceived from many years of working with elite athletes with limb deficiency, in both a performance and clinical context. The results of the study will be shared with key stakeholders, including athletes via presentations and newsletters. Findings will be used to further inform education of SMT and athletes with limb deficiency.

RESULTS

Participants

Thirteen participants were approached via email and took part in two focus groups, lasting 70 and 105 minutes. Focus group one comprised four physiotherapists, one sports medicine doctor and two strength and conditioning coaches. Focus group two comprised of 3 physiotherapists, one sports medicine doctor and two elite para-athletes with limb deficiency (See Table 1). Elite para-athletes were defined within the context of performing on a World Class Programme and/or are in receipt of an Athlete Performance Award. Recognition of specific sporting involvement, participant age and gender is not included to protect the anonymity of what is a small population working and competing in Paralympic sport.

Themes

The inductive analysis derived a thread of themes and subthemes centralised around the importance of social identity and the adjustment and internalisation of social identities. Conner and Norman²⁴ contemplate a framework to understanding HSB in relation to social cognition models and hypothesise the impact of positive social cognition on behavioural intention. HSB are presented in the construct of the following themes based on social identity.

Theme 1: importance of social identities and factors which impact the athlete social identity

This theme identifies how multiple social identities from both athletes' past, present and future selves are revealed within the athlete-sports medicine professional interaction. An example of a past social identity included a military social identity with all SMT participants able to relate to this from personal experiences. Historical influences like a past military role, past independent work or sporting identities were perceived as impacting how their present and future social identities evolved, were understood, and known.

Both athletes present social identity was clearly determined by identities that they perceived as 'acceptable', commenting on social identities that were not acceptable. For instance, P11, as an

athlete, viewed the identity of an amputee positively, but that of a disabled person negatively. He additionally made an observation, contrasting pre and post amputation mobility identities. The unique impact of an acquired condition gave *"a sense of relief, like all of a sudden, I wasn't disabled, I was just an amputee"* (P11). The athlete participants also appeared to value the impact of the sport and associated experiences, for instance, *"there is a real sense of freedom when you're in a wheelchair or if you're on a bike"* (P11). The two focus groups shared the idea of creating 'winners' and 'survivors', the former of these relating to being a minority as an elite athlete and the latter relating to overcoming trauma and adversity in order to reach Paralympic status, (P04) *"they've got over their hang-ups, by and large, or else they don't get there"*. Part of an athlete's performance identity was illustrated by wanting to be seen as not having limitations and/or doing things that most can't.

Sub-theme 1a: The impact of peers on a shared sense of social identity

This sub-theme describes shared knowledge experiences, perceived by the SMT and athletes, amongst athletes which guides attitudes and behaviour. Peer support enhanced the development of a social identity as an elite athlete. Athlete's social identities evolved over time and were influenced by past interactions with peers, the wider support team and the SMT; (P13) *"previous experiences whether they've been positive or negative ... so if they've had a really negative experience, they're unlikely to seek that behaviour, that help again. And if it's been more positive then they may be more likely to."* Peers were considered, by the athletes themselves and the SMT, as others who would not judge them and this provided a safe space to share experiences of performance and injury management (an aspect considered extremely important), evolving their identity as an athlete. *"like minded amputees, like you do bounce of each other. You do ask each other for this kind of help and advice..... So I guess that's yeah health, health-seeking advice"* (P11).

Sub-theme 1b: The impact of the SMT on perceived social identity

273 In contrast to the above, Physiotherapists and Sports Medicine Doctors identified that health
274 problems could be difficult to navigate during an interaction. One athlete participant commented that
275 *“I’m just going over and over this like issue that I just want to get on with”* (P11). There was a common
276 perception that this meant underlying health issues could be played down to avoid further
277 investigation.

278

279 Part of the difficulty during any interactions was navigating what was termed as the “tricky” questions
280 that exposed perceived vulnerabilities. For instance, exploring why a limb deficient athlete may be
281 hesitant to enter the swimming pool despite rehabilitative benefits. *“We can sit there and try and pick
282 apart all of the challenges that are there and probably make people feel a bit more impaired”* (P09).
283 P08 corroborated their own challenge of exposing their residual limb however the environment of
284 elite sport has forced them to face up to it. The SMT reflected upon the need to be sensitive to such
285 issues and acknowledge the risk of identifying someone as being more disabled or more impaired.

286

287 *“And I also think I found recently, by, with one of my athletes in particular, because of her journey, how
288 she got to that point me being a little bit vulnerable to her, has, has made her be a lot more vulnerable
289 and open up and give me more insight into how she's got to making certain decisions...If you don't
290 understand their story, I think it's really difficult to understand how they make decisions surrounding
291 their healthcare”* (P13). The athlete practitioner relationship is give and take in order to develop a
292 deeper narrative.

293

294 In specific relation to work with the prosthetist, *“real skill to articulate conversation with your
295 prosthetist about how you feel what's wrong, what need changing”* (P11). Personal
296 experience/aspiration and professional opinion/ expertise may not always harmonise. The SMT
297 consider times where positive personal relationships allow for advocacy between an athlete and

other professionals – *“I think my role as a physio has often been like really helping to advocate for the athlete...part of that is just understanding”* (P09). Positive and negative shared experiences between the SMT and athlete guide behaviour and a deeper reflection of self/ knowledge of known past traumas within all individuals. Thus, inviting vulnerability to be created around a social identity, to encourage shared decision making.

Sub-theme 1c: Influence of Past relationships

This theme considers the loyalty of past relationships. Examples include a perceived sense of isolation towards the coach and lack of access/seeking of the SMT, maintaining a social identity purely within the sport. One participant commented; *“we’ve got a congenital athlete who...It’s almost like his trust and loyalty in his coach is greater than, than like the multi-disciplinary team”* (P07). The risk of losing trust/or having no trust in a relationship may not only lead to isolation from expertise but may challenge individuals own coping mechanisms and self-care routines.

Theme 2: Adjustment and internalisation of social identities

Data illustrated the psychological impact of challenges athletes faced, including the impact of the disability and the historical experiences related to the disability that could influence how they adjust to what has happened and what may explain those social reactions. The SMT considered *“Where you’re growing up in the playground, not flavour of the month”* (P04) suggesting being perceived as someone different and someone in need of help, internalising their true self. The SMT recognise that it is *“clear with this person is they’re looking for an identity in some way or another. And being in elite performance fits into that criteria...very specific reasons why this athlete performs in the very sports they do because it, it, in some ways helps manage their pain”* (P06).

The SMT considered how an athlete is viewed by others such as in a discussion evolving around a case of an elective amputation, resultant of complex regional pain syndrome. The pre-morbid personality

324 surrounding this athlete was difficult to navigate for the SMT but ultimately sport provided an
325 adjustment of identity away from the action of having a leg amputated or from being an amputee and
326 towards the distractive opportunities and 'winning identity' that sport offers, *"We see the winners"*
327 (P04).

328

329 Age was not considered a factor in the embracement of self-identity. A mental process of adaptation
330 is variable amongst individuals and their adjustment may depend on their relative context of disability.
331 Acceptance of disability was illustrated as different depending on one's stability in their day-to-day
332 life and other's dependence on them and their ability to continue supporting dependents. This was
333 highlighted in the context of social factors.

334 In a psychological context, mental robustness or social stance will influence upon general ability to
335 adapt to unforeseen circumstances.

336 *"If you look at traditional – there comes an age where you perhaps are a bit more settled in your career,*
337 *you're probably more settled in the area that you live in, and it's – apart from maybe family changes,*
338 *there's less change that happens there. So could that contribute to the older, older athlete perhaps not*
339 *coping as well, or seeking more"* (P03).

340 SMT's discussed that an athlete must be adaptable within their own beliefs and accepting/willing of
341 risks, considered, for example, as the impact of increased loading leading towards pressure sores or
342 associated with remaining ambulant/being non-ambulant within certain environments.
343 Consideration must be given to the central goal of the individual both in and out of sport and question
344 the ability of the athlete to adjust identity currently to enlighten such goals. The following sub-theme
345 follows on to expand this point.

346

347 *Sub-theme 2a: Impact of their personal attitudes towards own identity*

348 All participants believed flexibility in their own views was needed to align performance goals with
349 those of the support team. SMT participants can interact with individuals who would perhaps avoid

the use of a wheelchair but also noted athletes that embrace the use of a wheelchair to align health and performance needs. Participants commented on athletes having the ability to stand back and assess the bigger picture, embracing change and flexibility, reconciling true identity. *"You know what that is - the emotional intelligence to be able to stand back and assess [the emotional intelligence drawn upon from reflection on past experiences, familial support and upbringing] what's going on"* (P06). For a myriad of reasons some athletes can reflect on historical events to understand the support that surrounds them, guiding recovery and performance despite their own perceived negative identity.

Sub-theme 2b: The perceived influence of technology on identity

A large involvement of the SMT within limb deficient sport is their impact on equipment which may include the prosthesis, the socket, mobility aids, identification, and knowledge of emerging surgical techniques such as osseous implants. Identity impacts upon the acceptance of embracing technology. The SMT acknowledge that the art of adapting or changing equipment is complex and multifactorial. (In relation to an athlete opting for osseous implants). *"There were a number of challenges around the initial procedure. Which meant that initial progress was slow... And it's been a, an interesting journey... Um, in sometimes how, how reality is very different to the perceived benefits of a current or new approach"* (P06). The SMT and athletes corroborated that a change in technology had to be warranted the effort associated with the vulnerabilities of change. Identifying the need for equipment change may depend on whether the athlete is required to be ambulant for their sport, however, may ultimately be guided by internalised social identity.

Perception from the SMT is that there was a negative social identity associated with wheelchair use and their previous experiences of how they responded to wheelchair use in the early phases of their post morbid journey. *"even if there's some pressure issues they remain on the limb... the wheelchair*

would be sort of a negative identity" (P12). The value of the use of the wheelchair and what it represented was contested and this could result in frustration from the medical team that there may be a health benefit with it's use, specifically around the situation of being in an airport and athletes *"not wanting to be in wheelchairs at the airport...because they've got a sense of authority"* (P02). The SMT thought consideration must be given to how individuals' social identity may or may not feel influenced in a chair, "we've had people hiding pressure sores in order to maintain their independence" (P02).

DISCUSSION

This is the first exploration of HSB in elite para-athletes, drawing on the experiences of Para-athletes and members of the SMT. Findings support existing literature¹³, which recognises HSB being unique to the individual. Furthermore, findings strongly support the need to understand and work collaboratively to optimise athlete health and performance; this is 'noise' that contributes to the social and internalised identity of the athlete.

Social influences and identity were typically explored around their negative impact towards HSB. Risk taking behaviours were widely perceived in the traumatic acquired amputee population, specifically those from a military background. An element of risk-taking behaviour has previously been associated with elite able-bodied athletes and Para athlete populations.^{25,26} In our study this was centred on the athletes past identity and how it evolved into future identities and that of a Para-athlete identity.

A positive significance linking HSB with an athlete's identity is feeling freedom with sports participation. Previous research involving para-athletes reported the pursuit of sports related health benefits where the adaptive equipment affords such freedom (e.g. horse riding in equestrian).²⁷ In contrast to this, research in elite sport has reported suppression of HSB where disability has been emphasised with the use of assistive/mobility devices.²⁸

402

403 Wider relationships and forming trust positively or negatively influenced HSB. Messinger's¹⁰ narrative
404 helps us to understand the equivocal nature of relationships and the intricacies of patient-practitioner
405 relationships. Specifically, the importance of trust in an athlete-coach relationship and the powerful
406 support structure and caring climate is well documented.^{29,30} Such literature extends to the support
407 network, inclusive of wider agents such as parents. A positive coaching relationship should also
408 prepare athletes for high level training through physical preparation, hence appropriate HSB.³¹ Past
409 experiences and external support are known to facilitate health seeking.² In a population of para-
410 swimmers with limb deficiency, the social background and childhood experiences were found to
411 influence HSB³², adding weight to emergent themes in our study. However, our study suggests SMT
412 relationships and peer relationships are not only an influence on HSB but also on social identity.

413

414 Adjustment of identity also considered coping and HSB in relation to age and societal responsibilities.
415 Younger individuals are in a fluid, ever-changing phase of life, experiencing body changes, developing
416 their identity and understanding social norms.³³ Our findings suggest heightened HSB in those coping
417 less well and seeking control, compared to earlier findings, where reduced motivation for HSB was
418 seen in adults with societal pressures following amputation.³⁴

419

420 A distinctive theme in this study was the notion of adjustment and internalisation of identity around
421 social identity, with Para-athletes experts in their own disability.³⁵ Our SMT participants advocated
422 athletes' ability to develop independent HSB where they combine their own metacognition, peer
423 influence and align knowledge towards their own health and thus sporting performance.

424

425 A strong theme was the perceived effort of requiring new technology and current prosthetic
426 adjustments. Whilst the need for change in relation to injury risk mitigation might have been queried,
427 athletes' views and the pressures that may come with change were widely respected. Our findings

suggest athletes with limb deficiency avoid weight bearing sports as a solution to the prosthetic creating a barrier to participation due to risk of injury.³⁶

The notion of technology advancing quicker than our understanding and implementation supported HSB. Good ³¹ reports experiences where biotechnology influences clinical practice, with patients desiring the newest technology, despite the unknown outcome. Earlier research found that acquired amputees confided in their peers for ideas around prosthetics, corroborating our findings with athletes collaboratively problem solving and exploring new experiences.³⁷

Equipment has a strong influence around performance. It was perceived by the SMT as the main factor towards reaching performance goals, second to the athlete themselves. The understanding of technology by staff and athletes is paramount to success. For instance, one discussion highlights the concern around impact and the need for the athlete to understand this. The thought of a new technology that would take away some of the problems with the skin prosthetic interface would be enticing however there equally comes understanding of recovery time, associated risks of surgical interventions and open wounds, time out of training (loss of fitness) and a lack of evidence to suggest success within the elite environment. There was a sense of know from practitioners that aired caution to this route and right to do so given the lengthy recovery.

With congenital limb deficiency, the SMT acknowledge that the nature of the limb deficiency may lend itself to certain equipment working or not working for that individual which may influence their identity choices, although the SMT note that congenital athletes generally seem more comfortable to be able to propel themselves round in a wheelchair. Hence, showing a contrasting metaperception of being in a wheelchair, they can see the best solution within a certain environment.

In an example of being in the Paralympic Village, the pinnacle of most Paralympic careers, athletes are often required to increase their footfall due to the setup. ³⁸ Despite this, some continue to refuse mobility aids and additionally in an environment where mobility aids are everywhere and where the

surrounding population mirror the same Paralympic identity. The SMT face an ongoing pursuit against challenges of personal attitudes/internalisation of identity and aligning performance goals to optimise health.

‘Post traumatic growth’ is a well-established concept, with similar themes seen within this study; a period of growth occurring following amputation.^{37,39,40} Where post traumatic recovery is unpredictable and unique to the individual, emotional HSB must be individualised.³⁹ The idea of an adjusting identity in this sense was not explicitly transferable to those with congenital limb deficiency.

Strengths and Limitations

The use of SMT members and athletes within focus groups was a unique strength to inform collaborative perceptions with a diverse sample. Strength is observed methodologically, in the expertise of qualitative researchers and experts in the Para-athlete field, conforming relevance and validity within the data collection and analysis; additionally use of Pope and Mays²⁰ criteria for assessing quality of subtle realist research, validity and relevance are considered.¹⁵ A limitation of the study was the combined use of face to face and remote data collection for the second focus group (due to Covid-19); this may have impacted on participant interactions, or emotive responses. This may also have contributed to fewer challenging responses which could have established a deeper true meaning or emotion.

A clear limitation is highlighted using just two athletes, potentially limiting comprehensiveness towards a reflexive analysis and ability to observe a “fair dealing” of perspectives. Secondary to this, the discussion must be formulated round perceived concepts that the SMT have without opportunity to consolidate feelings.

Practice and Research Recommendations

Findings support the need for greater awareness of prosthetics in weight bearing sports, where equipment change may negate benefit. Future research into how these findings can further influence the SMT in Para-athletes with limb deficiency would be welcome. Knowledge of new equipment and technology is highly relevant alongside medical discussions and shared decision-making with the athlete to align health and performance goals. The importance of relationships between the medical staff, coaches and athlete drives willingness of athletes to seek health advice. SMT should be mindful of reduced HSB in this population group and accept a need to ask “the uncomfortable question” where themes have highlighted reduced HSB associated with the internalisation of certain identities. Differences in the participant interactions between the groups (with and without athletes) suggests a need for future research to explore individual assumptions and influenced opinions.

CONCLUSION

Findings from this exploratory study suggest a key theme around ‘identity’ in relation to athletes with limb deficiency and their HSB. Findings also highlight the importance of knowledge and understanding of this ‘noise’ to optimise athlete health and performance.

Abbreviations

HSB: Health seeking behaviour

SMT: Sports medicine team

REFERENCES

1. Maueberg-deCastro E, Campbell D, Tavares C. The global reality of the Paralympic Movement: Challenges and opportunities in disability sports. *Motriz Revista de Educação Física* 2016;22(3):111-123.
2. Blauwet C, Cushman D, Emery C, et al. Risk of Injuries in Track and Field Differs by Impairment and Event Discipline. *The American Journal of Sports Medicine*. 2016;44(6):1455-1463.
3. Bolling C, Mechelen W, Pasman R, Verhagen E. Context Matters: Revisiting the First Step of the 'Sequence of Prevention of Sports Injuries. *Sports Medicine*. 2018;48:2227-2234.
4. Bragaru M, Dekker R, Geertzen J, Dijkstra P. Amputees and Sports: A Systematic Review. *Sports Medicine*. 2011;41:721-740
5. Cornally N, McCarthy G. Help-seeking behaviour: A Concept Analysis. *International Journal of Nursing*. 2011;17:280-288.
6. Gulliver A, Griffiths K, Christensen H. Barriers and facilitators to mental health help-seeking for young elite athletes: a qualitative study. *BMC Psychiatry*. 2012;12(157).
7. Souter G, Lewis R, Serrant L. Men, Mental Health and Elite Sport: a Narrative Review. *Sports Medicine*. 2019;4(57).
8. Burger H, Marincek C. Upper limb prosthetic use in Slovenia. *Prosthetics and Orthotics International*. 1994;28:25-33.
9. Horgan O, Maclachlan M. Psychosocial adjustment to lower-limb amputation: A review. *Disabil Rehabil*. 2004;26(14):837-850.
10. Messinger S. Getting Past the Accident: Explosive Devices, Limb Loss, Refashioning a Life in a Military Medical Centre. *Medical Anthropology Quarterly*. 2010;24(3):281-303.
11. Messinger S. Incorporating the prosthetic: Traumatic, limb-loss, rehabilitation and refigured military bodies. *Disabil Rehabil*. 2009;25(31):2130-2134.
12. Mackien S. A Review of health seeking behaviour: problems and prospects. *Health Policy and Planning* 2004;19(3):137-146.
13. Mackien S, Bedri N, Lovel H. Up the garden path and over the edge: where might health-seeking behaviour take us? *Health Policy and Planning*. 2004;19(3):137-146.
14. Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): A 32-item checklist for interviews and focus groups. *Int J Qual Health Care*. 2007;19(6):349-357.
15. Mays N PC. Qualitative research in health care. Assessing quality in qualitative research. *BMJ*. 2000;320(7226):50-52.
16. Duncan E NM. Subtle Realism and Occupational Therapy: An Alternative Approach to Knowledge Generation and Evaluation. *British Journal of Occupational Therapy* 2004;67(10):453-456.
17. Crist JD TC. Interpretation/analysis methods in hermeneutic interpretive phenomenology. *Nurs Res*. 2003;52(3):2002-2005.

18. Willis G and Artino A. What do our respondents think we're asking? Using Cognitive Interviewing to Improve Medical Education Surveys. *Journal of Graduate Medical Education*. 2013;5(3):353-356.
19. Tritter J, Landstad B. *Focus Groups*. 4th ed. Oxford: Wiley; 2014
20. Kitzinger J. Focus Groups. In: Mays N PC, ed. *Qualitative Research in Healthcare*. 3rd ed. Oxford: Blackwell Publishing; 2006:57-71.
21. Palmer M, Larkin M, Visser R, Fadden G. Developing an Interpretative Phenomenological Approach to Focus Group Data. *Qualitative Research in Psychology*. 2010;7:99-121.
22. Morse J, et al. Verification Strategies for Establishing Reliability and Validity in Qualitative Research. *International Journal of Qualitative Methods*. 2002;1(2):13-22.
23. Angen MJ. Evaluating Interpretative Inquiry: Reviewing the Validity Debate and Opening the Dialogue. *Qualitative Health Research*. 2000;10:378-395.
24. Conner M, Norman P. *Predicting Health Behaviour: Research and Practice with Social Cognition Models*. Buckingham Open University Press; 1995.
25. Zurc J. Health professions and health promotion: challenges in health and wellbeing among elite athletes. *JAHS*. 2016;2(2):87-100.
26. Fagher K, Jacobsson J, Timpka T, Dahlström Ö, Lexell J. The Sports-Related Injuries and Illnesses in Paralympic Sport Study (SRIIPSS): a study protocol for a prospective longitudinal study *BMC Sports Sci Med Rehabil*. 2016;8(1):28.
27. Dashper K. It's a Form of Freedom": The experiences of people with disabilities within equestrian sport. *Annals of Leisure Research*. 2010;13(1):86-101.
28. Cruz N, Spray C, Smith B. Implicit beliefs of disability and elite sport: the para-athlete experience. *Qualitative Research in Sport, Exercise and Health*. 2017.
29. Cote J GW. An integrative Definition of Coaching Effectiveness and Expertise. *International Journal of Sports Science and Coaching*. 2009;4(3307-323).
30. Santos F, Camire M, MacDonald D. Lived experiences within a longstanding coach-athlete relationship. The case of one Paralympic athlete. *Agora para la Education Fisica y el Deporte*. 2018;20(2):279-297.
31. Good MJD. *Subjectivity: Ethnographic Investigations*. California: California Scholarship Online; 2003.
32. Pack S, Kelly S, Arvinen-Barrow M. I think I became a swimmer rather than just someone with a disability swimming up and down:" paralympic athletes perceptions of self and identity development. *Disability and Rehabilitation* 2017;39(20):2063-2070.
33. Schubring A, Thiel A. Health-related gender boundary crossing in youth Olympic sport'. *Sport in Society*. 2016;19(5):695-710.
34. Wadey R, Day M. A longitudinal examination of leisure time physical activity following amputation in England. *Psychology of Sport and Exercise*. 2017;37:251-261.
35. Culver DM WP. Voices: para-athletes speak. *Qualitative Research in Sport, Exercise and Health*. 2017;10(2):165-175.
36. Bragaru M, Wilgen CP, Geertzen JHB, Ruijs SGJB, Dijkstra PU, Dekker R. Barriers and Facilitators of Participation in Sports: A Qualitative Study on Dutch Individuals with Lower Limb Amputation. *PlosOne*. 2013;8(3).
37. Kampman H, Hefferon K. Find a sport and carry on: Posttraumatic growth and achievement in British Paralympic athletes: . *International Journal of Wellbeing*. 2020;10(1):67-92.
38. Burkett B. Is daily walking when living in the Paralympic village different to the typical home environment? *British Journal of Sports Medicine*. 2010;44(7):533-536.
39. Stutts LA, Stanaland AW. Posttraumatic growth in individuals with amputations. *Disability and Health Journal*. 2016;9:167-171.
40. Liu F, Williams RM, Liu H-E, Chien N-H. The lived experiences of persons with lower extremity amputation. *Journal of Clinical Nursing*. 2010;19:2152-2161.

593 **Figure legends**

594 **Figure 1:** Figure 1 A Flow Chart to Demonstrate the Iterative Data Analysis Process and Processes to
595 Establish Rigour

596 **Figure 2:** Emerging themes and subthemes

597

598

'Knowing the noise that surrounds the athlete': a qualitative study exploring the health seeking behaviours of athletes with limb deficiency drawing on the experiences and perceptions of the medical staff and athletes

ABSTRACT

Objective

To explore the health seeking behaviours (HSB) of athletes with limb deficiency, drawing on the experiences and perception of the SMT and athletes.

Design

An interpretive hermeneutic phenomenological methodology with a subtle realist paradigmatic view to investigate commonality in unique experiences within reality. Data collection was completed with two focus groups in December 2019 and March 2020. Thirteen participants took part including athletes and SMT members (Physiotherapists, Doctors, and Strength and Conditioning Coaches) working in Parasports. Focus group manuscripts were transcribed verbatim from audio recordings. An inductive, iterative process was used to identify themes and subthemes, with processes in place to establish rigour.

Results

Two themes and five sub themes emerged in relation to the 'internalisation and adjustment to social identity' and 'the importance and impact of factors which impact the athlete social identity'.

Conclusions

HSB of athletes with limb deficiency were influenced by a unique blend of personal and environmental factors that contribute towards social identity. The SMT require specific awareness of factors that may diminish HSB to deliver a personalised approach and negate consequences.

Key Words

Limb deficiency, Qualitative, Focus Groups, Paralympic Medicine, Elite Sport, Health Seeking Behaviour

What is Known: Health Seeking Behaviours describe an individual's decision-making as to when to pursue an '*interpersonal interaction*' to aid recovery or enhance performance. Delayed HSB is known to negatively impact any desirable resolution with interactions with healthcare professionals influencing care expectations, patient perceptions of capacity and psychological factors contributing to rehabilitation.

What is New: Sports medicine team and athletes perceive how social and internalised identity shape health seeking behaviours in elite athletes with limb deficiency. Unique journeys and interactions contribute towards positive and negative health seeking behaviours. Understanding personal and environmental factors are important to personalise care.

BACKGROUND

Exposure of sport to the disabled population has grown exponentially since the start of the Paralympic Games. From just 17 countries participating in 1960, over 164 now compete, with a Paralympic population of over 4000 worldwide.¹ Athletes with limb deficiency are just one of the eligible impairment groups and constitute a significant sub-population.² Within this specific impairment group, athletes may have acquired/traumatic or congenital limb deficiency.

The potential for success in Para sport has accelerated funding and performance support across the United Kingdom. Performance support includes access to a multidisciplinary sports medicine team (SMT) which might include physiotherapists, strength and conditioning coaches, physicians and psychologists, all of whom seek an inclusive, individualised understanding of athlete behaviour linked to injury prevention and athlete health management.³ Research to scrutinise Para athletes' interaction with their SMT in relation to the SMT's endorsement in sporting success and quality of life does not exist.^{2,4} Whole-person SMT approaches acknowledge the complexity of modern sports medicine and corroborate that context-sensitive research can imply intervention need. The different context offered by population-specific impairments challenge the SMT when delivering personalised care to achieve performance outcomes within a sports setting. Hence this research paper looks to explore the SMT and elite athlete perception of health seeking behaviours (HSB).

HSB describe an individual's decision-making process (how and when) to pursue an '*interpersonal interaction*' to aid recovery or enhance performance, when their ability for independent resolution is challenged.⁵ Understanding HSB epitomises personalised care in athlete health. Research regarding HSB in sport is currently limited to those seeking mental health support and the barriers/facilitation that allow participation.^{6,7} This is similarly seen amongst a Para athlete population and focus on physical health with limb loss specific research, with any approach to physical health limiting itself more generally to barriers of participation for example prosthetic adaptations, injury time loss or

access to sporting facilities.⁴ There is a clear gap in literature attempting to explore the collaboration of HSB and the engagement of the SMT yet, delayed HSB is known to negatively impact any desirable resolution, with emotional and instrumental antecedents often absent in determining HSB.⁵ Whilst there is some analysis of antecedents and defining attributes of HSB, research investigating specific population groups is now needed to inform population specific recommendations.

Literature suggests that those with congenital limb deficiency exhibit reduced cognitive strain around limb deficiency as a result of 'growing up' and learning, rather than adapting following trauma.⁸ Individuals with acquired limb deficiency evidence social and psychological challenges for up to two years post-surgery.⁹ Whilst recognising the variability of adjustment periods and impact of intrinsic and extrinsic anxieties, there is no real acknowledgement of how this may influence HSB. A limited body of research (patient narrative) does report an influence of healthcare professionals interactions on expectations of care, perceptions of their body's capacity¹⁰ and psychological factors contributing to rehabilitation.¹¹ It is evident from this that HSB go beyond conceptualisations of socio-structural phenomenon and should examine reasons that reside uniquely in individuals as part of personalised care.^{12,13}

Aim

To explore the HSB of athletes with limb deficiency drawing on the experiences and perceptions of the SMT and athletes.

Objectives

- To determine factors influencing HSB in elite athletes with limb deficiency.
- To explore the influences of an athlete's disability journey on their desired health needs from the SMT.
- To explore the influence of the SMT on HSB and promotion of HSB.

- To explore the SMT's meta-perception of the athlete's social identity and how these influence relationships in the context of HSB.

METHODS

Design

A qualitative exploratory study comprising two focus groups is reported in accordance with the Consolidated Criteria for Reporting Qualitative Research (COREQ) (see Supplementary file 1).¹⁴ Focus groups involving athletes and members of the SMT enabled an exploration of the HSB in elite athletes with limb deficiency through sharing dialogues and care.

Theoretical Framework

A subtle realist paradigmatic world view was assumed for the purpose of this research. Research that utilises this position focuses and represents experiences that are shared. This position attempts to represent reality rather than obtain the 'truth'¹⁵ and at no time can the researcher claim to have absolute certainty regarding the findings.¹⁶ This position recognises the unique experiences individuals have but suggests that within those experiences there is a common reality. The goal of this research was to achieve 'naturalistic generalisability'¹⁷ in that we were able to access rich experiences of individuals immersed in an environment and sharing common experiences that 'ring true' for the reader. We identified value in using SMT members to access a great deal of lived experiences and interactions with athletes but in order to focus on common realities needed to compliment this by small numbers of athletes. Interpretive hermeneutic phenomenology¹⁷ was selected as the methodology which would be best suited to this research question.

Research Team

Focus groups were facilitated by an experienced researcher (XX) to ensure all views were considered. The lead author, (XX) recorded field notes during the focus groups, as a first experience of qualitative

research. A specialist Parasport Physiotherapist (XX), with experience of qualitative theme coding supported the data analysis. A Parasport Technical Lead (XX) was involved throughout the design, data collection and analysis to aid trustworthiness, specifically credibility. A qualitative research lead (XX) supervised the analysis.

Participant Sampling Strategy

Purposive, homogeneity, sampling ensured credibility, involving those with experience, a range of expertise and professional backgrounds. Two focus groups offered flexibility for attendance. The inclusion of athletes allowed a deeper, thorough analysis and challenged SMT perceptions to ensure a balanced exploration. No participants, having consented to participation, declined to contribute, or dropped out.

Ethical Considerations

Ethical approval was secured from the XXXXXXXXXXXXXXXX. All participants were given an information sheet and provided written consent. Following transcription of audio files, participants were assigned a unique identifying code to assure participants anonymity from the point of analysis through to dissemination.

Data Collection

A topic guide was informed by the literature and co-designed with the research team. An *a priori* cognitive interview with an athlete with limb deficiency ensured data generation aligned with the study's objectives.¹⁸ No changes were made to the topic guide following the cognitive interview. (See Supplementary file 2)

Data collection occurred in December 2019 and March 2020. Focus groups allowed the facilitation of interaction between participants to challenge and comment on past remarks to gain a deeper and nuanced understanding.¹⁹ The focus groups were hosted in familiar settings to create a relaxed

environment and afford participant comfort. Due to logistical challenges and to ensure safety during the Covid-19 pandemic, participants were allowed to contribute via remote means, including video calls.

Following participant introductions, the topic guide was followed to prompt appropriate conversation. Introductory discussion around the definition of HSB helped to develop relationships and initiate an open forum to understanding each other's perceptions. The interviewer encouraged relaxed conversation and asked explorative questions to gather an in-depth analysis, summarising answers to evoke full discussion of points and stimulate true openness.²⁰

Data analysis

See Figure 1 for data analysis flow chart as guided by the framework of Palmer et al²¹. Steps to ensure rigour followed the guidance¹⁵ including key verification strategies.²² We also acknowledge guidance on prompts for transparency and ethical considerations²³. See Supplementary file 3 for audit trail.

Patient and public involvement and engagement

The study was conceived from many years of working with elite athletes with limb deficiency, in both a performance and clinical context. The results of the study will be shared with key stakeholders, including athletes via presentations and newsletters. Findings will be used to further inform education of SMT and athletes with limb deficiency.

RESULTS

Participants

Thirteen participants were approached via email and took part in two focus groups, lasting 70 and 105 minutes. Focus group one comprised four physiotherapists, one sports medicine doctor and two strength and conditioning coaches. Focus group two comprised of 3 physiotherapists, one sports medicine doctor and two elite para-athletes with limb deficiency (See Table 1). Elite para-athletes were defined within the context of performing on a World Class Programme and/or are in receipt of an Athlete Performance Award. Recognition of specific sporting involvement, participant age and gender is not included to protect the anonymity of what is a small population working and competing in Paralympic sport.

Themes

The inductive analysis derived a thread of themes and subthemes centralised around the importance of social identity and the adjustment and internalisation of social identities. Conner and Norman²⁴ contemplate a framework to understanding HSB in relation to social cognition models and hypothesise the impact of positive social cognition on behavioural intention. HSB are presented in the construct of the following themes based on social identity.

Theme 1: importance of social identities and factors which impact the athlete social identity

This theme identifies how multiple social identities from both athletes' past, present and future selves are revealed within the athlete-sports medicine professional interaction. An example of a past social identity included a military social identity with all SMT participants able to relate to this from personal experiences. Historical influences like a past military role, past independent work or sporting identities were perceived as impacting how their present and future social identities evolved, were understood, and known.

Both athletes present social identity was clearly determined by identities that they perceived as 'acceptable', commenting on social identities that were not acceptable. For instance, P11, as an

athlete, viewed the identity of an amputee positively, but that of a disabled person negatively. He additionally made an observation, contrasting pre and post amputation mobility identities. The unique impact of an acquired condition gave *"a sense of relief, like all of a sudden, I wasn't disabled, I was just an amputee"* (P11). The athlete participants also appeared to value the impact of the sport and associated experiences, for instance, *"there is a real sense of freedom when you're in a wheelchair or if you're on a bike"* (P11). The two focus groups shared the idea of creating 'winners' and 'survivors', the former of these relating to being a minority as an elite athlete and the latter relating to overcoming trauma and adversity in order to reach Paralympic status, (P04) *"they've got over their hang-ups, by and large, or else they don't get there"*. Part of an athlete's performance identity was illustrated by wanting to be seen as not having limitations and/or doing things that most can't.

Sub-theme 1a: The impact of peers on a shared sense of social identity

This sub-theme describes shared knowledge experiences, perceived by the SMT and athletes, amongst athletes which guides attitudes and behaviour. Peer support enhanced the development of a social identity as an elite athlete. Athlete's social identities evolved over time and were influenced by past interactions with peers, the wider support team and the SMT; (P13) *"previous experiences whether they've been positive or negative ... so if they've had a really negative experience, they're unlikely to seek that behaviour, that help again. And if it's been more positive then they may be more likely to."* Peers were considered, by the athletes themselves and the SMT, as others who would not judge them and this provided a safe space to share experiences of performance and injury management (an aspect considered extremely important), evolving their identity as an athlete. *"like minded amputees, like you do bounce of each other. You do ask each other for this kind of help and advice..... So I guess that's yeah health, health-seeking advice"* (P11).

Sub-theme 1b: The impact of the SMT on perceived social identity

230 In contrast to the above, Physiotherapists and Sports Medicine Doctors identified that health
231 problems could be difficult to navigate during an interaction. One athlete participant commented that
232 *“I’m just going over and over this like issue that I just want to get on with”* (P11). There was a common
233 perception that this meant underlying health issues could be played down to avoid further
234 investigation.

235

236 Part of the difficulty during any interactions was navigating what was termed as the “tricky” questions
237 that exposed perceived vulnerabilities. For instance, exploring why a limb deficient athlete may be
238 hesitant to enter the swimming pool despite rehabilitative benefits. *“We can sit there and try and pick
239 apart all of the challenges that are there and probably make people feel a bit more impaired”* (P09).
240 P08 corroborated their own challenge of exposing their residual limb however the environment of
241 elite sport has forced them to face up to it. The SMT reflected upon the need to be sensitive to such
242 issues and acknowledge the risk of identifying someone as being more disabled or more impaired.

243

244 *“And I also think I found recently, by, with one of my athletes in particular, because of her journey, how
245 she got to that point me being a little bit vulnerable to her, has, has made her be a lot more vulnerable
246 and open up and give me more insight into how she's got to making certain decisions...If you don't
247 understand their story, I think it's really difficult to understand how they make decisions surrounding
248 their healthcare”* (P13). The athlete practitioner relationship is give and take in order to develop a
249 deeper narrative.

250

251 In specific relation to work with the prosthetist, *“real skill to articulate conversation with your
252 prosthetist about how you feel what's wrong, what need changing”* (P11). Personal
253 experience/aspiration and professional opinion/ expertise may not always harmonise. The SMT
254 consider times where positive personal relationships allow for advocacy between an athlete and

other professionals – *“I think my role as a physio has often been like really helping to advocate for the athlete...part of that is just understanding”* (P09). Positive and negative shared experiences between the SMT and athlete guide behaviour and a deeper reflection of self/ knowledge of known past traumas within all individuals. Thus, inviting vulnerability to be created around a social identity, to encourage shared decision making.

Sub-theme 1c: Influence of Past relationships

This theme considers the loyalty of past relationships. Examples include a perceived sense of isolation towards the coach and lack of access/seeking of the SMT, maintaining a social identity purely within the sport. One participant commented; *“we’ve got a congenital athlete who...It’s almost like his trust and loyalty in his coach is greater than, than like the multi-disciplinary team”* (P07). The risk of losing trust/or having no trust in a relationship may not only lead to isolation from expertise but may challenge individuals own coping mechanisms and self-care routines.

Theme 2: Adjustment and internalisation of social identities

Data illustrated the psychological impact of challenges athletes faced, including the impact of the disability and the historical experiences related to the disability that could influence how they adjust to what has happened and what may explain those social reactions. The SMT considered *“Where you’re growing up in the playground, not flavour of the month”* (P04) suggesting being perceived as someone different and someone in need of help, internalising their true self. The SMT recognise that it is *“clear with this person is they’re looking for an identity in some way or another. And being in elite performance fits into that criteria...very specific reasons why this athlete performs in the very sports they do because it, it, in some ways helps manage their pain”* (P06).

The SMT considered how an athlete is viewed by others such as in a discussion evolving around a case of an elective amputation, resultant of complex regional pain syndrome. The pre-morbid personality

281 surrounding this athlete was difficult to navigate for the SMT but ultimately sport provided an
282 adjustment of identity away from the action of having a leg amputated or from being an amputee and
283 towards the distractive opportunities and 'winning identity' that sport offers, *"We see the winners"*
284 (P04).

285

286 Age was not considered a factor in the embracement of self-identity. A mental process of adaptation
287 is variable amongst individuals and their adjustment may depend on their relative context of disability.
288 Acceptance of disability was illustrated as different depending on one's stability in their day-to-day
289 life and other's dependence on them and their ability to continue supporting dependents. This was
290 highlighted in the context of social factors.

291 In a psychological context, mental robustness or social stance will influence upon general ability to
292 adapt to unforeseen circumstances.

293 *"If you look at traditional – there comes an age where you perhaps are a bit more settled in your career,*
294 *you're probably more settled in the area that you live in, and it's – apart from maybe family changes,*
295 *there's less change that happens there. So could that contribute to the older, older athlete perhaps not*
296 *coping as well, or seeking more"* (P03).

297 SMT's discussed that an athlete must be adaptable within their own beliefs and accepting/willing of
298 risks, considered, for example, as the impact of increased loading leading towards pressure sores or
299 associated with remaining ambulant/being non-ambulant within certain environments.
300 Consideration must be given to the central goal of the individual both in and out of sport and question
301 the ability of the athlete to adjust identity currently to enlighten such goals. The following sub-theme
302 follows on to expand this point.

303

304 *Sub-theme 2a: Impact of their personal attitudes towards own identity*

305 All participants believed flexibility in their own views was needed to align performance goals with
306 those of the support team. SMT participants can interact with individuals who would perhaps avoid

307 the use of a wheelchair but also noted athletes that embrace the use of a wheelchair to align health
308 and performance needs. Participants commented on athletes having the ability to stand back and
309 assess the bigger picture, embracing change and flexibility, reconciling true identity. *"You know what*
310 *that is - the emotional intelligence to be able to stand back and assess [the emotional intelligence*
311 *drawn upon from reflection on past experiences, familial support and upbringing] what's going on"*
312 (P06). For a myriad of reasons some athletes can reflect on historical events to understand the support
313 that surrounds them, guiding recovery and performance despite their own perceived negative
314 identity.

315

316 Sub-theme 2b: The perceived influence of technology on identity

317 A large involvement of the SMT within limb deficient sport is their impact on equipment which may
318 include the prosthesis, the socket, mobility aids, identification, and knowledge of emerging surgical
319 techniques such as osseous implants. Identity impacts upon the acceptance of embracing technology.
320 The SMT acknowledge that the art of adapting or changing equipment is complex and multifactorial.

321

322 (In relation to an athlete opting for osseous implants). *"There were a number of challenges around the*
323 *initial procedure. Which meant that initial progress was slow... And it's been a, an interesting journey...*
324 *Um, in sometimes how, how reality is very different to the perceived benefits of a current or new*
325 *approach"* (P06). The SMT and athletes corroborated that a change in technology had to be warranted
326 the effort associated with the vulnerabilities of change. Identifying the need for equipment change
327 may depend on whether the athlete is required to be ambulant for their sport, however, may
328 ultimately be guided by internalised social identity.

329

330 Perception from the SMT is that there was a negative social identity associated with wheelchair use
331 and their previous experiences of how they responded to wheelchair use in the early phases of their
332 post morbid journey. *"even if there's some pressure issues they remain on the limb... the wheelchair*

would be sort of a negative identity" (P12). The value of the use of the wheelchair and what it represented was contested and this could result in frustration from the medical team that there may be a health benefit with it's use, specifically around the situation of being in an airport and athletes *"not wanting to be in wheelchairs at the airport...because they've got a sense of authority"* (P02). The SMT thought consideration must be given to how individuals' social identity may or may not feel influenced in a chair, "we've had people hiding pressure sores in order to maintain their independence" (P02).

DISCUSSION

This is the first exploration of HSB in elite para-athletes, drawing on the experiences of Para-athletes and members of the SMT. Findings support existing literature¹³, which recognises HSB being unique to the individual. Furthermore, findings strongly support the need to understand and work collaboratively to optimise athlete health and performance; this is 'noise' that contributes to the social and internalised identity of the athlete.

Social influences and identity were typically explored around their negative impact towards HSB. Risk taking behaviours were widely perceived in the traumatic acquired amputee population, specifically those from a military background. An element of risk-taking behaviour has previously been associated with elite able-bodied athletes and Para athlete populations.^{25,26} In our study this was centred on the athletes past identity and how it evolved into future identities and that of a Para-athlete identity.

A positive significance linking HSB with an athlete's identity is feeling freedom with sports participation. Previous research involving para-athletes reported the pursuit of sports related health benefits where the adaptive equipment affords such freedom (e.g. horse riding in equestrian).²⁷ In contrast to this, research in elite sport has reported suppression of HSB where disability has been emphasised with the use of assistive/mobility devices.²⁸

359

360 Wider relationships and forming trust positively or negatively influenced HSB. Messinger's¹⁰ narrative
361 helps us to understand the equivocal nature of relationships and the intricacies of patient-practitioner
362 relationships. Specifically, the importance of trust in an athlete-coach relationship and the powerful
363 support structure and caring climate is well documented.^{29,30} Such literature extends to the support
364 network, inclusive of wider agents such as parents. A positive coaching relationship should also
365 prepare athletes for high level training through physical preparation, hence appropriate HSB.³¹ Past
366 experiences and external support are known to facilitate health seeking.² In a population of para-
367 swimmers with limb deficiency, the social background and childhood experiences were found to
368 influence HSB³², adding weight to emergent themes in our study. However, our study suggests SMT
369 relationships and peer relationships are not only an influence on HSB but also on social identity.

370

371 Adjustment of identity also considered coping and HSB in relation to age and societal responsibilities.
372 Younger individuals are in a fluid, ever-changing phase of life, experiencing body changes, developing
373 their identity and understanding social norms.³³ Our findings suggest heightened HSB in those coping
374 less well and seeking control, compared to earlier findings, where reduced motivation for HSB was
375 seen in adults with societal pressures following amputation.³⁴

376

377 A distinctive theme in this study was the notion of adjustment and internalisation of identity around
378 social identity, with Para-athletes experts in their own disability.³⁵ Our SMT participants advocated
379 athletes' ability to develop independent HSB where they combine their own metacognition, peer
380 influence and align knowledge towards their own health and thus sporting performance.

381

382 A strong theme was the perceived effort of requiring new technology and current prosthetic
383 adjustments. Whilst the need for change in relation to injury risk mitigation might have been queried,
384 athletes' views and the pressures that may come with change were widely respected. Our findings

suggest athletes with limb deficiency avoid weight bearing sports as a solution to the prosthetic creating a barrier to participation due to risk of injury.³⁶

The notion of technology advancing quicker than our understanding and implementation supported HSB. Good ³¹ reports experiences where biotechnology influences clinical practice, with patients desiring the newest technology, despite the unknown outcome. Earlier research found that acquired amputees confided in their peers for ideas around prosthetics, corroborating our findings with athletes collaboratively problem solving and exploring new experiences.³⁷

Equipment has a strong influence around performance. It was perceived by the SMT as the main factor towards reaching performance goals, second to the athlete themselves. The understanding of technology by staff and athletes is paramount to success. For instance, one discussion highlights the concern around impact and the need for the athlete to understand this. The thought of a new technology that would take away some of the problems with the skin prosthetic interface would be enticing however there equally comes understanding of recovery time, associated risks of surgical interventions and open wounds, time out of training (loss of fitness) and a lack of evidence to suggest success within the elite environment. There was a sense of know from practitioners that aired caution to this route and right to do so given the lengthy recovery.

With congenital limb deficiency, the SMT acknowledge that the nature of the limb deficiency may lend itself to certain equipment working or not working for that individual which may influence their identity choices, although the SMT note that congenital athletes generally seem more comfortable to be able to propel themselves round in a wheelchair. Hence, showing a contrasting metaperception of being in a wheelchair, they can see the best solution within a certain environment.

In an example of being in the Paralympic Village, the pinnacle of most Paralympic careers, athletes are often required to increase their footfall due to the setup. ³⁸ Despite this, some continue to refuse mobility aids and additionally in an environment where mobility aids are everywhere and where the

surrounding population mirror the same Paralympic identity. The SMT face an ongoing pursuit against challenges of personal attitudes/internalisation of identity and aligning performance goals to optimise health.

‘Post traumatic growth’ is a well-established concept, with similar themes seen within this study; a period of growth occurring following amputation.^{37,39,40} Where post traumatic recovery is unpredictable and unique to the individual, emotional HSB must be individualised.³⁹ The idea of an adjusting identity in this sense was not explicitly transferable to those with congenital limb deficiency.

Strengths and Limitations

The use of SMT members and athletes within focus groups was a unique strength to inform collaborative perceptions with a diverse sample. Strength is observed methodologically, in the expertise of qualitative researchers and experts in the Para-athlete field, conforming relevance and validity within the data collection and analysis; additionally use of Pope and Mays²⁰ criteria for assessing quality of subtle realist research, validity and relevance are considered.¹⁵ A limitation of the study was the combined use of face to face and remote data collection for the second focus group (due to Covid-19); this may have impacted on participant interactions, or emotive responses. This may also have contributed to fewer challenging responses which could have established a deeper true meaning or emotion.

A clear limitation is highlighted using just two athletes, potentially limiting comprehensiveness towards a reflexive analysis and ability to observe a “fair dealing” of perspectives. Secondary to this, the discussion must be formulated round perceived concepts that the SMT have without opportunity to consolidate feelings.

Practice and Research Recommendations

Findings support the need for greater awareness of prosthetics in weight bearing sports, where equipment change may negate benefit. Future research into how these findings can further influence the SMT in Para-athletes with limb deficiency would be welcome. Knowledge of new equipment and technology is highly relevant alongside medical discussions and shared decision-making with the athlete to align health and performance goals. The importance of relationships between the medical staff, coaches and athlete drives willingness of athletes to seek health advice. SMT should be mindful of reduced HSB in this population group and accept a need to ask “the uncomfortable question” where themes have highlighted reduced HSB associated with the internalisation of certain identities. Differences in the participant interactions between the groups (with and without athletes) suggests a need for future research to explore individual assumptions and influenced opinions.

CONCLUSION

Findings from this exploratory study suggest a key theme around ‘identity’ in relation to athletes with limb deficiency and their HSB. Findings also highlight the importance of knowledge and understanding of this ‘noise’ to optimise athlete health and performance.

Abbreviations

HSB: Health seeking behaviour

SMT: Sports medicine team

REFERENCES

1. Maueberg-deCastro E, Campbell D, Tavares C. The global reality of the Paralympic Movement: Challenges and opportunities in disability sports. *Motriz Revista de Educação Física* 2016;22(3):111-123.
2. Blauwet C, Cushman D, Emery C, et al. Risk of Injuries in Track and Field Differs by Impairment and Event Discipline. *The American Journal of Sports Medicine*. 2016;44(6):1455-1463.
3. Bolling C, Mechelen W, Pasman R, Verhagen E. Context Matters: Revisiting the First Step of the 'Sequence of Prevention of Sports Injuries. *Sports Medicine*. 2018;48:2227-2234.
4. Bragaru M, Dekker R, Geertzen J, Dijkstra P. Amputees and Sports: A Systematic Review. *Sports Medicine*. 2011;41:721-740
5. Cornally N, McCarthy G. Help-seeking behaviour: A Concept Analysis. *International Journal of Nursing*. 2011;17:280-288.
6. Gulliver A, Griffiths K, Christensen H. Barriers and facilitators to mental health help-seeking for young elite athletes: a qualitative study. *BMC Psychiatry*. 2012;12(157).
7. Souter G, Lewis R, Serrant L. Men, Mental Health and Elite Sport: a Narrative Review. *Sports Medicine*. 2019;4(57).
8. Burger H, Marincek C. Upper limb prosthetic use in Slovenia. *Prosthetics and Orthotics International*. 1994;28:25-33.
9. Horgan O, Maclachlan M. Psychosocial adjustment to lower-limb amputation: A review. *Disabil Rehabil*. 2004;26(14):837-850.
10. Messinger S. Getting Past the Accident: Explosive Devices, Limb Loss, Refashioning a Life in a Military Medical Centre. *Medical Anthropology Quarterly*. 2010;24(3):281-303.
11. Messinger S. Incorporating the prosthetic: Traumatic, limb-loss, rehabilitation and refigured military bodies. *Disabil Rehabil*. 2009;25(31):2130-2134.
12. Mackien S. A Review of health seeking behaviour: problems and prospects. *Health Policy and Planning* 2004;19(3):137-146.
13. Mackien S, Bedri N, Lovel H. Up the garden path and over the edge: where might health-seeking behaviour take us? *Health Policy and Planning*. 2004;19(3):137-146.
14. Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): A 32-item checklist for interviews and focus groups. *Int J Qual Health Care*. 2007;19(6):349-357.
15. Mays N PC. Qualitative research in health care. Assessing quality in qualitative research. *BMJ*. 2000;320(7226):50-52.

- 496 16. Duncan E NM. Subtle Realism and Occupational Therapy: An Alternative Approach to
497 Knowledge Generation and Evaluation. *British Journal of Occupational Therapy*
498 2004;67(10):453-456.
- 499 17. Crist JD TC. Interpretation/analysis methods in hermeneutic interpretive
500 phenomenology. *Nurs Res.* 2003;52(3):2002-2005.
- 501 18. Willis G and Artino A. What do our respondents think we're asking? Using Cognitive
502 Interviewing to Improve Medical Education Surveys. *Journal of Graduate Medical*
503 *Education.* 2013;5(3):353-356.
- 504 19. Tritter J, Landstad B. *Focus Groups.* 4th ed. Oxford: Wiley; 2014
- 505 20. Kitzinger J. Focus Groups. In: Mays N PC, ed. *Qualitative Research in Healthcare.* 3rd
506 ed. Oxford: Blackwell Publishing; 2006:57-71.
- 507 21. Palmer M, Larkin M, Visser R, Fadden G. Developing an Interpretative
508 Phenomenological Approach to Focus Group Data. *Qualitative Research in*
509 *Psychology.* 2010;7:99-121.
- 510 22. Morse J, et al. Verification Strategies for Establishing Reliability and Validity in
511 Qualitative Research. *International Journal of Qualitative Methods.* 2002;1(2):13-
512 22.
- 513 23. Angen MJ. Evaluating Interpretative Inquiry: Reviewing the Validity Debate and
514 Opening the Dialogue. *Qualitative Health Research.* 2000;10:378-395.
- 515 24. Conner M, Norman P. *Predicting Health Behaviour: Research and Practice with Social*
516 *Cognition Models.* Buckingham Open University Press; 1995.
- 517 25. Zurc J. Health professions and health promotion: challenges in health and wellbeing
518 among elite athletes. *JAHs.* 2016;2(2):87-100.
- 519 26. Fagher K, Jacobsson J, Timpka T, Dahlström Ö, Lexell J. The Sports-Related Injuries
520 and Illnesses in Paralympic Sport Study (SRIIPSS): a study protocol for a prospective
521 longitudinal study *BMC Sports Sci Med Rehabil.* 2016;8(1):28.
- 522 27. Dashper K. It's a Form of Freedom": The experiences of people with disabilities
523 within equestrian sport. *Annals of Leisure Research.* 2010;13(1):86-101.
- 524 28. Cruz N, Spray C, Smith B. Implicit beliefs of disability and elite sport: the para-athlete
525 experience. *Qualitative Research in Sport, Exercise and Health.* 2017.
- 526 29. Cote J GW. An integrative Definition of Coaching Effectiveness and Expertise.
527 *International Journal of Sports Science and Coaching.* 2009;4(3307-323).
- 528 30. Santos F, Camire M, MacDonald D. Lived experiences within a longstanding coach-
529 athlete relationship. The case of one Paralympic athlete. *Agora para la Education*
530 *Fisica y el Deporte.* 2018;20(2):279-297.
- 531 31. Good MJD. *Subjectivity: Ethnographic Investigations.* California: California
532 Scholarship Online; 2003.
- 533 32. Pack S, Kelly S, Arvinen-Barrow M. I think I became a swimmer rather than just
534 someone with a disability swimming up and down:" paralympic athletes perceptions
535 of self and identity development. *Disability and Rehabilitation* 2017;39(20):2063-
536 2070.
- 537 33. Schubring A, Thiel A. Health-related gender boundary crossing in youth Olympic
538 sport'. *Sport in Society.* 2016;19(5):695-710.
- 539 34. Wadey R, Day M. A longitudinal examination of leisure time physical activity
540 following amputation in England. *Psychology of Sport and Exercise.* 2017;37:251-261.
- 541 35. Culver DM WP. Voices: para-athletes speak. *Qualitative Research in Sport, Exercise*
542 *and Health.* 2017;10(2):165-175.

36. Bragaru M, Wilgen CP, Geertzen JHB, Ruijs SGJB, Dijkstra PU, Dekker R. Barriers and Facilitators of Participation in Sports: A Qualitative Study on Dutch Individuals with Lower Limb Amputation. *PlosOne*. 2013;8(3).
37. Kampman H, Hefferon K. Find a sport and carry on: Posttraumatic growth and achievement in British Paralympic athletes: . *International Journal of Wellbeing*. 2020;10(1):67-92.
38. Burkett B. Is daily walking when living in the Paralympic village different to the typical home environment? *British Journal of Sports Medicine*. 2010;44(7):533-536.
39. Stutts LA, Stanaland AW. Posttraumatic growth in individuals with amputations. *Disability and Health Journal*. 2016;9:167-171.
40. Liu F, Williams RM, Liu H-E, Chien N-H. The lived experiences of persons with lower extremity amputation. *Journal of Clinical Nursing*. 2010;19:2152-2161.

Figure legends

Figure 1: Figure 1 A Flow Chart to Demonstrate the Iterative Data Analysis Process and Processes to Establish Rigour

Figure 2: Emerging themes and subthemes

Table 1: Participant characteristics

Focus Group	Participant	Gender	Role in Parasport
1	P01	F	Member of the SMT - Physiotherapist
	P02	M	Member of the SMT – Strength and conditioning coach
	P03	M	Member of the SMT – Physiotherapist
	P04	M	Member of the SMT – Physician
	P05	F	Member of the SMT – Physiotherapist
	P06	M	Member of the SMT – Physiotherapist
	P07	M	Member of the SMT – Strength and Conditioning Coach
2	P08	M	Para athlete with a classified impairment of acquired limb deficiency
	P09	F	Member of the SMT - Physiotherapist
	P10	F	Member of the SMT - Physician
	P11	M	Para athlete with a classified impairment of acquired limb deficiency
	P12	F	Member of the SMT - Physiotherapist
	P13	F	Member of the SMT - Physiotherapist

Figure 1





Figure 2






[Click here to access/download](#)
Supplemental Digital Content
Supplementary File 1.docx





[Click here to access/download](#)

Supplemental Digital Content
Supplementary File 2 anonymised.docx





[Click here to access/download](#)

Supplemental Digital Content
Supplementary File 3 anonymised.docx

