

Age at menarche and the evidence for a positive secular trend in urban South Africa

Jones, Laura L; Griffiths, Paula L; Norris, Shane A; Pettifor, John M; Cameron, Noël

DOI:

[10.1002/ajhb.20836](https://doi.org/10.1002/ajhb.20836)

License:

None: All rights reserved

Document Version

Peer reviewed version

Citation for published version (Harvard):

Jones, LL, Griffiths, PL, Norris, SA, Pettifor, JM & Cameron, N 2009, 'Age at menarche and the evidence for a positive secular trend in urban South Africa', *Annals of Human Biology*, vol. 21, no. 1, pp. 130-2.
<https://doi.org/10.1002/ajhb.20836>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

This is the author's version of a work that was accepted for publication in *Annals of Human Biology*. Changes resulting from the publishing process, such as peer review, editing, corrections, structural formatting, and other quality control mechanisms may not be reflected in this document. Changes may have been made to this work since it was submitted for publication. A definitive version was subsequently published in *Annals of Human Biology*, Vol 21, Issue 1, January 2009 DOI: 10.1002/ajhb.20836

Eligibility for repository checked February 2015

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Age at menarche and the evidence for a positive secular trend in urban South Africa

LAURA L. JONES,^{1*} PAULA L. GRIFFITHS,^{1,2} SHANE A. NORRIS,² JOHN M. PETTIFOR,² AND NOËL CAMERON^{1,2}

¹*Centre for Human Development, Department of Human Sciences, Loughborough University, Loughborough, UK*

²*MRC Mineral Metabolism Research Unit, Department of Paediatrics, University of the Witwatersrand, Johannesburg, South Africa*

*Correspondence and reprint requests to:

Dr Laura Jones
Centre for Human Development
Department of Human Sciences
Loughborough University
Loughborough
LE11 3TU
Tel: +44(0)1509 228415
Fax: +44(0)1509 223940
E-mail: L.L.Jones@lboro.ac.uk

Running head: Age at menarche in urban South Africa

Disclosure statement: No conflicts of interest

Contract Grant Sponsor: No contract grant sponsor

ABSTRACT

Menarcheal age was estimated for 287 (188 Black; 99 White) urban South African girls born in Soweto-Johannesburg in 1990. The median menarcheal age for Blacks was 12.4 years (95% confidence interval [CI] 12.2, 12.6) and 12.5 years (95% CI 11.7, 13.3) for Whites. Data from six studies of menarcheal age, including the current study, were analyzed to examine the evidence for a secular trend between 1956 and 2004 in urban South African girls. There was evidence of a statistically significant secular trend for Blacks, but not Whites. Average menarcheal age for Blacks decreased from 14.9 years (95% CI 14.8, 15.0) in 1956 to 12.4 years (95% CI 12.2, 12.6) in the current study, an average decline of 0.50 years per decade. Fewer data were available for Whites, but average menarcheal age decreased from 13.1 years (95% CI 13.0, 13.2) in 1977 to 12.5 years (95% CI 11.7, 13.3) in the current study, an average decline of 0.22 years per decade. The diminishing age at menarche and the current lack of difference between Blacks and Whites is probably reflective of the continuing nutritional and socio-economic transition occurring within South Africa.

INTRODUCTION

Menarcheal age is a key maturity indicator of female development and reflects population health. Knowledge of the timing of menarche is important as early pubertal development, in particular, has been linked with an increased risk of negative sequelae (e.g., Anderson et al., 2003; Siervogel et al., 2003; Mendle et al., 2007). Table 1 provides a summary of the previous studies of menarcheal age in Black and White girls born in Soweto-Johannesburg. Menarcheal age estimates from these studies were between 14.9 years (95% CI 14.8, 15.0) in 1956 (Oettle and Higginson, 1961) and 13.0 years (95% CI 12.7, 13.3) in 2003 (Norris and Richter, 2005).

TABLE ONE NEAR HERE

Contemporary estimates of menarcheal age in urban South African girls are important to help understand the transitioning nature of the South African society in recent decades. Estimating average menarcheal age and examining how it has changed over time may help to gauge recent changes in health and well-being in South Africa. This article therefore aims to determine current menarcheal age for urban Black and White South African girls and to examine the evidence for a secular trend between 1956 and 2004.

SUBJECTS AND METHODS

Menarcheal ages were available for a total of 287 girls (188 Black; 99 White), who were part of the Bone Health (BH) sub-sample of the Birth-to-Twenty (Bt20) birth cohort set in Soweto-Johannesburg, South Africa (Richter et al., 2007). *Status quo*

methods were used to assess menarcheal age through annual self-complete questionnaires between 9.0 and 14.9 years of age. The adolescents and their caregivers provided written informed consent and ethical approval was obtained from the University of the Witwatersrand Committee for Research on Human Subjects.

All data analyses were undertaken using SPSS version 15.0 (Chicago, IL). Data from the current study were collected in categorical yearly age group bands and cumulative percentage plots constructed. Median menarcheal age was derived by fitting logistic curves to these plots. Equation 1 was used to fit the logistic model and Equation 2 was used to derive achievement percentiles:

$$y = 1/(1/u + (b_0 * (b_1 t))) \quad (1)$$

$$t = \ln((1/y - 1/u)/b_0) / \ln b_1 \quad (2)$$

where y = % achieved, u = upper boundary (100%), b_0 = b coefficient, b_1 = b constant and t = age (years).

In addition to data from the current study, menarcheal age estimates from five previous studies in Soweto-Johannesburg (Oettle and Higginson, 1961; Frere, 1971; Chaning-Pearce and Solomon, 1987; Cameron and Wright, 1990; Norris and Richter, 2005) were used to investigate the evidence for a secular trend in menarcheal age between 1956 and 2004. Ninety-five percent confidence intervals (95% CI) were calculated from median and standard error or mean and standard deviation measures provided in previous studies.

RESULTS

Median menarcheal age derived from the logistic curves was 12.4 years (95% CI 12.2, 12.6) for Blacks and 12.5 years (95% CI 11.7, 13.3) for Whites. Figure 1 shows average menarcheal age of Black and White urban South African girls from the Soweto-Johannesburg area between 1956 and 2004. These data show evidence for a statistically significant secular trend towards earlier menarche in Black, but not White girls. Average menarcheal age for Black girls declined from 14.9 years (95% CI 14.8, 15.0) in 1956, to 13.9 years (95% CI 13.8, 14.0) in 1977, to 12.4 years (95% CI 12.2, 12.6) in the current study (average decline = 0.50 years per decade). There were relatively fewer data available for White girls, and there was a non-significant menarcheal age decline from 13.1 years (95% CI 13.0, 13.2) in 1977 to 12.5 years (95% CI 11.7, 13.3) in the current study (average decline = 0.22 years per decade).

FIGURE 1 NEAR HERE

DISCUSSION

Median menarcheal age for Blacks was 12.4 years (95% CI 12.2, 12.6) and 12.5 years (95% CI 11.7, 13.3) for Whites. These ages were significantly younger for Blacks than any other previous South African study of menarcheal age. The most recent papers (since 1990) reported mean ages of 13.0 years (95% CI 12.7, 13.3) (Norris and Richter, 2005) and 13.2 years (95% CI 13.0, 13.4) (Cameron and Wright, 1990) for urban Black girls. A previous study of urban White girls reported a mean age of 13.1 years (95% CI 12.9, 13.3) (Chaning-Pearce and Solomon, 1987).

The results from this study indicate that there is evidence for a statistically significant secular trend in menarcheal age in Black, but not White, urban South

African girls. The decline has been more pronounced for Blacks (0.50 years per decade) compared to Whites (0.22 years per decade). In a study examining menarcheal age of urban Black South African girls between 1960 and 1990, Cameron et al. (1991) reported a rate of decline of 0.73 years per decade. Although the rate of decline has slowed in recent years, South Africa is continuing to show a rapid decline in menarcheal age. In addition to the socio-economic transition influencing the timing of menarche, it is possible to hypothesize that the positive secular trend in menarcheal age within South Africa could be partly due to the rising levels of overweight and obesity. In contrast to reports from developed countries where Blacks were in advance of Whites (e.g., Kaplowitz et al., 2001; Sun et al., 2002; Anderson et al., 2003), Black and White urban South African girls achieved menarche at similar ages.

The interpretation of secular trends is difficult, particularly as geographical location, SES, methodologies and sampling techniques vary between studies. Furthermore, whilst the evidence for a secular trend is based on the assumption of a linear trend, the relationship may actually be curvilinear as there may be a lower limit to which menarcheal age can fall. This is evident in developed countries where a plateau in menarcheal age appears to have been reached (Viner, 2002; Chumlea et al., 2003). Whilst menarcheal age is continuing to show a decline in South Africa, the decrease seen between the 2003 and 2004 studies (13.0 to 12.4 years) may suggest that the relationship is in fact curvilinear as opposed to linear for urban Black girls.

CONCLUSIONS

Median menarcheal age was 12.4 years (95% CI 12.2, 12.6) for Blacks and 12.5 years (95% CI 11.7, 13.3) for Whites. Unlike findings from some developed countries

there was no statistically significant difference in menarcheal age between the two ethnic groups within this study. There is evidence for a statistically significant positive secular trend of declining menarcheal age in Black, but not White, girls in the BH cohort. The average decline in menarcheal age was 0.50 and 0.22 years per decade for Black and White girls respectively. This suggests that urban girls in South Africa are continuing to show a decline in menarcheal age and as yet, have not experienced the plateau seen in some developed countries. This implies that environmental factors such as SES and nutrition continue to influence this biological process in South Africa, whereas in developed countries these environmental factors may have less influence and a lower limit of menarcheal age may have been reached.

ACKNOWLEDGEMENTS

The Bt20 study receives financial support from the Medical Research Council of South Africa; the Anglo-American Chairman's Fund; Child, Youth, and Family Development of the Human Sciences Research Council of South Africa; and the University of the Witwatersrand. The BH study is financially supported by the Wellcome Trust (UK) and the South African National Research Foundation. In addition, the Parkes Foundation and the Child Growth Foundation supported this work.

LITERATURE CITED

- Anderson S, Dallal G, Must A. 2003. Relative weight and race influence average menarcheal age: Results from two nationally representative surveys of US girls studied 25 years apart. *Pediatrics* 111:844-50.
- Cameron N, Kgamphe J, Levin Z. 1991. Menarcheal age and an analysis of secular trends in menarcheal age of South African urban and rural black females. *Am J Hum Biol* 3:251-55.
- Cameron N, Wright C. 1990. The start of breast development and menarcheal age in South African black females. *S Afr Med J* 78:536-9.
- Chaning-Pearce S, Solomon L. 1987. Pubertal development in black and white Johannesburg girls. *S Afr Med J* 71:22-4.
- Chumlea W, Schubert C, Roche A, Kulin H, Lee P, Himes J, Sun S. 2003. Menarcheal age and racial comparisons in US girls. *Pediatrics* 111:110-3.
- Frere G. 1971. Mean age at menopause and menarche in South Africa. *S Afr J Med Sci* 36:21-4.
- Mendle J, Turkheimer E, Emery R. 2007. Detrimental psychological outcomes associated with early pubertal timing in adolescent girls. *Dev Rev* 27:151-171.
- Norris S, Richter L. 2005. Usefulness and reliability of Tanner pubertal self-rating to urban black adolescents in South Africa. *J Adolesc Res* 15:609-24.
- Oettle A, Higginson J. 1961. The menarcheal age in South African bantu (negro) girls: With a comment on methods of determining mean menarcheal age. *Hum Biol* 33:181-90.
- Richter L, Norris S, Pettifor J, Yach D, Cameron N. 2007. Cohort profile: Mandela's children: The 1990 Birth to Twenty Study in South Africa. *Int J Epidemiol* 36:504-11.
- Siervogel R, Demerath E, Schubert C, Remsberg K, Chumlea W, Sun S, Czerwinski S, Towne B. 2003. Puberty and body composition. *Horm Res* 60:36-45.
- Sun S, Schubert C, Chumlea W, Roche A, Kulin H, Lee P, Himes J, Ryan A. 2002. National estimates of the timing of sexual maturation and racial differences among US children. *Pediatrics* 110:911-9.
- Viner R. 2002. Splitting hairs. *Arch Dis Child* 86:8-10.

TABLE 1. Estimates of menarcheal age (95% confidence interval) for urban Black and White girls born in the Soweto-Johannesburg area

Reference	Year of data collection	Sample size	Age of participants (Years)	Socio-economic status	Ethnic group	Average age ([†] denotes median) at menarche (95% confidence interval)
Oettle and Higginson (1961)	1955-56	1002			Black	14.9 (14.8, 15.0)
Frere (1971)	1964	3150		Middle	Black	14.8 [†] (14.7, 14.9)
Chaning-Pearce and Solomon (1987)	1976-77	355	3.5-18.5		Black	13.9 (13.8, 14.0)
		362			White	13.1 (13.0, 13.2)
Cameron and Wright (1990)	1988	148	6.0-19.0	High	Black	13.2 (13.0, 13.4)
Norris and Richter (2005)	2003	90	10.0-18.0	Low/Mid	Black	13.0 (12.7, 13.3)




Fig. 1. Average menarcheal age (95% confidence intervals) for White and Black urban South African girls between 1956 and 2004.