

Developing imagery ability in esport athletes using layered stimulus response training

Cumming, Jennifer; Quinton, Mary L.

DOI:

[10.1515/jirspa-2022-0024](https://doi.org/10.1515/jirspa-2022-0024)

License:

Creative Commons: Attribution (CC BY)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

Cumming, J & Quinton, ML 2023, 'Developing imagery ability in esport athletes using layered stimulus response training', *Journal of Imagery Research in Sport and Physical Activity*. <https://doi.org/10.1515/jirspa-2022-0024>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Review

Jennifer Cumming* and Mary L. Quinton

Developing imagery ability in esports athletes using layered stimulus response training

<https://doi.org/10.1515/jirspa-2022-0024>

Received November 21, 2022; accepted February 15, 2023;
published online March 7, 2023

Abstract: For esports athletes to effectively use imagery and experience its many benefits, they must develop a collection of skills referred to as imagery ability. Layered stimulus response training (LSRT) is an evidence-based technique informed by bioinformational theory to improve how easily someone can form rich and vivid images that more closely approximate the real-life situation. In turn, having a better ability to generate and control clear and vivid images is associated with better performance and optimal mental and emotional states. The aim of this paper is to explain how sport psychologists can guide esports athletes through cycles of LSRT, which involves imaging, evaluating, reflecting, and then developing images in progressive layers of different stimulus, response, and meaning propositions. Aids to image generation and other variations of LSRT as well as future research opportunities for applying LSRT to esports are also discussed.

Keywords: bioinformational theory; controllability; image generation; progressive imagery; vividness.

Esports (electronic sports) are a rapidly developing competitive field that draws many parallels with sport and has an audience of 474 million people around the world (LEVVEL, 2022). Esport athletes participate in organized and regulated competitions in specifically designed video games such as real time strategy (RTS) games, multiplayer online battle arenas (MOBAs), first-person shooter (FPS),

as well as games based on traditional forms of sport such as football or motorsport (Pereira et al., 2022). There is a large and growing participation base of both casual players and professional esports athletes who dedicate themselves to many hours of training and competing (Poulos et al., 2022). It is fiercely competitive at the top levels with professional esports athletes competing for vast sums of prize money (Wechsler et al., 2021), with the total prize pool for a single tournament reaching as high as USD\$48 million (i.e., Dota 2) in 2021 (Esports Earnings, 2021). Esports has also taken a step towards being included in mainstream sport mega-events with its inclusion as a pilot event at the 2022 Commonwealth Games in Birmingham UK (Chahal & Pandey, 2022).

Esport athletes need well developed mental skills, such as imagery, to meet the many cognitive, psychological, and physical demands associated with their type of game (Himmelstein et al., 2017; Nagorsky & Wiemeyer, 2020). In particular, esports competitors experience unique stressors (e.g., in-game pressure) which predict symptoms of anxiety and depression (Smith et al., 2022). It is already well established that using imagery in frequent, deliberate, and systematic ways is a characteristic of expert performance in sport and imagery is effective for enhancing learning and performance (Cumming & Hall, 2002; Simonsmeier et al., 2021) and enhancing an athlete's well-being (Kouali et al., 2020). Imagery can also be used to bolster self-confidence (Callow & Waters, 2005), respond more effectively to stress in competition (Quinton et al., 2019), and support athletes to recover from injury (Multhaupt & Beuth, 2018). But for esports athletes to realize these benefits, they must have an ability to form, control, and retain vivid images of sights, sounds, feelings, and sensations (Morris et al., 2005). In other words, imagery ability is a collection of skills for esports athletes to develop that involves multiple processes (e.g., image generation and maintenance) and multiple senses (e.g., visual, auditory, kinesthetic, and haptic) (Cumming & Eaves, 2018). There is growing evidence that better imagery ability in athletes is associated with better performance and optimal mental and emotional states such as higher levels of confidence, lower levels of cognitive anxiety, and viewing situations as a challenge rather than a threat (Quinton et al., 2019; Williams & Cumming, 2015; Williams et al., 2021).

We would like to thank Jamie Grist for sharing his background knowledge on esports and for his advice on the examples used throughout this manuscript.

***Corresponding author: Prof. Jennifer Cumming**, School of Sport, Exercise and Rehabilitation Sciences, University of Birmingham, Edgbaston, B15 2TT, UK, E-mail: J.Cumming@Bham.ac.uk. <https://orcid.org/0000-0001-5655-7842>

Mary L. Quinton, University of Birmingham, Edgbaston, UK.
<https://orcid.org/0000-0002-0636-6957>

A person's imagery ability is partly determined by genetics but is also influenced by the amount and quality of practice (Cumming & Eaves, 2018). While imagery ability can be somewhat improved by just using imagery, an even more effective way is through layered stimulus response training (LSRT), or more simply put, developing images in layers (Cumming et al., 2017; Weibull et al., 2017; Williams et al., 2013). LSRT is typically guided by a sport psychologist and helps athletes to experience rich and vivid images that more closely approximate the real-life situation by adding different elements of the image in progressive layers. Based on Lang's bioinformational theory (Lang, 1977, 1979), any image can be separated into units of stimulus, response, or meaning information that are stored in long-term memory (see Table 1 for definitions and examples). Each piece of information represents a different element that can be incorporated into creating a highly meaningful and detailed representation of a desired image, which in turn, can be used as an "as-if real" template that can supplement or substitute for actual practice (Ji et al., 2016). Taking a personalized approach, LSRT begins with a simple version of this desired

image with most details removed and a focus on creating a specific layer of information. Other relevant pieces of information are gradually introduced until the desired image can be vividly generated and controlled with ease by the person. In doing so, LSRT is proposed to not only enable athletes to generate and maintain desired images (e.g., imaging our self or our team achieving a personal best score or winning the game), but also to eliminate or control undesired images (e.g., imaging our self or our team making a mistake or failing to achieve an important goal) (Cumming et al., 2017).

How to use LSRT

Breaking down an image into different elements and bringing them together in increasingly detailed layers is achieved through cycles of imaging, evaluating, reflecting, and developing the next imagery layer (Figure 1). An esports athlete might start LSRT by identifying a common situation that occurs during gameplay that they can easily recall from

Table 1: Definitions and examples of layered stimulus response training (LSRT) elements.

| Element | Definition | Examples |
|----------------------|--|--|
| Stimulus information | Sensory-based perceptions of an external or internal stimulus ^a | Sights Smells Sounds Pain Temperature changes |
| Response information | Behavioral, physiological, and linguistic changes in response to the stimulus | Activity level changes (e.g., withdrawing/avoiding) Heart rate and respiration changes Muscles relaxing/tensing Self-talk |
| Meaning information | Semantic and nonsemantic information of what the individual's response to the stimulus means | Self-perceptions (e.g., confidence, mental toughness) Stress appraisals (e.g., challenge, threat) |

^aA stimulus can be anything (e.g., object or event) that triggers a response in the person.




Figure 1: Layered stimulus response training (LSRT) cycle. This is an updated version of Cumming et al.'s (2017) description of LSRT to include evaluate as the second step in the cycle.

Table 2: Layered stimulus response training (LSRT) process example in esports (rocket league).

| Layer | Game examples |
|--|--|
| Situation described | Intercepting the ball to stop a goal in rocket league |
| 1: Visual features | Own and others car details (colour, model, speed, location, personalization) Pitch and wider arena Ball (colour, speed, location relative to car) Scoreboard, time |
| 2: Audio of game sounds | Own and others car engines Encouragement from teammates Boost from own or others' cars A nearby crash or explosion Indicator of time left (e.g., 10 s countdown) |
| 3: Kinesthetic features | Sensations of making quick, repetitive movement of fingers, hands, and wrists Feel of console/mouse, headset, and position of body in the chair |
| 4: Cognitive and physiological features | Meeting attentional demands of staying focused on the ball and ignoring distractions (e.g., other cars) Physiological responses (e.g., increased heart rate and breathing rate, feeling warm) |
| 5: Optimal emotions and meaning propositions | Staying calm and confident, knowing that the angle and speed is correct to reach the goal in time Appraisal of situation as a challenge, not a threat Release of any tension in body real time |




Figure 2: Example application of LSRT to esports athlete. In this example, the athlete remains with the first layer (i.e., visual features of the campaign) for two LSRT cycles, and then does one LSRT cycle of the second layer (i.e., audio of game sounds) before progressing to layer 3.

memory. Take for example, Casey, who would like to focus on intercepting the ball to stop a goal in Rocket League (see Table 2 and Figure 2). The sport psychologist asks Casey to verbally describe this situation in as much detail as possible, before instructing him to image the situation as vividly and clearly as possible as if he were actually performing the action and with his eyes closed (Cooley et al., 2013). Casey is then asked to evaluate properties of the image using a Likert-type rating scale, such as its vividness

and clarity (1=*no image at all, only thinking of the situation*; 5=*a perfectly clear and vivid image*), its ease of generation (1=*very hard to image*; 5=*very easy to image*), and its controllability (1=*highly uncontrollable*, 5=*highly controllable*). These values provide indicators of Casey’s imagery ability that can be used to make comparisons against as more layers are added as well as serve as immediate feedback to inform Casey’s reflections in the next part of the cycle (Cumming et al., 2017).

The sport psychologist then guides Casey to reflect on the content (e.g., “What did you see?”, “What did you feel?”) and characteristics (e.g., “Did you see the image through a first person or third person perspective?”) of the image (for more a detailed description of imagery characteristics, see Cumming & Williams, 2012). For an esports athlete with poor imagery ability or little experience in using imagery, it is not unusual for them to find it difficult to provide a detailed description of the imagery experience in the early stages of LSRT, particularly if the image is hazy and unclear. The focus is to instead identify an element of the image that the athlete finds particularly easy or vivid to generate based on the evaluation stage. In this example, Casey would like to focus on visual aspects of the game (e.g., the colors and design features of his car and the ball). Casey will then re-image the situation with a focus on making this visual image as clear and as vivid as possible (layer 1), re-evaluate its vividness/ease/controllability, and reflect again on its content and characteristics. During this second reflection, the sport psychologist listens for any new details described by Casey (e.g., colors are brighter, features are more detailed) and provides feedback on Casey’s imagery ratings (e.g., improved, stayed the same, or worsened). Unless the ratings have improved, Casey may wish to continue rehearsing this layer until he finds it easier to generate and control a clear and vivid image.

When ready to progress, the sport psychologist will ask Casey to identify the next element to add to the image (layer 2). This is usually the element that the athlete finds the next easiest to image, such as another sensory modality. To keep with the same example, Casey might identify the game’s sounds (auditory) as the next layer to develop such as the sounds of his own and other car’s engines. Casey would then image the situation again with a focus on this new element, which is then evaluated and reflected on. This process continues of either re-imagining the same layer or developing subsequent layers by adding stimulus, response, and meaning information that Casey identifies as the next most relevant and important. Examples of what else could be included are kinesthetic sensations of making quick, repetitive movement of fingers, hands, and wrists, meeting attentional demands of staying focused on key aspects of the game and ignoring distractions, and experiencing optimal emotions such as staying calm and confident in knowing what to do in the situation (Table 2).

As the content of the imaged situation evolves, so may the characteristics of the Casey’s imagery use (Cumming et al., 2017); for example, if the image was previously experienced in slow motion, it may now be done in real time or if the image was viewed in a third person perspective

(external visual imagery; i.e., seeing the image from the perspective of being removed from one’s body, as if watching oneself on video), it may now be seen through a first person perspective (internal visual imagery; i.e., seeing the image through one’s own eyes, as if experiencing the situation in real life). Encouraging the esports athlete to reflect on how they image during cycles of LSRT will also help them to develop their meta-imagery skills; that is improving their awareness, knowledge, and control of their own imagery processes and preferences (Moran, 2009). These meta-imagery skills enable esports athletes to use imagery more effectively, such as by selecting content and employing characteristics to suit them, the situation, and their reasons for imaging (e.g., to perform more successfully under the pressure of competing) (Cumming & Williams, 2013).

After several layers, Casey may reach a point where he can no longer identify relevant stimulus, response, or meaning information to include in the image. This final image could be considered completely developed and Casey could use this image as the bases for further mental practice. In the case of an endurance cyclist described by Cumming et al. (2017), the cyclist experienced a number of benefits to carrying on rehearsing the final image including improvements to their focus and being in better control of thoughts, feelings, and physiological responses, which led to improved performance. An important caveat, however, is Casey should regularly revisit and update the image to ensure that it is still relevant and meaningful, for example, after learning and improvement takes place in the real life context (Holmes & Collins, 2001). LSRT can then be used to develop other desired images as a way for esports athletes to continually improve and refine their ability to form, control, and retain images in their mind.

Variations of LSRT

LSRT is a flexible technique that can be used in conjunction with other techniques to meet the esports athlete’s needs, particularly for those who find it very difficult to form images. Similar to the approach used by Quinton et al. (2014), the sport psychologist could be guided by the PETTLEP model (Holmes & Collins, 2001; Scott et al., 2022) and ask the esports athlete to perform LSRT in the location where they usually play the game, sitting in their gamer chair, and wearing their headset. To help generate tactile or kinesthetic elements of the image, they may find it helpful to position their fingers and wrists using their keyboard and mouse as well as perform small movements during the imagery. The game soundtrack and audio recordings of other relevant sounds could be played to support auditory elements being

incorporated into the image. Similarly, visual elements could be made easier to form with observation (Scott et al., 2022), which would involve the esports athlete viewing a video of either themselves and/or recorded/live streaming of someone else performing prior to imaging. Research has previously shown that people find it significantly easier to see a movement in their imagery after watching a video of it being performed, particularly if the video is filmed using the same viewpoint adopted by the imager (Williams et al., 2011). Put another way, a video showing the movement from a first person perspective will more effectively support the athlete's visual imagery if the athlete then images the movement from this perspective rather than a third person perspective. Williams et al. (2011) also found that observing a movement made it easier for participants to feel that movement in their imagery regardless of the viewpoint shown in the video. These different aids to image generation can be individually applied when needed to the layer being developed or used in combination with each other as the image becomes more detailed and complex. The aids can also be sequentially removed when the athlete is able to easily generate and control a clear and vivid image.

Research has also started to look at other variations of LSRT, such as by comparing a simplified and de-personalized version referred to as progressive imagery to retrogressive imagery (Chien et al., 2022; Fazel et al., 2018, 2022). In this research, participants are given an imagery script that describes the content to be imaged over a number of sessions. In the progressive imagery condition, the initial script describes a simple scene and details are added in sequence until a detailed and complex image is fully described in the final script. The process is reversed in the retrogressive imagery, with the initial script describing the detailed and complex scene and details are then gradually removed. For both these approaches, the content of the script and what details are added/removed are determined by the researchers. In addition to depersonalizing the process, these approaches do not provide participants with an opportunity to verbally reflect on their imagery experience or include stimulus, response, and meaning propositions. By omitting core elements of LSRT, it is unclear whether these approaches will be as effective for improving imagery ability and meta-imagery skills in those who find it harder to image. But, there is some initial evidence that progressive and retrogressive imagery may be useful interventions for athletes already sufficiently skilled in using imagery and who are aiming to improve their performance, self-confidence/self-efficacy, and reduce state anxiety levels (Chien et al., 2022; Fazel et al., 2018, 2022).

Future research opportunities

Although research has shown LSRT to be an effective technique, both alone (Williams et al., 2013) and in combination with observation (Marshall & Wright, 2016), there are a number of potential avenues to investigate in the future. Researchers could first determine the effectiveness of LSRT for developing imagery ability in e-sport such as by replicating and extending Williams et al. (2013)'s study in this context. Williams et al. recruited novice golfers who had never previously received imagery training and reported low ability to form complex sport images. Compared to the motor imagery (i.e., "imagine yourself correctly and successfully performing the golf putting task") and visual imagery (i.e., "imagine seeing the golf ball run along the green and gently roll into the hole") practice groups, only participants in the LSRT practice group who developed their images in layers improved both their ability to image movement and golf putting performance. A similar paradigm could be used in esports athletes low in both experience and imagery ability to compare LSRT to imagery control conditions that are closely matched in terms of frequency, duration, and content of the imagery. Performance metrics would depend on the chosen esports under investigation, but it would be useful to include indicators that are predictive of successful performance; for example, in the case of FPS game Counter-Strike: Global Offensive, response time, reaction time, and mouse and keyboard proficiency can be used to assess a player's performance (Sharpe et al., 2022).

A second avenue of future research would be to investigate for who and under which conditions would it be suitable to recommend LSRT or simplified variations. Given that skill level moderates imagery use (Cumming & Hall, 2002), research could compare LSRT with progressive and/or retrogressive imagery for lower and higher skilled players. According to Lang (1977), images that contain response information will be more vivid and more likely to lead to behavioural change in the real-life context. In support, Smith et al., (2001) found that imagery scripts that included both types of information led to greater improvements in hockey penalty flick performance than stimulus only scripts. Moreover, imagery scripts that included participant-generated stimulus and response propositions led to higher imagery ability ratings than experimenter-generated imagery scripts (Wilson et al., 2010). Based on this evidence, we would expect that LSRT to outperform progressive and retrogressive imagery, regardless of skill level, given its personalized approach and inclusion of stimulus, response, and meaning information. But the benefits may be even

greater for lower skilled esports athletes who have the most potential for improvement.

Studies have mainly examined the effects of delivering LSRT to individuals but this technique can also be used with pairs and groups (Cumming et al., 2017; Quinton et al., 2014). Whether it is casual players voluntarily forming groups or professional esports teams recruited to play on a contract, team dynamics and communication has been identified as a potential barrier for achieving optimal esports performance (Himmelstein et al., 2017). Team cohesion and collective efficacy are both positively associated with imagery use (Curtin et al., 2016; Shearer et al., 2007), and given that higher imagery ability is associated with greater imagery use, it follows that imagery will be even more beneficial for enhancing team dynamics if esports athletes find it easier to image their team (e.g., “I imagine the team being mentally tough”). For MOBA games such as League of Legends, LSRT could be used as team building experience by having teams of 5 players collectively identify the situation to be imaged, sharing reflections with each other, as well as deciding together on what layers to add. Research could then be used to investigate the effectiveness of team-level LSRT on individual imagery ability, team-level perceptions (e.g., team cohesion, collective efficacy), and performance indicators (e.g., the number of towers and inhibitors taken; Novak et al., 2020).

Another novel area for future LSRT research could be in its application specifically with younger esports athletes. This direction of research is especially pertinent for esports where it is reported that the youngest professional is 16 years old, with retirement age speculated to be around 25 years (Mamerow, 2022). Imagery ability has been shown to improve in children aged 8–10 years (Taktek et al., 2008), but scarce research has applied LSRT to youth sport contexts. One exception is Quinton et al. (2014) who delivered a 5-week PETTLEP imagery intervention to groups of young futsal players (M age=9.72 years). To adapt the intervention to children, PETTLEP elements and associated propositions were gradually introduced in a layered approach, starting with easier elements (e.g., Physical as they were stood in their kit) and progressing to more difficult elements (e.g., Emotion, such as feeling confident). Participants reported finding internal (first person perspective) visual and external (third person perspective) visual imagery easier to image than kinesthetic imagery, which is supported by research indicating children start to use kinesthetic imagery when older (13–14 years) (Munroe-Chandler et al., 2007). When adapting LSRT to young esports athletes, it may therefore be beneficial to incorporate kinesthetic imagery in later layers once visual imagery ability is established. Furthermore, future research would benefit from

comparing imagery ability and LSRT’s effectiveness in younger vs. older children (Quinton et al., 2014).

Conclusions

LSRT is a personalized and theoretically-grounded technique for improving imagery ability in progressive layers of stimulus, response, and meaning information. Evidence of its effectiveness in sport populations suggests that esports athletes may also benefit from its use, particularly those who find it difficult to form and control clear, vivid, and lifelike images.

LSRT is also flexible so that it can be adapted by a sport psychologist to meet the specific needs of the individual or team. Research is now needed to examine the effects of implementing LSRT in different types of esports with athletes of varying skill levels and imagery ability.

References

- Callow, N., & Waters, A. (2005). The effect of kinesthetic imagery on the sport confidence of flat-race horse jockeys. *Psychology of Sport and Exercise*, 6(4), 443–459.
- Chahal, B., & Pandey, M. (2022). Commonwealth games: ‘An education in what esports actually is’. *BBC*. <https://www.bbc.co.uk/news/newsbeat-62427420>
- Chien, T. H., Chen, J. Y., Chen, S. Y., & Chi, L. K. (2022). Effects of different PETTLEP imagery training methods on high school basketball players’ jump-shot performance, self-confidence and anxiety. *Asian Journal of Sport and Exercise Psychology*, 2(2), 114–121.
- Cooley, S. J., Williams, S. E., Burns, V. E., & Cumming, J. (2013). Methodological variations in guided imagery interventions using movement imagery scripts in sport: A systematic review. *Journal of Imagery Research in Sport and Physical Activity*, 8(1). <https://doi.org/10.1515/jirspa-2012-0005>
- Cumming, J., Cooley, S. J., Anuar, N., Kosteli, M.-C., Quinton, M. L., Weibull, F., & Williams, S. E. (2017). Developing imagery ability effectively: A guide to layered stimulus response training. *Journal of Sport Psychology in Action*, 8(1), 23–33.
- Cumming, J., & Eaves, D. L. (2018). The nature, measurement, and development of imagery ability. *Imagination, Cognition and Personality*, 37(4), 375–393.
- Cumming, J., & Hall, C. (2002). Deliberate imagery practice: The development of imagery skills in competitive athletes. *Journal of Sports Sciences*, 20, 137–145.
- Cumming, J., & Williams, S. E. (2012). The role of imagery in performance. In S. Murphy (Ed.), *Handbook of sport and performance psychology* (pp. 213–232). Oxford University Press.
- Cumming, J., & Williams, S. E. (2013). Introducing the revised applied model of deliberate imagery use for sport, dance, exercise, and rehabilitation. *Movement & Sport Sciences – Science & Motricité*, 82, 69–81.

- Curtin, K. D., Munroe-Chandler, K. J., & Loughhead, T. M. (2016). Athletes' imagery use from a team-level perspective and team cohesion. *International Journal of Sport and Exercise Psychology*, 14(4), 323–339.
- Esports Earnings. (2021). *Overall esports stats for 2021*. <https://www.esportsearnings.com/history/2021/games>
- Fazel, F., Morris, T., Watt, A., & Maher, R. (2018). The effects of different types of imagery delivery on basketball free-throw shooting performance and self-efficacy. *Psychology of Sport and Exercise*, 39, 29–37.
- Fazel, F., Morris, T., Watt, A. P., & Maher, R. (2022). A real-world examination of progressive imagery delivery in competitive basketball. *Asian Journal of Sport and Exercise Psychology*, 2(2), 106–113.
- Himmelstein, D., Liu, Y., & Shapiro, J. L. (2017). An exploration of mental skills among competitive league of legend players. *International Journal of Gaming and Computer-Mediated Simulations*, 9(2), 1–21.
- Holmes, P. S., & Collins, D. J. (2001). The PETTLEP approach to motor imagery: A functional equivalence model for sport psychologists. *Journal of Applied Sport Psychology*, 13(1), 60–83.
- Ji, J. L., Burnett Heyes, S., MacLeod, C., & Holmes, E. A. (2016). Emotional mental imagery as simulation of reality: Fear and beyond – a tribute to Peter Lang. *Behavior Therapy*, 47, 702–719.
- Kouali, D., Hall, C., & Deck, S. (2020). Examining the effectiveness of an imagery intervention in enhancing athletes' eudaimonic well-being. *Journal of Imagery Research in Sport and Physical Activity*, 15(1), 20200003.
- Lang, P. J. (1977). Imagery in therapy: An information processing analysis of fear. *Behavior Therapy*, 8(5), 862–886.
- Lang, P. J. (1979). A bio-informational theory of emotional imagery. *Psychophysiology*, 16(6), 495–512.
- LEVVVEL. (2022). *Esports statistics*. <https://levvvel.com/esports-statistics/>
- Mamerow, M. (2022). Age of pro gamers|oldest|average|youngest (2022). *Raise your skillz*. <https://raiseyourskillz.com/how-old-are-pro-gamers/?msclkid=20c9c7b8cb6811eca3337ff0ebe155e9>
- Marshall, B., & Wright, D. J. (2016). Layered stimulus response training versus combined action observation and imagery: Effects on golf putting performance and imagery ability characteristics. *Journal of Imagery Research in Sport and Physical Activity*, 11(1), 35–46.
- Moran, A. (2009). Cognitive psychology in sport: Progress and prospects. *Psychology of Sport and Exercise*, 10(4), 420–426.
- Morris, T., Spittle, M., & Watt, A. P. (2005). *Imagery in sport*. Human Kinetics.
- Multhaupt, G., & Beuth, J. (2018). The use of imagery in athletic injury rehabilitation. A systematic review. *Deutsche Zeitschrift für Sportmedizin*, 2018(03), 57–64.
- Munroe-Chandler, K. J., Hall, C. R., Fishburne, G., O, J., & Hall, N. (2007). The content of imagery use in youth sport. *International Journal of Sport and Exercise Psychology*, 5(2), 158–174.
- Nagorsky, E., & Wiemeyer, J. (2020). The structure of performance and training in esports. *PLoS One*, 15(8), e0237584.
- Novak, A. R., Bennett, K. J., Pluss, M. A., & Fransen, J. (2020). Performance analysis in esports: Modelling performance at the 2018 league of Legends world championship. *International Journal of Sports Science & Coaching*, 15(5–6), 809–817.
- Pereira, A. M., Costa, J. A., Verhagen, E., Figueiredo, P., & Brito, J. (2022). Associations between esports participation and health: A scoping review. *Sports Medicine*, 52(9), 2039–2060.
- Poulus, D., Coulter, T., Trotter, M., & Polman, R. (2022). Perceived stressors experienced by competitive esports athletes. *International Journal of Esports*, 1(1), Article 73. <https://doi.org/10.1515/jirspa-2014-0003>.
- Quinton, M. L., Cumming, J., Gray, R., Geeson, J. R., Cooper, A., Crowley, H., & Williams, S. E. (2014). A PETTLEP imagery intervention with young athletes. *Journal of Imagery Research in Sport and Physical Activity*, 9(1), 47–59.
- Quinton, M. L., Veldhuijzen van Zanten, J., Trotman, G. P., Cumming, J., & Williams, S. E. (2019). Investigating the protective role of mastery imagery ability in buffering debilitating stress responses. *Frontiers in Psychology*, 10, 1–12.
- Scott, M. W., Wright, D. J., Smith, D., & Holmes, P. S. (2022). Twenty years of PETTLEP imagery: An update and new direction for simulation-based training. *Asian Journal of Sport and Exercise Psychology*, 2, 70–79.
- Sharpe, B., Besombes, N., Welsh, M., & Birch, P. (2022). Indexing esports performance. *Journal of Electronic Gaming and Esports*, 1, 1–13.
- Shearer, D. A., Thomson, R., Mellalieu, S. D., & Shearer, C. R. (2007). The relationship between imagery type and collective efficacy in elite and non elite athletes. *Journal of Sports Science and Medicine*, 6(2), 180. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3786238/>
- Simonsmeier, B. A., Andronie, M., Buecker, S., & Frank, C. (2021). The effects of imagery interventions in sports: A meta-analysis. *International Review of Sport and Exercise Psychology*, 14(1), 186–207.
- Smith, D., Holmes, P., Whitemore, L., Collins, D., & Devonport, T. (2001). The effect of theoretically-based imagery scripts on hockey penalty flick performance. *Journal of Sport Behavior*, 24, 408–419.
- Smith, M., Sharpe, B., Arumham, A., & Birch, P. (2022). Examining the predictors of mental ill health in esports competitors. *Healthcare*, 10(4), 626.
- Taktek, K., Zinsser, N., & St-John, B. (2008). Visual versus kinesthetic mental imagery: Efficacy for the retention and transfer of a closed motor skill in young children. *Canadian Journal of Experimental Psychology*, 62(3), 174–187.
- Wechsler, K., Bickmann, P., Rudolf, K., Tholl, C., Froböse, I., & Grieben, C. (2021). Comparison of multiple object tracking performance between professional and amateur eSport players as well as traditional sportsmen. *International Journal of eSports Research*, 1(1), 1–17.
- Weibull, F., Cumming, J., Cooley, S. J., Williams, S. E., & Burns, V. E. (2017). Examining the feasibility of a short intervention for improving exercise imagery ability. *Journal of Imagery Research in Sport and Physical Activity*, 12(1), 20160008.
- Williams, S. E., Cooley, S. J., & Cumming, J. (2013). Layered stimulus response training improves motor imagery ability and movement execution. *Journal of Sport & Exercise Psychology*, 35(1), 60–71.
- Williams, S. E., & Cumming, J. (2015). Athlete imagery ability: A predictor of confidence and anxiety intensity and direction. *International Journal of Sport and Exercise Psychology*, 14(3), 268–280.
- Williams, S. E., Cumming, J., & Edwards, M. G. (2011). The functional equivalence between movement imagery, observation, and execution influences imagery ability. *Research Quarterly for Exercise and Sport*, 8, 555–564.
- Williams, S. E., Quinton, M. L., van Zanten, J. J. C. S. V., Davies, J., Moller, C., Trotman, G. P., & Ginty, A. T. (2021). Mastery imagery ability Is associated with positive anxiety and performance during psychological stress. *Frontiers in Psychology*, 12, 568580.
- Wilson, C., Smith, D., Burden, A., & Holmes, P. (2010). Participant-generated imagery scripts produce greater EMG activity and imagery ability. *European Journal of Sport Science*, 10(6), 417–425.