

UNIVERSITY OF BIRMINGHAM

University of Birmingham Research at Birmingham

Measurement of the polarisation of W bosons produced in top-quark decays using dilepton events at $\sqrt{s} = 13$ TeV with the ATLAS experiment

ATLAS Collaboration; Newman, Paul

DOI:

[10.1016/j.physletb.2023.137829](https://doi.org/10.1016/j.physletb.2023.137829)

License:

Creative Commons: Attribution (CC BY)

Document Version

Version created as part of publication process; publisher's layout; not normally made publicly available

Citation for published version (Harvard):

ATLAS Collaboration & Newman, P 2023, 'Measurement of the polarisation of W bosons produced in top-quark decays using dilepton events at $\sqrt{s} = 13$ TeV with the ATLAS experiment', *Physics Letters B*.
<https://doi.org/10.1016/j.physletb.2023.137829>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.



Contents lists available at ScienceDirect



Physics Letters B

journal homepage: www.elsevier.com/locate/physletb

Measurement of the polarisation of W bosons produced in top-quark decays using dilepton events at $\sqrt{s} = 13$ TeV with the ATLAS experiment

The ATLAS Collaboration***ARTICLE INFO****Article history:**

Received 30 September 2022

Received in revised form 19 January 2023

Accepted 3 March 2023

Available online xxxx

Editor: M. Doser

Dataset link: <https://hepdata.cedar.ac.uk>**ABSTRACT**

A measurement of the polarisation of W bosons produced in top-quark decays is presented, using proton-proton collision data at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. The data were collected by the ATLAS detector at the Large Hadron Collider and correspond to an integrated luminosity of 139 fb^{-1} . The measurement is performed selecting $t\bar{t}$ events decaying into final states with two charged leptons (electrons or muons) and at least two b -tagged jets. The polarisation is extracted from the differential cross-section distribution of the $\cos\theta^*$ variable, where θ^* is the angle between the momentum direction of the charged lepton from the W boson decay and the reversed momentum direction of the b -quark from the top-quark decay, both calculated in the W boson rest frame. Parton-level results, corrected for the detector acceptance and resolution, are presented for the $\cos\theta^*$ angle. The measured fractions of longitudinal, left- and right-handed polarisation states are found to be $f_0 = 0.684 \pm 0.005 \text{ (stat.)} \pm 0.014 \text{ (syst.)}$, $f_L = 0.318 \pm 0.003 \text{ (stat.)} \pm 0.008 \text{ (syst.)}$ and $f_R = -0.002 \pm 0.002 \text{ (stat.)} \pm 0.014 \text{ (syst.)}$, in agreement with the Standard Model prediction.

© 2023 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Discovered in 1995 by the CDF and D0 experiments [1,2], the top quark is the heaviest known elementary particle so far. Its abundant production at the Large Hadron Collider (LHC) allows its properties to be measured with unprecedented precision. The properties of the top-quark decay vertex Wtb are determined by the $(V - A)$ structure of the weak interaction in the Standard Model (SM), where V and A refer to the vector and axial-vector components of the weak interaction, respectively. The Wtb vertex structure, and the masses of the three particles, govern the decay properties of the W boson produced in the top-quark decay. In particular, they define the fractions of longitudinal (f_0), left-handed (f_L) and right-handed (f_R) polarised W bosons, referred to as helicity fractions. Calculations at next-to-next-to-leading order (NNLO) in quantum chromodynamics (QCD) yield the following values for the fractions: $f_0 = 0.687 \pm 0.005$, $f_L = 0.311 \pm 0.005$ and $f_R = 0.0017 \pm 0.0001$ assuming a top-quark mass $m_{\text{top}} = 172.8$ GeV, a W boson mass $m_W = 80.401$ GeV and a b -quark mass $m_b = 4.8$ GeV [3]. The uncertainties in the f_0 and f_L fractions are dominated by the experimental uncertainties in the top-quark mass, while the uncertainty in f_R is dominated by uncertainties in the strong coupling constant and the b -quark mass. This analysis tests the structure of the Wtb vertex by measuring the helicity fractions of W bosons produced in top-quark decays with high precision. Precise measurements of these fractions can probe possible new physics processes [4] which modify the structure of the Wtb vertex, such as dimension-six operators, introduced in effective field theories [5,6]. The helicity fractions f_0 and f_L are especially sensitive to the C_{tW} Wilson coefficient [7], and at the level of squared dimension-6 operators, C_{bW} and $C_{\phi tb}$ also affect them. Additionally, the expected value of f_R is very small, making it particularly sensitive to possible signs of new physics. The $W\ell\nu$ vertex is assumed to follow the SM prediction, in accord with extensive studies of this vertex at LEP [8–12].

The W boson helicity fractions can be extracted from measurements of the angular distribution of the decay products of the W boson and the top quark. The eight-component W boson spin density matrix, with three spin-operator and five tensor-operator components, entirely determines the angular distribution of the products of the leptonic decay $W^\pm \rightarrow \ell^\pm \nu$, with $\ell = e, \mu, \tau$. It can be expressed in terms of the polar and azimuthal angles of the charged-lepton momentum in the W boson rest frame. Integrating over the azimuthal

* E-mail address: atlas.publications@cern.ch.

1 angle, the off-diagonal contributions vanish, and the normalised differential distribution of the cosine of the polar angle θ^* , $\cos\theta^*$, depends
 2 on the helicity fractions as [13]

$$4 \frac{1}{\sigma} \frac{d\sigma}{d \cos\theta^*} = \frac{3}{4} (1 - \cos^2\theta^*) f_0 + \frac{3}{8} (1 - \cos\theta^*)^2 f_L + \frac{3}{8} (1 + \cos\theta^*)^2 f_R. \quad (1)$$

6 The angle θ^* is defined as the angle between the momentum direction of the charged lepton from the W boson decay and the reversed
 7 momentum direction of the b -quark from the decay of the top quark, both calculated in the W boson rest frame.

8 Previous measurements of the W boson helicity fractions from the ATLAS [14], CMS [15], CDF [16], and D0 [17,18] collaborations are
 9 in agreement with the SM predictions within their uncertainties. The most recent ATLAS measurement was performed in the single-lepton
 10 channel of $t\bar{t}$ decays at 8 TeV [14] and obtained $f_0 = 0.709 \pm 0.012$ (stat.+bkg.) $^{+0.015}_{-0.014}$ (syst.), $f_L = 0.299 \pm 0.008$ (stat.+bkg.) $^{+0.013}_{-0.012}$ (syst.)
 11 and $f_R = -0.008 \pm 0.006$ (stat.+bkg.) ± 0.012 (syst.) using the template fit method. This result was combined with measurements from CMS
 12 to yield the combined result $f_0 = 0.693 \pm 0.014$, $f_L = 0.315 \pm 0.011$ and $f_R = -0.008 \pm 0.007$, where total uncertainties are quoted [19].

13 This Letter presents a measurement of the W helicity fractions in the dileptonic final state of the $t\bar{t}$ pair. Electron and muon final
 14 states are probed, including the leptonic decays of τ -leptons. This decay mode is chosen for its very small background contamination that
 15 is better understood than the backgrounds in the single-lepton channel, despite the more complicated kinematic reconstruction required
 16 in this final state. The measurement uses the full set of ATLAS pp collision data at $\sqrt{s} = 13$ TeV, which corresponds to an integrated
 17 luminosity of 139 fb^{-1} . The helicity fractions are extracted from a fit to the normalised differential $\cos\theta^*$ distribution unfolded to parton
 18 level, in contrast to the previous ATLAS results quoted above, which measure the helicity fractions from a template fit to the detector-level
 19 distributions. This provides a complementary measurement of the fractions while also measuring the differential cross-section distribution
 20 with respect to $\cos\theta^*$.

2. The ATLAS detector

21 ATLAS [20–22] is a multipurpose particle detector designed with a forward-backward symmetric cylindrical geometry and nearly full
 22 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a
 23 2T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer (MS). The ID covers the pseudorapidity
 24 range $|\eta| < 2.5$ and is composed of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr)
 25 sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. Hadronic calorimetry is provided by the
 26 steel/scintillator-tile calorimeter covering the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented
 27 with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The MS surrounds the calorimeters and is
 28 based on three large air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between
 29 2.0 and 6.0 Tm across most of the detector. The MS includes a system of precision tracking chambers and fast detectors for triggering.
 30 A two-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector
 31 information to keep the accepted event rate below 100 kHz [23]. This is followed by a software-based trigger that reduces the accepted
 32 event rate to 1 kHz on average. An extensive software suite [24] is used in data simulation, in the reconstruction and analysis of real and
 33 simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3. Data and simulated samples

38 This measurement exploits proton-proton collision data recorded with the ATLAS detector from 2015 to 2018 at a centre-of-mass
 39 energy of $\sqrt{s} = 13$ TeV. After applying data-quality requirements [25], the data sample corresponds to an integrated luminosity of 139 fb^{-1} ,
 40 determined by using the LUCID-2 detector [26] for the primary luminosity measurements. Monte Carlo (MC) simulated samples are used in
 41 the analysis to optimise the event selection, estimate the selection efficiency and predict contributions from various background processes.

42 The production of $t\bar{t}$ events was modelled by the PowHEG Box v2 [27–30] generator, using a next-to-leading-order (NLO) matrix element
 43 (ME), a dynamic scale [31], and an h_{damp} parameter value of $1.5 m_{\text{top}}$ [32].² The top-quark decay was modelled by a leading-order (LO)
 44 ME in PowHEG Box v2, with an approximate implementation of finite-width and interference effects in PYTHIA 8.230 [33]. The $t\bar{t}$ sample
 45 is normalised to the cross-section prediction at NNLO in QCD, including the resummation of next-to-next-to-leading logarithmic (NNLL)
 46 soft-gluon terms calculated using Top++ 2.0 [34–40]. This cross-section corresponds to $\sigma(t\bar{t})_{\text{NNLO+NNLL}} = 832 \pm 51$ pb when using a top-
 47 quark mass of $m_{\text{top}} = 172.5$ GeV. Production of a top quark in association with a W boson (tW) was modelled by PowHEG Box v2 at NLO
 48 in QCD using the five-flavour scheme. The diagram removal scheme [41] was used to remove interference and overlap with $t\bar{t}$ production.
 49 The inclusive cross-section is corrected to the theory prediction calculated at NLO in QCD with NNLL soft-gluon corrections [42,43].

50 The production of $V + \text{jets}$ ($V = Z, W$) events was simulated with the SHERPA 2.2.1 [44] generator, using a NLO ME for up to two
 51 partons, and a LO ME for up to four partons, calculated with the Comix [45] and OPENLOOPS [46–48] libraries. They were matched with
 52 the SHERPA parton shower [49] using the MEPS@NLO prescription [50–53]. The samples are normalised to a NNLO prediction [54]. Samples
 53 of diboson final states (VV) were simulated with SHERPA, including off-shell effects and Higgs boson contributions where appropriate. Fully
 54 leptonic final states and semileptonic final states, where one boson decays leptonically and the other hadronically, were generated using
 55 MEs at NLO accuracy in QCD for up to one additional parton and at LO accuracy for up to three additional parton emissions. The matrix-
 56 element calculations were matched and merged with the SHERPA parton shower based on Catani-Seymour dipole factorisation [45,49]
 57 using the MEPS@NLO prescription. The virtual QCD corrections were provided by the OPENLOOPS library.

61
 62
 63 ¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The
 64 x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal
 65 angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

66 ² The h_{damp} parameter is a resummation damping factor and one of the parameters that controls the matching of PowHEG matrix elements to the parton shower and thus
 67 effectively regulates the high- p_T radiation against which the $t\bar{t}$ system recoils.

1 The production of $t\bar{t}V$ and $t\bar{t}H$ events was modelled at NLO using the **MADGRAPH5_AMC@NLO** 2.3.3 [55] and **POWHEG Box** v2 generators,
 2 respectively. The simulated $t\bar{t}V$ and $t\bar{t}H$ events are normalised to the cross-sections computed at NLO in QCD with the leading NLO
 3 electroweak corrections [56–58].

4 For all samples of simulated events, except those generated using **SHERPA**, the decays of bottom and charm hadrons were performed by
 5 **EVTGEN** [59]. In all processes, m_{top} was set to 172.5 GeV. The **POWHEG Box** and **MADGRAPH5_AMC@NLO** generators used the **NNPDF3.0NLO**
 6 set of parton distribution functions (PDFs) [60] and the events were interfaced to **PYTHIA** [33] to model the parton shower, hadronisation,
 7 and underlying event, with parameter values set according to the A14 tune [61]. For events generated with **SHERPA**, the **NNPDF3.0NNLO**
 8 set of PDFs and a dedicated set of tuned parton-shower parameters were used. After the event generation, the ATLAS detector response
 9 was simulated [62] using either a full detector simulation based on **GEANT4** [63] or a faster parametric simulation [64] for the MC samples
 10 used to estimate the modelling uncertainties. The effect of multiple interactions in the same or neighbouring bunch-crossings (pile-up)
 11 was modelled by overlaying each hard-scattering event with simulated inelastic pp events generated by **PYTHIA** 8.186 [65] using the
 12 **NNPDF2.3LO** set of PDFs [66] and parameter values set according to the A3 tune [67].

13 The contribution from events with misreconstructed or non-prompt leptons passing the selection is estimated using MC samples for
 14 processes with one prompt lepton in the matrix element. These include single-lepton $t\bar{t}$, $t\bar{t}V$, $t\bar{t}H$, t - and s -channel single top quark, and
 15 $W + \text{jets}$ production. After event selection, this background contribution is less than 1% of the total predicted SM yield, including the $t\bar{t}$
 16 events.

18 4. Object and event selection

20 Electron candidates are reconstructed from clusters of energy deposited in the electromagnetic calorimeter matched to particle tracks
 21 inside the ID. The candidates are identified with the *TightLH* likelihood-based identification criteria [68,69]. They are required to have
 22 $p_T > 25$ GeV and $|\eta| < 2.47$, excluding the transition region $1.37 < |\eta| < 1.52$ between the barrel and endcaps. Electron candidates must
 23 also have a transverse impact-parameter significance $|d_0/\sigma(d_0)| < 5$, measured relative to the beam line, and satisfy $|z_0 \sin \theta| < 0.5$ mm,
 24 where θ is the polar angle of the track and z_0 is the longitudinal distance from the primary vertex to the point where d_0 is measured.
 25 Muon candidates are reconstructed from tracks in the MS matched to tracks in the ID. The candidates are identified with the *Medium*
 26 identification criteria [70] with $p_T > 25$ GeV and $|\eta| < 2.5$. Additionally, muon candidates must satisfy $|z_0 \sin \theta| < 0.5$ mm and $|d_0/\sigma(d_0)| <$
 27 3. Isolated electrons and muons are selected by requiring both the amount of energy deposited close by in the calorimeters and the scalar
 28 sum of the transverse momenta of nearby tracks in the ID to be small.

29 Jet candidates are reconstructed from particle-flow objects [71], using the anti- k_t [72] jet algorithm with radius parameter $R = 0.4$
 30 implemented in the FastJet [73] software. A jet energy scale calibration derived from 13 TeV data and simulation [74] is applied to the
 31 reconstructed jets. After the calibration, jet candidates are required to have $p_T > 25$ GeV and $|\eta| < 2.5$. To suppress jets originating from
 32 pile-up collisions, a ‘jet vertex tagger’ (JVT) [75] discriminant requirement is applied to jets with p_T below 60 GeV.

33 Jets containing b -hadrons are identified (b -tagged) using the DL1r algorithm [76,77]. The algorithm combines inputs from the impact
 34 parameters of displaced vertices, as well as topological properties of secondary and tertiary vertices within a jet. These inputs are then
 35 passed to a neural network that outputs three values, representing the probability of the jet being a light-flavour jet, a c -jet or a b -jet,
 36 which are then combined into a single discriminant. The b -tagged jets are required to satisfy the operating point corresponding to 60%
 37 efficiency for identifying b -quark jets in simulated $t\bar{t}$ events.

38 The missing transverse momentum vector \vec{p}_T^{miss} , with magnitude E_T^{miss} , is defined as the negative sum of the transverse momenta of
 39 the reconstructed and calibrated physical objects, as well as a ‘soft term’ built from all other tracks that are associated with the primary
 40 vertex [78].

41 To avoid double-counting of detector signatures, overlapping physics objects are removed in the following order: electrons sharing a
 42 track with a muon; the closest jet within $\Delta R = 0.2$ of an electron; electrons within $\Delta R = 0.4$ of a jet; jets within $\Delta R = 0.4$ of a muon if
 43 they have at most two associated tracks; muons within $\Delta R = 0.4$ of a jet.³

44 Scale factors (SFs) are used to correct the efficiencies in simulation to those measured in data for the electron and muon trigger, recon-
 45 struction, identification, and isolation criteria [69,70,79,80]. Additionally, the energies of the electrons [69] and the p_T of the muons [81]
 46 and jets [82,83] are corrected using resonance decays. SFs are also applied for the JVT requirement [84] and for the b -tagging efficiencies
 47 for jets that originate from the hadronisation of b -quarks [76], c -quarks [85], and (u, d, s)-quarks or gluons [86]. The amount of the pile-up
 48 in simulation is corrected to reproduce the number of reconstructed primary vertices in data.

49 Events that satisfy the requirements of at least one of the single-electron or single-muon triggers [23,79,80] are selected. The events
 50 are also required to have at least one reconstructed collision vertex with two or more associated tracks with transverse momentum, p_T ,
 51 greater than 500 MeV. The vertex with the highest $\sum p_T^2$ of the associated tracks is taken as the primary vertex. The selected events are
 52 required to have exactly two leptons (electrons or muons) of opposite electric charge with $p_T > 25$ GeV or $p_T > 27$ GeV for the 2015
 53 and 2016–2018 data-taking periods, respectively, to match the increasing minimum p_T thresholds of the single-electron and single-muon
 54 triggers. One of the reconstructed charged leptons must be matched to the lepton that passed the trigger requirement. Additionally, the
 55 events are required to have at least two reconstructed jets with $p_T > 25$ GeV, with at least two of these b -tagged at the 60%-efficiency
 56 operating point. This ‘tight’ operating point is chosen because it reduces the background to a minimum level while keeping a large number
 57 of $t\bar{t}$ events. Furthermore, in same-flavour lepton events (e^+e^- and $\mu^+\mu^-$) the invariant mass of the two charged leptons, $m_{\ell\ell}$, is required
 58 to be outside of the Z -boson mass window of 80–100 GeV, and $E_T^{\text{miss}} > 60$ GeV is required in order to suppress background originating
 59 from $Z + \text{jets}$ events. Finally, all events are required to have $m_{\ell\ell} > 15$ GeV to suppress low-mass resonances. After the event selection, the
 60 sample is expected to contain about 250 000 $t\bar{t}$ events. The background represents about 3.5% of all events passing the selection, with
 61 the largest contribution coming from the single-top tW process. Table 1 shows the expected event yields after the event selection for the
 62 signal and background processes as well as the total number of events seen in data. Fig. 1 compares the data with the predictions for
 63 the leading-lepton p_T distribution and the $\cos\theta^*$ distribution after the event selection. The observed deviation of the prediction from data

64
 65
 66 ³ For the overlap removal, ΔR is defined as $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$, where $y = (1/2)[(E + p_z)/(E - p_z)]$ is the rapidity of the object.

Table 1

Event yields after the event selection for $t\bar{t}$, tW and all other SM processes compared to data. The uncertainties on the predicted yields include all systematic uncertainties discussed in Section 8.

Process	$t\bar{t}$	tW	Other bkg.	Total prediction	Data
Yields	250000 ± 19000	4500 ± 800	2800 ± 1400	258000 ± 19000	251512




Fig. 1. Comparison of observed data and predictions for (a) the p_T distribution of the leading lepton and (b) the reconstructed $\cos \theta^*$ distribution containing measurements from both hemispheres of the $t\bar{t}$ system. All three lepton-flavour channels, e^+e^- , $\mu^+\mu^-$ and $e\mu$, are combined. The hashed band represents the total uncertainty. The bottom panel shows the ratio of data to prediction. The rightmost bins contain the overflow events.

in lepton p_T distribution arises from the top-quark p_T mismodelling by NLO generators [34–39,87] and is covered by the $t\bar{t}$ modelling uncertainties.

5. Reconstruction of the top-quark kinematics

The observable sensitive to the W boson helicity fractions, $\cos \theta^*$, requires reconstruction of the kinematics of the $t\bar{t}$ event from the identified leptons, jets and missing transverse momentum. The individual four-momenta of the two neutrinos from the $t\bar{t}$ dileptonic decay are not measured in the detector but the sum of their transverse momenta, E_T^{miss} , is measured and is used to reconstruct the top quark and top antiquark using the ‘neutrino weighting’ (NW) method [88]. The method allows the underconstrained system to be reconstructed by using the W -boson and top-quark mass constraints and scanning over the neutrino pseudorapidities to find two possible solutions for each of the assumed values of the neutrino pseudorapidities. The corresponding E_T^{miss} value is then compared with the measured E_T^{miss} of the event, and an event weight based on the degree of their agreement, which takes into account the resolution of the measured E_T^{miss} , is computed. For some events, no solution can be found, due to the finite resolution of the detector or mismeasurement of the input objects’ transverse momenta. To mitigate this effect, the transverse momenta of the measured jets are varied using a Gaussian function with a p_T -dependent width between 8% and 14% of the measured jet p_T [74]. This variation is repeated five times, increasing the probability of finding a solution. For the events with more than two b -tagged jets, the two b -jets with the highest p_T are used in the kinematic reconstruction. The top quark and top antiquark are reconstructed by assigning to their decays the b -jets and neutrino momenta corresponding to the solution with the highest weight in the NW method. A solution is found for about 90% of the $t\bar{t}$ events. Events where the NW method fails to find a solution are discarded and not used further. The reconstruction efficiency for the background is lower, which helps to suppress it.

The statistical correlation of the distributions of $\cos \theta^*$ originating from the top quark and top antiquark was checked in the simulation and found to be small. Thus, these two $\cos \theta^*$ distributions are combined into a single distribution used in the measurement. Furthermore, since uncertainties related to lepton reconstruction are expected to be subdominant, the $\cos \theta^*$ distributions from the three lepton-flavour channels, e^+e^- , $\mu^+\mu^-$ and $e\mu$, are also combined into a single distribution, mitigating statistical fluctuations. Further investigation has shown that the increased sensitivity to systematic uncertainties, due to the different selection criteria imposed on the same-flavour channels, is not significant.

6. Differential cross-section

In order to extract W boson helicity fractions, the differential $\cos \theta^*$ cross-section is measured at parton level. The parton level is defined as the full phase-space of the dileptonically decaying W bosons from the $t\bar{t}$ decay, including τ -leptons. The leptons are taken from the MC generator’s ‘truth’ record before final-state photon radiation, and in the case of τ -leptons, also before decay. The expected background, estimated using the MC simulation, is subtracted from the detector-level $\cos \theta^*$ distribution. The background-subtracted detector-level $\cos \theta^*$ distribution is corrected for detector effects using an iterative Bayesian unfolding (IBU) method [89] incorporated in the RooUnfold [90] package with updated corrections to the error propagation [91]. At MC-truth level, both top quarks in a $t\bar{t}$ event are required to decay leptonically.




Fig. 2. Migration matrix (Fig. 2(a)) and selection efficiency per bin (Fig. 2(b)). The migration matrix is obtained as a result of the bin optimisation. The entries represent probabilities (expressed as percentages) for an event with $\cos\theta^*$ in bin i at parton level to have reconstructed $\cos\theta^*$ in bin j at detector level. The selection efficiency is calculated with respect to the true $t\bar{t}$ dilepton events in the bin. The error bars on the selection efficiency points are too small to be seen in the distribution.

The differential cross-section is calculated as

$$\frac{d\sigma_{t\bar{t}}}{d \cos\theta_i^*} = \frac{1}{\mathcal{L} \cdot \Delta X_i \cdot \epsilon_i^{\text{sel}}} \cdot \sum_j R_{ij}^{-1} \cdot (N_j^{\text{obs}} - N_j^{\text{bkg}})$$

where i denotes a bin of the $\cos\theta^*$ distribution, ΔX_i is the width of bin i , \mathcal{L} is the integrated luminosity, and N_j^{obs} and N_j^{bkg} are the observed number of data events and the estimated number of background events in bin j , respectively. The ϵ_i^{sel} term corresponds to the probability for a MC-truth event to satisfy the reconstruction and selection criteria. The migration matrix R_{ij}^{-1} maps the binned parton-level events to the binned detector-level events and is derived from simulated $t\bar{t}$ events decaying into dilepton final states, following the procedure described in Ref. [92]. The probability of correct measurement of $\cos\theta^*$ is represented by the diagonal elements of the migration matrix, whereas the off-diagonal elements represent the probability of event migration between those bins.

The impact of the considered systematic uncertainties in the $\cos\theta^*$ distribution, described in Section 8, is estimated using pseudo-data obtained by systematically varying the detector-level distributions predicted by the simulation. Each varied distribution is then unfolded, and the difference between the MC-truth distribution and the unfolded distribution is considered an uncertainty in the unfolded distribution. Different sources of systematic uncertainty are uncorrelated with each other, but each is correlated across the bins.

The binning of the $\cos\theta^*$ distribution is optimised to mitigate statistical fluctuations. It is chosen such that each bin of the detector-level $\cos\theta^*$ distribution contains at least 1.5% of the total number of events and, furthermore, at least 30% of each bin's events originate from the corresponding MC-truth bin. This procedure results in the migration matrix and selection efficiency shown in Fig. 2.

MC simulated events are used to validate the unfolding method and the extraction of the W boson helicity fractions. However, it was found that the MC-truth $\cos\theta^*$ distribution deviates slightly from the quadratic formula in Eq. (1) after the simulation of the parton shower. The formula is followed exactly at the matrix-element level, but the four-momentum-reshuffling in the parton shower generator distorts the distribution at a few per mille level. To circumvent this problem and construct MC samples with well-defined true helicity fractions, the MC-truth $\cos\theta^*$ distribution is reweighted to match the functional form of Eq. (1) when using the values of the helicity fractions calculated at NNLO in QCD [3]. The weights are derived from a ratio of the MC-truth $\cos\theta^*$ distribution with a thousand bins and the analytic function in Eq. (1) with fractions set to the NNLO prediction.

Stress tests to validate the unfolding method are performed using simulated $\cos\theta^*$ distributions representing pure helicity states. These distributions are obtained for each fraction, using the reweighting procedure described in Ref. [14] to obtain $\cos\theta^*$ distributions corresponding to different values of the helicity fractions. Several stressed distributions are constructed with values of helicity fractions in ranges of f_L and f_R corresponding to 2σ variations of the measured fractions in Ref. [14]. The stressed distributions are unfolded and compared with a similarly stressed parton-level distribution to check the linearity and for potential biases. The latter are minimised by optimising the IBU regularisation parameter that controls the number of iterations in the unfolding algorithm. The optimal value is found to be 180, for which the observed bias is of the order of the expected statistical uncertainty of the measurement. This rather large regularisation parameter is due to the combination of migration matrix having large off-diagonal elements and a non-linear $\cos\theta^*$ distribution.

7. Extraction of the helicity fractions

The helicity fractions are extracted by fitting Eq. (1) to the measured normalised differential cross-section distribution and minimising the χ^2 defined as

$$\chi^2 = \Delta y^T C^{-1} \Delta y, \quad (2)$$

where Δy is a vector containing the differences between the bin yield in data and the value of the function in Eq. (1). Due to the unitarity constraint on the sum of the helicity fractions, the parameter representing one of the fractions is replaced with one minus the sum of the other helicity fractions.

For each bin, the function is evaluated at the point along the horizontal axis where the expected bin yield matches the value of the function defined by Eq. (1). This choice is motivated by the non-linear shape of the analytic function. The matrix C is the covariance matrix

1 of the normalised differential cross-section distribution and contains both the statistical and systematic uncertainties. The covariance
 2 matrix is generated according to the procedure described in Ref. [92]. Statistical and systematic uncertainties are estimated using ‘toy’
 3 experiments on the pre-unfolded detector-level $\cos\theta^*$ distribution in data and then propagating the variations to the unfolded distribution.
 4 The statistical uncertainty is estimated by applying independent Poisson fluctuations to the individual bins. Systematic uncertainties are
 5 estimated using Gaussian smearing of individual bins by the corresponding systematic variation. All of these changes to the distribution
 6 are summed in quadrature to estimate the total uncertainty per bin.

7 Since a normalised distribution is used in the fit, one degree of freedom is removed by removing one bin of the $\cos\theta^*$ distribution
 8 from Eq. (2). The minimisation is carried out using the MINUIT program [93]. The parameters representing the helicity fractions are not
 9 restricted in the fit, and are allowed to take unphysical values outside of the $[0, 1]$ interval.

10 Linearity tests of the helicity fraction extraction procedure are performed with stressed distributions generated as described in Sec-
 11 tion 6. For each stressed distribution, the χ^2 defined by Eq. (2) is minimised with the covariance matrix computed when including only
 12 the MC statistical uncertainty, and the extracted values of the helicity fractions are compared with their input values. Any non-closure
 13 seen is included as a systematic uncertainty of the measurement.

14 8. Systematic uncertainties

15 Systematic uncertainties may affect the selection efficiency for the $t\bar{t}$ signal, the bin migrations, the number of events expected from
 16 the background processes, and the shapes of the background distributions. These effects are estimated by varying each source of systematic
 17 uncertainty by one standard deviation and considering the resulting deviation from the nominal expectation as the uncertainty. For the
 18 extraction of the helicity fractions, the systematic uncertainties enter the covariance matrix that is used in the fit as described in Section 7.

19 The effects of uncertainties in the modelling of the $t\bar{t}$ signal are estimated by independently varying the renormalisation and factori-
 20 sation scales in the matrix element by factors of 0.5 and 2, but normalising the signal to the nominal cross-section. A variation of the
 21 Var3c parameter of the A14 tune [94], which impacts the renormalisation scale for initial-state radiation, is considered independently. An
 22 uncertainty from the final-state radiation modelling is estimated by doubling and halving the nominal renormalisation scale for emissions
 23 from the parton shower. The uncertainty due to the choice of the h_{damp} parameter value is estimated by increasing its value by a factor of
 24 two and symmetrising the impact. All the $t\bar{t}$ scale variations described above and the h_{damp} variation are referred to as “ $t\bar{t}$ radiation” in
 25 Table 3. Additionally, an uncertainty due to the choice of parton shower generator is estimated by comparing the nominal MC sample with
 26 an alternative MC sample that uses HERWIG 7.1.3 [95,96] with the H7UE set of tuned parameters [96] and the MMHT2014LO PDF set [97]
 27 instead of the PYTHIA 8.230 generator. Furthermore, an uncertainty due to the nominal choice of generator is estimated by comparing the
 28 nominal prediction with the prediction from MADGRAPH5_AMC@NLO 2.6.0 [55] interfaced with HERWIG 7.1.3. The uncertainty due to using
 29 a top-quark mass of 172.5 GeV is estimated by raising and lowering the mass by 0.5 GeV, which is approximately the uncertainty in the
 30 measurement of the top-quark mass by the ATLAS Collaboration [98]. The PDF uncertainty is estimated by considering the internal varia-
 31 tions of the PDF4LHC [99] PDF set. For all $t\bar{t}$ modelling uncertainties, all predictions are reweighted to match the NNLO helicity fractions
 32 in the full phase-space as described in Section 6. The impact of the limited size of the simulated samples on the extraction of the helicity
 33 fractions is negligible.

34 For the tW process, effects of uncertainties in the renormalisation and factorisation scales, the Var3c parameter value in the A14 tune,
 35 and final-state radiation modelling are estimated following the same procedure as used for the $t\bar{t}$ signal. Additionally, an uncertainty
 36 due to the nominal choice of parton shower and hadronisation generator is estimated by comparing the nominal MC prediction with
 37 a prediction using HERWIG 7.0.4 instead of the PYTHIA 8.230 generator. An uncertainty due to the choice of generator is estimated by
 38 comparing distributions from MADGRAPH5_AMC@NLO 2.6.0 with the nominal ones from POWHEG Box v2. Furthermore, an uncertainty due
 39 to the overlap between the tW and $t\bar{t}$ processes is estimated by comparing samples using the diagram removal scheme with those using
 40 the diagram subtraction scheme [41].

41 An uncertainty of 5.3%, estimated from the scale and PDF variations [42], is applied to the tW background normalisation. A conserva-
 42 tive 50% cross-section uncertainty is used for $t\bar{t}V$, $t\bar{t}H$, $Z + \text{jets}$, and VV production and for processes with non-prompt leptons. This
 43 conservative uncertainty was found to have negligible impact on the final result.

44 An uncertainty of 1.7% in the integrated luminosity is considered for all processes [100]. The uncertainty due to pile-up is determined
 45 by varying the average number of interactions per bunch-crossing by 3% in the simulation. Uncertainties in the calibration, reconstruc-
 46 tion and identification of the different reconstructed objects are also considered. For electrons and muons, these include the uncertainties in
 47 the measured SFs for triggering, reconstruction, identification and isolation [69,70,79,80], as well as in the electron- and muon-momentum
 48 calibration and resolution [69,81]. For hadronic jets, the uncertainties in the jet energy scale (JES) [82] and jet energy resolution (JER) [83],
 49 as well as the uncertainties in the SFs for the JVT [84] and the tagging of jets as b -jets [76,85,86], are considered. All uncertainties
 50 associated with reconstructed objects are propagated to the E_T^{miss} and an uncertainty in the soft term is also considered [78]. The JES
 51 and JER uncertainties are determined using a model with 30 and 8 independent components, respectively. The uncertainties in the b -
 52 tagging calibration include nine/five/five independent variations for the b -/ c -/light-jet calibrations and two components for the MC-based
 53 uncertainty extrapolation to very high p_T jets.

54 9. Results

55 Fig. 3(a) shows unfolded $\cos\theta^*$ differential distribution with statistical and total uncertainties compared with the prediction of $t\bar{t}$ MC
 56 simulation. The unfolded normalised $\cos\theta^*$ distribution along with the fit function used to measure the helicity fractions f_0 , f_L and f_R is
 57 shown in Fig. 3(b). In the fit, f_L and f_R are free parameters and the f_0 parameter is set to $f_0 = 1 - f_L - f_R$ to preserve the unitarity of
 58 the sum of the three parameters. The helicity fractions are found to be

59
$$f_0 = 0.684 \pm 0.005 \text{ (stat.)} \pm 0.014 \text{ (syst.)},$$

60
$$f_L = 0.318 \pm 0.003 \text{ (stat.)} \pm 0.008 \text{ (syst.)},$$

61
$$f_R = -0.002 \pm 0.002 \text{ (stat.)} \pm 0.014 \text{ (syst.)},$$




Fig. 3. The unfolded $\cos\theta^*$ differential distribution (Fig. 3(a)) and the unfolded normalised $\cos\theta^*$ distribution (Fig. 3(b)). The total statistical and systematic uncertainty per bin is shown in Fig. 3(a). The parton-level distribution predicted by PowHeg Box interfaced with PYTHIA is shown. An uncertainty originating from the limited number of simulated events is included in the prediction but is not visible. The unfolded normalised $\cos\theta^*$ distribution in data is shown with the function of Eq. (1) overlaid, using the helicity fractions f_0 , f_L and f_R determined from the fit. The total uncertainties are shown on data points.

Table 2
Covariance matrix and correlation matrix for the measured helicity fractions.

	Covariance			Correlation		
	f_0	f_L	f_R	f_0	f_L	f_R
f_0	2.125×10^{-4}	-3.665×10^{-5}	-1.758×10^{-4}	1	-0.308	-0.841
f_L	-3.665×10^{-5}	6.651×10^{-5}	-2.986×10^{-5}	-0.308	1	-0.255
f_R	-1.758×10^{-4}	-2.986×10^{-5}	2.057×10^{-4}	-0.841	-0.255	1

with the covariance and correlation matrices of the fit shown in Table 2. The difference in the magnitude of the statistical uncertainty on the three helicity fractions is caused by the negative statistical correlations between the fractions. The χ^2 divided by the number of degrees of freedom of the fit is 0.267, demonstrating good agreement between the fitted functional form and data corrected to parton level. The covariance matrix is estimated from a 2×2 matrix obtained directly from the fit, with a third row and column calculated analytically from the unitarity constraint on the helicity fractions. The obtained values and uncertainties, including the covariance matrix, do not change if any two of the parameters are chosen as free parameters and the third one is calculated analytically.

The expected uncertainties in the helicity fraction obtained from a fit to the MC predictions are identical to the measured uncertainties.

As a further test of the unfolding procedure, a $\cos\theta^*$ distribution is generated in the Monte Carlo, based on the measured values of the helicity fractions; this distribution is unfolded, helicity fractions are extracted, and compared to the input values. A small degree of non-closure is observed but the corresponding uncertainty is negligible and does not change the total uncertainties listed in Table 3.

The impact of different categories of systematic uncertainty and the data's statistical uncertainty on the f_0 , f_L and f_R measurement is summarised in Table 3. They are estimated by generating a covariance matrix which includes all sources of uncertainty except for the considered category and repeating the fit. The considered category contributes an uncertainty whose square is the difference of the squares of nominal-fit and repeated-fit symmetrised total uncertainties for each helicity fraction. The systematic uncertainty dominates the total uncertainty for all three helicity fractions. The largest systematic uncertainty in all three helicity fractions arises from the modelling of $t\bar{t}$ production, and is dominated by the uncertainty from the choice of matrix-element generator. Other significant uncertainties come from the jet energy scale and resolution as well as electron and muon reconstruction.

The impact on the extracted helicity fractions arising from the mis-modelling of the top-quark p_T distribution in the MC simulation was tested by correcting the top-quark p_T in simulation to match the calculation at NNLO in QCD with NLO electroweak corrections [101]. No significant effect on the expected uncertainty was observed.

10. Conclusion

A measurement of the W boson helicity fractions using $t\bar{t}$ events in the dilepton final state is presented. It used data from 13 TeV pp collisions collected by the ATLAS detector at the LHC, corresponding to an integrated luminosity of 139 fb^{-1} . The fractions are extracted from the normalised differential cross-section distribution of $\cos\theta^*$ corrected to the parton level. This provides a complementary measurement of the helicity fractions to the previously published ATLAS results. The measured fractions of longitudinal, left- and right-handed polarisation states are found to be $f_0 = 0.684 \pm 0.005$ (stat.) ± 0.014 (syst.), $f_L = 0.318 \pm 0.003$ (stat.) ± 0.008 (syst.) and $f_R = -0.002 \pm 0.002$ (stat.) ± 0.014 (syst.), in agreement within one standard deviation with the Standard Model calculation at NNLO in QCD.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Table 3

Impact of different categories of systematic uncertainty and the data's statistical uncertainty on the f_0 , f_L and f_R measurement. The squares of the quoted numbers are evaluated as the difference of the squares of the nominal-fit total uncertainties (quoted in the last row) and those extracted from a fit using a covariance matrix including all sources of uncertainty except for the considered category. In the fits with partial covariance matrices, the best-fit values for the helicity fractions differ between the fits with the full covariance matrix by up to a quarter of the total uncertainty. The shifts in the best-fit values impact the precision of the uncertainty estimate for the categories. The total uncertainty is different from the sum in quadrature of the different components because of correlations between different uncertainties entering the covariance matrix.

Category	σ_{f_0}	σ_{f_L}	σ_{f_R}
Detector modelling			
Jet reconstruction	0.008	0.004	0.010
Flavour tagging	0.003	0.001	0.001
Electron reconstruction	0.003	0.002	0.002
Muon reconstruction	0.003	0.003	$< 10^{-3}$
E_T^{miss} (soft term)	$< 10^{-3}$	0.002	$< 10^{-3}$
Pile-up	0.002	0.002	$< 10^{-3}$
Luminosity	0.001	0.001	$< 10^{-3}$
Signal and background modelling			
$t\bar{t}$ generator choice	0.009	0.004	0.004
$t\bar{t}$ parton shower/hadronisation	0.003	0.001	0.002
$t\bar{t}$ radiation	0.007	0.002	0.007
Top-quark mass	0.005	0.003	0.007
PDF	0.002	0.001	$< 10^{-3}$
Single top production	$< 10^{-3}$	0.002	$< 10^{-3}$
Other background	0.002	0.001	$< 10^{-3}$
Total systematic uncertainty	0.014	0.008	0.014
Data statistical uncertainty	0.005	0.003	0.002
Total uncertainty	0.015	0.008	0.014

30 Data availability

32 The data for this manuscript are not available. The values in the plots and tables associated to this article are stored in HEPDATA
33 (<https://hepdata.cedar.ac.uk>).
34

35 Acknowledgements

37 We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS
38 could not be operated efficiently.
39

40 We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan;
41 CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR,
42 Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFC, Georgia; BMBF, HGF and MPG, Germany;
43 GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO,
44 Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia;
45 DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland;
46 MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and
47 members have received support from BCKDF, Canarie, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech
48 Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements
49 d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by
50 EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA,
51 Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat
52 Valenciana, Spain; Göran Gustafssons Stiftelser, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

53 The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at
54 TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands),
55 PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major
56 contributors of computing resources are listed in Ref. [?].

57 References

- [1] CDF Collaboration, Observation of top quark production in $\bar{p}p$ collisions, Phys. Rev. Lett. 74 (1995) 2626, arXiv:hep-ex/9503002 [hep-ex].
- [2] D0 Collaboration, Observation of the top quark, Phys. Rev. Lett. 74 (1995) 2632, arXiv:hep-ex/9503003 [hep-ex].
- [3] A. Czarnecki, J.G. Körner, J.H. Piclum, Helicity fractions of W bosons from top quark decays at next-to-next-to-leading order in QCD, Phys. Rev. D 81 (2010) 111503, arXiv:1005.2625 [hep-ph].
- [4] S.M. Etesami, M. Khatiri Yanehsari, M. Mohammadi Najafabadi, The effects of standard model extensions on W -boson helicity ratios in top quark decay, Int. J. Theor. Phys. 51 (2012) 3694.
- [5] J.A. Aguilar-Saavedra, A minimal set of top anomalous couplings, Nucl. Phys. B 812 (2009) 181, arXiv:0811.3842 [hep-ph].
- [6] C. Zhang, S. Willenbrock, Effective-field-theory approach to top-quark production and decay, Phys. Rev. D 83 (2011) 034006, arXiv:1008.3869 [hep-ph].
- [7] I. Brivio, et al., O new physics, where art thou? A global search in the top sector, J. High Energy Phys. 02 (2020) 131, arXiv:1910.03606 [hep-ph].

- [8] ALEPH Collaboration, Measurement of W-pair production in e^+e^- collisions at centre-of-mass energies from 183 to 209 GeV, *Eur. Phys. J. C* 38 (2004) 147.
- [9] DELPHI Collaboration, Measurement of the W-pair production cross-section and W branching ratios in e^+e^- collisions at $\sqrt{s} = 161\text{--}209$ GeV, *Eur. Phys. J. C* 34 (2004) 127.
- [10] L3 Collaboration, Measurement of the cross section of W-boson pair production at LEP, *Phys. Lett. B* 600 (2004) 22, arXiv:hep-ex/0409016.
- [11] OPAL Collaboration, W^+W^- production cross-section and W branching fractions in e^+e^- collisions at 189 GeV, *Phys. Lett. B* 493 (2000) 249, arXiv:hep-ex/0009019.
- [12] The ALEPH, DELPHI, L3, OPAL Collaborations, the LEP Electroweak Working Group, Electroweak measurements in electron-positron collisions at W-boson-pair energies at LEP, *Phys. Rep.* 532 (2013) 119, arXiv:1302.3415 [hep-ex].
- [13] J.A. Aguilar-Saavedra, J. Bernabeu, Breaking down the entire W boson spin observables from its decay, *Phys. Rev. D* 93 (2016) 011301, arXiv:1508.04592 [hep-ph].
- [14] ATLAS Collaboration, Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8\text{ TeV}$ in the lepton+jets channel with ATLAS, *Eur. Phys. J. C* 77 (2017) 264, arXiv:1612.02577 [hep-ex], *Eur. Phys. J. C* 79 (2019) 19 (Erratum).
- [15] CMS Collaboration, Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton+jets final states produced in pp collisions at $\sqrt{s} = 8\text{ TeV}$, *Phys. Lett. B* 762 (2016) 512, arXiv:1605.09047 [hep-ex].
- [16] CDF Collaboration, Measurement of W-boson polarization in top-quark decay in $p\bar{p}$ collisions at $\sqrt{s} = 1.96\text{ TeV}$, *Phys. Rev. Lett.* 105 (2010) 042002, arXiv:1003.0224 [hep-ex].
- [17] D0 Collaboration, Measurement of the W boson helicity in top quark decays using 5.4 fb^{-1} of $p\bar{p}$ collision data, *Phys. Rev. D* 83 (2011) 032009, arXiv:1011.6549 [hep-ex].
- [18] CDF and D0 Collaboration, Combination of CDF and D0 measurements of the W boson helicity in top quark decays, *Phys. Rev. D* 85 (2012) 071106, arXiv:1202.5272 [hep-ex].
- [19] ATLAS and CMS Collaborations, Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s} = 8\text{ TeV}$, *J. High Energy Phys.* 08 (2020) 051, arXiv:2005.03799 [hep-ex].
- [20] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *J. Instrum.* 3 (2008) S08003.
- [21] B. Abbott, et al., Production and integration of the ATLAS insertable B-layer, *J. Instrum.* 13 (2018) T05008, arXiv:1803.00844 [physics.ins-det].
- [22] ATLAS Collaboration, ATLAS insertable B-layer technical design report addendum, CERN-LHCC-2012-009, Addendum to CERN-LHCC-2010-013, ATLAS-TDR-019, <https://cds.cern.ch/record/1451888>, 2012.
- [23] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [24] ATLAS Collaboration, The ATLAS collaboration software and firmware, ATL-SOFT-PUB-2021-001, <https://cds.cern.ch/record/2767187>, 2021.
- [25] ATLAS Collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, *J. Instrum.* 15 (2020) P04003, arXiv:1911.04632 [physics.ins-det].
- [26] G. Avoni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, *J. Instrum.* 13 (2018) P07017.
- [27] S. Frixione, G. Ridolfi, P. Nason, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* 09 (2007) 126, arXiv:0707.3088 [hep-ph].
- [28] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* 11 (2004) 040, arXiv:hep-ph/0409146.
- [29] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, *J. High Energy Phys.* 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [30] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [31] ATLAS Collaboration, Comparison of Monte Carlo generator predictions from Powheg and Sherpa to ATLAS measurements of top pair production at 7 TeV, ATL-PHYS-PUB-2015-011, <https://cds.cern.ch/record/2020602>, 2015.
- [32] ATLAS Collaboration, Studies on top-quark Monte Carlo modelling for Top2016, ATL-PHYS-PUB-2016-020, <https://cds.cern.ch/record/2216168>, 2016.
- [33] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* 191 (2015) 159, arXiv:1410.3012 [hep-ph].
- [34] M. Beneke, P. Falgari, S. Klein, C. Schwinn, Hadronic top-quark pair production with NNLL threshold resummation, *Nucl. Phys. B* 855 (2012) 695, arXiv:1109.1536 [hep-ph].
- [35] M. Cacciari, M. Czakon, M. Mangano, A. Mitov, P. Nason, Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, *Phys. Lett. B* 710 (2012) 612, arXiv:1111.5869 [hep-ph].
- [36] P. Bärnreuther, M. Czakon, A. Mitov, Percent-level-precision physics at the tevatron: next-to-next-to-leading order QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, *Phys. Rev. Lett.* 109 (2012) 132001, arXiv:1204.5201 [hep-ph].
- [37] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, *J. High Energy Phys.* 12 (2012) 054, arXiv:1207.0236 [hep-ph].
- [38] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction, *J. High Energy Phys.* 01 (2013) 080, arXiv:1210.6832 [hep-ph].
- [39] M. Czakon, P. Fiedler, A. Mitov, Total top-quark pair-production cross section at hadron colliders through $O(\alpha_S^4)$, *Phys. Rev. Lett.* 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [40] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [41] S. Frixione, E. Laenen, P. Motylinski, C. White, B.R. Webber, Single-top hadroproduction in association with a W boson, *J. High Energy Phys.* 07 (2008) 029, arXiv:0805.3067 [hep-ph].
- [42] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^- , *Phys. Rev. D* 82 (2010) 054018, arXiv:1005.4451 [hep-ph].
- [43] N. Kidonakis, Top quark production, in: Proceedings, Helmholtz International Summer School on Physics of Heavy Quarks and Hadrons (HQ 2013), JINR, Dubna, Russia, 15th–28th July, 2013, p. 139, arXiv:1311.0283 [hep-ph].
- [44] E. Bothmann, et al., Event generation with Sherpa 2.2, *SciPost Phys.* 7 (2019) 034, arXiv:1905.09127 [hep-ph].
- [45] T. Gleisberg, S. Höche, Comix, a new matrix element generator, *J. High Energy Phys.* 12 (2008) 039, arXiv:0808.3674 [hep-ph].
- [46] F. Buccioni, et al., OpenLoops 2, *Eur. Phys. J. C* 79 (2019) 866, arXiv:1907.13071 [hep-ph].
- [47] F. Cascioli, P. Maierhöfer, S. Pozzorini, Scattering amplitudes with open loops, *Phys. Rev. Lett.* 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [48] A. Denner, S. Dittmaier, L. Hofer, COLLIER: a fortran-based complex one-loop library in extended regularizations, *Comput. Phys. Commun.* 212 (2017) 220, arXiv:1604.06792 [hep-ph].
- [49] S. Schumann, F. Krauss, A parton shower algorithm based on Catani–Seymour dipole factorisation, *J. High Energy Phys.* 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [50] S. Höche, F. Krauss, M. Schönher, F. Siegert, A critical appraisal of NLO+PS matching methods, *J. High Energy Phys.* 09 (2012) 049, arXiv:1111.1220 [hep-ph].
- [51] S. Höche, F. Krauss, M. Schönher, F. Siegert, QCD matrix elements + parton showers. The NLO case, *J. High Energy Phys.* 04 (2013) 027, arXiv:1207.5030 [hep-ph].
- [52] S. Catani, F. Krauss, B.R. Webber, R. Kuhn, QCD matrix elements + parton showers, *J. High Energy Phys.* 11 (2001) 063, arXiv:hep-ph/0109231.
- [53] S. Höche, F. Krauss, S. Schumann, F. Siegert, QCD matrix elements and truncated showers, *J. High Energy Phys.* 05 (2009) 053, arXiv:0903.1219 [hep-ph].
- [54] C. Anastasiou, L. Dixon, K. Melnikov, F. Petriello, High-precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at next-to-next-to leading order, *Phys. Rev. D* 69 (2004) 094008, arXiv:hep-ph/0312266.
- [55] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [56] J.M. Campbell, R.K. Ellis, $t\bar{t}W^\pm$ production and decay at NLO, *J. High Energy Phys.* 07 (2012) 052, arXiv:1204.5678 [hep-ph].
- [57] S. Frixione, V. Hirschi, D. Paganini, H.-S. Shao, M. Zaro, Electroweak and QCD corrections to top-pair hadroproduction in association with heavy bosons, *J. High Energy Phys.* 06 (2015) 184, arXiv:1504.03446 [hep-ph].
- [58] D. de Florian, et al., Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, arXiv:1610.07922 [hep-ph], 2016.
- [59] D.J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods A* 462 (2001) 152.
- [60] R.D. Ball, et al., Parton distributions for the LHC run II, *J. High Energy Phys.* 04 (2015) 040, arXiv:1410.8849 [hep-ph].

- [61] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [62] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [63] GEANT4 Collaboration, S. Agostinelli, et al., GEANT4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [64] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, <https://cds.cern.ch/record/1300517>, 2010.
- [65] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [66] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [67] ATLAS Collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model, ATL-PHYS-PUB-2016-017, <https://cds.cern.ch/record/2206965>, 2016.
- [68] ATLAS Collaboration, Electron and photon reconstruction and performance in ATLAS using a dynamical, topological cell clustering-based approach, ATL-PHYS-PUB-2017-022, 2017, <https://cds.cern.ch/record/2298955>.
- [69] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, J. Instrum. 14 (2019) P12006, arXiv:1908.00005 [hep-ex].
- [70] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13\text{ TeV}$, Eur. Phys. J. C 81 (2021) 578, arXiv:2012.00578 [hep-ex].
- [71] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS detector, Eur. Phys. J. C 77 (2017) 466, arXiv:1703.10485 [hep-ex].
- [72] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [73] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [74] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, Eur. Phys. J. C 81 (2020) 689, arXiv:2007.02645 [hep-ex].
- [75] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector, Eur. Phys. J. C 76 (2016) 581, arXiv:1510.03823 [hep-ex].
- [76] ATLAS Collaboration, ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13\text{ TeV}$, Eur. Phys. J. C 79 (2019) 970, arXiv:1907.05120 [hep-ex].
- [77] ATLAS Collaboration, Optimisation and performance studies of the ATLAS b -tagging algorithms for the 2017–18 LHC run, ATL-PHYS-PUB-2017-013, <https://cds.cern.ch/record/2273281>, 2017.
- [78] ATLAS Collaboration, Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$, Eur. Phys. J. C 78 (2018) 903, arXiv:1802.08168 [hep-ex].
- [79] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, Eur. Phys. J. C 80 (2020) 47, arXiv:1909.00761 [hep-ex].
- [80] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, J. Instrum. 15 (2020) P09015, arXiv:2004.13447 [hep-ex].
- [81] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13\text{ TeV}$, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [82] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector, Phys. Rev. D 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
- [83] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at $\sqrt{s} = 13\text{ TeV}$, ATL-PHYS-PUB-2015-015, <https://cds.cern.ch/record/2037613>, 2015.
- [84] ATLAS Collaboration, Tagging and suppression of pileup jets with the ATLAS detector, ATLAS-CONF-2014-018, <https://cds.cern.ch/record/1700870>, 2014.
- [85] ATLAS Collaboration, Measurement of the c -jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13\text{ TeV}$ collected with the ATLAS detector, Eur. Phys. J. C 82 (2021) 95, arXiv:2109.10627 [hep-ex].
- [86] ATLAS Collaboration, Calibration of light-flavour b -jet mistagging rates using ATLAS proton–proton collision data at $\sqrt{s} = 13\text{ TeV}$, ATLAS-CONF-2018-006, <https://cds.cern.ch/record/2314418>, 2018.
- [87] ATLAS Collaboration, Measurements of top-quark pair differential and double-differential cross-sections in the ℓ -jets channel with pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector, Eur. Phys. J. C 79 (2019) 1028, arXiv:1908.07305 [hep-ex], Eur. Phys. J. C 80 (2020) 1092 (Erratum).
- [88] D0 Collaboration, Measurement of the top quark mass using dilepton events, Phys. Rev. Lett. 80 (1998) 2063, arXiv:hep-ex/9706014 [hep-ex].
- [89] G. D’Agostini, A multidimensional unfolding method based on Bayes’ theorem, Nucl. Instrum. Methods A 362 (1995) 487.
- [90] T. Adye, Unfolding algorithms and tests using RooUnfold, in: Proceedings, 2011 Workshop on Statistical Issues Related to Discovery Claims in Search Experiments and Unfolding (PHYSTAT 2011), CERN, Geneva, Switzerland, 17th–20th Jan., 2011, p. 313, arXiv:1105.1160 [physics.data-an].
- [91] H.B. Prosper, L. Lyons (Eds.), Proceedings, PHYSTAT 2011 Workshop on Statistical Issues Related to Discovery Claims in Search Experiments and Unfolding, CERN, Geneva, Switzerland 17–20 January 2011, CERN, CERN, Geneva, ISBN 9789290833673, 2011.
- [92] ATLAS Collaboration, Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector, J. High Energy Phys. 01 (2021) 033, arXiv:2006.09274 [hep-ex].
- [93] F. James, M. Roos, Minuit: a system for function minimization and analysis of the parameter errors and correlations, Comput. Phys. Commun. 10 (1975) 343.
- [94] ATLAS Collaboration, Studies on top-quark Monte Carlo modelling with Sherpa and MG5_aMC@NLO, ATL-PHYS-PUB-2017-007, <https://cds.cern.ch/record/2261938>, 2017.
- [95] M. Bähr, et al., Herwig++ physics and manual, Eur. Phys. J. C 58 (2008) 639, arXiv:0803.0883 [hep-ph].
- [96] J. Bellm, et al., Herwig 7.0/Herwig++ 3.0 release note, Eur. Phys. J. C 76 (2016) 196, arXiv:1512.01178 [hep-ph].
- [97] L.A. Harland-Lang, A.D. Martin, P. Motylinski, R.S. Thorne, Parton distributions in the LHC era: MMHT 2014 PDFs, Eur. Phys. J. C 75 (2015) 204, arXiv:1412.3989 [hep-ph].
- [98] ATLAS Collaboration, Measurement of the top quark mass in the $t\bar{t} \rightarrow \text{lepton+jets}$ and $t\bar{t} \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7\text{ TeV}$ ATLAS data, Eur. Phys. J. C 75 (2015) 330, arXiv:1503.05427 [hep-ex].
- [99] J. Butterworth, et al., PDF4LHC recommendations for LHC Run II, J. Phys. G 43 (2016) 023001, arXiv:1510.03865 [hep-ph].
- [100] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, <https://cds.cern.ch/record/2677054>, 2019.
- [101] M. Czakon, et al., Top-pair production at the LHC through NNLO QCD and NLO EW, J. High Energy Phys. 10 (2017) 186, arXiv:1705.04105 [hep-ph].

The ATLAS Collaboration

G. Aad ¹⁰², B. Abbott ¹²⁰, D.C. Abbott ¹⁰³, K. Abeling ⁵⁵, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, A.C. Abusleme Hoffman ^{137a}, B.S. Acharya ^{69a,69b,p}, C. Adam Bourdarios ⁴, L. Adamczyk ^{85a}, L. Adamek ¹⁵⁵, S.V. Addepalli ²⁶, J. Adelman ¹¹⁵, A. Adiguzel ^{21c}, S. Adorni ⁵⁶, T. Adye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰⁰, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{130f}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁵, X. Ai ⁴⁸, G. Aielli ^{76a,76b}, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰⁰, T.P.A. Åkesson ⁹⁸, A.V. Akimov ³⁷, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵, P. Albicocco ⁵³, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, A. Alfonsi ¹¹⁴, F. Alfonsi ^{23b}, M. Alhroob ¹²⁰, B. Ali ¹³², S. Ali ¹⁴⁸, M. Aliev ³⁷, G. Alimonti ^{71a}, W. Alkakhi ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹⁰,

- 1 C. Alpigiani ¹³⁸, M. Alvarez Estevez ⁹⁹, A. Alvarez Fernandez ¹⁰⁰, M.G. Alvaggi ^{72a,72b}, M. Aly ¹⁰¹,
2 Y. Amaral Coutinho ^{82b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹, C.G. Ames ¹⁰⁹, D. Amidei ¹⁰⁶,
3 S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵, C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶,
4 S.Y. Andrean ^{47a,47b}, A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,ab}, A.V. Anisenkov ³⁷,
5 A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹²¹, M. Antonelli ⁵³, D.J.A. Antrim ^{17a}, F. Anulli ^{75a},
6 M. Aoki ⁸³, T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, N. Aranzabal ³⁶,
7 V. Araujo Ferraz ^{82a}, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹², J.-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴,
8 J.-H. Arling ⁴⁸, A.J. Armbruster ³⁶, O. Arnaez ¹⁵⁵, H. Arnold ¹¹⁴, Z.P. Arrubarrena Tame ¹⁰⁹, G. Artoni ^{75a,75b},
9 H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, J. Assahsah ^{35d}, K. Assamagan ²⁹, R. Astalos ^{28a},
10 R.J. Atkin ^{33a}, M. Atkinson ¹⁶², N.B. Atlay ¹⁸, H. Atmani ^{62b}, P.A. Atmasiddha ¹⁰⁶, K. Augsten ¹³²,
11 S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁷¹, G. Avner ¹⁵⁰, G. Avolio ³⁶, K. Axiotis ⁵⁶,
12 G. Azuelos ^{108,ad}, D. Babal ^{28a}, H. Bachacou ¹³⁵, K. Bachas ^{152,r}, A. Bachiu ³⁴, F. Backman ^{47a,47b},
13 A. Badea ⁶¹, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴, C. Bakalis ¹⁰,
14 O.K. Baker ¹⁷², P.J. Bakker ¹¹⁴, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, S. Balaji ¹⁴⁷, R. Balasubramanian ¹¹⁴,
15 E.M. Baldin ³⁷, P. Balek ¹³³, E. Ballabene ^{71a,71b}, F. Balli ¹³⁵, L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ¹⁰⁰,
16 E. Banas ⁸⁶, M. Bandieramonte ¹²⁹, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵¹, E.L. Barberio ¹⁰⁵,
17 D. Barberis ^{57b,57a}, M. Barbero ¹⁰², G. Barbour ⁹⁶, K.N. Barends ^{33a}, T. Barillari ¹¹⁰, M.-S. Barisits ³⁶,
18 T. Barklow ¹⁴³, R.M. Barnett ^{17a}, P. Baron ¹²², D.A. Baron Moreno ¹⁰¹, A. Baroncelli ^{62a}, G. Barone ²⁹,
19 A.J. Barr ¹²⁶, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁹, J. Barreiro Guimaraes da Costa ^{14a}, U. Barron ¹⁵¹,
20 M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹¹, P. Bartos ^{28a},
21 A. Basalaev ⁴⁸, A. Basan ¹⁰⁰, M. Baselga ⁴⁹, I. Bashta ^{77a,77b}, A. Bassalat ^{66,b}, M.J. Basso ¹⁵⁵, C.R. Basson ¹⁰¹,
22 R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸, M. Bauce ^{75a,75b},
23 P. Bauer ²⁴, J.B. Beacham ⁵¹, T. Beau ¹²⁷, P.H. Beauchemin ¹⁵⁸, F. Becherer ⁵⁴, P. Bechtle ²⁴, H.P. Beck ^{19,q},
24 K. Becker ¹⁶⁷, A.J. Beddall ^{21d}, V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵, T.A. Beermann ³⁶,
25 M. Begalli ^{82d}, M. Begel ²⁹, A. Behera ¹⁴⁵, J.K. Behr ⁴⁸, C. Beirao Da Cruz E Silva ³⁶, J.F. Beirer ^{55,36},
26 F. Beisiegel ²⁴, M. Belfkir ¹⁵⁹, G. Bella ¹⁵¹, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷,
27 K. Belotskiy ³⁷, N.L. Belyaev ³⁷, D. Benchekroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵¹, D.P. Benjamin ²⁹,
28 M. Benoit ²⁹, J.R. Bensinger ²⁶, S. Bentvelsen ¹¹⁴, L. Beresford ³⁶, M. Beretta ⁵³, E. Bergeaas Kuutmann ¹⁶¹,
29 N. Berger ⁴, B. Bergmann ¹³², J. Beringer ^{17a}, S. Berlendis ⁷, G. Bernardi ⁵, C. Bernius ¹⁴³,
30 F.U. Bernlochner ²⁴, T. Berry ⁹⁵, P. Berta ¹³³, A. Berthold ⁵⁰, I.A. Bertram ⁹¹, S. Bethke ¹¹⁰, A. Betti ^{75a,75b},
31 A.J. Bevan ⁹⁴, M. Bhamjee ^{33c}, S. Bhatta ¹⁴⁵, D.S. Bhattacharya ¹⁶⁶, P. Bhattacharai ²⁶, V.S. Bhopatkar ¹²¹,
32 R. Bi ^{29,ag}, R.M. Bianchi ¹²⁹, O. Biebel ¹⁰⁹, R. Bielski ¹²³, M. Biglietti ^{77a}, T.R.V. Billoud ¹³², M. Bindi ⁵⁵,
33 A. Bingul ^{21b}, C. Bini ^{75a,75b}, A. Biondini ⁹², C.J. Birch-sykes ¹⁰¹, G.A. Bird ^{20,134}, M. Birman ¹⁶⁹, M. Biros ¹³³,
34 T. Bisanz ³⁶, E. Biscaglie ^{43b,43a}, D. Biswas ¹⁷⁰, A. Bitadze ¹⁰¹, K. Bjørke ¹²⁵, I. Bloch ⁴⁸, C. Blocker ²⁶,
35 A. Blue ⁵⁹, U. Blumenschein ⁹⁴, J. Blumenthal ¹⁰⁰, G.J. Bobbink ¹¹⁴, V.S. Bobrovnikov ³⁷, M. Boehler ⁵⁴,
36 D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷, C. Bohm ^{47a}, V. Boisvert ⁹⁵, P. Bokan ⁴⁸, T. Bold ^{85a}, M. Bomben ⁵,
37 M. Bona ⁹⁴, M. Boonekamp ¹³⁵, C.D. Booth ⁹⁵, A.G. Borbely ⁵⁹, H.M. Borecka-Bielska ¹⁰⁸, L.S. Borgna ⁹⁶,
38 G. Borissov ⁹¹, D. Bortoletto ¹²⁶, D. Boscherini ^{23b}, M. Bosman ¹³, J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a},
39 N. Bouchhar ¹⁶³, J. Boudreau ¹²⁹, E.V. Bouhova-Thacker ⁹¹, D. Boumediene ⁴⁰, R. Bouquet ⁵, A. Boveia ¹¹⁹,
40 J. Boyd ³⁶, D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰, N. Brahimi ^{62d}, G. Brandt ¹⁷¹, O. Brandt ³², F. Braren ⁴⁸,
41 B. Brau ¹⁰³, J.E. Brau ¹²³, K. Brendlinger ⁴⁸, R. Brener ¹⁶⁹, L. Brenner ¹¹⁴, R. Brenner ¹⁶¹, S. Bressler ¹⁶⁹,
42 D. Britton ⁵⁹, D. Britzger ¹¹⁰, I. Brock ²⁴, G. Brooijmans ⁴¹, W.K. Brooks ^{137f}, E. Brost ²⁹, L.M. Brown ¹⁶⁵,
43 T.L. Bruckler ¹²⁶, P.A. Bruckman de Renstrom ⁸⁶, B. Brüers ⁴⁸, D. Bruncko ^{28b,*}, A. Bruni ^{23b}, G. Bruni ^{23b},
44 M. Bruschi ^{23b}, N. Bruscino ^{75a,75b}, T. Buanes ¹⁶, Q. Buat ¹³⁸, P. Buchholz ¹⁴¹, A.G. Buckley ⁵⁹,
45 I.A. Budagov ^{38,*}, M.K. Bugge ¹²⁵, O. Bulekov ³⁷, B.A. Bullard ¹⁴³, S. Burdin ⁹², C.D. Burgard ⁴⁹,
46 A.M. Burger ⁴⁰, B. Burghgrave ⁸, J.T.P. Burr ³², C.D. Burton ¹¹, J.C. Burzynski ¹⁴², E.L. Busch ⁴¹,
47 V. Büscher ¹⁰⁰, P.J. Bussey ⁵⁹, J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁶, W. Buttinger ¹³⁴,
48 C.J. Buxo Vazquez ¹⁰⁷, A.R. Buzykaev ³⁷, G. Cabras ^{23b}, S. Cabrera Urbán ¹⁶³, D. Caforio ⁵⁸, H. Cai ¹²⁹,
49 Y. Cai ^{14a,14d}, V.M.M. Cairo ³⁶, O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a}, G. Calderini ¹²⁷, P. Calfayan ⁶⁸,
50 G. Callea ⁵⁹, L.P. Caloba ^{82b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰, T.P. Calvet ¹⁰², M. Calvetti ^{74a,74b},
51 R. Camacho Toro ¹²⁷, S. Camarda ³⁶, D. Camarero Munoz ²⁶, P. Camarri ^{76a,76b}, M.T. Camerlingo ^{72a,72b},
52 D. Cameron ¹²⁵, C. Camincher ¹⁶⁵, M. Campanelli ⁹⁶, A. Camplani ⁴², V. Canale ^{72a,72b}, A. Canesse ¹⁰⁴,
53 M. Cano Bret ⁸⁰, J. Cantero ¹⁶³, Y. Cao ¹⁶², F. Capocasa ²⁶, M. Capua ^{43b,43a}, A. Carbone ^{71a,71b},
54 11

- 1 R. Cardarelli 76a , J.C.J. Cardenas 8 , F. Cardillo 163 , T. Carli 36 , G. Carlino 72a , J.I. Carlotto 13 , B.T. Carlson 129,s
2 E.M. Carlson 165,156a , L. Carminati 71a,71b , M. Carnesale 75a,75b , S. Caron 113 , E. Carquin 137f , S. Carrá 71a,71b ,
3 G. Carratta 23b,23a , F. Carrio Argos 33g , J.W.S. Carter 155 , T.M. Carter 52 , M.P. Casado 13,j , A.F. Casha 155 ,
4 E.G. Castiglia 172 , F.L. Castillo 63a , L. Castillo Garcia 13 , V. Castillo Gimenez 163 , N.F. Castro 130a,130e ,
5 A. Catinaccio 36 , J.R. Catmore 125 , V. Cavaliere 29 , N. Cavalli 23b,23a , V. Cavasinni 74a,74b , E. Celebi 21a ,
6 F. Celli 126 , M.S. Centonze 70a,70b , K. Cerny 122 , A.S. Cerqueira 82a , A. Cerri 146 , L. Cerrito 76a,76b ,
7 F. Cerutti 17a , A. Cervelli 23b , S.A. Cetin 21d , Z. Chadi 35a , D. Chakraborty 115 , M. Chala 130f , J. Chan 170 ,
8 W.Y. Chan 153 , J.D. Chapman 32 , B. Chargeishvili 149b , D.G. Charlton 20 , T.P. Charman 94 , M. Chatterjee 19 ,
9 S. Chekanov 6 , S.V. Chekulaev 156a , G.A. Chelkov 38,a , A. Chen 106 , B. Chen 151 , B. Chen 165 , H. Chen 14c ,
10 H. Chen 29 , J. Chen 62c , J. Chen 142 , S. Chen 153 , S.J. Chen 14c , X. Chen 62c , X. Chen 14b,ac , Y. Chen 62a ,
11 C.L. Cheng 170 , H.C. Cheng 64a , S. Cheong 143 , A. Cheplakov 38 , E. Cheremushkina 48 , E. Cherepanova 114 ,
12 R. Cherkaoui El Moursli 35e , E. Cheu 7 , K. Cheung 65 , L. Chevalier 135 , V. Chiarella 53 , G. Chiarelli 74a ,
13 N. Chiedde 102 , G. Chiodini 70a , A.S. Chisholm 20 , A. Chitan 27b , M. Chitishvili 163 , Y.H. Chiu 165 ,
14 M.V. Chizhov 38 , K. Choi 11 , A.R. Chomont 75a,75b , Y. Chou 103 , E.Y.S. Chow 114 , T. Chowdhury 33g ,
15 L.D. Christopher 33g , K.L. Chu 64a , M.C. Chu 64a , X. Chu 14a,14d , J. Chudoba 131 , J.J. Chwastowski 86 ,
16 D. Cieri 110 , K.M. Ciesla 85a , V. Cindro 93 , A. Ciocio 17a , F. Cirotto 72a,72b , Z.H. Citron 169,m , M. Citterio 71a ,
17 D.A. Ciubotaru 27b , B.M. Ciungu 155 , A. Clark 56 , P.J. Clark 52 , J.M. Clavijo Columbie 48 , S.E. Clawson 101 ,
18 C. Clement 47a,47b , J. Clercx 48 , L. Clissa 23b,23a , Y. Coadou 102 , M. Cobal 69a,69c , A. Coccato 57b ,
19 R.F. Coelho Barrue 130a , R. Coelho Lopes De Sa 103 , S. Coelli 71a , H. Cohen 151 , A.E.C. Coimbra 71a,71b ,
20 B. Cole 41 , J. Collot 60 , P. Conde Muiño 130a,130g , M.P. Connell 33c , S.H. Connell 33c , I.A. Connally 59 ,
21 E.I. Conroy 126 , F. Conventi 72a,ae , H.G. Cooke 20 , A.M. Cooper-Sarkar 126 , F. Cormier 164 , L.D. Corpe 36 ,
22 M. Corradi 75a,75b , E.E. Corrigan 98 , F. Corriveau 104,x , A. Cortes-Gonzalez 18 , M.J. Costa 163 , F. Costanza 4 ,
23 D. Costanzo 139 , B.M. Cote 119 , G. Cowan 95 , J.W. Cowley 32 , K. Cranmer 117 , S. Crépé-Renaudin 60 ,
24 F. Crescioli 127 , M. Cristinziani 141 , M. Cristoforetti 78a,78b,d , V. Croft 158 , G. Crosetti 43b,43a , A. Cueto 36 ,
25 T. Cuhadar Donszelmann 160 , H. Cui 14a,14d , Z. Cui 7 , W.R. Cunningham 59 , F. Curcio 43b,43a ,
26 P. Czodrowski 36 , M.M. Czurylo 63b , M.J. Da Cunha Sargedas De Sousa 62a , J.V. Da Fonseca Pinto 82b ,
27 C. Da Via 101 , W. Dabrowski 85a , T. Dado 49 , S. Dahbi 33g , T. Dai 106 , C. Dallapiccola 103 , M. Dam 42 ,
28 G. D'amen 29 , V. D'Amico 109 , J. Damp 100 , J.R. Dandoy 128 , M.F. Daneri 30 , M. Danninger 142 , V. Dao 36 ,
29 G. Darbo 57b , S. Darmora 6 , S.J. Das 29 , S. D'Auria 71a,71b , C. David 156b , T. Davidek 133 , D.R. Davis 51 ,
30 B. Davis-Purcell 34 , I. Dawson 94 , K. De 8 , R. De Asmundis 72a , M. De Beurs 114 , N. De Biase 48 ,
31 S. De Castro 23b,23a , N. De Groot 113 , P. de Jong 114 , H. De la Torre 107 , A. De Maria 14c , A. De Salvo 75a ,
32 U. De Sanctis 76a,76b , A. De Santo 146 , J.B. De Vivie De Regie 60 , D.V. Dedovich 38 , J. Degens 114 ,
33 A.M. Deiana 44 , F. Del Corso 23b,23a , J. Del Peso 99 , F. Del Rio 63a , F. Deliot 135 , C.M. Delitzsch 49 ,
34 M. Della Pietra 72a,72b , D. Della Volpe 56 , A. Dell'Acqua 36 , L. Dell'Asta 71a,71b , M. Delmastro 4 ,
35 P.A. Delsart 60 , S. Demers 172 , M. Demichev 38 , S.P. Denisov 37 , L. D'Eramo 115 , D. Derendarz 86 ,
36 F. Derue 127 , P. Dervan 92 , K. Desch 24 , K. Dette 155 , C. Deutsch 24 , F.A. Di Bello 57b,57a , A. Di Ciaccio 76a,76b ,
37 L. Di Ciaccio 4 , A. Di Domenico 75a,75b , C. Di Donato 72a,72b , A. Di Girolamo 36 , G. Di Gregorio 5 ,
38 A. Di Luca 78a,78b , B. Di Micco 77a,77b , R. Di Nardo 77a,77b , C. Diaconu 102 , F.A. Dias 114 , T. Dias Do Vale 142 ,
39 M.A. Diaz 137a,137b , F.G. Diaz Capriles 24 , M. Didenko 163 , E.B. Diehl 106 , L. Diehl 54 , S. Díez Cornell 48 ,
40 C. Diez Pardos 141 , C. Dimitriadi 24,161 , A. Dimitrieva 17a , J. Dingfelder 24 , I-M. Dinu 27b , S.J. Dittmeier 63b ,
41 F. Dittus 36 , F. Djama 102 , T. Djobava 149b , J.I. Djuvsland 16 , C. Doglioni 101,98 , J. Dolejsi 133 , Z. Dolezal 133 ,
42 M. Donadelli 82c , B. Dong 107 , J. Donini 40 , A. D'Onofrio 77a,77b , M. D'Onofrio 92 , J. Dopke 134 , A. Doria 72a ,
43 M.T. Dova 90 , A.T. Doyle 59 , M.A. Draguet 126 , E. Drechsler 142 , E. Dreyer 169 , I. Drivas-koulouris 10 ,
44 A.S. Drobac 158 , M. Drozdova 56 , D. Du 62a , T.A. du Pree 114 , F. Dubinin 37 , M. Dubovsky 28a ,
45 E. Duchovni 169 , G. Duckeck 109 , O.A. Ducu 27b , D. Duda 110 , A. Dudarev 36 , E.R. Duden 26 , M. D'uffizi 101 ,
46 L. Duflot 66 , M. Dührssen 36 , C. Dülsen 171 , A.E. Dumitriu 27b , M. Dunford 63a , S. Dungs 49 , K. Dunne 47a,47b ,
47 A. Duperrin 102 , H. Duran Yildiz 3a , M. Düren 58 , A. Durglishvili 149b , B.L. Dwyer 115 , G.I. Dyckes 17a ,
48 M. Dyndal 85a , S. Dysch 101 , B.S. Dziedzic 86 , Z.O. Earnshaw 146 , B. Eckerova 28a , S. Eggebrecht 55 ,
49 M.G. Eggleston 51 , E. Egidio Purcino De Souza 127 , L.F. Ehrke 56 , G. Eigen 16 , K. Einsweiler 17a , T. Ekelof 161 ,
50 P.A. Ekman 98 , Y. El Ghazali 35b , H. El Jarrari 35e,148 , A. El Moussaouy 35a , V. Ellajosyula 161 , M. Ellert 161 ,
51 F. Ellinghaus 171 , A.A. Elliot 94 , N. Ellis 36 , J. Elmsheuser 29 , M. Elsing 36 , D. Emeliyanov 134 , A. Emerman 41 ,
52 Y. Enari 153 , I. Ene 17a , S. Epari 13 , J. Erdmann 49 , P.A. Erland 86 , M. Errenst 171 , M. Escalier 66 ,
53 C. Escobar 163 , E. Etzion 151 , G. Evans 130a , H. Evans 68 , M.O. Evans 146 , A. Ezhilov 37 , S. Ezzarqtouni 35a ,

- 1 F. Fabbri ⁵⁹, L. Fabbri ^{23b,23a}, G. Facini ⁹⁶, V. Fadeyev ¹³⁶, R.M. Fakhrutdinov ³⁷, S. Falciano ^{75a},
2 L.F. Falda Ulhoa Coelho ³⁶, P.J. Falke ²⁴, S. Falke ³⁶, J. Faltova ¹³³, Y. Fan ^{14a}, Y. Fang ^{14a,14d}, G. Fanourakis ⁴⁶,
3 M. Fanti ^{71a,71b}, M. Faraj ^{69a,69b}, Z. Farazpay ⁹⁷, A. Farbin ⁸, A. Farilla ^{77a}, T. Farooque ¹⁰⁷, S.M. Farrington ⁵²,
4 F. Fassi ^{35e}, D. Fassouliotis ⁹, M. Faucci Giannelli ^{76a,76b}, W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federicova ¹³¹,
5 O.L. Fedin ^{37,a}, G. Fedotov ³⁷, M. Feickert ¹⁷⁰, L. Feligioni ¹⁰², A. Fell ¹³⁹, D.E. Fellers ¹²³, C. Feng ^{62b},
6 M. Feng ^{14b}, Z. Feng ¹¹⁴, M.J. Fenton ¹⁶⁰, A.B. Fenyuk ³⁷, L. Ferencz ⁴⁸, R.A.M. Ferguson ⁹¹,
7 S.I. Fernandez Luengo ^{137f}, J. Ferrando ⁴⁸, A. Ferrari ¹⁶¹, P. Ferrari ^{114,113}, R. Ferrari ^{73a}, D. Ferrere ⁵⁶,
8 C. Ferretti ¹⁰⁶, F. Fiedler ¹⁰⁰, A. Filipčič ⁹³, E.K. Filmer ¹, F. Filthaut ¹¹³, M.C.N. Fiolhais ^{130a,130c,c},
9 L. Fiorini ¹⁶³, F. Fischer ¹⁴¹, W.C. Fisher ¹⁰⁷, T. Fitschen ¹⁰¹, I. Fleck ¹⁴¹, P. Fleischmann ¹⁰⁶, T. Flick ¹⁷¹,
10 L. Flores ¹²⁸, M. Flores ^{33d}, L.R. Flores Castillo ^{64a}, F.M. Follega ^{78a,78b}, N. Fomin ¹⁶, J.H. Foo ¹⁵⁵,
11 B.C. Forland ⁶⁸, A. Formica ¹³⁵, A.C. Forti ¹⁰¹, E. Fortin ¹⁰², A.W. Fortman ⁶¹, M.G. Foti ^{17a}, L. Fountas ⁹,
12 D. Fournier ⁶⁶, H. Fox ⁹¹, P. Francavilla ^{74a,74b}, S. Francescato ⁶¹, S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a},
13 S. Franchino ^{63a}, D. Francis ³⁶, L. Franco ¹¹³, L. Franconi ¹⁹, M. Franklin ⁶¹, G. Frattari ²⁶, A.C. Freegard ⁹⁴,
14 P.M. Freeman ²⁰, W.S. Freund ^{82b}, N. Fritzsche ⁵⁰, A. Froch ⁵⁴, D. Froidevaux ³⁶, J.A. Frost ¹²⁶, Y. Fu ^{62a},
15 M. Fujimoto ¹¹⁸, E. Fullana Torregrosa ^{163,*}, J. Fuster ¹⁶³, A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁵⁵, P. Gadow ⁴⁸,
16 G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, G.E. Gallardo ¹²⁶, E.J. Gallas ¹²⁶, B.J. Gallop ¹³⁴, R. Gamboa Goni ⁹⁴,
17 K.K. Gan ¹¹⁹, S. Ganguly ¹⁵³, J. Gao ^{62a}, Y. Gao ⁵², F.M. Garay Walls ^{137a,137b}, B. Garcia ^{29,ag}, C. García ¹⁶³,
18 J.E. García Navarro ¹⁶³, M. Garcia-Sciveres ^{17a}, R.W. Gardner ³⁹, D. Garg ⁸⁰, R.B. Garg ¹⁴³, C.A. Garner ¹⁵⁵,
19 V. Garonne ²⁹, S.J. Gasiorowski ¹³⁸, P. Gaspar ^{82b}, G. Gaudio ^{73a}, V. Gautam ¹³, P. Gauzzi ^{75a,75b},
20 I.L. Gavrilenko ³⁷, A. Gavrilyuk ³⁷, C. Gay ¹⁶⁴, G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b,27e}, C.M. Gee ¹³⁶,
21 J. Geisen ⁹⁸, C. Gemme ^{57b}, M.H. Genest ⁶⁰, S. Gentile ^{75a,75b}, S. George ⁹⁵, W.F. George ²⁰, T. Geralis ⁴⁶,
22 L.O. Gerlach ⁵⁵, P. Gessinger-Befurt ³⁶, M.E. Geyik ¹⁷¹, M. Ghasemi Bostanabad ¹⁶⁵, M. Ghneimat ¹⁴¹,
23 K. Ghorbanian ⁹⁴, A. Ghosal ¹⁴¹, A. Ghosh ¹⁶⁰, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{75a,75b}, P. Giannetti ^{74a},
24 A. Giannini ^{62a}, S.M. Gibson ⁹⁵, M. Gignac ¹³⁶, D.T. Gil ^{85b}, A.K. Gilbert ^{85a}, B.J. Gilbert ⁴¹, D. Gillberg ³⁴,
25 G. Gilles ¹¹⁴, N.E.K. Gillwald ⁴⁸, L. Ginabat ¹²⁷, D.M. Gingrich ^{2,ad}, M.P. Giordani ^{69a,69c}, P.F. Giraud ¹³⁵,
26 G. Giugliarelli ^{69a,69c}, D. Giugni ^{71a}, F. Giuli ³⁶, I. Gkialas ^{9,k}, L.K. Gladilin ³⁷, C. Glasman ⁹⁹,
27 G.R. Gledhill ¹²³, M. Glisic ¹²³, I. Gnesi ^{43b,g}, Y. Go ^{29,ag}, M. Goblirsch-Kolb ²⁶, B. Gocke ⁴⁹, D. Godin ¹⁰⁸,
28 B. Gokturk ^{21a}, S. Goldfarb ¹⁰⁵, T. Golling ⁵⁶, M.G.D. Gololo ^{33g}, D. Golubkov ³⁷, J.P. Gombas ¹⁰⁷,
29 A. Gomes ^{130a,130b}, G. Gomes Da Silva ¹⁴¹, A.J. Gomez Delegido ¹⁶³, R. Goncalves Gama ⁵⁵,
30 R. Gonçalo ^{130a,130c}, G. Gonella ¹²³, L. Gonella ²⁰, A. Gongadze ³⁸, F. Gonnella ²⁰, J.L. Gonski ⁴¹,
31 R.Y. González Andana ⁵², S. González de la Hoz ¹⁶³, S. Gonzalez Fernandez ¹³, R. Gonzalez Lopez ⁹²,
32 C. Gonzalez Renteria ^{17a}, R. Gonzalez Suarez ¹⁶¹, S. Gonzalez-Sevilla ⁵⁶, G.R. Gonzalvo Rodriguez ¹⁶³,
33 L. Goossens ³⁶, N.A. Gorasia ²⁰, P.A. Gorbounov ³⁷, B. Gorini ³⁶, E. Gorini ^{70a,70b}, A. Gorišek ⁹³,
34 A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸, S. Goswami ¹²¹, C.A. Gottardo ³⁶, M. Gouighri ^{35b}, V. Goumarre ⁴⁸,
35 A.G. Goussiou ¹³⁸, N. Govender ^{33c}, C. Goy ⁴, I. Grabowska-Bold ^{85a}, K. Graham ³⁴, E. Gramstad ¹²⁵,
36 S. Grancagnolo ¹⁸, M. Grandi ¹⁴⁶, V. Gratchev ^{37,*}, P.M. Gravila ^{27f}, F.G. Gravili ^{70a,70b}, H.M. Gray ^{17a},
37 M. Greco ^{70a,70b}, C. Grefe ²⁴, I.M. Gregor ⁴⁸, P. Grenier ¹⁴³, C. Grieco ¹³, A.A. Grillo ¹³⁶, K. Grimm ^{31,n},
38 S. Grinstein ^{13,u}, J.-F. Grivaz ⁶⁶, E. Gross ¹⁶⁹, J. Grosse-Knetter ⁵⁵, C. Grud ¹⁰⁶, J.C. Grundy ¹²⁶, L. Guan ¹⁰⁶,
39 W. Guan ¹⁷⁰, C. Gubbels ¹⁶⁴, J.G.R. Guerrero Rojas ¹⁶³, G. Guerrieri ^{69a,69b}, F. Guescini ¹¹⁰, R. Gugel ¹⁰⁰,
40 J.A.M. Guhit ¹⁰⁶, A. Guida ⁴⁸, T. Guillemin ⁴, E. Guilloton ^{167,134}, S. Guindon ³⁶, F. Guo ^{14a,14d}, J. Guo ^{62c},
41 L. Guo ⁶⁶, Y. Guo ¹⁰⁶, R. Gupta ⁴⁸, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴, G. Gustavino ³⁶, M. Guth ⁵⁶,
42 P. Gutierrez ¹²⁰, L.F. Gutierrez Zagazeta ¹²⁸, C. Gutschow ⁹⁶, C. Guyot ¹³⁵, C. Gwenlan ¹²⁶, C.B. Gwilliam ⁹²,
43 E.S. Haaland ¹²⁵, A. Haas ¹¹⁷, M. Habedank ⁴⁸, C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadef ¹⁰⁰, S. Hadzic ¹¹⁰,
44 E.H. Haines ⁹⁶, M. Haleem ¹⁶⁶, J. Haley ¹²¹, J.J. Hall ¹³⁹, G.D. Hallewell ¹⁰², L. Halser ¹⁹, K. Hamano ¹⁶⁵,
45 H. Hamdaoui ^{35e}, M. Hamer ²⁴, G.N. Hamity ⁵², J. Han ^{62b}, K. Han ^{62a}, L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a},
46 Y.F. Han ¹⁵⁵, K. Hanagaki ⁸³, M. Hance ¹³⁶, D.A. Hangal ^{41,ab}, H. Hanif ¹⁴², M.D. Hank ³⁹, R. Hankache ¹⁰¹,
47 J.B. Hansen ⁴², J.D. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁷, D. Harada ⁵⁶, T. Harenberg ¹⁷¹, S. Harkusha ³⁷,
48 Y.T. Harris ¹²⁶, N.M. Harrison ¹¹⁹, P.F. Harrison ¹⁶⁷, N.M. Hartman ¹⁴³, N.M. Hartmann ¹⁰⁹, Y. Hasegawa ¹⁴⁰,
49 A. Hasib ⁵², S. Haug ¹⁹, R. Hauser ¹⁰⁷, M. Havranek ¹³², C.M. Hawkes ²⁰, R.J. Hawkings ³⁶, S. Hayashida ¹¹¹,
50 D. Hayden ¹⁰⁷, C. Hayes ¹⁰⁶, R.L. Hayes ¹⁶⁴, C.P. Hays ¹²⁶, J.M. Hays ⁹⁴, H.S. Hayward ⁹², F. He ^{62a}, Y. He ¹⁵⁴,
51 Y. He ¹²⁷, M.P. Heath ⁵², N.B. Heatley ⁹⁴, V. Hedberg ⁹⁸, A.L. Heggelund ¹²⁵, N.D. Hehir ⁹⁴, C. Heidegger ⁵⁴,
52 K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸¹, J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁸, J.J. Heinrich ¹²³,
53 L. Heinrich ¹¹⁰, J. Hejbal ¹³¹, L. Helary ⁴⁸, A. Held ¹⁷⁰, S. Hellesund ¹²⁵, C.M. Helling ¹⁶⁴, S. Hellman ^{47a,47b},
54 61 62 63 64 65 66

- 1 C. Helsens ³⁶, R.C.W. Henderson ⁹¹, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁸,
2 Y. Hernández Jiménez ¹⁴⁵, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁹,
3 L. Hervas ³⁶, N.P. Hessey ^{156a}, H. Hibl ⁸⁴, E. Higón-Rodriguez ¹⁶³, S.J. Hillier ²⁰, I. Hinchliffe ^{17a},
4 F. Hinterkeuser ²⁴, M. Hirose ¹²⁴, S. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷¹, T.G. Hitchings ¹⁰¹, B. Hiti ⁹³,
5 J. Hobbs ¹⁴⁵, R. Hobinck ^{27e}, N. Hod ¹⁶⁹, M.C. Hodgkinson ¹³⁹, B.H. Hodgkinson ³², A. Hoecker ³⁶, J. Hofer ⁴⁸,
6 D. Hohn ⁵⁴, T. Holm ²⁴, M. Holzbock ¹¹⁰, L.B.A.H. Hommels ³², B.P. Honan ¹⁰¹, J. Hong ^{62c}, T.M. Hong ¹²⁹,
7 J.C. Honig ⁵⁴, B.H. Hooberman ¹⁶², W.H. Hopkins ⁶, Y. Horii ¹¹¹, S. Hou ¹⁴⁸, A.S. Howard ⁹³, J. Howarth ⁵⁹,
8 J. Hoya ⁶, M. Hrabovsky ¹²², A. Hrynevich ⁴⁸, T. Hrynevich ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁸, Q. Hu ⁴¹,
9 Y.F. Hu ^{14a,14d,af}, D.P. Huang ⁹⁶, S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{62a}, Z. Huang ¹⁰¹,
10 Z. Hubacek ¹³², M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁶, M. Huhtinen ³⁶, S.K. Huiberts ¹⁶,
11 R. Hulsken ¹⁰⁴, N. Huseynov ^{12,a}, J. Huston ¹⁰⁷, J. Huth ⁶¹, R. Hyneman ¹⁴³, S. Hyrych ^{28a}, G. Iacobucci ⁵⁶,
12 G. Iakovidis ²⁹, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{72a,72b}, R. Iguchi ¹⁵³, T. Iizawa ⁵⁶,
13 Y. Ikegami ⁸³, A. Ilg ¹⁹, N. Ilic ¹⁵⁵, H. Imam ^{35a}, T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{73a,73b},
14 M. Iodice ^{77a}, V. Ippolito ^{75a,75b}, M. Ishino ¹⁵³, W. Islam ¹⁷⁰, C. Issever ^{18,48}, S. Isti ^{21a}, H. Ito ¹⁶⁸,
15 J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{78a,78b}, A. Ivina ¹⁶⁹, J.M. Izen ⁴⁵, V. Izzo ^{72a}, P. Jacka ^{131,132}, P. Jackson ¹,
16 R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴², C.S. Jagfeld ¹⁰⁹, P. Jain ⁵⁴, G. Jäkel ¹⁷¹, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁹,
17 J. Jamieson ⁵⁹, K.W. Janas ^{85a}, G. Jarlskog ⁹⁸, A.E. Jaspan ⁹², M. Javurkova ¹⁰³, F. Jeanneau ¹³⁵, L. Jeanty ¹²³,
18 J. Jejelava ^{149a,aa}, P. Jenni ^{54,h}, C.E. Jessiman ³⁴, S. Jézéquel ⁴, C. Jia ^{62b}, J. Jia ¹⁴⁵, X. Jia ⁶¹, X. Jia ^{14a,14d},
19 Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁵², J. Jimenez Pena ¹¹⁰, S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁴,
20 P. Johansson ¹³⁹, K.A. Johns ⁷, J.W. Johnson ¹³⁶, D.M. Jones ³², E. Jones ¹⁶⁷, P. Jones ³², R.W.L. Jones ⁹¹,
21 T.J. Jones ⁹², R. Joshi ¹¹⁹, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ³⁶, T. Junkermann ^{63a}, A. Juste Rozas ^{13,u},
22 S. Kabana ^{137e}, A. Kaczmarzka ⁸⁶, M. Kado ^{75a,75b}, H. Kagan ¹¹⁹, M. Kagan ¹⁴³, A. Kahn ⁴¹, A. Kahn ¹²⁸,
23 C. Kahra ¹⁰⁰, T. Kajji ¹⁶⁸, E. Kajomovitz ¹⁵⁰, N. Kakati ¹⁶⁹, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁵,
24 S. Kanayama ¹⁵⁴, N.J. Kang ¹³⁶, D. Kar ^{33g}, K. Karava ¹²⁶, M.J. Kareem ^{156b}, E. Karentzos ⁵⁴, I. Karkalias ^{152,f},
25 S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹¹, A.N. Karyukhin ³⁷, E. Kasimi ^{152,f}, C. Kato ^{62d},
26 J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹⁴⁰, K. Kawagoe ⁸⁹, T. Kawamoto ¹³⁵, G. Kawamura ⁵⁵, E.F. Kay ¹⁶⁵,
27 F.I. Kaya ¹⁵⁸, S. Kazakos ¹³, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁵, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁵, G.V. Kehris ⁶¹,
28 J.S. Keller ³⁴, A.S. Kelly ⁹⁶, D. Kelsey ¹⁴⁶, J.J. Kempster ¹⁴⁶, K.E. Kennedy ⁴¹, P.D. Kennedy ¹⁰⁰, O. Kepka ¹³¹,
29 B.P. Kerridge ¹⁶⁷, S. Kersten ¹⁷¹, B.P. Kerševan ⁹³, S. Keshri ⁶⁶, L. Keszezhova ^{28a}, S. Katabchi Haghighat ¹⁵⁵,
30 M. Khandoga ¹²⁷, A. Khanov ¹²¹, A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁸, T.J. Khoo ¹⁸,
31 G. Khoriauli ¹⁶⁶, J. Khubua ^{149b}, Y.A.R. Khwaira ⁶⁶, M. Kiehn ³⁶, A. Kilgallon ¹²³, D.W. Kim ^{47a,47b},
32 E. Kim ¹⁵⁴, Y.K. Kim ³⁹, N. Kimura ⁹⁶, A. Kirchhoff ⁵⁵, D. Kirchmeier ⁵⁰, C. Kirfel ²⁴, J. Kirk ¹³⁴,
33 A.E. Kiryunin ¹¹⁰, T. Kishimoto ¹⁵³, D.P. Kisliuk ¹⁵⁵, C. Kitsaki ¹⁰, O. Kivernyk ²⁴, M. Klassen ^{63a}, C. Klein ³⁴,
34 L. Klein ¹⁶⁶, M.H. Klein ¹⁰⁶, M. Klein ⁹², S.B. Klein ⁵⁶, U. Klein ⁹², P. Klimek ³⁶, A. Klimentov ²⁹,
35 F. Klimpel ¹¹⁰, T. Klioutchnikova ³⁶, P. Kluit ¹¹⁴, S. Kluth ¹¹⁰, E. Knerner ⁷⁹, T.M. Knight ¹⁵⁵, A. Knue ⁵⁴,
36 D. Kobayashi ⁸⁹, R. Kobayashi ⁸⁷, M. Kocian ¹⁴³, P. Kodyš ¹³³, D.M. Koeck ¹⁴⁶, P.T. Koenig ²⁴, T. Koffas ³⁴,
37 M. Kolb ¹³⁵, I. Koletsou ⁴, T. Komarek ¹²², K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁸, N. Konstantinidis ⁹⁶,
38 B. Konya ⁹⁸, R. Kopeliansky ⁶⁸, S. Koperny ^{85a}, K. Korcyl ⁸⁶, K. Kordas ^{152,f}, G. Koren ¹⁵¹, A. Korn ⁹⁶,
39 S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹⁴, O. Kortner ¹¹⁰, S. Kortner ¹¹⁰, W.H. Kostecka ¹¹⁵,
40 V.V. Kostyukhin ¹⁴¹, A. Kotsokechagia ¹³⁵, A. Kotwal ⁵¹, A. Koulouris ³⁶,
41 A. Kourkoumeli-Charalampidi ^{73a,73b}, C. Kourkoumelis ⁹, E. Kourlitis ⁶, O. Kovanda ¹⁴⁶, R. Kowalewski ¹⁶⁵,
42 W. Kozanecki ¹³⁵, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹³, P. Kramer ¹⁰⁰, M.W. Krasny ¹²⁷,
43 A. Krasznahorkay ³⁶, J.A. Kremer ¹⁰⁰, T. Kresse ⁵⁰, J. Kretzschmar ⁹², K. Kreul ¹⁸, P. Krieger ¹⁵⁵,
44 S. Krishnamurthy ¹⁰³, M. Krivos ¹³³, K. Krizka ^{17a}, K. Kroeninger ⁴⁹, H. Kroha ¹¹⁰, J. Kroll ¹³¹, J. Kroll ¹²⁸,
45 K.S. Krowpman ¹⁰⁷, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹, J.A. Krzysiak ⁸⁶,
46 O. Kuchinskaia ³⁷, S. Kuday ^{3a}, D. Kuechler ⁴⁸, J.T. Kuechler ⁴⁸, S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸,
47 V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a}, S. Kuleshov ^{137d,137b}, M. Kumar ^{33g}, N. Kumari ¹⁰², A. Kupco ¹³¹,
48 T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸⁴, L.L. Kurchaninov ^{156a}, Y.A. Kurochkin ³⁷,
49 A. Kurova ³⁷, M. Kuze ¹⁵⁴, A.K. Kvam ¹⁰³, J. Kvita ¹²², T. Kwan ¹⁰⁴, K.W. Kwok ^{64a}, N.G. Kyriacou ¹⁰⁶,
50 L.A.O. Laatu ¹⁰², C. Lacasta ¹⁶³, F. Lacava ^{75a,75b}, H. Lacker ¹⁸, D. Lacour ¹²⁷, N.N. Lad ⁹⁶, E. Ladygin ³⁸,
51 B. Laforge ¹²⁷, T. Lagouri ^{137e}, S. Lai ⁵⁵, I.K. Lakomiec ^{85a}, N. Lalloue ⁶⁰, J.E. Lambert ¹²⁰, S. Lammers ⁶⁸,
52 W. Lampl ⁷, C. Lampoudis ^{152,f}, A.N. Lancaster ¹¹⁵, E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁴,
53 V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰³, A.J. Lankford ¹⁶⁰, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{73a},

- 1 A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁵, T. Lari ^{71a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³¹,
 2 A. Laudrain ¹⁰⁰, A. Laurier ¹⁵⁰, S.D. Lawlor ⁹⁵, Z. Lawrence ¹⁰¹, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰¹, B. Leban ⁹³,
 3 A. Lebedev ⁸¹, M. LeBlanc ³⁶, T. LeCompte ⁶, F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁶, G.R. Lee ¹⁶, S.C. Lee ¹⁴⁸,
 4 S. Lee ^{47a,47b}, T.F. Lee ⁹², L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁵, M. Lefebvre ¹⁶⁵, C. Leggett ^{17a}, K. Lehmann ¹⁴²,
 5 G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰³, A. Leisos ^{152,t}, M.A.L. Leite ^{82c}, C.E. Leitgeb ⁴⁸,
 6 R. Leitner ¹³³, K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴⁴, C. Leroy ¹⁰⁸,
 7 R. Les ¹⁰⁷, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁶, L.J. Levinson ¹⁶⁹, M.P. Lewicki ⁸⁶,
 8 D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁸,
 9 L. Li ^{62c}, M. Li ^{14a,14d}, Q.Y. Li ^{62a}, S. Li ^{14a,14d}, S. Li ^{62d,62c,e}, T. Li ^{62b}, X. Li ¹⁰⁴, Z. Li ^{62b}, Z. Li ¹²⁶, Z. Li ¹⁰⁴,
 10 Z. Li ⁹², Z. Li ^{14a,14d}, Z. Liang ^{14a}, M. Liberatore ⁴⁸, B. Liberti ^{76a}, K. Lie ^{64c}, J. Lieber Marin ^{82b}, H. Lien ⁶⁸,
 11 K. Lin ¹⁰⁷, R.A. Linck ⁶⁸, R.E. Lindley ⁷, J.H. Lindon ², A. Linss ⁴⁸, E. Lipeles ¹²⁸, A. Lipniacka ¹⁶, A. Lister ¹⁶⁴,
 12 J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴², D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a},
 13 M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,138,62c}, X. Liu ^{62a}, Y. Liu ^{14c,14d}, Y.L. Liu ¹⁰⁶, Y.W. Liu ^{62a}, M. Livan ^{73a,73b},
 14 J. Llorente Merino ¹⁴², S.L. Lloyd ⁹⁴, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, S. Loffredo ^{76a,76b}, T. Lohse ¹⁸,
 15 K. Lohwasser ¹³⁹, E. Loiacono ⁴⁸, M. Lokajicek ¹³¹, J.D. Long ¹⁶², I. Longarini ¹⁶⁰, L. Longo ^{70a,70b},
 16 R. Longo ¹⁶², I. Lopez Paz ⁶⁷, A. Lopez Solis ⁴⁸, J. Lorenz ¹⁰⁹, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁹,
 17 X. Lou ^{47a,47b}, X. Lou ^{14a,14d}, A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹¹, J.J. Lozano Bahilo ¹⁶³, G. Lu ^{14a,14d},
 18 M. Lu ⁸⁰, S. Lu ¹²⁸, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁸, C. Luci ^{75a,75b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰, F. Luehring ⁶⁸,
 19 I. Luise ¹⁴⁵, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴⁴, B. Lund-Jensen ¹⁴⁴, N.A. Luongo ¹²³, M.S. Lutz ¹⁵¹,
 20 D. Lynn ²⁹, H. Lyons ⁹², R. Lysak ¹³¹, E. Lytken ⁹⁸, F. Lyu ^{14a}, V. Lyubushkin ³⁸, T. Lyubushkina ³⁸,
 21 M.M. Lyukova ¹⁴⁵, H. Ma ²⁹, L.L. Ma ^{62b}, Y. Ma ⁹⁶, D.M. Mac Donell ¹⁶⁵, G. Maccarrone ⁵³,
 22 J.C. MacDonald ¹³⁹, R. Madar ⁴⁰, W.F. Mader ⁵⁰, J. Maeda ⁸⁴, T. Maeno ²⁹, M. Maerker ⁵⁰, H. Maguire ¹³⁹,
 23 D.J. Mahon ⁴¹, A. Maio ^{130a,130b,130d}, K. Maj ^{85a}, O. Majersky ⁴⁸, S. Majewski ¹²³, N. Makovec ⁶⁶,
 24 V. Maksimovic ¹⁵, B. Malaescu ¹²⁷, Pa. Malecki ⁸⁶, V.P. Maleev ³⁷, F. Malek ⁶⁰, D. Malito ^{43b,43a}, U. Mallik ⁸⁰,
 25 C. Malone ³², S. Maltezos ¹⁰, S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{73a,73b},
 26 J.P. Mandalia ⁹⁴, I. Mandić ⁹³, L. Manhaes de Andrade Filho ^{82a}, I.M. Maniatis ¹⁶⁹, J. Manjarres Ramos ⁵⁰,
 27 D.C. Mankad ¹⁶⁹, A. Mann ¹⁰⁹, B. Mansoulie ¹³⁵, S. Manzoni ³⁶, A. Marantis ¹⁵², G. Marchiori ⁵,
 28 M. Marcisovsky ¹³¹, C. Marcon ^{71a,71b}, M. Marinescu ²⁰, M. Marjanovic ¹²⁰, E.J. Marshall ⁹¹, Z. Marshall ^{17a},
 29 S. Marti-Garcia ¹⁶³, T.A. Martin ¹⁶⁷, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{75a,75b},
 30 M. Martinez ^{13,u}, P. Martinez Agullo ¹⁶³, V.I. Martinez Outschoorn ¹⁰³, P. Martinez Suarez ¹³,
 31 S. Martin-Haugh ¹³⁴, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁶, A. Marzin ³⁶, S.R. Maschek ¹¹⁰,
 32 D. Mascione ^{78a,78b}, L. Masetti ¹⁰⁰, T. Mashimo ¹⁵³, J. Masik ¹⁰¹, A.L. Maslennikov ³⁷, L. Massa ^{23b},
 33 P. Massarotti ^{72a,72b}, P. Mastrandrea ^{74a,74b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵³, T. Mathisen ¹⁶¹,
 34 N. Matsuzawa ¹⁵³, J. Maurer ^{27b}, B. Maček ⁹³, D.A. Maximov ³⁷, R. Mazini ¹⁴⁸, I. Maznas ^{152,f}, M. Mazza ¹⁰⁷,
 35 S.M. Mazza ¹³⁶, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰⁴, S.P. Mc Kee ¹⁰⁶, E.F. McDonald ¹⁰⁵, A.E. McDougall ¹¹⁴,
 36 J.A. McFayden ¹⁴⁶, G. Mchedlidze ^{149b}, R.P. Mckenzie ^{33g}, T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁶,
 37 K.D. McLean ¹⁶⁵, S.J. McMahon ¹³⁴, P.C. McNamara ¹⁰⁵, C.M. Mcpartland ⁹², R.A. McPherson ^{165,x},
 38 T. Megy ⁴⁰, S. Mehlhase ¹⁰⁹, A. Mehta ⁹², B. Meirose ⁴⁵, D. Melini ¹⁵⁰, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵,
 39 F. Meloni ⁴⁸, E.D. Mendes Gouveia ^{130a}, A.M. Mendes Jacques Da Costa ²⁰, H.Y. Meng ¹⁵⁵, L. Meng ⁹¹,
 40 S. Menke ¹¹⁰, M. Mentink ³⁶, E. Meoni ^{43b,43a}, C. Merlassino ¹²⁶, L. Merola ^{72a,72b}, C. Meroni ^{71a},
 41 G. Merz ¹⁰⁶, O. Meshkov ³⁷, J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁸, J.-P. Meyer ¹³⁵, M. Michetti ¹⁸,
 42 R.P. Middleton ¹³⁴, L. Mijović ⁵², G. Mikenberg ¹⁶⁹, M. Mikestikova ¹³¹, M. Mikuž ⁹³, H. Mildner ¹³⁹,
 43 A. Milic ³⁶, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁹, D.A. Milstead ^{47a,47b}, T. Min ^{14c},
 44 A.A. Minaenko ³⁷, I.A. Minashvili ^{149b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁷, B. Mindur ^{85a}, M. Mineev ³⁸, Y. Mino ⁸⁷,
 45 L.M. Mir ¹³, M. Miralles Lopez ¹⁶³, M. Mironova ¹²⁶, M.C. Missio ¹¹³, T. Mitani ¹⁶⁸, A. Mitra ¹⁶⁷,
 46 V.A. Mitsou ¹⁶³, O. Miu ¹⁵⁵, P.S. Miyagawa ⁹⁴, Y. Miyazaki ⁸⁹, A. Mizukami ⁸³, J.U. Mjörnmark ⁹⁸,
 47 T. Mkrtchyan ^{63a}, M. Mlinarevic ⁹⁶, T. Mlinarevic ⁹⁶, M. Mlynarikova ³⁶, T. Moa ^{47a,47b}, S. Mobius ⁵⁵,
 48 K. Mochizuki ¹⁰⁸, P. Moder ⁴⁸, P. Mogg ¹⁰⁹, A.F. Mohammed ^{14a,14d}, S. Mohapatra ⁴¹, G. Mokgatitswane ^{33g},
 49 B. Mondal ¹⁴¹, S. Mondal ¹³², K. Mönig ⁴⁸, E. Monnier ¹⁰², L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ⁸³,
 50 M. Montella ¹¹⁹, F. Monticelli ⁹⁰, N. Morange ⁶⁶, A.L. Moreira De Carvalho ^{130a}, M. Moreno Llácer ¹⁶³,
 51 C. Moreno Martinez ⁵⁶, P. Morettini ^{57b}, S. Morgenstern ¹⁶⁷, M. Morii ⁶¹, M. Morinaga ¹⁵³, A.K. Morley ³⁶,
 52 F. Morodei ^{75a,75b}, L. Morvaj ³⁶, P. Moschovakos ³⁶, B. Moser ³⁶, M. Mosidze ^{149b}, T. Moskalets ⁵⁴,
 53 P. Moskvitina ¹¹³, J. Moss ^{31,0}, E.J.W. Moyse ¹⁰³, O. Mtintsilana ^{33g}, S. Muanza ¹⁰², J. Mueller ¹²⁹,
 54 1

- 1 D. Muenstermann ⁹¹, R. Müller ¹⁹, G.A. Mullier ¹⁶¹, J.J. Mullin ¹²⁸, D.P. Mungo ¹⁵⁵, J.L. Munoz Martinez ¹³,
2 D. Munoz Perez ¹⁶³, F.J. Munoz Sanchez ¹⁰¹, M. Murin ¹⁰¹, W.J. Murray ^{167,134}, A. Murrone ^{71a,71b},
3 J.M. Muse ¹²⁰, M. Muškinja ^{17a}, C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸, A.A. Myers ¹²⁹, G. Myers ⁶⁸,
4 M. Myska ¹³², B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, A. Nag ⁵⁰, K. Nagai ¹²⁶, K. Nagano ⁸³, J.L. Nagle ^{29,ag},
5 E. Nagy ¹⁰², A.M. Nairz ³⁶, Y. Nakahama ⁸³, K. Nakamura ⁸³, H. Nanjo ¹²⁴, R. Narayan ⁴⁴,
6 E.A. Narayanan ¹¹², I. Naryshkin ³⁷, M. Naseri ³⁴, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶³,
7 R. Nayak ¹⁵¹, A. Nayaz ¹⁸, P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸, L. Nedic ¹²⁶, T.J. Neep ²⁰, A. Negri ^{73a,73b},
8 M. Negrini ^{23b}, C. Nellist ¹¹³, C. Nelson ¹⁰⁴, K. Nelson ¹⁰⁶, S. Nemecek ¹³¹, M. Nessi ^{36,i}, M.S. Neubauer ¹⁶²,
9 F. Neuhaus ¹⁰⁰, J. Neundorf ⁴⁸, R. Newhouse ¹⁶⁴, P.R. Newman ²⁰, C.W. Ng ¹²⁹, Y.S. Ng ¹⁸, Y.W.Y. Ng ⁴⁸,
10 B. Ngair ^{35e}, H.D.N. Nguyen ¹⁰⁸, R.B. Nickerson ¹²⁶, R. Nicolaïdou ¹³⁵, J. Nielsen ¹³⁶, M. Niemeyer ⁵⁵,
11 N. Nikiforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁷, K. Nikolopoulos ²⁰, P. Nilsson ²⁹, I. Ninca ⁴⁸,
12 H.R. Nindhito ⁵⁶, G. Ninio ¹⁵¹, A. Nisati ^{75a}, N. Nishu ², R. Nisius ¹¹⁰, J-E. Nitschke ⁵⁰, E.K. Nkadameng ^{33g},
13 S.J. Noacco Rosende ⁹⁰, T. Nobe ¹⁵³, D.L. Noel ³², Y. Noguchi ⁸⁷, T. Nommensen ¹⁴⁷, M.A. Nomura ²⁹,
14 M.B. Norfolk ¹³⁹, R.R.B. Norisam ⁹⁶, B.J. Norman ³⁴, J. Novak ⁹³, T. Novak ⁴⁸, O. Novgorodova ⁵⁰,
15 L. Novotny ¹³², R. Novotny ¹¹², L. Nozka ¹²², K. Ntekas ¹⁶⁰, N.M.J. Nunes De Moura Junior ^{82b}, E. Nurse ⁹⁶,
16 F.G. Oakham ^{34,ad}, J. Ocariz ¹²⁷, A. Ochi ⁸⁴, I. Ochoa ^{130a}, S. Oerdekk ¹⁶¹, J.T. Offermann ³⁹, A. Ogrodnik ^{85a},
17 A. Oh ¹⁰¹, C.C. Ohm ¹⁴⁴, H. Oide ⁸³, R. Oishi ¹⁵³, M.L. Ojeda ⁴⁸, Y. Okazaki ⁸⁷, M.W. O'Keefe ⁹²,
18 Y. Okumura ¹⁵³, A. Olariu ^{27b}, L.F. Oleiro Seabra ^{130a}, S.A. Olivares Pino ^{137e}, D. Oliveira Damazio ²⁹,
19 D. Oliveira Goncalves ^{82a}, J.L. Oliver ¹⁶⁰, M.J.R. Olsson ¹⁶⁰, A. Olszewski ⁸⁶, J. Olszowska ^{86,*}, Ö.O. Öncel ⁵⁴,
20 D.C. O'Neil ¹⁴², A.P. O'Neill ¹⁹, A. Onofre ^{130a,130e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁹⁰,
21 D. Orestano ^{77a,77b}, N. Orlando ¹³, R.S. Orr ¹⁵⁵, V. O'Shea ⁵⁹, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰,
22 H. Otono ⁸⁹, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ^{29,ag}, F. Ould-Saada ¹²⁵, M. Owen ⁵⁹,
23 R.E. Owen ¹³⁴, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, N. Ozturk ⁸, S. Ozturk ^{21d}, J. Pacalt ¹²², H.A. Pacey ³²,
24 K. Pachal ⁵¹, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{75a,75b}, S. Pagan Griso ^{17a},
25 G. Palacino ⁶⁸, A. Palazzo ^{70a,70b}, S. Palestini ³⁶, J. Pan ¹⁷², T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹⁴,
26 J.G. Panduro Vazquez ⁹⁵, H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{69a,69c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁸,
27 S. Parajuli ⁴⁴, A. Paramonov ⁶, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, T.H. Park ¹⁵⁵,
28 M.A. Parker ³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁵, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴,
29 B. Pascual Dias ¹⁰⁸, L. Pascual Dominguez ¹⁵¹, V.R. Pascuzzi ^{17a}, F. Pasquali ¹¹⁴, E. Pasqualucci ^{75a},
30 S. Passaggio ^{57b}, F. Pastore ⁹⁵, P. Pasuwan ^{47a,47b}, P. Patel ⁸⁶, J.R. Pater ¹⁰¹, T. Pauly ³⁶, J. Pearkes ¹⁴³,
31 M. Pedersen ¹²⁵, R. Pedro ^{130a}, T. Peiffer ⁵⁵, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵², C. Peng ^{64b},
32 H. Peng ^{62a}, K.E. Penski ¹⁰⁹, M. Penzin ³⁷, B.S. Peralva ^{82d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b},
33 D.V. Perepelitsa ^{29,ag}, E. Perez Codina ^{156a}, M. Perganti ¹⁰, L. Perini ^{71a,71b,*}, H. Pernegger ³⁶, S. Perrella ³⁶,
34 A. Perrevoort ¹¹³, O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰¹, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰²,
35 V. Petousis ¹³², C. Petridou ^{152,f}, A. Petrukhin ¹⁴¹, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷,
36 K. Petukhova ¹³³, A. Peyaud ¹³⁵, R. Pezoa ^{137f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷², T.M. Pham ¹⁷⁰, T. Pham ¹⁰⁵,
37 P.W. Phillips ¹³⁴, M.W. Phipps ¹⁶², G. Piacquadio ¹⁴⁵, E. Pianori ^{17a}, F. Piazza ^{71a,71b}, R. Piegaia ³⁰,
38 D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰¹, M. Pinamonti ^{69a,69c}, J.L. Pinfold ², B.C. Pinheiro Pereira ^{130a},
39 C. Pitman Donaldson ⁹⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{76a,76b}, A. Pizzini ¹¹⁴, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴,
40 V. Pleskot ¹³³, E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁸, L. Poggioli ¹²⁷, I. Pogrebnyak ¹⁰⁷, D. Pohl ²⁴,
41 I. Pokharel ⁵⁵, S. Polacek ¹³³, G. Polesello ^{73a}, A. Poley ^{142,156a}, R. Polifka ¹³², A. Polini ^{23b}, C.S. Pollard ¹⁶⁷,
42 Z.B. Pollock ¹¹⁹, V. Polychronakos ²⁹, E. Pompa Pacchi ^{75a,75b}, D. Ponomarenko ¹¹³, L. Pontecorvo ³⁶,
43 S. Popa ^{27a}, G.A. Popeneciu ^{27d}, D.M. Portillo Quintero ^{156a}, S. Pospisil ¹³², P. Postolache ^{27c},
44 K. Potamianos ¹²⁶, P.P. Potepa ^{85a}, I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸, J. Poveda ¹⁶³,
45 M.E. Pozo Astigarraga ³⁶, A. Prades Ibanez ¹⁶³, M.M. Prapa ⁴⁶, J. Pretel ⁵⁴, D. Price ¹⁰¹, M. Primavera ^{70a},
46 M.A. Principe Martin ⁹⁹, R. Privara ¹²², M.L. Proffitt ¹³⁸, N. Proklova ¹²⁸, K. Prokofiev ^{64c}, G. Proto ^{76a,76b},
47 S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{85a}, J.E. Puddefoot ¹³⁹, D. Pudzha ³⁷, P. Puzo ⁶⁶,
48 D. Pyatiibyantseva ³⁷, J. Qian ¹⁰⁶, D. Qichen ¹⁰¹, Y. Qin ¹⁰¹, T. Qiu ⁹⁴, A. Quadt ⁵⁵,
49 M. Queitsch-Maitland ¹⁰¹, G. Quetant ⁵⁶, G. Rabanal Bolanos ⁶¹, D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b},
50 J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹, E. Ramakoti ³⁷, K. Ran ^{48,14d}, N.P. Rapheeza ^{33g},
51 V. Raskina ¹²⁷, D.F. Rassloff ^{63a}, S. Rave ¹⁰⁰, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁹, M. Raymond ³⁶, A.L. Read ¹²⁵,
52 N.P. Readioff ¹³⁹, D.M. Rebuzzi ^{73a,73b}, G. Redlinger ²⁹, K. Reeves ⁴⁵, J.A. Reidelsturz ¹⁷¹, D. Reikher ¹⁵¹,
53 A. Rej ¹⁴¹, C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b}, M.B. Rendel ¹¹⁰, F. Renner ⁴⁸, A.G. Rennie ⁵⁹,
54 60 61 62 63 64 65 66

- 1 S. Resconi ^{71a}, M. Ressegotti ^{57b,57a}, E.D. Ressegueie ^{17a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁷, B. Reynolds ¹¹⁹,
2 E. Reynolds ^{17a}, M. Rezaei Estabragh ¹⁷¹, O.L. Rezanova ³⁷, P. Reznicek ¹³³, N. Ribaric ⁹¹, E. Ricci ^{78a,78b},
3 R. Richter ¹¹⁰, S. Richter ^{47a,47b}, E. Richter-Was ^{85b}, M. Ridel ¹²⁷, S. Ridouani ^{35d}, P. Rieck ¹¹⁷, P. Riedler ³⁶,
4 M. Rijssenbeek ¹⁴⁵, A. Rimoldi ^{73a,73b}, M. Rimoldi ⁴⁸, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹, M.P. Rinnagel ¹⁰⁹,
5 G. Ripellino ¹⁶¹, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁵, F. Rizatdinova ¹²¹, E. Rizvi ⁹⁴, C. Rizzi ⁵⁶,
6 B.A. Roberts ¹⁶⁷, B.R. Roberts ^{17a}, S.H. Robertson ^{104,x}, M. Robin ⁴⁸, D. Robinson ³²,
7 C.M. Robles Gajardo ^{137f}, M. Robles Manzano ¹⁰⁰, A. Robson ⁵⁹, A. Rocchi ^{76a,76b}, C. Roda ^{74a,74b},
8 S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ^{156b},
9 S. Roe ³⁶, J.T. Roemer ¹⁶⁰, A.R. Roepe-Gier ¹³⁶, J. Roggel ¹⁷¹, O. Røhne ¹²⁵, R.A. Rojas ¹⁰³, B. Roland ⁵⁴,
10 C.P.A. Roland ⁶⁸, J. Roloff ²⁹, A. Romaniouk ³⁷, E. Romano ^{73a,73b}, M. Romano ^{23b},
11 A.C. Romero Hernandez ¹⁶², N. Rompotis ⁹², L. Roos ¹²⁷, S. Rosati ^{75a}, B.J. Rosser ³⁹, E. Rossi ⁴,
12 E. Rossi ^{72a,72b}, L.P. Rossi ^{57b}, L. Rossini ⁴⁸, R. Rosten ¹¹⁹, M. Rotaru ^{27b}, B. Rottler ⁵⁴, C. Rougier ¹⁰²,
13 D. Rousseau ⁶⁶, D. Rousso ³², G. Rovelli ^{73a,73b}, A. Roy ¹⁶², S. Roy-Garand ¹⁵⁵, A. Rozanov ¹⁰², Y. Rozen ¹⁵⁰,
14 X. Ruan ^{33g}, A. Rubio Jimenez ¹⁶³, A.J. Ruby ⁹², V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, F. Rühr ⁵⁴,
15 A. Ruiz-Martinez ¹⁶³, A. Rummler ³⁶, Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁵, J.P. Rutherford ⁷,
16 K. Rybacki ⁹¹, M. Rybar ¹³³, E.B. Rye ¹²⁵, A. Ryzhov ³⁷, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶³,
17 L. Sabetta ^{75a,75b}, H.F-W. Sadrozinski ¹³⁶, F. Safai Tehrani ^{75a}, B. Safarzadeh Samani ¹⁴⁶, M. Safdari ¹⁴³,
18 S. Saha ¹⁰⁴, M. Sahinsoy ¹¹⁰, M. Saimpert ¹³⁵, M. Saito ¹⁵³, T. Saito ¹⁵³, D. Salamani ³⁶,
19 G. Salamanna ^{77a,77b}, A. Salnikov ¹⁴³, J. Salt ¹⁶³, A. Salvador Salas ¹³, D. Salvatore ^{43b,43a}, F. Salvatore ¹⁴⁶,
20 A. Salzburger ³⁶, D. Sammel ⁵⁴, D. Sampsonidis ^{152,f}, D. Sampsonidou ^{62d,62c}, J. Sánchez ¹⁶³,
21 A. Sanchez Pineda ⁴, V. Sanchez Sebastian ¹⁶³, H. Sandaker ¹²⁵, C.O. Sander ⁴⁸, J.A. Sandesara ¹⁰³,
22 M. Sandhoff ¹⁷¹, C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁴, T. Sano ⁸⁷, A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰,
23 H. Santos ^{130a,130b}, S.N. Santpur ^{17a}, A. Santra ¹⁶⁹, K.A. Saoucha ¹³⁹, J.G. Saraiva ^{130a,130d}, J. Sardain ⁷,
24 O. Sasaki ⁸³, K. Sato ¹⁵⁷, C. Sauer ^{63b}, F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{155,ad}, R. Sawada ¹⁵³,
25 C. Sawyer ¹³⁴, L. Sawyer ⁹⁷, I. Sayago Galvan ¹⁶³, C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁶,
26 J. Schaarschmidt ¹³⁸, P. Schacht ¹¹⁰, D. Schaefer ³⁹, U. Schäfer ¹⁰⁰, A.C. Schaffer ^{66,44}, D. Schaile ¹⁰⁹,
27 R.D. Schamberger ¹⁴⁵, E. Schanet ¹⁰⁹, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷, D. Scheirich ¹³³,
28 F. Schenck ¹⁸, M. Schernau ¹⁶⁰, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, Z.M. Schillaci ²⁶, E.J. Schioppa ^{70a,70b},
29 M. Schioppa ^{43b,43a}, B. Schlag ¹⁰⁰, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷¹, M.A. Schmidt ¹⁷¹,
30 K. Schmieden ¹⁰⁰, C. Schmitt ¹⁰⁰, S. Schmitt ⁴⁸, L. Schoeffel ¹³⁵, A. Schoening ^{63b}, P.G. Scholer ⁵⁴,
31 E. Schopf ¹²⁶, M. Schott ¹⁰⁰, J. Schovancova ³⁶, S. Schramm ⁵⁶, F. Schroeder ¹⁷¹, H-C. Schultz-Coulon ^{63a},
32 M. Schumacher ⁵⁴, B.A. Schumm ¹³⁶, Ph. Schune ¹³⁵, H.R. Schwartz ¹³⁶, A. Schwartzman ¹⁴³,
33 T.A. Schwarz ¹⁰⁶, Ph. Schwemling ¹³⁵, R. Schwienhorst ¹⁰⁷, A. Sciandra ¹³⁶, G. Sciolla ²⁶, F. Scuri ^{74a},
34 F. Scutti ¹⁰⁵, C.D. Sebastiani ⁹², K. Sedlaczek ⁴⁹, P. Seema ¹⁸, S.C. Seidel ¹¹², A. Seiden ¹³⁶, B.D. Seidlitz ⁴¹,
35 C. Seitz ⁴⁸, J.M. Seixas ^{82b}, G. Sekhniaidze ^{72a}, S.J. Sekula ⁴⁴, L. Selem ⁴, N. Semprini-Cesari ^{23b,23a}, S. Sen ⁵¹,
36 D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶³, L. Serin ⁶⁶, L. Serkin ^{69a,69b}, M. Sessa ^{77a,77b}, H. Severini ¹²⁰,
37 F. Sforza ^{57b,57a}, A. Sfyrla ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴⁴, J.D. Shahinian ¹²⁸, D. Shaked Renous ¹⁶⁹,
38 L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶, A.S. Sharma ¹⁶⁴, P. Sharma ⁸⁰, S. Sharma ⁴⁸, P.B. Shatalov ³⁷,
39 K. Shaw ¹⁴⁶, S.M. Shaw ¹⁰¹, Q. Shen ^{62c,5}, P. Sherwood ⁹⁶, L. Shi ⁹⁶, C.O. Shimmin ¹⁷², Y. Shimogama ¹⁶⁸,
40 J.D. Shinner ⁹⁵, I.P.J. Shipsey ¹²⁶, S. Shirabe ⁶⁰, M. Shiyakova ³⁸, J. Shlomi ¹⁶⁹, M.J. Shochet ³⁹, J. Shojaii ¹⁰⁵,
41 D.R. Shope ¹²⁵, S. Shrestha ^{119,ah}, E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁵, P. Sicho ¹³¹, A.M. Sickles ¹⁶²,
42 E. Sideras Haddad ^{33g}, A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{85a}, F. Sili ⁹⁰, J.M. Silva ²⁰,
43 M.V. Silva Oliveira ³⁶, S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹, H. Simpson ¹⁴⁶,
44 L.R. Simpson ¹⁰⁶, N.D. Simpson ⁹⁸, S. Simsek ^{21d}, S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁵, S. Singh ¹⁴², S. Singh ¹⁵⁵,
45 S. Sinha ⁴⁸, S. Sinha ^{33g}, M. Sioli ^{23b,23a}, I. Siral ³⁶, S.Yu. Sivoklokov ^{37,*}, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵,
46 E. Skorda ⁹⁸, P. Skubic ¹²⁰, M. Slawinska ⁸⁶, V. Smakhtin ¹⁶⁹, B.H. Smart ¹³⁴, J. Smiesko ³⁶, S.Yu. Smirnov ³⁷,
47 Y. Smirnov ³⁷, L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁸, A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁶, J.L. Smith ⁹²,
48 R. Smith ¹⁴³, M. Smizanska ⁹¹, K. Smolek ¹³², A. Smykiewicz ⁸⁶, A.A. Snesarev ³⁷, H.L. Snoek ¹¹⁴,
49 S. Snyder ²⁹, R. Sobie ^{165,x}, A. Soffer ¹⁵¹, C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶³,
50 A.A. Solodkov ³⁷, S. Solomon ⁵⁴, A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ⁴⁰, V. Solov'yev ³⁷,
51 P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{156b}, J.M. Sonneveld ¹¹⁴, A. Sopczak ¹³², A.L. Sopio ⁹⁶, F. Sopkova ^{28b},
52 V. Sothilingam ^{63a}, S. Sottocornola ⁶⁸, R. Soualah ^{116b}, Z. Soumaimi ^{35e}, D. South ⁴⁸, S. Spagnolo ^{70a,70b},
53 M. Spalla ¹¹⁰, F. Spanò ⁹⁵, D. Sperlich ⁵⁴, G. Spigo ³⁶, M. Spina ¹⁴⁶, S. Spinali ⁹¹, D.P. Spiteri ⁵⁹,

- 1 M. Spousta ¹³³, E.J. Staats ³⁴, A. Stabile ^{71a,71b}, R. Stamen ^{63a}, M. Stamenkovic ¹¹⁴, A. Stampekkis ²⁰,
2 M. Standke ²⁴, E. Stanecka ⁸⁶, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁶,
3 B. Stapf ⁴⁸, E.A. Starchenko ³⁷, G.H. Stark ¹³⁶, J. Stark ¹⁰², D.M. Starko ^{156b}, P. Staroba ¹³¹, P. Starovoitov ^{63a},
4 S. Stärz ¹⁰⁴, R. Staszewski ⁸⁶, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶¹, P. Steinberg ²⁹, A.L. Steinhebel ¹²³,
5 B. Stelzer ^{142,156a}, H.J. Stelzer ¹²⁹, O. Stelzer-Chilton ^{156a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁶, G.A. Stewart ³⁶,
6 M.C. Stockton ³⁶, G. Stoica ^{27b}, M. Stolarski ^{130a}, S. Stonjek ¹¹⁰, A. Straessner ⁵⁰, J. Strandberg ¹⁴⁴,
7 S. Strandberg ^{47a,47b}, M. Strauss ¹²⁰, T. Strebler ¹⁰², P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁶, D.M. Strom ¹²³,
8 L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹²⁰, N.A. Styles ⁴⁸,
9 D. Su ¹⁴³, S. Su ^{62a}, W. Su ^{62d,138,62c}, X. Su ^{62a,66}, K. Sugizaki ¹⁵³, V.V. Sulin ³⁷, M.J. Sullivan ⁹²,
10 D.M.S. Sultan ^{78a,78b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁷, S. Sun ¹⁰⁶, S. Sun ¹⁷⁰,
11 O. Sunneborn Gudnadottir ¹⁶¹, M.R. Sutton ¹⁴⁶, M. Svatos ¹³¹, M. Swiatlowski ^{156a}, T. Swirski ¹⁶⁶,
12 I. Sykora ^{28a}, M. Sykora ¹³³, T. Sykora ¹³³, D. Ta ¹⁰⁰, K. Tackmann ^{48,v}, A. Taffard ¹⁶⁰, R. Tafirout ^{156a},
13 J.S. Tafoya Vargas ⁶⁶, R.H.M. Taibah ¹²⁷, R. Takashima ⁸⁸, K. Takeda ⁸⁴, E.P. Takeva ⁵², Y. Takubo ⁸³,
14 M. Talby ¹⁰², A.A. Talyshев ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵¹, A. Tanaka ¹⁵³, J. Tanaka ¹⁵³, R. Tanaka ⁶⁶,
15 M. Tanasini ^{57b,57a}, J. Tang ^{62c}, Z. Tao ¹⁶⁴, S. Tapia Araya ^{137f}, S. Tapprogge ¹⁰⁰,
16 A. Tarek Abouelfadl Mohamed ¹⁰⁷, S. Tarem ¹⁵⁰, K. Tariq ^{62b}, G. Tarna ^{102,27b}, G.F. Tartarelli ^{71a}, P. Tas ¹³³,
17 M. Tasevsky ¹³¹, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶², G. Tateno ¹⁵³, Y. Tayalati ^{35e,w}, G.N. Taylor ¹⁰⁵, W. Taylor ^{156b},
18 H. Teagle ⁹², A.S. Tee ¹⁷⁰, R. Teixeira De Lima ¹⁴³, P. Teixeira-Dias ⁹⁵, J.J. Teoh ¹⁵⁵, K. Terashi ¹⁵³, J. Terron ⁹⁹,
19 S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{155,x}, A. Thaler ⁷⁹, O. Theiner ⁵⁶, N. Themistokleous ⁵²,
20 T. Theveneaux-Pelzer ¹⁸, O. Thielmann ¹⁷¹, D.W. Thomas ⁹⁵, J.P. Thomas ²⁰, E.A. Thompson ^{17a},
21 P.D. Thompson ²⁰, E. Thomson ¹²⁸, E.J. Thorpe ⁹⁴, Y. Tian ⁵⁵, R.E. Ticse Torres ⁵⁵, V. Tikhomirov ^{37,a},
22 Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹, P. Tipton ¹⁷², S. Tisserant ¹⁰², S.H. Tlou ^{33g}, A. Tnourji ⁴⁰,
23 K. Todome ^{23b,23a}, S. Todorova-Nova ¹³³, S. Todt ⁵⁰, M. Togawa ⁸³, J. Tojo ⁸⁹, S. Tokár ^{28a}, K. Tokushuku ⁸³,
24 O. Toldaiev ⁶⁸, R. Tombs ³², M. Tomoto ^{83,111}, L. Tompkins ¹⁴³, K.W. Topolnicki ^{85b}, P. Tornambe ¹⁰³,
25 E. Torrence ¹²³, H. Torres ⁵⁰, E. Torró Pastor ¹⁶³, M. Toscani ³⁰, C. Toscirci ³⁹, M. Tost ¹¹, D.R. Tovey ¹³⁹,
26 A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁶, A. Tricoli ²⁹, I.M. Trigger ^{156a}, S. Trincaz-Duvold ¹²⁷,
27 D.A. Trischuk ²⁶, B. Trocmé ⁶⁰, C. Troncon ^{71a}, L. Truong ^{33c}, M. Trzebinski ⁸⁶, A. Trzupek ⁸⁶, F. Tsai ¹⁴⁵,
28 M. Tsai ¹⁰⁶, A. Tsiamis ^{152,f}, P.V. Tsiareshka ³⁷, S. Tsigaridas ^{156a}, A. Tsirigotis ^{152,t}, V. Tsiskaridze ¹⁴⁵,
29 E.G. Tskhadadze ^{149a}, M. Tsopoulou ^{152,f}, Y. Tsujikawa ⁸⁷, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸³,
30 O. Tsur ¹⁵⁰, D. Tsybychev ¹⁴⁵, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸,
31 I. Turk Cakir ^{3a}, R. Turra ^{71a}, T. Turtuvshin ^{38,y}, P.M. Tuts ⁴¹, S. Tzamarias ^{152,f}, P. Tzanis ¹⁰, E. Tzovara ¹⁰⁰,
32 K. Uchida ¹⁵³, F. Ukegawa ¹⁵⁷, P.A. Ulloa Poblete ^{137c}, E.N. Umaka ²⁹, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹,
33 G. Unel ¹⁶⁰, J. Urban ^{28b}, P. Urquijo ¹⁰⁵, G. Usai ⁸, R. Ushioda ¹⁵⁴, M. Usman ¹⁰⁸, Z. Uysal ^{21b},
34 L. Vacavant ¹⁰², V. Vacek ¹³², B. Vachon ¹⁰⁴, K.O.H. Vadla ¹²⁵, T. Vafeiadis ³⁶, A. Vaitkus ⁹⁶,
35 C. Valderanis ¹⁰⁹, E. Valdes Santurio ^{47a,47b}, M. Valente ^{156a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶³,
36 A. Vallier ¹⁰², J.A. Valls Ferrer ¹⁶³, D.R. Van Arneman ¹¹⁴, T.R. Van Daalen ¹³⁸, P. Van Gemmeren ⁶,
37 M. Van Rijnbach ^{125,36}, S. Van Stroud ⁹⁶, I. Van Vulpen ¹¹⁴, M. Vanadia ^{76a,76b}, W. Vandelli ³⁶,
38 M. Vandebroucke ¹³⁵, E.R. Vandewall ¹²¹, D. Vannicola ¹⁵¹, L. Vannoli ^{57b,57a}, R. Vari ^{75a}, E.W. Varnes ⁷,
39 C. Varni ^{17a}, T. Varol ¹⁴⁸, D. Varouchas ⁶⁶, L. Varriale ¹⁶³, K.E. Varvell ¹⁴⁷, M.E. Vasile ^{27b}, L. Vaslin ⁴⁰,
40 G.A. Vasquez ¹⁶⁵, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰¹, M.J. Veen ¹⁰³,
41 I. Veliscek ¹²⁶, L.M. Veloce ¹⁵⁵, F. Veloso ^{130a,130c}, S. Veneziano ^{75a}, A. Ventura ^{70a,70b}, A. Verbytskyi ¹¹⁰,
42 M. Verducci ^{74a,74b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{82b}, W. Verkerke ¹¹⁴, J.C. Vermeulen ¹¹⁴,
43 C. Vernieri ¹⁴³, P.J. Verschueren ⁹⁵, M. Vessella ¹⁰³, M.C. Vetterli ^{142,ad}, A. Vgenopoulos ^{152,f},
44 N. Viaux Maira ^{137f}, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁶, L. Vigani ^{63b},
45 M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶³, E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰,
46 A. Vishwakarma ⁵², C. Vittori ³⁶, I. Vivarelli ¹⁴⁶, V. Vladimirov ¹⁶⁷, E. Voevodina ¹¹⁰, F. Vogel ¹⁰⁹,
47 P. Vokac ¹³², J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³³, K. Vorobev ³⁷, M. Vos ¹⁶³,
48 K. Voss ¹⁴¹, J.H. Vossebeld ⁹², M. Vozak ¹¹⁴, L. Vozdecky ⁹⁴, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵,
49 M. Vreeswijk ¹¹⁴, R. Vuillermet ³⁶, O. Vujinovic ¹⁰⁰, I. Vukotic ³⁹, S. Wada ¹⁵⁷, C. Wagner ¹⁰³,
50 W. Wagner ¹⁷¹, S. Wahdan ¹⁷¹, H. Wahlberg ⁹⁰, R. Wakasa ¹⁵⁷, M. Wakida ¹¹¹, V.M. Walbrecht ¹¹⁰,
51 J. Walder ¹³⁴, R. Walker ¹⁰⁹, W. Walkowiak ¹⁴¹, A.M. Wang ⁶¹, A.Z. Wang ¹⁷⁰, C. Wang ¹⁰⁰, C. Wang ^{62c},
52 H. Wang ^{17a}, J. Wang ^{64a}, R.-J. Wang ¹⁰⁰, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁸, S. Wang ^{62b}, T. Wang ^{62a},
53 W.T. Wang ⁸⁰, X. Wang ^{14c}, X. Wang ¹⁶², X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁶,
54 18

- 1 Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁶, A. Warburton ¹⁰⁴, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, H. Watson ⁵⁹,
 2 M.F. Watson ²⁰, G. Watts ¹³⁸, B.M. Waugh ⁹⁶, A.F. Webb ¹¹, C. Weber ²⁹, H.A. Weber ¹⁸, M.S. Weber ¹⁹,
 3 S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁶, A.R. Weidberg ¹²⁶, E.J. Weik ¹¹⁷, J. Weingarten ⁴⁹, M. Weirich ¹⁰⁰,
 4 C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹¹⁰, N. Wermes ²⁴,
 5 M. Wessels ^{63a}, K. Whalen ¹²³, A.M. Wharton ⁹¹, A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶⁰,
 6 L. Wickremasinghe ¹²⁴, W. Wiedemann ¹⁷⁰, C. Wiel ⁵⁰, M. Wieler ¹³⁴, C. Wiglesworth ⁴²,
 7 L.A.M. Wiik-Fuchs ⁵⁴, D.J. Wilbern ¹²⁰, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁸, S. Williams ³²,
 8 S. Willocq ¹⁰³, P.J. Windischhofer ¹²⁶, F. Winklmeier ¹²³, B.T. Winter ⁵⁴, J.K. Winter ¹⁰¹, M. Wittgen ¹⁴³,
 9 M. Wobisch ⁹⁷, R. Wölker ¹²⁶, J. Wollrath ¹⁶⁰, M.W. Wolter ⁸⁶, H. Wolters ^{130a,130c}, V.W.S. Wong ¹⁶⁴,
 10 A.F. Wongel ⁴⁸, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁶, K.W. Woźniak ⁸⁶, K. Wraight ⁵⁹, J. Wu ^{14a,14d}, M. Wu ^{64a},
 11 M. Wu ¹¹³, S.L. Wu ¹⁷⁰, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ^{135,62a}, J. Wuerzinger ¹²⁶, T.R. Wyatt ¹⁰¹, B.M. Wynne ⁵²,
 12 S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, X. Xiao ¹⁰⁶, M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14d}, J. Xiong ^{17a},
 13 I. Xiotidis ¹⁴⁶, D. Xu ^{14a}, H. Xu ^{62a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁸, T. Xu ¹⁰⁶, W. Xu ¹⁰⁶, Y. Xu ^{14b}, Z. Xu ^{62b},
 14 Z. Xu ^{14a}, B. Yabsley ¹⁴⁷, S. Yacoob ^{33a}, N. Yamaguchi ⁸⁹, Y. Yamaguchi ¹⁵⁴, H. Yamauchi ¹⁵⁷, T. Yamazaki ^{17a},
 15 Y. Yamazaki ⁸⁴, J. Yan ^{62c}, S. Yan ¹²⁶, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a}, S. Yang ^{62a}, T. Yang ^{64c},
 16 X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang ^{62a}, Z. Yang ^{62a,106}, W-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, H. Ye ⁵⁵,
 17 J. Ye ⁴⁴, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁶, I. Yeletskikh ³⁸, B.K. Yeo ^{17a}, M.R. Yexley ⁹¹, P. Yin ⁴¹, K. Yorita ¹⁶⁸,
 18 S. Younas ^{27b}, C.J.S. Young ⁵⁴, C. Young ¹⁴³, Y. Yu ^{62a}, M. Yuan ¹⁰⁶, R. Yuan ^{62b,l}, L. Yue ⁹⁶, X. Yue ^{63a},
 19 M. Zaazoua ^{35e}, B. Zabinski ⁸⁶, E. Zaid ⁵², T. Zakareishvili ^{149b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶,
 20 J.A. Zamora Saa ^{137d,137b}, J. Zang ¹⁵³, D. Zanzi ⁵⁴, O. Zaplatilek ¹³², S.V. Zeißner ⁴⁹, C. Zeitnitz ¹⁷¹,
 21 J.C. Zeng ¹⁶², D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁴, S. Zerradi ^{35a}, D. Zerwas ⁶⁶,
 22 M. Zhai ^{14a,14d}, B. Zhang ^{14c}, D.F. Zhang ¹³⁹, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14d}, L. Zhang ^{14c},
 23 P. Zhang ^{14a,14d}, R. Zhang ¹⁷⁰, S. Zhang ¹⁰⁶, T. Zhang ¹⁵³, X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5},
 24 Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁸, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁶, Z. Zhao ^{62a}, A. Zhemchugov ³⁸,
 25 X. Zheng ^{62a}, Z. Zheng ¹⁴³, D. Zhong ¹⁶², B. Zhou ¹⁰⁶, C. Zhou ¹⁷⁰, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷,
 26 C.G. Zhu ^{62b}, C. Zhu ^{14a,14d}, H.L. Zhu ^{62a}, J. Zhu ¹⁰⁶, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷,
 27 V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴¹, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶,
 28 T.G. Zorbas ¹³⁹, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalski ³⁶

¹ Department of Physics, University of Adelaide, Adelaide; Australia² Department of Physics, University of Alberta, Edmonton AB; Canada³ (a) Department of Physics, Ankara University, Ankara; (b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing;¹⁵ University of Chinese Academy of Science (UCAS), Beijing; China¹⁶ Institute of Physics, University of Belgrade, Belgrade; Serbia¹⁷ Department for Physics and Technology, University of Bergen, Bergen; Norway¹⁸ (a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (b) University of California, Berkeley CA; United States of America¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom²¹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul;²² (a) İstinye University, Sarıyer, İstanbul; Türkiye²³ (a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia²⁴ Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (b) INFN Sezione di Bologna; Italy²⁵ Physikalisch Institut, Universität Bonn, Bonn; Germany²⁶ Department of Physics, Boston University, Boston MA; United States of America²⁷ (a) Department of Physics, Brandeis University, Waltham MA; United States of America²⁸ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (e) University Politehnica Bucharest, Bucharest; (f) West University in Timisoara, Timisoara; (g) Faculty of Physics, University of Bucharest, Bucharest; Romania²⁹ (a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic³⁰ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America³¹ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina³² California State University, CA; United States of America³³ Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom

- 1 33 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, 1
 2 Johannesburg; ^(d) National Institute of Physics, University of the Philippines Diliman (Philippines); ^(e) University of South Africa, Department of Physics, Pretoria; ^(f) University of Zululand, 2
 3 KwaDlangezwa; ^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa 3
 4 34 Department of Physics, Carleton University, Ottawa ON; Canada 4
 5 35 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; 5
 6 ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université 6
 7 Mohammed V, Rabat; ^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco 7
 8 36 CERN, Geneva; Switzerland 8
 9 37 Affiliated with an institute covered by a cooperation agreement with CERN 9
 10 38 Affiliated with an international laboratory covered by a cooperation agreement with CERN 10
 11 39 Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America 11
 12 40 LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France 12
 13 41 Nevis Laboratory, Columbia University, Irvington NY; United States of America 13
 14 42 Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark 14
 15 43 ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy 15
 16 44 Physics Department, Southern Methodist University, Dallas TX; United States of America 16
 17 45 Physics Department, University of Texas at Dallas, Richardson TX; United States of America 17
 18 46 National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece 18
 19 47 ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden 19
 20 48 Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany 20
 21 49 Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany 21
 22 50 Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany 22
 23 51 Department of Physics, Duke University, Durham NC; United States of America 23
 24 52 SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom 24
 25 53 INFN e Laboratori Nazionali di Frascati, Frascati; Italy 25
 26 54 Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany 26
 27 55 II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany 27
 28 56 Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland 28
 29 57 ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy 29
 30 58 II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany 30
 31 59 SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom 31
 32 60 LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France 32
 33 61 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America 33
 34 62 ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and 34
 35 Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong 35
 36 University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China 36
 37 63 ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany 37
 38 64 ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and 38
 39 Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China 39
 40 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan 40
 41 66 IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France 41
 42 67 Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain 42
 43 68 Department of Physics, Indiana University, Bloomington IN; United States of America 43
 44 69 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy 44
 45 70 ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy 45
 46 71 ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy 46
 47 72 ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy 47
 48 73 ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy 48
 49 74 ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy 49
 50 75 ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy 50
 51 76 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy 51
 52 77 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy 52
 53 78 ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy 53
 54 79 Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria 54
 55 80 University of Iowa, Iowa City IA; United States of America 55
 56 81 Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America 56
 57 82 ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de 57
 58 Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil 58
 59 83 KEK, High Energy Accelerator Research Organization, Tsukuba; Japan 59
 60 84 Graduate School of Science, Kobe University, Kobe; Japan 60
 61 85 ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; 61
 62 Poland 62
 63 86 Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland 63
 64 87 Faculty of Science, Kyoto University, Kyoto; Japan 64
 65 88 Kyoto University of Education, Kyoto; Japan 65
 66 89 Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan 66
 67 90 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina 67
 68 91 Physics Department, Lancaster University, Lancaster; United Kingdom 68
 69 92 Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom 69
 70 93 Department of Experimental Particle Physics, Józef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia 70
 71 94 School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom 71
 72 95 Department of Physics, Royal Holloway University of London, Egham; United Kingdom 72
 73 96 Department of Physics and Astronomy, University College London, London; United Kingdom 73
 74 97 Louisiana Tech University, Ruston LA; United States of America 74
 75 98 Fysiska institutionen, Lunds universitet, Lund; Sweden 75
 76 99 Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain 76
 77 100 Institut für Physik, Universität Mainz, Mainz; Germany 77
 78 101 School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom 78
 79 102 CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France 79
 80 103 Department of Physics, University of Massachusetts, Amherst MA; United States of America 80

1	104	Department of Physics, McGill University, Montreal QC; Canada	1
2	105	School of Physics, University of Melbourne, Victoria; Australia	2
3	106	Department of Physics, University of Michigan, Ann Arbor MI; United States of America	3
4	107	Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America	4
5	108	Group of Particle Physics, University of Montreal, Montreal QC; Canada	5
6	109	Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany	6
7	110	Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany	7
8	111	Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan	8
9	112	Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America	9
10	113	Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands	10
11	114	Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands	11
12	115	Department of Physics, Northern Illinois University, DeKalb IL; United States of America	12
13	116	(a) New York University Abu Dhabi, Abu Dhabi; (b) University of Sharjah, Sharjah; United Arab Emirates	13
14	117	Department of Physics, New York University, New York NY; United States of America	14
15	118	Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan	15
16	119	Ohio State University, Columbus OH; United States of America	16
17	120	Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America	17
18	121	Department of Physics, Oklahoma State University, Stillwater OK; United States of America	18
19	122	Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic	19
20	123	Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America	20
21	124	Graduate School of Science, Osaka University, Osaka; Japan	21
22	125	Department of Physics, University of Oslo, Oslo; Norway	22
23	126	Department of Physics, Oxford University, Oxford; United Kingdom	23
24	127	LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France	24
25	128	Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America	25
26	129	Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America	26
27	130	(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal	27
28	131	Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic	28
29	132	Czech Technical University in Prague, Prague; Czech Republic	29
30	133	Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic	30
31	134	Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom	31
32	135	IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France	32
33	136	Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America	33
34	137	(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile	34
35	138	Department of Physics, University of Washington, Seattle WA; United States of America	35
36	139	Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom	36
37	140	Department of Physics, Shinshu University, Nagano; Japan	37
38	141	Department Physik, Universität Siegen, Siegen; Germany	38
39	142	Department of Physics, Simon Fraser University, Burnaby BC; Canada	39
40	143	SLAC National Accelerator Laboratory, Stanford CA; United States of America	40
41	144	Department of Physics, Royal Institute of Technology, Stockholm; Sweden	41
42	145	Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America	42
43	146	Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom	43
44	147	School of Physics, University of Sydney, Sydney; Australia	44
45	148	Institute of Physics, Academia Sinica, Taipei; Taiwan	45
46	149	(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (c) University of Georgia, Tbilisi; Georgia	46
47	150	Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel	47
48	151	Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel	48
49	152	Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece	49
50	153	International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan	50
51	154	Department of Physics, Tokyo Institute of Technology, Tokyo; Japan	51
52	155	Department of Physics, University of Toronto, Toronto ON; Canada	52
53	156	(a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON; Canada	53
54	157	Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan	54
55	158	Department of Physics and Astronomy, Tufts University, Medford MA; United States of America	55
56	159	United Arab Emirates University, Al Ain; United Arab Emirates	56
57	160	Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America	57
58	161	Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden	58
59	162	Department of Physics, University of Illinois, Urbana IL; United States of America	59
60	163	Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia; Spain	60
61	164	Department of Physics, University of British Columbia, Vancouver BC; Canada	61
62	165	Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada	62
63	166	Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany	63
64	167	Department of Physics, University of Warwick, Coventry; United Kingdom	64
65	168	Waseda University, Tokyo; Japan	65
66	169	Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel	66
67	170	Department of Physics, University of Wisconsin, Madison WI; United States of America	67
68	171	Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany	68
69	172	Department of Physics, Yale University, New Haven CT; United States of America	69

^a Also affiliated with an institute covered by a cooperation agreement with CERN.^b Also at An-Najah National University, Nablus; Palestine.^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.^d Also at Bruno Kessler Foundation, Trento; Italy.

- 1 ^e Also at Center for High Energy Physics, Peking University; China.
2 ^f Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki ; Greece.
3 ^g Also at Centro Studi e Ricerche Enrico Fermi; Italy.
4 ^h Also at CERN, Geneva; Switzerland.
5 ⁱ Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
6 ^j Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain.
7 ^k Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
8 ^l Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
9 ^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
10 ⁿ Also at Department of Physics, California State University, East Bay; United States of America.
11 ^o Also at Department of Physics, California State University, Sacramento; United States of America.
12 ^p Also at Department of Physics, King's College London, London; United Kingdom.
13 ^q Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
14 ^r Also at Department of Physics, University of Thessaly; Greece.
15 ^s Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
16 ^t Also at Hellenic Open University, Patras; Greece.
17 ^u Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
18 ^v Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
19 ^w Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
20 ^x Also at Institute of Particle Physics (IPP); Canada.
21 ^y Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
22 ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
23 ^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
24 ^{ab} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
25 ^{ac} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
26 ^{ad} Also at TRIUMF, Vancouver BC; Canada.
27 ^{ae} Also at Università di Napoli Parthenope, Napoli; Italy.
28 ^{af} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
29 ^{ag} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
30 ^{ah} Also at Washington College, Maryland; United States of America.
31 * Deceased.

UNCORRECTED PROOF

32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66