

Editorial

Zhuang, Xiaoyu; Ribeiro Da Silva Taborda Ramos, Miguel Rui; Yang, Xue

DOI:

[10.3389/fpsyg.2022.935044](https://doi.org/10.3389/fpsyg.2022.935044)

License:

Creative Commons: Attribution (CC BY)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

Zhuang, X, Ribeiro Da Silva Taborda Ramos, MR & Yang, X 2022, 'Editorial: Current Issues of Trauma and Technology Use', *Frontiers in Psychology*, vol. 13, 935044. <https://doi.org/10.3389/fpsyg.2022.935044>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.



Editorial: Current Issues of Trauma and Technology Use

Xiaoyu Zhuang¹, Miguel Ribeiro Ramos² and Xue Yang^{3*}

¹ Sociology Research Center, School of Humanities, Jinan University, Guangzhou, China, ² Department of Social Policy, Sociology, and Criminology, University of Birmingham, Birmingham, United Kingdom, ³ School of Public Health and Primary Care, The Chinese University of Hong Kong, Hong Kong, Hong Kong SAR, China

Keywords: digital use, traumatic experience, mental health, behavioral health, addiction

Editorial on the Research Topic

Current Issues of Trauma and Technology Use

Trauma (e.g., social and environmental changes, collective traumatic events, stressful daily life events) may have short-term and long-term influences on individual behaviors and wellbeing. With the popularity of computers and smartphones, technology use plays an increasingly important role in coping with trauma and related stress. This Research Topic curated a collection of papers that are representative of current trends and advances in exploring the complex role of technology use in traumatic events.

First, Yang et al. adopted a population-based random community sample to explore the epidemiology of Internet gaming disorder (IGD) when strict COVID-19 mitigation measures were implemented in Hong Kong. The weighted prevalence of IGD was found to be 9.7%, higher than that of pre-COVID-19 research. This finding echoed other studies mostly conducted among young people during the COVID-19 pandemic. This study was also the first to empirically examine the role of post-traumatic stress resulting from repeated exposures to negative stressful events stemming from the worldwide pandemic in influencing problem technology use (PTU). Moreover, based on the Conservation of Resources Theory, they unveiled inconsistent mediating effects of two psychological statuses, boredom and loneliness, in explaining the complex mechanisms of the relationship between social media use and social media addiction.

Second, Guggisberg et al. reported a systematic review on the critical indicators of post-traumatic growth (PTG) among female victim/survivors of sexual violence. Previous studies only documented the devastating mental and physical health consequences of sexual victimization. Recent studies started to explore whether and how the female victim of sexual violence may achieve recovery and resilience indicated by PTG. The authors highlighted common themes that may contribute to PTG, including meaning-making, cognitive appraisal, having control and decision-making abilities, altruistic actions and activism, and helping other victims. Moreover, they further abstracted the themes into two superordinate topics, which were defined as “relationship to self” and “relationship to others.” They discussed how technology use may facilitate women to regain meaning by speaking out in social media and forming recovery or peer support groups in the digital community.

In the third paper, a research team from Germany (Leo et al.) reported a 12-month longitudinal study that examined the causal effects of clinically-diagnosed depression and social anxiety on Internet use disorder symptoms in children and adolescents. Positive effects were demonstrated. This study is the first to examine whether and how clinical samples may develop problematic internet use (PIU). Clinical samples may share common and different traits, states, and motives with non-clinical samples which may affect the development and manifestation of PIU. For example, maladaptive emotion regulation and maladaptive reward processing (i.e., reward

OPEN ACCESS

Edited and reviewed by:

Changiz Mohiyeddini,
Oakland University William Beaumont
School of Medicine, United States

*Correspondence:

Xue Yang
sherryxueyang@cuhk.edu.hk

Specialty section:

This article was submitted to
Health Psychology,
a section of the journal
Frontiers in Psychology

Received: 03 May 2022

Accepted: 09 May 2022

Published: 01 June 2022

Citation:

Zhuang X, Ramos MR and Yang X
(2022) Editorial: Current Issues of
Trauma and Technology Use.
Front. Psychol. 13:935044.
doi: 10.3389/fpsyg.2022.935044

deprivation) may be pivotal mechanisms explaining how internalizing disorders such as depression and anxiety might predict externalizing problems such as PIU (Leo et al.).

The last paper coined by Li et al. from Hubei, China, reported a dual mediation model that explained how peer victimization predicted problematic online game use among Chinese adolescents. Anchored in the ecological system theory, the study demonstrated that those traumatic experiences might impact adolescents' interpersonal and school systems by engendering deviant peer affiliation and jeopardizing school connectedness, which in turn resulted in PTU. The findings imply that it is important to strengthen school connectedness and improve peer relationships to reduce the possibility of problematic online game use among Chinese adolescents.

FUTURE RESEARCH DIRECTIONS

First, given the promising conducive role of using social media to regain meaning and sense of control for stigmatized groups who have experienced trauma such as female victims of sexual violence, we suggest that future studies may further explore how social media may facilitate PTG in different stigmatized groups and whether these groups are more likely to develop PTU since they may be likely to rely on social media to cope with their stress, stigma, and negative emotions. Second, efforts have been made to propose and examine critical psychosocial mechanisms at intrapersonal (e.g., psychological states, maladaptive emotion regulation) and interpersonal levels (e.g., peer affiliation, school connections) to account for the development and maintenance of PTU. Mechanisms should be explored to enrich the knowledge base of the etiology and pathology of PTU in the context of trauma. Finally, we suggest that more longitudinal studies in different age and sex

groups should be conducted to comprehensively understand the complex roles of technology use in trauma. For young females, their IGD may be a hidden and understudied problem. The “gender gaps” in gaming participation and IGD prevalence may be further narrowed due to the collective traumatic events such as the COVID-19 isolation. Whether PTU would increase during trauma and remain or drop after trauma in children vs. adults should be monitored. Such surveillance would help to understand the nature of PTU (e.g., stability over time, incidence, and remission rate), estimate healthcare service needs, and design health promotion strategies for early detection and treatment.

AUTHOR CONTRIBUTIONS

XZ and XY were responsible for paper drafting. MR was responsible for paper editing. All authors contributed to the article and approved the submitted version.

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Zhuang, Ramos and Yang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.