UNIVERSITY^{OF} BIRMINGHAM University of Birmingham Research at Birmingham

Training the gynecologic oncologists of the future

Kemah, Ben-Lawrence; Bhagat, Nanak; Pandya, Aayushi; Sullivan, Richard; Sundar, Sudha S

DOI: 10.1136/ijgc-2023-004557

License: Creative Commons: Attribution-NonCommercial (CC BY-NC)

Document Version Peer reviewed version

Citation for published version (Harvard):

Kemah, B-L, Bhagat, N, Pandya, A, Sullivan, R & Sundar, SS 2023, 'Training the gynecologic oncologists of the future: challenges and opportunities', *International Journal of Gynecological Cancer*. https://doi.org/10.1136/ijgc-2023-004557

Link to publication on Research at Birmingham portal

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)

•Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

1 2	Training the gynaecological oncologists of the future – challenges and opportunities		
3 4 5 6 7	Ben-Lawrence Kemah 1,2 *, Nanak Bhagat 3* , Aayushi Pandya 4 , Richard Sullivan 5 and Sundar 6,7		
8	Affiliations:		
9	1. Birmingham Women's and Children NHS Foundation Trust, Birmingham, UK		
10	2. Health Education and Research Organisation (HERO), Cameroon		
11	3. Aberdeen Royal Infirmary, United Kingdom		
12	4. Barts Health NHS Trust, United Kingdom		
13	5. Institute of Cancer Policy and Co-Director of the Centre for Conflict & Health Research,		
14	Kings College London, United Kingdom		
15	6. Institute of Cancer and Genomic Sciences, University of Birmingham, Birmingham,		
16	United Kingdom		
17	7. Pan Birmingham Gynaecological Cancer Centre, Sandwell and West Birmingham		
18	Hospitals NHS Trust, United Kingdom		
19	*are joint first authors		
20			
21	Author for correspondence:		
22	Professor Sudha Sundar		
23	Institute of Cancer and Genomic Sciences		
24	University of Birmingham and		
25	Hon NHS Consultant in Gynaecological Oncology		
26	Sandwell and West Birmingham Hospital, NHS Trust		

27 s.s.sundar@bham.ac.uk

Several recent advances in gynaecological cancer care have improved patient 30 outcomes. These include national screening programs for cervical cancer as well as 31 neoadjuvant chemotherapy for ovarian cancer. Conversely, these advances have 32 cumulatively reduced surgical opportunities for training creating a need to 33 supplement existing training strategies with evidence-based adjuncts. Technologies 34 such as virtual reality and augmented reality, if properly evaluated and validated, 35 have transformative potential to support training. Given the changing landscape of 36 surgical training in gynaecology oncology, we were keen to summarise the evidence 37 underpinning current training in gynaecological oncology. 38

39

In this review, we undertook a literature search of Medline, Google, Google Scholar, 40 Embase and Scopus to gather evidence on the current state of training in 41 gynaecological oncology and to highlight what evidence there is regarding the best 42 methods to teach surgical skills. Drawing from the experiences of other surgical 43 specialties, we examined the use of training adjuncts such as cadaveric dissection, 44 animation and 3D models as well as simulation training in surgical skills acquisition. 45 Specifically, we looked at the use of training adjuncts in gynaecological oncology 46 training as well as the evidence behind simulation training modalities such as low 47 fidelity box trainers, virtual and augmented reality simulation in laparoscopic 48 training. Finally, we provided context by looking at how training curriculums varied 49 internationally. 50

51

Whereas some evidence to the reliability and validity of simulation training exists in other surgical specialties, our literature review did not find such evidence in gynaecological oncology. It is important that well conducted trials are used to ascertain the utility of simulation training modalities before integrating them into training curriculums.

57 Introduction

58 Gynaecological oncologists are highly trained surgeons equipped with the 59 knowledge and skills to manage gynaecological cancers. Skills and competencies 60 required by a qualified gynaecological oncologist should be achieved through a 61 formal subspecialty or fellowship training program within a standardised and 62 quality assured training curriculum.

63

Several challenges exist in the training and acquisition of surgical skills by trainee 64 gynaecological oncologists, exacerbated by recent positive advances in cancer care. 65 Neoadjuvant chemotherapy and delayed debulking surgery has non-inferior survival 66 and lesser morbidity than primary surgery for ovarian cancer (1). Increasing 67 neoadjuvant chemotherapy use has reduced utilisation of primary debulking surgery 68 in ovarian cancer, resulting in fewer opportunities for training in surgical procedures 69 such as bowel resection, diaphragmatic stripping and splenectomy (2). Successful 70 screening and vaccination programs in high income countries have reduced cervical 71 cancer incidence, resulting in fewer cervical cancers and correspondingly reduced 72 need for Wertheim hysterectomies (3,4). Effective medical management for 73 menorrhagia and benign gynaecological conditions have resulted in fewer 74 hysterectomies being performed during general gynaecology training (5). This has 75 the potential to impact readiness for higher gynaecological oncology training 76 amongst obstetrics and gynaecology trainees. In addition, there are well 77 documented challenges to the acquisition of traditional skills in complex open 78 surgery imposed by limited surgical exposure, limited surgical case volume, as well 79 as the introduction of minimally invasive surgery (6,7). Minimally invasive surgery, 80 in addition to reducing training opportunities for open surgery, also presents a 81 distinct, steep learning curve (8). 82

83

Furthermore, existing concerns regarding gynaecological surgical training in the past decade and the resultant trainee-trainer dissatisfaction have been substantially aggravated by the disruption caused by the coronavirus (COVID-19) pandemic (9). Working hour restrictions in Europe, the United Kingdom (UK) and the United States of America (USA) alleviate trainee fatigue and reduce burnout but may also adversely impact surgical exposure (10,11).

Coinciding with fewer surgical opportunities for trainees, the present-day trainee is also confronted with a requirement for greater skill complexity (e.g., upper abdominal surgery, surgery for recurrence and a patient population with increasing frailty and comorbidities, including obesity). It is imperative, therefore, that we consider carefully how training curriculums and programs can be augmented and standardised to respond to the challenges of the modern-day cancer workload.

97

Several solutions have been proposed to address these challenges in gynaecological 98 oncology training including traditional methods, like cadaveric dissection and 99 innovative technologies such as simulation training; virtual reality for laparoscopy 100 and robotics training. Critically, it is not known whether these training methods 101 translate to real life surgical competency or improved patient outcomes, and most 102 have not been independently validated. As an exemplar for simulation training, 103 Hays et al. in their meta-analysis explored the important characteristics associated 104 with effective simulation training in the aviation industry and demonstrated that the 105 use of flight simulators combined with aircraft training led to skills improvements 106 in jet pilots compared to training with aircraft only. Training effectiveness was 107 dependent on task type, as well as the amount and type of simulation training 108 received (12). 109

110

In this narrative review, we examine the evidence for various methods of acquiring 111 the relevant surgical skills pertaining to gynaecological oncology, including 112 laparoscopic simulation training within the sub-speciality and general gynaecology. 113 We also summarise key findings, deficiencies and highlight the need for research in 114 this area to provide robust evidence by presenting examples from other surgical 115 disciplines, e.g. colorectal cancer surgery, that could be useful models for 116 gynaecological oncology. Finally, we describe gynaecological oncology 117 subspecialty training programs across high-, middle- and low-income countries. The 118 119 former aimed at providing context and highlighting disparities in training structure 120 which will need to be addressed to create high quality but resource sensitive, 121 adaptable gynaecological training curricula to tackle the global gynaecological 122 cancer challenge.

124 Methods

We conducted a literature search of PubMed (Medline), Embase, Google, Google 125 Scholar and Scopus to identify what evidence exists to underpin surgical training in 126 gynaecological oncology, general gynaecology and other surgical specialties. We 127 also searched the above databases for literature around the structure of 128 gynaecological training programs and curriculums globally across both low- and 129 middle- income countries (LMIC) and high-income countries (HIC). We included 130 recognised subspecialty training programs both under the remit of obstetrics and 131 gynaecology as well as general surgery and also included initiatives towards the 132 acquisition of gynaecological oncology skills outside of a formal subspecialty 133 program. We acknowledge there may be existing programmes we have not included 134 where we could not locate sufficient information to be included in this review. We 135 reviewed evidence to augment surgical training from related specialties, e.g., 136 colorectal, hepato-biliary and upper abdominal surgery, that can be adapted to 137 gynaecological cancer surgery. 138

139

We used search terms 'surgical training', 'train the trainer', 'cadaveric dissection course', 'upper abdominal surgery', 'colorectal surgery', 'gynae-oncology' (or related terms, i.e., each cancer in turn), 'trainees' (or related terms) and proposed modes of teaching, including 'training', 'augmented reality', 'virtual reality', 'simulation', 'haptics' and 'cadaveric dissection'. We have chosen not to include training in this review using live animal models as these methods are expensive, require infrastructure investment and are difficult to scale.

147

148 <u>Current State of Training</u>

149

Our scoping search identified two key themes from the current state of gynaecological oncology training. The first theme highlighted in an experiential survey of European gynaecological trainees related to dissatisfaction with clinical training whilst the second stressed the need for update and standardisation of training programs (13). Gan et al. summarise results from a prospective web-based survey of gynaecological oncology trainees within the European Network of Young Gynaecological Oncologists. Their results highlighted poor ratings in both training and experience in advanced laparoscopic surgical training and robotic surgical training, due to the paucity of centres offering these treatment modalities (14).

159

Lack of exposure to radical surgeries has been reported within the UK and Europe, 160 with trainee feedback highlighting the need for additional training in radical surgery 161 (15). Roque et al. in the USA discussed the challenges affecting the rapidly changing 162 field of gynaecological oncology as a surgical specialty, highlighting some of the 163 advances in surgical approaches which has led to training deficiencies. They looked 164 at challenges posed by the complexities of the American gynaecological training 165 structure such as the lack of standardisation of training as well as a workforce 166 demographic shift towards a growing number of female trainees. Trainees are 167 generally seeking a better work-life balance including time away for family 168 priorities (7). Several challenges currently in gynaecological oncology training have 169 been experienced in other surgical specialties and it will be useful to draw from their 170 experience in the early application of adjunctive strategies for training. 171

172

173 Evidence for surgical skills training

174

There are various training methods to suit a range of surgical approaches: cadaveric dissections, live animals and open simulators to guide open surgical approaches, box simulators to guide laparoscopic techniques and Virtual and Augmented reality to guide robotic approaches (16,17). It is worth discussing concepts around measuring surgical performance prior to exploring these modalities in detail.

180

181 Impact of surgical training techniques

182

Test reliability is the extent to which a modality can produce stable and consistent results. Using inbuilt tasks within virtual reality simulators, reliability can be tested by the trainee's ability to complete various psychomotor tasks and Objective Structured Assessment of Technical Skills (OSATS) that measure surgical dexterity parameters, time taken to complete task and complication rates. However, these tasks have been shown to lack reproducibility of results when completed multiple times (test-retest reliability) as well as lacking consistency of results in a standard peer review process with different trainers (inter-rater reliability). Therefore, virtual reality validation for use as part of a standard curriculum must include a follow-up of the trainee's learning curve and the use of two or more senior reviewers to establish aspects of the test reliability (18).

194

Test validity is the ability of a measuring tool to measure what it claims to measure. 195 When a test appears to measure what it purports to measure by using the right 196 parameters, then it has content and face validity. The level of sophistication of 197 modern high fidelity virtual simulators with integrated advanced virtual reality lens 198 for orientation and haptic feedback allows for easy validation of the face and content 199 validity. The test construct validity ensures a virtual reality tool actually assesses 200 surgical competencies. The construct validity of laparoscopic simulations can help 201 distinguish between surgeons of different competencies or skill levels (18). The 202 construct validity reflects the subject's ability to learn skills on the virtual reality 203 simulator that translate to real life surgical skills. Shore et al. showed that the use of 204 comprehensive simulation training amongst Obstetrics and Gynaecology trainees 205 improved technical knowledge and performance in theatre compared to 206 conventional residency training (19). The predictive validity of laparoscopic 207 simulation training is useful in determining which virtual reality skills best predict 208 patient safety, clinical outcomes and clinical performance (blood loss, instrument 209 path, and operating time) (8,20,21). 210

211

212 Adjuncts to skills training

213

Amongst the available training modalities in surgical training, there is a paucity of 214 evidence regarding the most effective method. Currently, the master-apprentice or 215 expert-guidance model is used to train surgeons in open surgery and is embedded in 216 the development of surgical techniques and practice. There are various adjuncts to 217 218 surgical training; modalities include cadaveric dissections, 3D printing and animation and simulation training of various fidelities. Simulator fidelity refers to 219 how closely the simulator can replicate life experiences and this is broadly classified 220 into low and high-fidelity trainers. High-fidelity simulators such as virtual and 221

augmented reality are most commonly employed in procedural training (22).
Augmented Reality as opposed to Virtual Reality utilises a real-world setting so
users are controlling their presence in the real world, as opposed to a fictional reality
alone which usually lacks haptic feedback. Laparoscopic box trainers are a common
example of low-fidelity simulators.

227

Cadaveric dissections are an established training adjunct which have been used in 228 surgical specialties for surgical training and skills augmentation with varying but 229 generally good results, depending on the type of specimen and degree of 230 embalmment (23,24). A prospective Randomised Controlled Trial (RCT) from 231 Turkey investigating educational tools for laparoscopic colorectal surgery showed 232 that either the use of 3D animation and cadaveric videos individually or in 233 combination, was a superior educational tool at helping candidates in understanding 234 rectal surgery, compared to surgical textbooks (23). A summary of these studies on 235 cadaveric dissection as training adjunct can be found in appendix I. 236

237

Animation and 3D techniques have also been reported in general surgical training 238 literature. In a RCT comparing the educational role of three dimensional printed 239 models with that of the conventional Magnetic Resonance Imaging (MRI) films in 240 the training of surgical residents, residents who trained on three dimensional models 241 performed better compared to those who relied only on MRI images (25). This has 242 potential use in pre-operative planning and represents an additional educational tool 243 which is very relevant in the modern context where there is limited recourse to 244 cadavers and animal models for training. There is also evidence from meta-analysis 245 of systematic reviews looking at the role of Video Based Coaching as a method of 246 improving surgical training. In one study, 24 eligible RCTs were identified that 247 showed that Video Based Coaching increased the technical performance of surgical 248 residents performing jejunojejunostomy, right colectomy, and laparoscopic 249 cholecystectomies, even though significant study and intervention heterogeneity 250 251 was noted due to a wide range of Video Based Coaching techniques included (26). A summary of these studies on various adjuncts such as didactic as well as video 252 based coaching and 3D models has been summarised in appendix II. 253

Within minimally invasive surgery, several studies have been conducted in general 255 surgical specialties to assess and validate the use of modalities such as box 256 simulation and virtual reality trainers. A comprehensive systematic review, 257 including eighteen RCTs, by Humm et al. investigated the impact of virtual reality 258 simulation training on operative performance in laparoscopic cholecystectomy. This 259 study showed that virtual reality training, compared to no additional training, led to 260 better junior trainee performance in performing a laparoscopic cholecystectomy 261 measured by time to complete task and OSATS (27). A multicentre RCT amongst 262 colorectal surgery trainees showed that surgical performance of trainee surgeons 263 with different competencies in sigmoid colectomy was well differentiated using 264 virtual reality simulators. Competency gained on the virtual simulator also 265 translated to real life surgical competency with significantly improved performance 266 through repetition for time, movements, and path length for less experienced 267 surgeons (28). A summary of these studies on various virtual and augmented reality 268 simulation adjuncts and their role in surgical skills training has been summarised in 269 appendix III. 270

271

There is good evidence for a 'Train the trainer' program for colorectal surgery where 272 laparoscopic surgery was introduced systematically through training the trainers, 273 feedback, standardised assessment and incentivisation for laparoscopic surgery 274 (29). The IMAGINE trial evaluates this approach in Australian gynaecologists, 275 using a surgical outreach training model whose results are awaited. Results of this 276 trial, if positive, is likely to be have a significant impact on training approaches 277 within gynaecological oncology (30). In summary, there is a clear case for adapting 278 and evaluating adjuncts and pedagogical research identified in other surgical 279 disciplines to gynaecological oncology training. 280

281

282 Evidence for Laparoscopy Training in Gynaecological Oncology

283

There is some literature describing the evolution and use of laparoscopy amongst gynaecological oncology trainees in the USA. Frumovitz et al in a series of longitudinal surveys of American gynaecological fellows demonstrated an increased utility and role of this modality in modern gynaecological cancer care (31,32). Laparoscopy forms the basis of minimally invasive surgery and lies at the
 intersection between open surgical techniques and the robotic assisted
 gynaecological procedures.

291

Even though laparoscopy is now widely employed in the field of gynaecological oncology, our scoping literature search did not find evidence on how best to train trainees in the acquisition of laparoscopic skills. There is however some evidence regarding the validity and reliability of laparoscopy simulation training in general surgery and general gynaecology which can be extrapolated to infer its potential usefulness in gynaecological oncology training.

298

An overview of the various simulation models shows that generally, simulation 299 models are associated with shorter operative time and fewer intraoperative errors in 300 vivo (8,17). There is considerable literature reviewing the evidence behind 301 simulation based training, using common modalities such as laparoscopic box 302 trainers, laparoscopic virtual reality simulator, animal models and lightly embalmed 303 human cadavers (17). These support simulation training modalities and identify 304 augmented reality with haptic feedback as the highest fidelity modality followed by 305 virtual reality simulators (33,34). The Royal College of Obstetricians and 306 Gynaecologists training curriculum for benign gynaecology now includes 307 laparoscopic virtual simulation, whilst a number of gynaecological subspecialty 308 training programs in the USA have already incorporated laparoscopic simulation 309 training as a standard part of their curriculum (7,35). 310

311

Avenues for further development of this subject include establishing the evidence 312 for laparoscopic skills training in gynaecological oncology via RCTs and 313 subsequent integration of simulation skills training into the training curriculum (20). 314 It will be important to establish the evidence for the construct and predictive validity 315 as well as the reliability of virtual simulation in gynaecological oncology training 316 317 before integration into the training curriculum. This is due to the highly specialised nature of gynaecological oncology which may not guarantee direct inference from 318 the evidence and experience in general gynaecology and other surgical specialties. 319

Our literature search identified several training augmentation tools which have been reported as useful, both within the UK and internationally. The two most discussed modalities of gynaecological oncology surgical training include the use of cadaveric models and low-cost virtual reality simulation.

327

328 Cadaveric dissection

329

The use of human and animal cadaveric dissection for surgical training is a well-330 established training method. Porcine wet laboratory training in laparotomy, small 331 bowel resection, splenectomy, hepatectomy, amongst other surgical procedures, has 332 been shown to improve surgical proficiency (24). Feedback from the use of 333 cadaveric models for training in highly complex procedures has further 334 demonstrated its usefulness (36). Sideris et al. aimed to evaluate a new postgraduate 335 training course for cytoreductive surgery for advanced ovarian/fallopian tube or 336 primary peritoneal cancer using thiel-embalmed cadavers. This course had 337 consultant surgeons with backgrounds in upper gastrointestinal, colorectal, 338 hepatobiliary and urological surgery as trainers. Feedback from trainees concluded 339 that the use of surgical experts within a cadaveric training course was invaluable in 340 enhancing gynaecological oncology surgical training, especially due to the multi-341 organ/system approach required within these procedures (37). 342

343

Researchers from Istanbul described two cadaveric courses held in 2019, for vulva cancer surgery and abdominal gynaecological cancer surgery. Participant feedback described an improvement in surgical skills, technique development and understanding of topographic surgical anatomy (38). This supports the use of cadaveric dissection alongside clinical training. However, though widely used, this is expensive, limited in access and hard to scale.

350

351 Virtual Reality Simulation

In Zambia, low-cost virtual reality radical hysterectomy training was demonstrated 353 to increase trainees' confidence, enhance skill development and reinforce 354 anatomical and clinical knowledge. Within this training, participants were trained 355 to perform five sequential steps of a radical abdominal hysterectomy on a virtual 356 reality platform constructed to scale, enabling manipulation with equivalent 357 instruments and visual feedback, but no haptic feedback (39). These methods could 358 reduce the time and cost needed to teach trainees Wertheim's surgical techniques 359 and hence, could be arguably beneficial in both high-income and resource-limited 360 settings. Larson et al. showed a 17 - 50 % reduction in operative time with virtual 361 reality training compared to traditional methods or no training, with greater 362 proficiency achieved with more complex procedures (21). 363

364

Indeed, the challenges related to providing adequate evidence-based training, 365 through training adjuncts like simulation training, for gynaecological oncology 366 trainees exists in the context of huge training disparities world-wide as well as 367 within the same country. Some of these training methods will need adaptation to 368 ensure that they are useful in high income countries as well as low- and middle-369 income countries. Hence, it is important to examine the evidence very broadly, but 370 also with the knowledge of the disparities in training curricula and requirements in 371 different health systems. 372

373

374 <u>Global overview of gynaecological oncology training programs</u>

375

The need for formal gynaecological oncology training programs has come to the 376 forefront in many low- and middle-income countries due to a rising burden of 377 gynaecological cancers in these settings. Amongst the cohort of these countries with 378 gynaecological oncology training, we recognise notable differences in training 379 infrastructure. There are multiple challenges such as the lack of local human 380 resource and infrastructure which hamper the establishment of a modern 381 382 gynaecological oncology subspecialty training which is comprehensive and of comparable international standards of academia and professionalism (40,41). 383

In many low- and middle-income countries, gynaecological oncology training 385 programs have been achieved through effective collaborative work between local 386 and international partners. There are mainly two types of gynaecological training in 387 this cohort of countries; formal subspecialisation, accredited locally, nationally or 388 internationally through foreign universities or entities such as the International 389 Gynaecological Cancer Society (IGCS) (40-42) as well as special training in the 390 acquisition of gynaecological oncology skills outside formal subspecialty training. 391 of a formal subspecialty program. Gynaecological cancer care is within the remit of 392 general surgeons who have different skillsets in some countries, such as Brazil. This 393 is relevant within the current debate regarding the scope of surgical training in 394 gynaecological oncology. (41). Gynaecological cancer in the hands of general 395 surgeons may reflect an underdevelopment of gynaecological oncology as a 396 subspecialty in these settings and this has implications for continuity care and the 397 stewardship of holistic care. 398

399

400 United Kingdom

Gynaecological Oncology training in the UK is an established program of 2- or 3-401 year duration pending evidence of research exemption at time of application. It is a 402 national, Royal College of Obstetricians & Gynaecologists structured training 403 program with entry based on years of training criteria and an interview process. An 404 online logbook of surgical and non-surgical competencies is required to be 405 maintained. There is no exit exam; however, there is an annual progress review 406 conducted in the form of a panel which evaluates workplace-based assessments such 407 as Objective Structured Assessment of Technical Skills, Case-Based Discussions, 408 and mini-Clinical Evaluation Exercise. Research criteria for completion of training 409 includes a higher degree (Doctor of Medicine (MD) or PhD), two first-author 410 original research publication or an advanced professional module in clinical 411 research (43). 412

413

The Royal College of Obstetricians and Gynaecologists subspecialty training program in gynaecological oncology supports the majority of training within the UK. However, a small number of UK centres are also European Society of Gynaecological Oncology accredited centres. The European Society of Gynaecological Oncology provides an alternative structured training curriculum
which has been adopted by the majority of Europe with over 163 accredited centres
across the UK, Europe and the USA (44).

421

422 Europe

The European Society of Gynaecological Oncology has formulated a standardised 423 training curriculum for trainees, which has included a minimum number of surgical 424 procedures directly related to a gynaecological cancer diagnosis. All objectives and 425 educational requirements within the European Society Gynaecological Oncology 426 curriculum have been created through the Delphi method (iterative expert analysis 427 of popular opinions and salient points via questionnaires), with a strong focus on 428 trainee involvement. To obtain accreditation, the trainee must complete all 429 qualitative and quantitative objectives and sit a written exit exam (44). 430

431

432 United States

433

Gynaecological oncology fellowship programs are certified by the Accreditation Council for Graduate Medical Education. The program enables individuals to demonstrate proficiency in a diverse spectrum of surgical procedures, as outlined by the American Board of Obstetrics and Gynaecology. Upon completion, the trainee is eligible to take the American Board of Obstetrics & Gynaecology oral and written examinations for Board Certification in gynaecological oncology (45).

440

441 Australia

The Certification in Gynaecological oncology Subspecialty Committee in Australia has the authority to oversee the training and accreditation policies for the attainment of the gynaecological oncology subspecialty. This includes a three-year scheme with compulsory rotations, reports, work-based assessments, a prospectively approved research project, multi-source feedback and a written examination. All these training requirements must be met, with certification by the Royal Australian and New Zealand College of Obstetricians and Gynaecologists board (46).

449

450 International Gynaecologic Cancer Society

In December, 2016 the IGCS introduced the gynaecological oncology global curriculum and mentorship program, a two year program created for countries in low and middle income settings without formal gynaecological oncology training to augment education and training.

456

The organisation leveraged existing infrastructure and collaborations to create a 457 harmonised program for subspecialty training in the management of gynaecological 458 cancer in low- and middle-income countries through the twinning of training 459 institutions in developing and developed countries. Existing relationships and 460 infrastructures such as virtual multidisciplinary teams are used to deliver virtual 461 training alongside hands-on training, ongoing matrices and evaluation, and a final 462 examination with a certificate of completion of training. Fellows keep a logbook 463 through RedCap which can be regularly reviewed by local and international faculty. 464 The Global Curriculum and mentoring scheme has centres in Bahamas, Ethiopia, 465 Fiji, Guatemala, Jamaica, Kenya, Mozambique, Uganda and Zambia (42). 466

467

468 Gynaecological Oncology Programs in Africa

469

470 South Africa

The gynaecological oncology subspecialty training program in Africa started in 2008. It is a two-year program with the knowledge-based component assessed through an exit examination and clinical competency assessed through a logbook system. The program has a formal research requirement in the form of completion of a research project (47). The program is accredited by the Health Professions Council of South Africa, Medical and Dental Professions Board (48).

477

478 Kenya

The training program curriculum in Kenya was developed through the Canadian Society of Gynaecologic Cancer with Moi University responsible for the accreditation of the training program. In 2017, this program became one of the pilot sites for the IGCS training initiative and was subsequently absorbed into the IGCS global curriculum (40).

485 Ghana

Ghana has a long-standing residency program in Obstetrics & Gynaecology 486 established in 1989 between the University of Michigan and the Teaching Hospitals 487 of Ghana. It is off the foundations of this residency program that subsequent training 488 in gynaecological oncology and other gynaecological subspecialties was 489 established. Their 4-year program in gynaecological oncology has very specific 490 entry requirements with a comprehensive syllabus covering every aspect of medical 491 and surgical oncology including radiation therapy and pathology. Clinical 492 assessment is through quarterly assessment of the trainees logbook whilst 493 knowledge exam is through the two part Fellow of West African College of 494 Surgeons (FWACS) examination . The is also a research requirement. The program 495 is accredited by the Ghana College of Physicians and Surgeons (GCPS) benefits 496 from a modest support from the University of Michigan which has a long-standing 497 relationship with the Ghana College of Physicians and Surgeons (41,49). 498

499

500 Ethiopia

The maiden program at the Black Lions Hospital in 2013 was a 3-year program. This was followed by the program at St Paul's Hospital Millennium Medical College in 2015, both under the accreditation of the University of Addis Ababa and subsequently also accredited by the Association of Gynaecological Oncology, Germany (41). Both programs have now been absorbed into the IGCS Global Curriculum and Mentoring scheme as one of its pilot sites (42).

507

508 Central America, Oceania & Latin America

509

The first initiative towards providing specialised care for women in Central America came through - The Central America Gynaecologic Oncology Education Program a training program designed to reinforce aspects of gynaecological oncology training amongst residents in Obstetrics & Gynaecology in Central America as opposed to a formal subspecialisation program. The Central America Gynaecologic Oncology Education Program was developed through a collaboration with the IGCS and American College of Obstetricians & Gynaecologist and interested residency

programs in Central America. It was initially launched in Guatemala in 2009 but 517 has since expanded to include Honduras, El Salvador, Nicaragua, Panama and Costa 518 Rica. (41). 519 520 In Latin America, like most other low- and middle-income settings, care for women 521 with cancers is being provided by general obstetricians and gynaecologists with a 522 limited number of formal training programs for the gynaecological oncologist (50). 523 Brazil offers training in surgical oncology, following which trainees are able to 524 manage other cancers as well as those in women (41). 525 526 Indian subcontinent 527 528 India 529 There is an established 3-year subspecialty training program with specific entry 530 criteria. Progress is monitored by the trainee's local institution, with local mentors 531 responsible for training. There is an exit exam which assesses the knowledge based 532 aspect of training (51). 533 534 Pakistan 535 Gynaecological oncology as an independent subspecialty is a relatively new 536 program in Pakistan. So far it has been included as part of surgical oncology 537 training, which is an established course (52). 538 539 A separate gynaecological oncology fellowship is currently being offered as a 2-540 year fellowship with an entry requirement of 4 years of work experience in 541 Obstetrics & Gynaecology and a basic post graduate qualification; this is being 542 offered by the Aga Khan University. Entry is based on an interview (53). 543 544 Nepal 545 Nepal does not have any formal gynaecological oncology training programs. As 546 there is a strong need for trained gynecological oncologists to provide care, there is 547 a 2 year Global Curriculum and mentorship program designed by IGCS to provide 548

support and training until a program can be established (42).

551 Bangladesh

There is a fellowship program of up to 3 years which candidates are eligible for following completion of basic postgraduate qualifications, with the requirement of an exit exam as well as thesis submission if opting to complete the academic portion of the curriculum (1 year) (54).

556

557 Sri Lanka

558 Sri Lanka has a well-established curriculum for gynaecological oncology training. 559 Candidates are eligible following completion of their post-graduate qualifications. 560 There is no entrance examination, entry being based on their performance at their 561 Doctor of Medicine/Master of Science examination. The program is for a duration 562 of 3 years with 2 years of local training and 1 year of overseas training followed by 563 an exit assessment to become board certified in gynaecological oncology (55).

564

565 South-East Asia

566

There are 24 gynaecological oncology training centres spread out over Indonesia,
Malaysia, Singapore, and Thailand; however, the level of training differs across all
centres based on local factors (41).

570

571 Singapore

572 Singapore offers a 12-month fellowship open to all candidates, including 573 international ones, pending an application and interview process. There is a well-574 established curriculum with assessments at regular intervals but no exit examination 575 (41).

576

577 Indonesia

578 There is a recently established subspecialty training program in the form of a 2-year 579 fellowship offered to Gynaecologists in Indonesia. Entry is based on a screening

process with an exit examination at the end of the fellowship (56).

581

582 Malaysia

583 Gynaecological oncology is now an established structured training program of 3 584 years in Malaysia with an entry criterion and an exit certification. There is an option 585 to spend some portion of their training overseas (57).

586

587 Thailand

Thailand has a 2-year structured subspecialty training curriculum for candidates who have completed their core residency training in Obstetrics & Gynaecology Entry is based on a competitive interview with an exit examination comprising a written and oral examination to be certified as a Gynaecological Oncologist (58).

592

One common characteristic noted throughout the review of training programs is that 593 there is no standardisation on the objective assessment of surgical competencies at 594 entry or at the end of gynaecological oncology training or fellowships. Although 595 trainees may be assessed based on performance at an exit examination, oral vivas or 596 satisfactory evidence of completion of course requirements based on logbook and 597 review panel recommendations; it is not evident from the curricula that there are 598 standardized or objective approaches to assess surgical competencies at the end of 599 the curriculum. 600

601

Finally, it is worth noting that the aforementioned challenges in training may also 602 represent the evolution of gynaecological oncology as a specialty. This may warrant 603 a change in training requirements as well as a change in training strategies as the 604 job description of the modern gynaecological oncologist evolves. Training 605 programs will need to accommodate a trend towards greater centralisation and 606 higher volume centres offering treatment for gynaecological cancer. Even within 607 high volume centres, there may be teams that specialise in ovarian cancer surgery 608 or teams that specialise in robotic surgery. In some settings, there may be a shift 609 towards team working with other specialities such as colorectal surgeons, which 610 will influence the requirements for training. 611

612

613 Conclusion

Our review finds that there is no standardization of skills assessment or optimal 615 best practice for how to train trainees to operate in gynaecological oncology surgical 616 procedures. There are a wide range of training programs in gynaecological oncology 617 across the world reflecting the needs of the individual healthcare systems. Several 618 potential solutions including: cadaveric dissection, simulation training, use of 619 virtual reality and 3D model printing exist, but are yet to be thoroughly validated 620 with high quality evidence lacking for any of these 'trainee focussed' interventions, 621 particularly in gynaecological oncology surgery. Similar underlying issues with the 622 transfer of surgical skills in trainees in other surgical specialities exist and ongoing 623 research is noted. Most of this work has been done in general surgery and will need 624 adapting to gynaecological oncology trainees who usually receive training in 625 Obstetrics and Gynaecology prior to gynaecological oncology training; robust 626 evaluations of these are needed as future research priorities. 627

628

Currently, the evidence to support any interventions is generally of low quality and none have evaluated transfer to clinical environments or sustained impact on skills. Any intervention that improves surgical skills also needs to demonstrate translation to real-world performance and have a meaningful impact on clinical outcomes (reduced operative times, greater independence in operating, no excess morbidity). Validation of these methods before their systematic and formal introduction into training curriculums is warranted.

636

Consensus to agree on surrogate endpoints and how these can be measured in a 637 standardised way will be critical to adoption into routine training. Basket trials 638 evaluating training interventions conducted to an agreed protocol across multiple 639 countries, including trainees and trainers from diverse skill sets and countries of 640 differing income categories, are critical to generate high quality evidence on 641 augmenting surgical training in gynaecological oncology. This will ensure that 642 future gynaecological oncologists are best placed to deliver the safest possible 643 surgical outcomes and improved cancer care for patients. 644

646		References
647 648 649 650	1.	Vergote I, Coens C, Nankivell M, Kristensen GB, Parmar MKB, Ehlen T, et al. Neoadjuvant chemotherapy versus debulking surgery in advanced tubo-ovarian cancers: pooled analysis of individual patient data from the EORTC 55971 and CHORUS trials. Lancet Oncol. 2018 Dec;19(12):1680–7.
651 652 653	2.	Chiofalo B, Bruni S, Certelli C, Sperduti I, Baiocco E, Vizza E. Primary debulking surgery vs. interval debulking surgery for advanced ovarian cancer: review of the literature and meta-analysis. Minerva Med. 2019 Aug;110(4):330–40.
654 655	3.	Pesola F, Sasieni P. Impact of screening on cervical cancer incidence in England: a time trend analysis. BMJ Open. 2019 Jan;9(1):e026292.
656 657 658 659	4.	Falcaro M, Castañon A, Ndlela B, Checchi M, Soldan K, Lopez-Bernal J, et al. The effects of the national HPV vaccination programme in England, UK, on cervical cancer and grade 3 cervical intraepithelial neoplasia incidence: a register-based observational study. The Lancet. 2021 Dec 4;398(10316):2084–92.
660 661 662	5.	Lycke KD, Kahlert J, Damgaard R, Mogensen O, Hammer A. Trends in Hysterectomy Incidence Rates During 2000-2015 in Denmark: Shifting from Abdominal to Minimally Invasive Surgical Procedures. Clin Epidemiol. 2021;13:407–16.
663 664	6.	Hoffman MS, Chi DS, Clarke-Pearson DL, Cliby W, Creasman W, Underwood PB. Surgical training in gynecologic oncology: Past, present, future. Gynecol Oncol. 2020 Jul;158(1):188–93.
665 666	7.	Roque DR, Hinchcliff E, Alter R, Barber EL, Marcus J, Tanner E. Surgical Training in Gynecologic Oncology: A Sea Change. J Gynecol Surg. 2022 Dec;38(6):393–6.
667 668 669	8.	Bryant-Smith A, Rymer J, Holland T, Brincat M. 'Perfect practice makes perfect': the role of laparoscopic simulation training in modern gynaecological training. Obstet Gynaecol. 2020;22(1):69–74.
670 671	9.	Manchanda R, Oxley S, Ghaem-Maghami S, Sundar S. COVID-19 and the impact on gynecologic cancer care. Int J Gynecol Obstet. 2021;155(S1):94–101.
672 673	10.	Hopkins Tanne J. United States limits resident physicians to 80 hour working week. BMJ. 2003 Mar 1;326(7387):468.
674 675 676	11.	Pärgmäe P, Martins N, Rodríguez D, Christopoulos P, Werner HMJ. European Working Time Directive: Implementation across Europe and consequences upon training in obstetrics and gynaecology. Facts Views Vis ObGyn. 2011;3(1):46–50.
677 678	12.	Hays RT, Jacobs JW, Prince C, Salas E. Flight Simulator Training Effectiveness: A Meta-Analysis. Mil Psychol. 1992 Jun;4(2):63–74.
679 680	13.	Arora V, Somashekhar S p. Essential surgical skills for a gynecologic oncologist. Int J Gynecol Obstet. 2018;143(S2):118–30.
681 682 683	14.	Gan C, Bossart M, Piek J, Halaska M, Haidopoulos D, Zapardiel I, et al. Robotic and Advanced Laparoscopic Surgical Training in European Gynecological Oncology Trainees. Int J Gynecol Cancer. 2017 Feb;27(2):375–81.
684 685 686	15.	Bizzarri N, Pletnev A, Razumova Z, et al. Quality of training in cervical cancer radical surgery: a survey from the European Network of Young Gynaecologic Oncologists (ENYGO). Int J Gynecol Cancer. 32:494–501.
687 688	16.	Bric JD, Lumbard DC, Frelich MJ, Gould JC. Current state of virtual reality simulation in robotic surgery training: a review. Surg Endosc. 2016 Jun 1;30(6):2169–78.
689 690 691	17.	Varras M, Nikiteas N, Varra V, Varra F, Georgiou E, Loukas C. Role of laparoscopic simulators in the development and assessment of laparoscopic surgical skills in laparoscopic surgery and gynecology (Review). World Acad Sci J. 2020 Mar 17;2.

- 18. Ng Peng Yun, Bing Eric G, Cuevas Anthony, Aggarwal Ajay, Chi Benjamin, Sundar Sudha,
 Mwanahamuntu Mulindi, Mutebi Miriam, Sullivan Richard, Parham Groesbeck P (2023) Virtual
 reality and surgical oncology ecancer 17 1525.
- Shore EM, Grantcharov TP, Husslein H, Shirreff L, Dedy NJ, McDermott CD, et al. Validating a
 standardized laparoscopy curriculum for gynecology residents: a randomized controlled trial. Am J
 Obstet Gynecol. 2016 Aug 1;215(2):204.e1-204.e11.
- Burden C, Oestergaard J, Larsen C. Integration of laparoscopic virtual-reality simulation into
 gynaecology training. BJOG Int J Obstet Gynaecol. 2011;118(s3):5–10.
- Larsen CR, Oestergaard J, Ottesen BS, Soerensen JL. The efficacy of virtual reality simulation training
 in laparoscopy: a systematic review of randomized trials. Acta Obstet Gynecol Scand. 2012
 Sep;91(9):1015–28.
- 22. Lefor AK, Harada K, Kawahira H, Mitsuishi M. The effect of simulator fidelity on procedure skill
 training: a literature review. Int J Med Educ. 2020 May 18;11:97–106.
- 23. Benlice C, Elcircevi A, Kutlu B, Dogan CD, Acar HI, Kuzu MA. Comparison of textbook versus three-dimensional animation versus cadaveric training videos in teaching laparoscopic rectal surgery: a prospective randomized trial. Colorectal Dis Off J Assoc Coloproctology G B Irel. 2022 Aug;24(8):1007–14.
- Selcuk İ, Tatar I, Huri E. Cadaveric anatomy and dissection in surgical training. Turk J Obstet
 Gynecol. 2019 Mar;16(1):72–5.
- 25. Bangeas P, Drevelegas K, Agorastou C, Tzounis L, Chorti A, Paramythiotis D, et al. Threedimensional printing as an educational tool in colorectal surgery. Front Biosci-Elite. 2019 Jan 1;11(1):29–37.
- Augestad KM, Butt K, Ignjatovic D, Keller DS, Kiran R. Video-based coaching in surgical education:
 a systematic review and meta-analysis. Surg Endosc. 2020 Feb;34(2):521–35.
- Humm G, Mohan H, Fleming C, Harries R, Wood C, Dawas K, et al. The impact of virtual reality
 simulation training on operative performance in laparoscopic cholecystectomy: meta-analysis of
 randomized clinical trials. BJS Open. 2022 Jul 18;6(4):zrac086.
- 28. Beyer-Berjot L, Berdah S, Hashimoto DA, Darzi A, Aggarwal R. A Virtual Reality Training
 Curriculum for Laparoscopic Colorectal Surgery. J Surg Educ. 2016 Nov 1;73(6):932–41.
- Mackenzie H, Cuming T, Miskovic D, Wyles SM, Langsford L, Anderson J, et al. Design, Delivery,
 and Validation of a Trainer Curriculum for the National Laparoscopic Colorectal Training Program in
 England. Ann Surg. 2015 Jan;261(1):149–56.
- 30. Obermair A, Armfield NR, Graves N, Gebski V, Hanna GB, Coleman MG, et al. How to train
 practising gynaecologists in total laparoscopic hysterectomy: protocol for the stepped-wedge
 IMAGINE trial. BMJ Open. 2019 May 1;9(5):e027155.
- Frumovitz M, Soliman PT, Greer M, Schmeler KM, Moroney J, Bodurka DC, et al. Laparoscopy
 training in gynecologic oncology fellowship programs. Gynecol Oncol. 2008 Nov;111(2):197–201.
- Frumovitz M, Ramirez PT, Greer M, Gregurich MA, Wolf J, Bodurka DC, et al. Laparoscopic training
 and practice in gynecologic oncology among Society of Gynecologic Oncologists members and
 fellows-in-training. Gynecol Oncol. 2004 Sep 1;94(3):746–53.
- 33. Botden SMBI, Buzink SN, Schijven MP, Jakimowicz JJ. Augmented versus virtual reality
 laparoscopic simulation: what is the difference? A comparison of the ProMIS augmented reality
 laparoscopic simulator versus LapSim virtual reality laparoscopic simulator. World J Surg. 2007
 Apr;31(4):764–72.
- 736 34. Postema RR, van Gastel LA, Hardon SF, Bonjer HJ, Horeman T. Haptic exploration improves
 737 performance of a laparoscopic training task. Surg Endosc. 2021 Aug 1;35(8):4175–82.

- 738 35. RCOG [Internet]. [cited 2023 Mar 15]. ATSMs. Available from: https://www.rcog.org.uk/careers-and-training/training/curriculum/atsms/
- 36. Lim CP, Roberts M, Chalhoub T, Waugh J, Delegate L. Cadaveric surgery in core gynaecology training: a feasibility study. Gynecol Surg. 2018;15(1):4.
- 37. Sideris M, Elshaer AM, Johnson RL, Kotwal S, Mehta S, Quyn A, et al. 'Learning from the experts' a novel advanced cadaveric course for Gynaecological Oncology (GO) Cytoreductive Surgery. Facts
 Views Vis ObGyn. 2022 Sep;14(3):265–73.
- 38. Selçuk İ, Barut Ç, Çalişkan E. Impact of a gynecologic oncology cadaveric dissection course for
 surgical training. Anatomy. 2019 Apr 1;13(1):56–60.
- 39. Bing EG, Brown ML, Cuevas A, Sullivan R, Parham GP. User Experience With Low-Cost Virtual
 Reality Cancer Surgery Simulation in an African Setting. JCO Glob Oncol. 2021 Mar;7:435–42.
- Rosen B, Itsura P, Tonui P, Covens A, van Lonkhuijzen L, Orang'o EO. Development of a
 comprehensive and sustainable gynecologic oncology training program in western Kenya, a low
 resource setting. Gynecol Oncol Rep. 2017 Aug;21:122–7.
- 41. Johnston C, Ng JS, Manchanda R, Tsunoda AT, Chuang L. Variations in gynecologic oncology
 training in low (LIC) and middle income (MIC) countries (LMICs): Common efforts and challenges.
 Gynecol Oncol Rep. 2017 May 1;20:9–14.
- 42. IGCS [Internet]. [cited 2022 Dec 5]. Global Curriculum & Mentorship Program. Available from: https://igcs.org/mentorship-and-training/global-curriculum/
- RCOG [Internet]. [cited 2022 Dec 6]. Subspecialty training curriculum. Available from: https://www.rcog.org.uk/careers-and-training/training/curriculum/subspecialty-training-curriculum/
- 44. ESGO European Society of Gynaecological Oncology [Internet]. [cited 2023 Sep 7]. Fellowship
 Training in Gynaecological Oncology. Available from: https://esgo.org/fellowship-training-in gynaecological-oncology/
- 45. MD Anderson Cancer Center. Gynecologic Oncology Fellowship. [cited 2022 Nov 28]. Gynecologic
 Oncology Fellowship. Available from: https://www.mdanderson.org/education-training/clinical research-training/graduate-medical-education/residencies-fellowships/gynecologic-oncology.html
- RANZCOG. Training Program Handbook Certification in Gynaecological Oncology. The Royal
 Australian and New Zealand College of Obstetricians and Gynaecologists; 2022.
- 767 47. The Colleges of Medicine of South Africa: Sub-specialty Certificate in Gynaecological Oncology of
 768 the College of Obstetricians and Gynaecologists of South Africa [Internet]. [cited 2023 Sep 28].
 769 Available from: https://www.cmsa.co.za/view_exam.aspx?QualificationID=86
- 48. Snyman L. Meeting future requirements in gynaecological oncology subspecialty training. South Afr J
 Gynaecol Oncol. 2012 Jan;4(2):48–9.
- 49. Klufio CA, Kwawukume EY, Danso KA, Sciarra JJ, Johnson T. Ghana postgraduate
 obstetrics/gynecology collaborative residency training program: success story and model for Africa.
 Am J Obstet Gynecol. 2003 Sep 1;189(3):692–6.
- 50. Chuang L, Berek J, Randall T, McCormack M, Schmeler K, Manchanda R, et al. Collaborations in
 gynecologic oncology education and research in low- and middle- income countries: Current status,
 barriers and opportunities. Gynecol Oncol Rep. 2018 Jun 9;25:65–9.
- Ram TS, Thomas V, Sathyamurthy A, Ramireddy JK, John NO, Thomas A, et al. Training for next generation gynaecologic surgical & radiation oncologists opportunities & challenges. Indian J Med
 Res. 2021 Aug;154(2):338–45.
- 52. Shaukat Khanum Memorial Cancer Hospital & Research Centre » Surgical Oncology at SKMCH&RC, Lahore [Internet]. [cited 2022 Dec 5]. Available from:
 https://charledthearum.geg.ph/memorial.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memory.htms//charledthearum.geg.ph/memo
- 783 https://shaukatkhanum.org.pk/surgical-oncology-lahore/

- Fellowship-Gynaecologic Oncology | MC, Pakistan | The Aga Khan University [Internet]. [cited 2022
 Dec 5]. Available from: https://www.aku.edu/mcpk/fellowship/Pages/gynaecologic-oncology.aspx
- 786 54. Research and Training. Bangladesh College of Physicians & Surgeons (BCPS). [Internet]. Available
 787 from: https://bcps.edu.bd/
- 788 55. PGIM [Internet]. [cited 2022 Dec 5]. Available from: https://pgim.cmb.ac.lk/post-md-subspecialty 789 training-and-board-certification-in-gynaecological-oncology-medicine/
- Tjokroprawiro BA. Gynecologic oncology fellowship in Indonesia. Int J Gynecol Cancer. 2021
 Jul;31(7):1085-6.
- 792 57. Yusoff Z bt. mgcs. [cited 2023 Sep 7]. History of Gynaecological Oncology in Malaysia. Available
 793 from: https://www.themgcs.com/history-of-gynae-onco
- 58. Chinthakanan O. Department of Obstetrics and Gynecology Faculty of Medicine Chiang Mai
 University. 2010 [cited 2023 Sep 7]. Followship Training. Available from: https://w1.med.cmu.ac.th/obgyn/gynecology-oncology/overview/1285/

Appendix I