

Response to letter by Lo et al.

Welford, Anneka; Darling, Andrea L.; Allison, Sarah; Lanham-New, Susan A.; Greig, Carolyn A.

DOI:

[10.1017/jns.2023.34](https://doi.org/10.1017/jns.2023.34)

License:

Creative Commons: Attribution (CC BY)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

Welford, A, Darling, AL, Allison, S, Lanham-New, SA & Greig, CA 2023, 'Response to letter by Lo et al. Investigating seasonal association between vitamin D concentration, muscle mass and strength in postmenopausal women: A critical analysis', *Journal of nutritional science*, vol. 12, pp. e75.
<https://doi.org/10.1017/jns.2023.34>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

LETTER TO THE EDITOR

Response to letter by Lo *et al.*: Investigating seasonal association between vitamin D concentration, muscle mass and strength in postmenopausal women: a critical analysis

(Received 15 March 2023 – Accepted 16 March 2023)

Journal of Nutritional Science (2023), vol. 12, e75, page 1 of 2

doi:10.1017/jns.2023.34

We would like to thank Lo *et al.* for their insightful commentary on our original article, ‘*Lack of significant seasonal association between serum 25(OH)D concentration, muscle mass and strength in postmenopausal women from the D-FINES longitudinal study*’.

The main focus of our analysis was to investigate the association between vitamin D status and muscle function in postmenopausal women, rather than factors affecting vitamin D status *per se*. That being said, we agree with the authors that individual variations in each of the factors they have listed, influence serum 25(OH)D concentration to a certain degree, and therefore could account for some of the variability in both the serum 25(OH)D and muscle function outcome data which we present.

Although we did not account for dietary or genetic factors within this analysis, some effort was made to describe UVB exposure, using proxy measures such as ethnicity and seasonal physical activity.

For example, we performed a basic description of the ethnicity of the participants and also completed a subgroup analysis of British white *v.* British Asian women. From this analysis, we found that postmenopausal British Asian women presented with significantly lower 25(OH)D concentrations compared with White British/Irish women and could be classified as vitamin D deficient during each season (summer: 28.41 nmol/l *v.* 61.64 nmol/l, autumn: 21.45 nmol/l *v.* 55.30 nmol/l, winter: 21.11 nmol/l *v.* 41.91 nmol/l, spring: 22.63 nmol/l *v.* 45.23 nmol/l, all $P < 0.001$). Our analysis also showed that British Asian women were weaker than White British/Irish women at all seasonal timepoints, statistically evident during the winter and spring.

This is consistent with the assumption that skin pigmentation influences serum vitamin D status, and a previous study has shown that British South Asian adults living within the UK may require more sun exposure to produce the same amount of vitamin D in the skin as their White British counterparts⁽¹⁾. However, this effect is multifactorial and cannot be purely attributed to skin pigmentation alone; it is also further influenced by cultural factors, dietary and supplemental intake of vitamin D⁽²⁾.


Additionally, we assessed the physical activity of our participants as estimates of the number of hours per day spent in sleep, light, moderate and active work and leisure time activity in PALs. As with ethnicity, this could be considered a proxy measurement of UVB exposure.

The average self-reported daily walking time varied seasonally within the D-FINES cohort, with a trend towards more time spent walking in the summer. It is possible that the seasonal physical activity variation may have influenced cutaneous production of vitamin D, leading to higher serum concentrations evident within the summer months; this in turn may have driven the changes in muscle outcomes, although it was not possible to demonstrate this.

In conclusion, individual variations in the effects of diet, sunlight exposure/absorption and genotype, as well as exposure and engagement in physical activity could account for some of the variability in both the vitamin D and muscle function outcome data, and we agree with Lo *et al.*, in this regard.

We also accept that it would be important to include these in future analyses investigating seasonal changes in vitamin D status as this would give us more confidence in attributing changes in vitamin D concentration as ‘truly’ seasonal.



Anneka Welford¹, Andrea L. Darling ², Sarah Allison³,
Susan A. Lanham-New² and Carolyn A. Greig⁴

¹Leicester Diabetes Centre, University of Leicester, Leicester,
UK

²Department of Nutritional Sciences, University of Surrey,
Guildford, Surrey GU2 7XH, UK

³Biosciences & Medicine, University of Surrey Ringgold
Standard Institution, Guildford, Surrey GU2 7XH, UK

⁴School of Sport, Exercise and Rehabilitation Sciences, MRC-
Arthritis Research UK Centre for Musculoskeletal Ageing
Research, University of Birmingham, Birmingham, UK

***Corresponding author:** Anneka Welford,
Email: aw32@leicester.ac.uk

References

1. Webb AR, Kazantzidis A, Kift RC, *et al.* (2018) Colour counts: sunlight and skin type as drivers of vitamin D deficiency at UK latitudes. *Nutrients* **10**, 457.
2. Kift R, Rhodes LE, Farrar MD, *et al.* (2018) Is sunlight exposure enough to avoid wintertime vitamin D deficiency in United Kingdom population groups? *Int J Environ Res Public Health* **15**, 1624.