# UNIVERSITY<sup>OF</sup> BIRMINGHAM University of Birmingham Research at Birmingham

# Measurement of $\Xi^+_{c}$ production in pPb collisions at $\sqrt{s_{NN}} = 8.16$ TeV at LHCb

LHCb Collaboration; Watson, Nigel

DOI: 10.1103/PhysRevC.109.044901

License: Creative Commons: Attribution (CC BY)

Document Version Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

LHCb Collaboration & Watson, N 2024, 'Measurement of  $\Xi^+$  production in *p*Pb collisions at  $\sqrt{s}_{NN} = 8.16$  TeV at LHCb', *Physical Review C*, vol. 109, 044901. https://doi.org/f0.1103/PhysRevC.109.044901

Link to publication on Research at Birmingham portal

#### **General rights**

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

•Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.

•User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?) •Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

#### Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

## Measurement of $\Xi_c^+$ production in *p*Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV at LHCb

R. Aaij *et al.*\* (LHCb Collaboration)

(Received 17 May 2023; revised 6 November 2023; accepted 11 January 2024; published 1 April 2024)

A study of prompt  $\Xi_c^+$  production in proton-lead collisions is performed with the LHCb experiment at a centerof-mass energy per nucleon pair of 8.16 TeV in 2016 in *p*Pb and Pb*p* collisions with an estimated integrated luminosity of approximately 12.5 and 17.4 nb<sup>-1</sup>, respectively. The  $\Xi_c^+$  production cross section, as well as the  $\Xi_c^+$  to  $\Lambda_c^+$  production cross-section ratio, are measured as a function of the transverse momentum and rapidity and compared to the latest theory predictions. The forward-backward asymmetry is also measured as a function of the  $\Xi_c^+$  transverse momentum. The results provide strong constraints on theoretical calculation and are a unique input for hadronization studies in different collision systems.

DOI: 10.1103/PhysRevC.109.044901

#### I. INTRODUCTION

In hadronic collisions, heavy quarks are produced in hard scattering processes with large momentum transfer. Theoretical predictions based on perturbative quantum chromodynamics (pQCD) describe reasonably well the transverse momentum  $(p_{\rm T})$  differential charm production cross sections in proton-proton (*pp*) collisions at different energies [1]. The heavy-flavor hadron cross sections are usually computed using the factorization approach as a convolution of three terms [2]: the parton distribution functions of the colliding particles, the hard-scattering cross section, and the fragmentation function (FF) of heavy quarks into a given heavy-flavor hadron. It is assumed that the FFs are universal between collision systems and energies. At the CERN Large Hadron Collider (LHC), the FFs used to describe the measurements of heavy-flavor hadron production in pp collisions at different center-of-mass energies are tuned on  $e^+e^-$  collision data within the framework of pQCD over a wide  $p_{\rm T}$  range. However, evidence of nonuniversal FFs was observed by the LHCb collaboration in a study of the  $\Lambda_b^0$  baryon to  $B^-$  and  $\bar{B}^0$  meson production ratio in *pp* collisions [3]. Multiple measurements of the relative production of different heavy-flavor hadron species have been made, as they are sensitive probes of FFs.

The measurements of heavy-flavored hadron ratios in hadronic collisions, such as the  $\Lambda_c^+/D^0$  cross-section ratio, in *pp* collisions at  $\sqrt{s} = 5$ , 7, and 13 TeV and in proton-lead (*pPb*) collisions at  $\sqrt{s} = 5$  TeV [4–6], show an enhancement with respect to predictions from pQCD calculations

with charm fragmentation based on  $e^+e^-$  [7,8] and  $e^-p$  [9–11] measurements. Similar observations were made in the measurement of the  $\Xi_c^0$  ( $\Xi_c^+$ )/ $D^0$  cross-section ratio in pp collisions at  $\sqrt{s} = 7$  and 13 TeV [12,13]. Multiple models explain the ratio enhancement. For example, color reconnection [14] could be stronger in pp collisions than in  $e^+e^-$  collisions, resulting in an enhanced production of baryons relative to mesons. Other models predicts that hadronization via coalescence [15] will take place.

This paper presents a study of the ratio of production of the  $\Xi_c^+$  particle, a charm-strange baryon, to the production of the  $\Lambda_c^+$  baryon in *p*Pb collisions at the LHCb experiment. This measurement has the potential to shed light on the mechanism of hadronization and its universality as it is the first one to be performed in proton-nucleus collisions, considered the best environment to study the so-called cold nuclear matter (CNM) effects, such as shadowing [16-18], energy loss [19], and nuclear break-up [20]. In nucleus-nucleus collisions, in addition to CNM effects, experimental results indicate the formation of a high-density color-deconfined medium, the quark-gluon plasma (QGP), a state of matter with asymptotically free partons, which is expected to exist at extremely high temperature and density. The presence of QGP can be determined by observing the change in behavior of the particles as they traverse the nuclear medium with respect to their behavior in the absence of QGP [21]. In *p*Pb collisions the energy density is not expected to be sufficient to produce a QGP medium; however, some theoretical models predict the formation of "QGP droplets" [22], which could partially induce in pPb the same behavior, albeit less pronounced, as in PbPb collisions. Moreover, several QGP models predict that strange (s) quark production is enhanced in heavy-ion collisions, as first reported in Ref. [23]; thus, strangeness enhancement and strange antibaryon abundance are considered signatures for QGP formation [24–26], mainly due to the predominance of the gluonic production mechanism  $gg \rightarrow s\bar{s}$ . Strangeness enhancement is investigated at accelerators by studying the ratio of production rates of hadrons containing a strange quark

<sup>\*</sup>Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 4.0 International license. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP<sup>3</sup>.

to those without, as done, by experiments at CERN [27] and BNL Relativistic Heavy Ion Collider (RHIC) [28,29]. The ratio of  $\Xi_c^+$  to  $\Lambda_c^+$  production measured in this paper, by comparing a baryon with strange content to one without, has the potential to test the presence of QGP formation from QGP droplets in *p*Pb collisions, which has not yet been established.

### II. ANALYSIS, DETECTOR, AND SIMULATION

The  $\Xi_c^+$  and  $\Lambda_c^+$  candidates<sup>1</sup> in the analysis are reconstructed via the hadronic decay to the  $pK^{-}\pi^{+}$  final state. The measurements are performed as a function of  $p_{\rm T}$  and rapidity  $(y^*)$  of the baryons, using *p*Pb and Pb*p* collisions with an estimated integrated luminosity of approximately 12.5 and 17.4  $nb^{-1}$  [30], respectively, collected by the LHCb detector at center-of-mass energy per nucleon pair of  $\sqrt{s_{NN}} = 8.16$  TeV. The rapidity  $y^*$  in the nucleon-nucleon center-of-mass system is related to the rapidity in the laboratory frame  $(y_{lab})$  via  $y^* =$  $y_{lab} \pm 0.4645$ . Here, 0.4645 is the shift in rapidity in the direction of the proton beam due to the unequal mass of the two colliding objects. The proton beam and the lead beam have different energies per nucleon in the laboratory frame, with  $E_p = 6.5$  TeV and  $E_{Pb} = 2.56$  TeV. The particles are separated according to whether they originate from the collision point (prompt) or from the decay of b hadrons (nonprompt) using the impact parameter (IP), defined as the distance of closest approach of the particle trajectory to the collision point. Data are analyzed separately in the pPb (forward) sample, covering a rapidity range  $1.5 < y^* < 4.0$ , and the Pbp (backward) sample, covering the range  $-5.0 < y^* < -2.5$ .

The double differential cross section for prompt  $\Xi_c^+$  ( $\Lambda_c^+$ ) production is measured as

$$\frac{d^2\sigma_{\Xi_c^+(\Lambda_c^+)}(p_{\mathrm{T}}, y^*)}{dp_{\mathrm{T}}dy^*} = \frac{N^{\Xi_c^+(\Lambda_c^+)}(p_{\mathrm{T}}, y^*)}{\mathcal{L}\cdot\mathcal{B}\cdot\epsilon_{\mathrm{tot}}(p_{\mathrm{T}}, y^*)\cdot\Delta p_{\mathrm{T}}\Delta y^*}, \quad (1)$$

where  $N^{\Xi_c^+(\Lambda_c^+)}(p_T, y^*)$  is the measured signal yield of prompt  $\Xi_c^+(\Lambda_c^+)$  decays produced in a given interval of  $p_T$  and  $y^*$ ,  $\Delta p_T$  and  $\Delta y^*$ , respectively, and  $\mathcal{L}$  represents the integrated luminosity. The branching fractions  $\mathcal{B}$  are  $(0.62 \pm 0.30)\%$  and  $(6.28 \pm 0.32)\%$ , for the decays  $\Xi_c^+ \rightarrow pK^-\pi^+$  and  $\Lambda_c^+ \rightarrow pK^-\pi^+$ , respectively [31]. Finally,  $\epsilon_{\text{tot}}(p_T, y^*)$  stands for the total signal efficiency determined in the  $\Delta p_T$  and  $\Delta y^*$  interval. The production ratio of  $\Xi_c^+$  to  $\Lambda_c^+, R_{\Xi_c^+/\Lambda_c^+}(p_T, y^*)$ , is defined as

$$R_{\Xi_c^+/\Lambda_c^+}(p_{\rm T}, y^*) \equiv \frac{d^2 \sigma_{\Xi_c^+}(p_{\rm T}, y^*)/dp_{\rm T} dy^*}{d^2 \sigma_{\Lambda_c^+}(p_{\rm T}, y^*)/dp_{\rm T} dy^*}.$$
 (2)

The forward-backward asymmetry,  $R_{FB}(p_T, y^*)$ , is measured in the overlapping rapidity range 2.5 <  $|y^*| < 4.0$  and is defined as

$$R_{\rm FB}(p_{\rm T}, y^*) \equiv \frac{d^2 \sigma_{\Xi_c^+}(p_{\rm T}, +|y^*|)/dp_{\rm T} dy^*}{d^2 \sigma_{\Xi_c^+}(p_{\rm T}, -|y^*|)/dp_{\rm T} dy^*}.$$
 (3)

The LHCb detector [32,33] is a single-arm forward spectrometer covering the pseudorapidity range  $2 < \eta < 5$ , designed for the study of particles containing b or c quarks. The detector includes a high-precision tracking system consisting of a silicon-strip vertex detector surrounding the pp interaction region [34], a large-area silicon-strip detector located upstream of a dipole magnet with a bending power of about 4 Tm, and three stations of silicon-strip detectors and straw drift tubes [35] placed downstream of the magnet. The tracking system provides a measurement of the momentum, p, of charged particles with a relative uncertainty that varies from 0.5% at low momentum to 1.0% at 200 GeV/c. The minimum distance of a track to a primary *pp* collision vertex (PV), the impact parameter (IP), is measured with a resolution of  $(15 + 29/p_T) \mu m$ , where  $p_T$  is the component of the momentum transverse to the beam, in GeV/c. The different types of charged hadrons, such as the kaons and pions used in this analysis, are distinguished using information from two ring-imaging Cherenkov detectors [36]. Photons, electrons and hadrons are identified by a calorimeter system consisting of scintillating-pad and preshower detectors, an electromagnetic and a hadronic calorimeter. Muons are identified by a system composed of alternating layers of iron and multiwire proportional chambers [37]. The online event selection is performed by a trigger [38], which consists of a hardware stage, based on information from the calorimeter and muon systems, followed by a software stage, which applies a full event reconstruction.

Simulation is used to model the reconstruction efficiency and the effects of the selection requirements. Charmed baryons are generated in *pp* collisions at  $\sqrt{s} = 8.16$  TeV using the PYTHIA [39] generator and are embedded into the EPOS [40] generator, which simulates the environment of the proton-lead collision. Particle decays are described by EVT-GEN [41], while the interaction of particles with the detector, and its response in simulation, are implemented using the GEANT4 toolkit [42,43].

#### **III. CANDIDATE SELECTION**

The online event selection is performed by a trigger, which consists of a hardware stage followed by a two-level software stage. In between the two software stages, an alignment and calibration of the detector is performed in near realtime and their results are used in the trigger [44]. The same alignment and calibration information is propagated to the offline reconstruction, ensuring consistent and high-quality particle identification (PID) information between the trigger and offline software. The identical performance of the online and offline reconstruction offers the opportunity to perform physics analyses directly using candidates reconstructed in the trigger [38,45] which the present analysis exploits. The  $\Xi_c^+$  and  $\Lambda_c^+$  baryons are reconstructed by combining three tracks identified as proton, kaon, and pion candidates. All the charged tracks are required to be well reconstructed and to have transverse momentum  $p_{\rm T} > 400 \text{ MeV}/c$  and be incompatible with originating at the PV. The tracks must also be within the LHCb acceptance  $2.0 < \eta < 5.0$  and in the kinematic range 3.2 < p < 100.0 GeV/c. The  $\Xi_c^+$  and  $\Lambda_c^+$ 

<sup>&</sup>lt;sup>1</sup>Charge conjugate decays are implied throughout this paper, unless otherwise stated.



FIG. 1. Invariant mass distributions for (a)  $\Xi_c^+$  candidates in *p*Pb data, (b)  $\Xi_c^+$  candidates in Pb*p* data, (c)  $\Lambda_c^+$  candidates in *p*Pb data, and (d)  $\Lambda_c^+$  candidates in Pb*p* data. The results of the fit are overlaid.

candidates are required to have a good quality secondary vertex and a reconstructed decay time between 0.1 and 10 ps. The angle between the reconstructed candidate momentum and the vector pointing from the PV to the secondary vertex is required to be close to zero. The  $pK^-\pi^+$  invariant mass is required to be within  $\pm 70 \text{ MeV}/c^2$  of the known  $\Xi_c^+$  ( $\Lambda_c^+$ ) mass [31]. The invariant mass resolution for the reconstructed candidates is around 10 MeV/ $c^2$ .

#### IV. DETERMINATION OF SIGNAL YIELDS AND EFFICIENCY

The signal yields are determined using a maximumlikelihood fit to the  $pK^-\pi^+$  invariant mass distributions, which were verified to be independent of the other kinematic variables. The signal component of the fit model is represented by a sum of a Crystal Ball function [46] and a Gaussian function, which share a common mean value. The background component is described by a linear function. The results of the invariant mass fits for  $\Xi_c^+$  and  $\Lambda_c^+$  in *p*Pb and Pb*p* data samples are shown in Fig. 1.

The obtained signal yields are about  $13.3 \times 10^3$  ( $12.6 \times 10^3$ )  $\Xi_c^+$  decays and  $119.2 \times 10^3$  ( $104.4 \times 10^3$ )  $\Lambda_c^+$  decays in the *p*Pb (Pb*p*) sample after background subtraction, achieved using the *sPlot* technique [47] with the  $pK^-\pi^+$  invariant mass as the discriminating variable. The extracted signal contains promptly produced baryons and nonprompt signal from the

decay of *b* hadrons. To extract the prompt component, the method developed in Ref. [6] is used, with the variable  $\chi_{\rm IP}^2$  discriminating between prompt and nonprompt production. The  $\chi_{\rm IP}^2$  variable is defined as the difference in the vertex-fit  $\chi^2$  of a given PV reconstructed with and without the  $\Xi_c^+(\Lambda_c^+)$  candidate under consideration. The prompt and non-prompt components are modelled with a Bukin function [48]. The asymmetry parameters of the Bukin function describing the prompt component are fixed using results from fits to simulated samples. The results of the background-subtracted distribution fits of the  $\log_{10}(\chi_{\rm IP}^2)$  for  $\Xi_c^+$  and  $\Lambda_c^+$  in *p*Pb and Pbp data samples are shown in Fig. 2. The quantity  $N_{\Xi_c^+(\Lambda_c^+)}(p_{\rm T}, y^*)$  is obtained by performing the invariant mass and  $\log_{10}(\chi_{\rm IP}^2)$  fits in each  $(p_{\rm T}, y^*)$  bin.

Simulated data are used to determine the total efficiency, defined as the product of the geometrical acceptance of the detector, and the reconstruction, selection, PID, and trigger efficiencies. The samples are weighted to match the background-subtracted data using the distributions of  $p_{\rm T}$ ,  $y^*$ , the number of VELO clusters and the invariant mass of the  $pK^-$  and  $K^-\pi^+$  combinations. The PID efficiency is also measured with dedicated calibration data samples [49].

#### **V. SYSTEMATIC UNCERTAINTIES**

Several sources of systematic uncertainty are studied. A systematic uncertainty in the signal yield determination is



FIG. 2. Background-subtracted  $\log_{10}(\chi_{\text{IP}}^2)$  distributions of (a)  $\Xi_c^+$  and (b)  $\Lambda_c^+$  candidates in (left) *p*Pb and (right) Pb*p* data. The results of the fit are overlaid.

evaluated by changing the function used in the fit for the nonprompt component, switching from a Bukin function to a Gaussian. The difference in the signal yields obtained with the two fits is taken as a systematic uncertainty. The systematic uncertainty associated to the background determination, which is dominant, is evaluated by using a sideband subtraction technique, instead of the *sPlot* method. The uncertainties in reconstruction, selection, and PID efficiencies are evaluated by varying the reweighting procedure by excluding the distributions of the invariant mass of the  $pK^-$  and  $K^-\pi^+$ combinations. The uncertainties in the branching fractions are accounted for. Summaries of the systematic uncertainties in

TABLE I. Summary of systematic uncertainties on the  $\Xi_c^+$  and  $\Lambda_c^+$  cross sections in  $p_T$  bins in the *p*Pb and Pb*p* samples. The range of uncertainties correspond to the values obtained for different bins of  $p_T$ .

	$\Xi_c^+$		$\Lambda_c^+$	
	pPb	Pbp	pPb	Pbp
Signal	0.1-2.2%	0.2-2.3%	_	_
Background	1.3-5.7%	0.5-18.0%	0.1-1.0%	0.1-0.8%
Eacc	0.1-0.2%	0.1-0.3%	0.1-0.2%	0.1-0.2%
$\varepsilon_{\rm sel/rec}$	1.1-3.5%	1.3-4.8%	3.6-7.3%	2.7-5.5%
$\varepsilon_{\mathrm{PID}}$	0.3-0.7%	0.6-1.4%	0.2-0.6%	0.5-1.1%
$\varepsilon_{\rm trg/sel}$	0.4-0.5%	0.4–0.5%	0.1–0.6%	0.4-0.8%
Total	2.0-6.3%	2.9–18.0%	3.6-7.3%	2.8-5.6%

the  $\Xi_c^+$  and  $\Lambda_c^+$  cross sections can be found in Tables I, II, and III.

#### VI. RESULTS

In this section the different measurements performed are discussed. More results can be found in the Appendix.

#### A. Double-differential cross section

The double-differential cross sections of prompt  $\Xi_c^+$  production times  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  in proton-lead collisions at

TABLE II. Summary of systematic uncertainties on the  $\Xi_c^+$  and  $\Lambda_c^+$  cross sections in  $y^*$  bins in the *p*Pb and Pb*p* samples. The range of uncertainties correspond to the values obtained for different bins of  $y^*$ .

	$\Xi_c^+$		$\Lambda_c^+$	
	pPb	Pb <i>p</i>	pPb	Pb <i>p</i>
Signal	0.2-3.0%	0.2-3.6%	2.0-5.9%	_
Background	0.1-5.7%	1.7-27.4%	0.1-4.6%	0.7-17.7%
E <sub>acc</sub>	0.1-0.4%	0.1-0.8%	0.1-0.3%	0.1-0.5%
$\mathcal{E}_{sel/rec}$	0.7-2.8%	1.5-4.2%	3.4-6.8%	1.2-14.4%
\$PID	0.4-1.5%	0.5-3.0%	0.2-2.3%	0.4-3.8%
$\varepsilon_{\rm trg/sel}$	0.4-0.5%	0.4–0.6%	0.4-0.5%	0.4-1.2%
Total	1.6-6.4%	2.7-27.8%	4.1–9.9%	1.8–17.9%

TABLE III. Summary of systematic uncertainties correlated among bins on the  $\Xi_c^+$  and  $\Lambda_c^+$  cross sections in the *p*Pb and Pb*p* samples.

	pPb	Pbp	
Luminosity	2.6%	2.5%	
Signal	4.8%	2.8-3.1%	
Tracking	5.5%		
$\mathcal{B}(\Xi_c^+ \to p^+ K^- \pi^+)$	48.4%		
$\mathcal{B}(\Lambda_c^+ \to p^+ K^- \pi^+)$	5.1%		

 $\sqrt{s_{NN}} = 8.16$  TeV are measured as a function of  $p_{\rm T}$  integrated over  $y^*$  in the regions  $1.5 < y^* < 4.0$  and  $-5.0 < y^* < -2.5$ , and as a function of  $y^*$  integrated over the  $p_{\rm T}$  range between 2.0 and 12.0 GeV/c. The double-differential cross sections of prompt  $\Xi_c^+$  production are shown in Fig. 3. The data are compared with theoretical predictions [50–52] from



FIG. 4. Forward-backward ratio of  $\Xi_c^+$  production as a function of  $p_T$ . The error bars represent the statistical uncertainties, while the boxes indicate the systematic uncertainty.



FIG. 3. Double-differential cross-section of the prompt  $\Xi_c^+$  baryon times  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  in proton-lead collisions as a function of (a)  $p_T$  and (b)  $y^*$  in *p*Pb (red triangles) and Pb*p* (blue triangles) collisions. The error bars represent the statistical uncertainties, while the black squares represent the total systematic uncertainties which include correlations among bins.



FIG. 5. Ratio of prompt  $\Xi_c^+$  to  $\Lambda_c^+$  production in *p*Pb (red triangles) and Pb*p* (blue triangles) data samples as a function of N<sub>clusters</sub><sup>VELO</sup>. The error bars represent the statistical uncertainties, while the squares indicate the systematic uncertainty. The branching ratio uncertainty on  $\Xi_c^+$  is not shown.

the HELAC-Onia method [53,54] called EPPS16 [55] with three factorization scale choices. The data agree with the predictions and appear to be best described using the scale  $0.5\mu_0$ . For the forward and backward regions, the integrated cross sections are

$$\begin{aligned} \sigma_{\Xi_c^+}^{\text{Pbp}}(2 < p_{\text{T}} < 12 \,\text{GeV}/c, 1.5 < y^* < 4.0) \\ &= 9.69 \pm 0.12 \pm 0.26 \pm 4.72 \,\text{mb}, \\ \sigma_{\Xi_c^+}^{\text{Pbp}}(2 < p_{\text{T}} < 12 \,\text{GeV}/c, -5.0 < y^* < -2.5) \\ &= 8.10 \pm 0.11 \pm 0.72 \pm 3.95 \,\text{mb}, \end{aligned}$$

where the first uncertainty is statistical, the second is the uncorrelated systematic uncertainty, and the third is the systematic uncertainty fully correlated among bins.

#### **B.** Forward-backward asymmetry

The forward-backward ratio  $R_{\text{FB}}$ , defined in Eq. (3) and measured as a function of  $p_{\text{T}}$ , is shown in Fig. 4. The ratio is independent of  $p_{\text{T}}$  and agrees with the theoretical prediction within one standard deviation.

#### C. Differential ratio of $\Xi_c^+$ to $\Lambda_c^+$ ( $D^0$ )

The differential ratio of  $\Xi_c^+$  to  $\Lambda_c^+$  production is measured as a function of the number of clusters reconstructed in the VELO (N<sub>clusters</sub>) and given in Fig. 5. The ratios are constant as a function of N<sub>clusters</sub>, similarly for the *p*Pb and Pb*p* data, and the results show no indication of strangeness enhancement.

Since LHCb has already measured the  $D^0$  production cross-section in *p*Pb collisions at  $\sqrt{s} = 8.16$  TeV [56], it is also possible to compute the  $\Xi_c^+/D^0$  production ratio. The differential ratios of  $\Xi_c^+$  to  $\Lambda_c^+$  production and  $\Xi_c^+$  to  $D^0$  production are shown in Fig. 6 as a function of  $p_{\rm T}$ . Both the  $\Xi_c^+/\Lambda_c^+$  and  $\Xi_c^+/D^0$  ratios show no significant  $p_{\rm T}$  dependence, similarly for the pPb and Pbp data samples. This result provides a strong indication that the same processes govern hadronization in pPb and Pbp collisions. This is the first time they are measured in this system. The data are compared with EPPS16 nPDF predictions [55], which uses the cross section measured in pp collisions by ALICE [13] as input for their calculation. The EPPS16 model shows a similar trend as the data, but significantly overestimates it. The measurements are also compared with results from the PYTHIA 8.3 event generator with a tune that implements color reconnection (CR) beyond the leading-colour approximation [14] and the computation obtained with EPOS4HQ, the heavy quark extension of the new EPOS4 framework [4]. Both computations are based on results in pp collisions. The  $\Xi_c^+/\Lambda_c^+$ 



FIG. 6. Ratio of (left) prompt  $\Xi_c^+$  to  $\Lambda_c^+$  production and (right)  $\Xi_c^+$  to  $D^0$  production in the *p*Pb (red triangles) and Pb*p* (blue triangles) data samples as a function of  $p_T$ . The error bars represent the statistical uncertainties, while the empty rectangles indicate the systematic uncertainty. Shaded rectangles denote the branching ratio uncertainty.

cross-section ratio is best described by the EPOS4HQ model within uncertainties, despite showing a different trend, especially at low  $p_{\rm T}$ . This behavior is even more pronounced in the  $\Xi_c^+/D^0$  cross-section ratio. The  $\Xi_c^+$  to  $D^0$  production ratio is also compared with the result of ALICE at  $\sqrt{s} = 13$  TeV at |y| < 0.5 in pp collisions [13]. The ALICE result is generally higher, but the two measurements agree within the uncertainties.

#### VII. SUMMARY

In summary, the prompt  $\Xi_c^+$  production cross section in *p*Pb and Pb*p* collisions at a center-of-mass energy of  $\sqrt{s_{NN}} =$ 8.16 TeV at the LHCb experiment is measured differentially for the first time as a function of  $p_{\rm T}$  and  $y^*$ . The crosssection measurement provides new constraints for nPDF calculations, especially at low  $p_{\rm T}$ , where the uncertainty on the factorization scale is the largest. The forward-backward ratio  $R_{\rm FB}$  is measured and found to be well described by nuclear shadowing calculations showing that there are no major final-state effects involved, in contrast to what has been observed in  $D^0$  production studies in the same kinematic range at the same energy [56]. Prompt  $\Xi_c^+$  production is compared to prompt  $\Lambda_c^+$  production in the same kinematic region and their ratio is found to be constant within the uncertainties as a function of  $p_{\rm T}$  and multiplicity, which is an indication that similar effects govern both  $\Xi_c^+$  and  $\Lambda_c^+$ production. The ratio of  $\Xi_c^+$  to  $D^0$  production is also measured as a function of  $p_{\rm T}$ . Both ratios are found to be similar in pPb and Pbp collisions but they show different trends compared to pp theory calculations. Therefore, our results show that hadronization in pPb is not well understood and provides clear input for the hadronization studies in pPb collisions.

#### ACKNOWLEDGMENTS

We would like to thank to Hua-Sheng Shao, Jiaxing Zhao, and Joerg Aichelin for providing LHCb-specific theoretical predictions. We express our gratitude to our colleagues in the CERN accelerator departments for the excellent performance of the LHC. We thank the technical and administrative staff at the LHCb institutes. We acknowledge support from CERN and from the national agencies: CAPES, CNPq, FAPERJ, and FINEP (Brazil); MOST and NSFC (China); CNRS/IN2P3 (France); BMBF, DFG, and MPG (Germany); INFN (Italy); NWO (Netherlands); MNiSW and NCN (Poland); MCID/IFA (Romania); MICINN (Spain); SNSF and SER (Switzerland); NASU (Ukraine); STFC (United Kingdom); DOE NP and NSF (USA). We acknowledge the computing resources that are provided by CERN, IN2P3 (France), KIT and DESY (Germany), INFN (Italy), SURF (Netherlands), PIC (Spain), GridPP (United Kingdom), CSCS (Switzerland), IFIN-HH (Romania), CBPF (Brazil), and Polish WLCG (Poland). We are indebted to the communities behind the multiple open-source software packages on which we depend. Individual groups or members have received support from ARC and ARDC (Australia); Key Research Program of Frontier Sciences of CAS, CAS PIFI, CAS CCEPP, Fundamental Research Funds for the Central Universities, and Sci. & Tech. Program of Guangzhou (China); Minciencias (Colombia); EPLANET, Marie Skłodowska-Curie Actions, ERC and NextGenerationEU (European Union); A\*MIDEX, ANR, IPhU and Labex P2IO, and Région Auvergne-Rhône-Alpes (France); AvH Foundation (Germany); ICSC



FIG. 7. Production ratio of prompt  $\Xi_c^+$  to  $\Lambda_c^+$  baryons multiplied by  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  in *p*Pb (red triangles) and Pb*p* (blue triangles) data samples as a function of  $p_T$ . The error bars represent the statistical uncertainties while the squares indicate the systematic uncertainty.



FIG. 8. Production ratio of prompt  $\Xi_c^+$  to  $\Lambda_c^+$  baryons multiplied by  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  in *p*Pb (red triangles) and Pb*p* (blue triangles) data samples as a function of  $y^*$ . The error bars represent the statistical uncertainties while the squares indicate the systematic uncertainty.



FIG. 9. Production ratio of prompt  $\Xi_c^+$  to  $D^0$  baryons multiplied by  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  in *p*Pb (red triangles) and Pb*p* (blue triangles) data samples as a function of  $p_T$ . The error bars represent the statistical uncertainties while the squares indicate the systematic uncertainty.

(Italy); GVA, XuntaGal, GENCAT, Inditex, InTalent and Prog. Atracción Talento, CM (Spain); SRC (Sweden); the Leverhulme Trust, the Royal Society, and UKRI (United Kingdom).

- [1] R. Aaij *et al.* (LHCb Collaboration), Measurements of prompt charm production cross-sections in *pp* collisions at  $\sqrt{s} = 5$  TeV, J. High Energy Phys. 06 (2017) 147.
- [2] J. C. Collins, D. E. Soper, and G. F. Sterman, Heavy particle production in high-energy hadron collisions, Nucl. Phys. B 263, 37 (1986).
- [3] R. Aaij *et al.* (LHCb Collaboration), Measurement of *b* hadron production fractions in 7 TeV/*pp* collisions, Phys. Rev. D 85, 032008 (2012)
- [4] K. Werner and B. Guiot, Perturbative QCD concerning light and heavy flavor in the EPOS4 framework, Phys. Rev. C 108, 034904 (2023).
- [5] S. Acharya *et al.* (ALICE Collaboration),  $\Lambda_c^+$  production in pp collisions at  $\sqrt{s} = 7$  TeV and in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, J. High Energy Phys. 04 (2018) 108.
- [6] R. Aaij *et al.* (LHCb Collaboration), Prompt  $\Lambda_c^+$  production in *p* Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV, J. High Energy Phys. 02 (2019) 102.
- [7] H. Albrecht *et al.* (ARGUS Collaboration), Inclusive production of  $D^0$ ,  $D^+$  and  $D^{*+}$  (2010) mesons in B decays and nonresonant  $e^+e^-$  annihilation at 10.6 GeV, Z. Phys. C **52**, 353 (1991).
- [8] P. Avery *et al.* (CLEO Collaboration), Inclusive production of the charmed baryon  $\Lambda_c^+$  from  $e^+e^-$  annihilations at  $\sqrt{s} = 10.55$  GeV, Phys. Rev. D **43**, 3599 (1991).
- [9] S. Chekanov *et al.* (ZEUS Collaboration), Measurement of charm fragmentation ratios and fractions in photoproduction at HERA, Eur. Phys. J. C 44, 351 (2005)



FIG. 10. Production ratio of prompt  $\Xi_c^+$  to  $D^0$  baryons multiplied by  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  in *p*Pb (red triangles) and Pb*p* (blue triangles) data samples as a function of  $y^*$ . The error bars represent the statistical uncertainties while the squares indicate the systematic uncertainty.

#### **APPENDIX: ADDITIONAL PLOTS**

The differential ratios of  $\Xi_c^+$  to  $\Lambda_c^+$  and to  $D^0$  production multiplied by  $\mathcal{B}(\Xi_c^+ \to pK^-\pi^+)$  are shown in Figs. 7–10 as a function of  $p_T$  and  $y^*$ .

- [10] H. Abramowicz *et al.* (ZEUS Collaboration), Measurement of D<sup>+</sup> and Λ<sup>+</sup><sub>c</sub> production in deep inelastic scattering at HERA, J. High Energy Phys. 11 (2010) 009.
- [11] E. Braaten, K.-m. Cheung, S. Fleming, and T. C. Yuan, Perturbative QCD fragmentation functions as a model for heavy quark fragmentation, Phys. Rev. D 51, 4819 (1995).
- [12] S. Acharya *et al.* (ALICE Collaboration), First measurement of  $\Xi_c^0$  production in pp collisions at  $\sqrt{s} = 7$  TeV, Phys. Lett. B **781**, 8 (2018).
- [13] S. Acharya *et al.* (ALICE Collaboration), Measurement of the cross sections of  $\Xi_c^0$  and  $\Xi_c^+$  baryons and of the branching-fraction ratio  $BR(\Xi_c^0 \to \Xi^- e^+ v_e)/BR(\Xi_c^0 \to \Xi^- \pi^+)$  in pp collisions at 13 TeV, Phys. Rev. Lett. **127**, 272001 (2021).
- [14] J. R. Christiansen and P. Z. Skands, String formation beyond leading colour, J. High Energy Phys. 08 (2015) 003.
- [15] V. Greco and C. M. Ko, Hadronization via coalescence, Acta Phys. Hung. A 24, 235 (2005).
- [16] N. Armesto, Nuclear shadowing, J. Phys. G 32, R367 (2006).
- [17] I. Vitev, Non-Abelian energy loss in cold nuclear matter, Phys. Rev. C 75, 064906 (2007).
- [18] S. Gavin and J. Milana, Energy loss at large  $x_f$  in nuclear collisions, Phys. Rev. Lett. **68**, 1834 (1992).
- [19] T. Dai, J.-F. Paquet, D. Teaney, and S. A. Bass, Parton energy loss in a hard-soft factorized approach, Phys. Rev. C 105, 034905 (2022).

- [20] M. Wysocki (PHENIX Collaboration), Measurements of cold nuclear matter effects on  $J/\psi$  in the PHENIX experiment via deuteron-gold collisions, J. Phys. G 35, 104069 (2008).
- [21] R. Grajcarek, Measurement of heavy-flavor production in Pb-Pb collisions at the LHC with ALICE, J. Phys.: Conf. Ser. 420, 012032 (2013).
- [22] Y.-J. Lee, Quark-gluon droplets engineered, Nat. Phys. 15, 206 (2019).
- [23] J. Rafelski, Strangeness production in the quark gluon plasma, Nucl. Phys. A 418, 215 (1984).
- [24] J. Rafelski, Extreme states of nuclear matter., Nucl. Phys. A 374, 489 (1982).
- [25] P. Koch and J. Rafelski, Time evolution of strange particle densities in hot hadronic matter, Nucl. Phys. A 444, 678 (1985).
- [26] P. Koch, B. Muller, and J. Rafelski, Strangeness in relativistic heavy ion collisions, Phys. Rep. 142, 167 (1986).
- [27] J. Adam et al., Enhanced production of multi-strange hadrons in high-multiplicity proton-proton collisions, Nat. Phys. 13, 535 (2017).
- [28] A. Adare et al. (PHENIX Collaboration), Spectra and ratios of identified particles in Au+Au and d+Au collisions at  $\sqrt{s_{NN}} =$ 200 GeV, Phys. Rev. C 88, 024906 (2013).
- [29] B. I. Abelev et al. (STAR Collaboration), Identified baryon and meson distributions at large transverse momenta from Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV, Phys. Rev. Lett. 97, 152301 (2006).
- [30] R. Aaij et al. (LHCb Collaboration), Precision luminosity measurements at LHCb, JINST 9, P12005 (2014).
- [31] R. L. Workman et al. (Particle Data Group), Review of particle physics, Prog. Theor. Exp. Phys. 2022, 083C01 (2022).
- [32] A. A. Alves, Jr. et al. (LHCb Collaboration), The LHCb detector at the LHC, JINST 3, S08005 (2008).
- [33] R. Aaij et al. (LHCb Collaboration), LHCb detector performance, Int. J. Mod. Phys. A 30, 1530022 (2015).
- [34] R. Aaij et al., Performance of the LHCb vertex locator, JINST 9, P09007 (2014).
- [35] P. d'Argent et al., Improved performance of the LHCb outer tracker in LHC Run 2, JINST 12, P11016 (2017).
- [36] M. Adinolfi et al., Performance of the LHCb RICH detector at the LHC, Eur. Phys. J. C 73, 2431 (2013).
- [37] A. A. Alves, Jr. et al., Performance of the LHCb muon system, JINST 8, P02022 (2013).
- [38] R. Aaij et al., The LHCb trigger and its performance in 2011, JINST 8, P04022 (2013).
- [39] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178, 852 (2008).
- [40] T. Pierog, Iu. Karpenko, J. M. Katzy, E. Yatsenko, and K. Werner, EPOS LHC: Test of collective hadronization with data

measured at the CERN Large Hadron Collider, Phys. Rev. C 92, 034906 (2015).

- [41] D. J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods Phys. Res. A 462, 152 (2001).
- [42] S. Agostinelli et al. (Geant4 Collaboration), Geant4: A simulation toolkit, Nucl. Instrum. Methods Phys. Res. A 506, 250 (2003).
- [43] Geant4 Collaboration, J. Allison et al., Geant4 developments and applications, IEEE Trans. Nucl. Sci. 53, 270 (2006).
- [44] G. Dujany and B. Storaci, Real-time alignment and calibration of the LHCb detector in run II, J. Phys.: Conf. Ser. 664, 082010 (2015).
- [45] R. Aaij et al., Tesla: An application for real-time data analysis in High Energy Physics, Comput. Phys. Commun. 208, 35 (2016).
- [46] T. Skwarnicki, A study of the radiative cascade transitions between the Upsilon-prime and Upsilon resonances, PhD thesis, Institute of Nuclear Physics, Krakow, 1986, DESY-F31-86-02.
- [47] M. Pivk and F. R. Le Diberder, sPlot: A statistical tool to unfold data distributions, Nucl. Instrum. Methods Phys. Res. A 555, 356 (2005).
- [48] A. D. Bukin, Fitting function for asymmetric peaks, arXiv:0711.4449.
- [49] L. Anderlini et al., The PIDCalib package, LHCb-PUB-2016-021, 2016.
- [50] J.-P. Lansberg and H.-S. Shao, Towards an automated tool to evaluate the impact of the nuclear modification of the gluon density on quarkonium, D and B meson production in protonnucleus collisions, Eur. Phys. J. C 77, 1 (2017).
- [51] A. Kusina, J.-P. Lansberg, I. Schienbein, and H.-S. Shao, Gluon shadowing in heavy-flavor production at the LHC, Phys. Rev. Lett. 121, 052004 (2018).
- [52] A. Kusina, J.-P. Lansberg, I. Schienbein, and H.-S. Shao, Reweighted nuclear PDFs using heavy-flavor production data at the LHC, Phys. Rev. D 104, 014010 (2021).
- [53] H.-S. Shao, HELAC-Onia: An automatic matrix element generator for heavy quarkonium physics, Comput. Phys. Commun. 184, 2562 (2013).
- [54] H.-S. Shao, HELAC-Onia 2.0: An upgraded matrix-element and event generator for heavy quarkonium physics, Comput. Phys. Commun. 198, 238 (2016).
- [55] K. J. Eskola, P. Paakkinen, H. Paukkunen, and C. A. Salgado, EPPS16: Nuclear parton distributions with LHC data, Eur. Phys. J. C 77, 163 (2017).
- [56] LHCb Collaboration, R. Aaij et al., Measurement of the prompt  $D^0$  nuclear modification factor in pPb collisions at  $\sqrt{s_{NN}} =$ 8.16 TeV, Phys. Rev. Lett. 131, 102301 (2023).

R. Aaij<sup>®</sup>,<sup>32</sup> A. S. W. Abdelmotteleb<sup>®</sup>,<sup>50</sup> C. Abellan Beteta,<sup>44</sup> F. Abudinén<sup>®</sup>,<sup>50</sup> T. Ackernley<sup>®</sup>,<sup>54</sup> B. Adeva<sup>®</sup>,<sup>40</sup> M. Adinolfi<sup>®</sup>,<sup>48</sup> P. Adlarson<sup>®</sup>,<sup>77</sup> H. Afsharnia,<sup>9</sup> C. Agapopoulou<sup>®</sup>,<sup>13</sup> C. A. Aidala<sup>®</sup>,<sup>78</sup> Z. Ajaltouni,<sup>9</sup> S. Akar<sup>®</sup>,<sup>59</sup>

M. Adhloffie, T. Adhlasone, T. Adhlasone, T. Arshanna, C. Agapoponoue, C. A. Adhlae, Z. Ajahouni, S. Akale,
K. Akibao, <sup>32</sup> P. Albicoccoo, <sup>23</sup> J. Albrechto, <sup>15</sup> F. Alessioo, <sup>42</sup> M. Alexandero, <sup>53</sup> A. Alfonso Alberoo, <sup>39</sup> Z. Alioucheo, <sup>56</sup> P. Alvarez Cartelleo, <sup>49</sup> R. Amalrico, <sup>13</sup> S. Amatoo, <sup>2</sup> J. L. Ameyo, <sup>48</sup> Y. Amhiso, <sup>11,42</sup> L. Ano, <sup>42</sup> L. Anderlinio, <sup>22</sup> M. Anderssono, <sup>44</sup> A. Andreianovo, <sup>38</sup> M. Andreottio, <sup>21</sup> D. Andreouo, <sup>62</sup> D. Aoo, <sup>6</sup> F. Archillio, <sup>31,a</sup> A. Artamonovo, <sup>38</sup> M. Artusoo, <sup>62</sup> E. Aslanideso, <sup>10</sup> M. Atzenio, <sup>44</sup> B. Auduriero, <sup>12</sup> I. B Bachiller Pereao, <sup>8</sup> S. Bachmanno, <sup>17</sup> M. Bachmayero, <sup>43</sup>

- J. J. Back<sup>©</sup>, <sup>50</sup> A. Bailly-reyre,<sup>13</sup> P. Baladron Rodriguez<sup>©</sup>, <sup>40</sup> V. Balagura<sup>©</sup>, <sup>12</sup> W. Baldini<sup>©</sup>, <sup>21,42</sup> J. Baptista de Souza Leite<sup>®</sup>, <sup>1</sup> M. Barbetti<sup>©</sup>, <sup>22,b</sup> R. J. Barlow<sup>©</sup>, <sup>56</sup> S. Barsuk<sup>©</sup>, <sup>11</sup> W. Barter<sup>©</sup>, <sup>52</sup> M. Bartolini<sup>©</sup>, <sup>49</sup> F. Baryshnikov<sup>©</sup>, <sup>38</sup> J. M. Basels<sup>©</sup>, <sup>14</sup>
- G. Bassi<sup>1</sup>,<sup>29,c</sup> B. Batsukh<sup>1</sup>,<sup>4</sup> A. Battig<sup>1</sup>,<sup>15</sup> A. Bay<sup>1</sup>,<sup>43</sup> A. Beck<sup>5</sup>,<sup>50</sup> M. Becker<sup>1</sup>,<sup>15</sup> F. Bedeschi<sup>1</sup>,<sup>29</sup> I. B. Bediaga<sup>1</sup>,<sup>1</sup></sup>

A. Beiter,<sup>62</sup> S. Belin<sup>©</sup>,<sup>40</sup> V. Bellee<sup>©</sup>,<sup>44</sup> K. Belous<sup>©</sup>,<sup>38</sup> I. Belov<sup>©</sup>,<sup>38</sup> I. Belyaev<sup>©</sup>,<sup>38</sup> G. Benane<sup>©</sup>,<sup>10</sup> G. Bencivenni<sup>©</sup>,<sup>23</sup>
E. Ben-Haim<sup>©</sup>,<sup>13</sup> A. Berezhnoy<sup>©</sup>,<sup>38</sup> R. Bernet<sup>©</sup>,<sup>44</sup> S. Bernet Andres<sup>©</sup>,<sup>76</sup> D. Berninghoff,<sup>17</sup> H. C. Bernstein,<sup>62</sup> C. Bertella<sup>©</sup>,<sup>56</sup>
A. Bertolin<sup>©</sup>,<sup>28</sup> C. Betancourt<sup>©</sup>,<sup>44</sup> F. Betti<sup>©</sup>,<sup>42</sup> Ia. Bezshyiko<sup>©</sup>,<sup>44</sup> S. Bhasin<sup>©</sup>,<sup>48</sup> J. Bhom<sup>©</sup>,<sup>35</sup> L. Bian<sup>©</sup>,<sup>68</sup> M. S. Bieker<sup>©</sup>,<sup>15</sup>
N. V. Biesuz<sup>©</sup>,<sup>21</sup> P. Billoir<sup>©</sup>,<sup>13</sup> A. Biolchini<sup>©</sup>,<sup>32</sup> M. Birch<sup>©</sup>,<sup>55</sup> F. C. R. Bishop<sup>©</sup>,<sup>49</sup> A. Bitadze<sup>©</sup>,<sup>56</sup> A. Bizzeti<sup>©</sup>, M. P. Blago,<sup>49</sup> T. Blake,<sup>50</sup> F. Blanc,<sup>43</sup> J. E. Blank,<sup>15</sup> S. Blusk,<sup>62</sup> D. Bobulska,<sup>53</sup> J. A. Boelhauve,<sup>15</sup> O. Boente Garcia<sup>®</sup>, <sup>12</sup> T. Boettcher<sup>®</sup>, <sup>59</sup> A. Boldyrev<sup>®</sup>, <sup>38</sup> C. S. Bolognani<sup>®</sup>, <sup>74</sup> R. Bolzonella<sup>®</sup>, <sup>21,d</sup> N. Bondar<sup>®</sup>, <sup>38,42</sup> F. Borgato<sup>1,28</sup> S. Borghi<sup>1,56</sup> M. Borsato<sup>1,17</sup> J. T. Borsuk<sup>1,35</sup> S. A. Bouchiba<sup>1,43</sup> T. J. V. Bowcock<sup>1,54</sup> A. Boyer<sup>1,42</sup> C. Bozzi<sup>(0)</sup>,<sup>21</sup> M. J. Bradley,<sup>55</sup> S. Braun<sup>(0)</sup>,<sup>60</sup> A. Brea Rodriguez<sup>(0)</sup>,<sup>40</sup> J. Brodzicka<sup>(0)</sup>,<sup>35</sup> A. Brossa Gonzalo<sup>(0)</sup>,<sup>40</sup> J. Brown<sup>(0)</sup>,<sup>54</sup> D. Brundu<sup>©</sup>, <sup>27</sup> A. Buonaura<sup>©</sup>, <sup>44</sup> L. Buonincontri<sup>©</sup>, <sup>28</sup> A. T. Burke<sup>©</sup>, <sup>56</sup> C. Burr<sup>©</sup>, <sup>42</sup> A. Bursche, <sup>66</sup> A. Butkevich<sup>®</sup>, <sup>38</sup> J. S. Butter<sup>©</sup>, <sup>32</sup> J. Buytaert<sup>©</sup>, <sup>42</sup> W. Byczynski<sup>©</sup>, <sup>42</sup> S. Cadeddu<sup>©</sup>, <sup>27</sup> H. Cai, <sup>68</sup> R. Calabrese<sup>©</sup>, <sup>21,d</sup> L. Calefice<sup>®</sup>, <sup>15</sup> S. Cali<sup>©</sup>, <sup>23</sup> M. Calvi<sup>©</sup>, <sup>26,e</sup> M. Calvo Gomez<sup>©</sup>, <sup>76</sup> P. Campana<sup>©</sup>, <sup>23</sup> D. H. Campora Perez<sup>©</sup>, <sup>74</sup> A. F. Campoverde Quezada<sup>©</sup>, <sup>6</sup> S. Capelli<sup>©</sup>, <sup>26,e</sup> L. Capriotti<sup>©</sup>, <sup>20</sup> A. Carbone<sup>©</sup>, <sup>20,f</sup> R. Cardinale<sup>©</sup>, <sup>24,g</sup> A. Cardini<sup>©</sup>, <sup>27</sup> P. Carniti<sup>©</sup>, <sup>26,e</sup> L. Carus, <sup>14</sup> A. Casais Vidal<sup>®</sup>, <sup>40</sup> R. Caspary<sup>®</sup>, <sup>17</sup> G. Casse<sup>®</sup>, <sup>54</sup> M. Cattaneo<sup>®</sup>, <sup>42</sup> G. Cavallero<sup>®</sup>, <sup>55,42</sup> V. Cavallini<sup>®</sup>, <sup>21,d</sup> S. Celani<sup>®</sup>, <sup>43</sup> J. Cerasoli<sup>©</sup>, <sup>10</sup> D. Cervenkov<sup>©</sup>, <sup>57</sup> A. J. Chadwick<sup>©</sup>, <sup>54</sup> I. C Chahrour<sup>©</sup>, <sup>78</sup> M. G. Chapman, <sup>48</sup> M. Charles<sup>©</sup>, <sup>13</sup> Ph. Charpentier<sup>®</sup>, <sup>42</sup> C. A. Chavez Barajas<sup>©</sup>, <sup>54</sup> M. Chefdeville<sup>®</sup>, <sup>8</sup> C. Chen<sup>®</sup>, <sup>10</sup> S. Chen<sup>®</sup>, <sup>4</sup> A. Chernov<sup>®</sup>, <sup>35</sup> S. Chernyshenko<sup>®</sup>, <sup>46</sup> V. Chobanova<sup>®</sup>, <sup>40</sup> S. Cholak<sup>®</sup>, <sup>43</sup> M. Chrzaszcz<sup>®</sup>, <sup>35</sup> A. Chubykin<sup>®</sup>, <sup>38</sup> V. Chulikov<sup>®</sup>, <sup>38</sup> P. Ciambrone<sup>®</sup>,<sup>23</sup> M. F. Cicala<sup>®</sup>,<sup>50</sup> X. Cid Vidal<sup>®</sup>,<sup>40</sup> G. Ciezarek<sup>®</sup>,<sup>42</sup> P. Cifra<sup>®</sup>,<sup>42</sup> G. Ciullo<sup>®</sup>,<sup>21,d</sup> P. E. L. Clarke<sup>®</sup>,<sup>52</sup> M. Clemencic<sup>®</sup>,<sup>42</sup> H. V. Cliff<sup>®</sup>,<sup>49</sup> J. Closier<sup>®</sup>,<sup>42</sup> J. L. Cobbledick<sup>®</sup>,<sup>56</sup> V. Coco<sup>®</sup>,<sup>42</sup> J. Cogan<sup>®</sup>,<sup>10</sup> E. Cogneras<sup>®</sup>,<sup>9</sup> L. Cojocariu,<sup>37</sup> P. Collins,<sup>42</sup> T. Colombo,<sup>42</sup> L. Congedo,<sup>19</sup> A. Contu,<sup>27</sup> N. Cooke,<sup>47</sup> I. Corredoira,<sup>40</sup> G. Corti,<sup>42</sup> B. Couturier <sup>(6)</sup>, <sup>42</sup> D. C. Craik <sup>(6)</sup>, <sup>44</sup> M. Cruz Torres <sup>(6)</sup>, <sup>1,h</sup> R. Currie <sup>(6)</sup>, <sup>52</sup> C. L. Da Silva <sup>(6)</sup>, <sup>61</sup> S. Dadabaev <sup>(6)</sup>, <sup>38</sup> L. Dai <sup>(6)</sup>, <sup>65</sup> X. Dai <sup>(6)</sup>, <sup>5</sup> E. Dall'Occo <sup>(6)</sup>, <sup>15</sup> J. Dalseno <sup>(6)</sup>, <sup>40</sup> C. D'Ambrosio <sup>(4)</sup>, <sup>42</sup> J. Daniel <sup>(6)</sup>, <sup>9</sup> A. Danilina <sup>(6)</sup>, <sup>38</sup> P. d'Argent <sup>(6)</sup>, <sup>19</sup> J. E. Davies<sup>0</sup>, <sup>56</sup> A. Davis<sup>0</sup>, <sup>56</sup> O. De Aguiar Francisco<sup>0</sup>, <sup>56</sup> J. de Boer<sup>0</sup>, <sup>42</sup> K. De Bruyn<sup>0</sup>, <sup>73</sup> S. De Capua<sup>0</sup>, <sup>56</sup> M. De Cian<sup>0</sup>, <sup>43</sup> U. De Freitas Carneiro Da Graca<sup>®</sup>,<sup>1</sup> E. De Lucia<sup>®</sup>,<sup>23</sup> J. M. De Miranda<sup>®</sup>,<sup>1</sup> L. De Paula<sup>®</sup>,<sup>2</sup> M. De Serio<sup>®</sup>,<sup>19,i</sup> D. De Simone <sup>44</sup>, P. De Simone <sup>23</sup>, F. De Vellis <sup>15</sup>, J. A. de Vries <sup>74</sup>, C. T. Dean <sup>61</sup>, F. Debernardis <sup>19,i</sup>, D. Decamp <sup>8</sup>, V. Dedu <sup>9,10</sup>, L. Del Buono <sup>9,13</sup>, B. Delaney <sup>9,58</sup>, H.-P. Dembinski <sup>9,15</sup>, V. Denysenko <sup>9,44</sup>, O. Deschamps <sup>9</sup>, F. Dettori <sup>9,27,j</sup>, B. Dey <sup>9,71</sup>, P. Di Nezza <sup>23</sup>, I. Diachkov <sup>9,38</sup>, S. Didenko <sup>9,38</sup>, L. Dieste Maronas, <sup>40</sup>, S. Ding <sup>6,62</sup>, V. Dobishuk <sup>9,46</sup>, A. Dolmatov, <sup>38</sup>, C. Dong <sup>9,3</sup>, A. M. Donohoe <sup>18</sup>, F. Dordei <sup>9,27</sup>, A. C. dos Reis <sup>9,1</sup>, L. Douglas, <sup>53</sup>, A. G. Downes <sup>8</sup>, <sup>8</sup>
P. Duda <sup>75</sup>, M. W. Dudek <sup>9,35</sup>, L. Dufour <sup>9,42</sup>, V. Duk <sup>9,72</sup>, P. Durante <sup>9,42</sup>, M. M. Duras <sup>9,75</sup>, J. M. Durham <sup>9,61</sup>, D. Dutta <sup>9,56</sup>, <sup>55</sup> A. Dziurda<sup>®</sup>,<sup>35</sup> A. Dzyuba<sup>®</sup>,<sup>38</sup> S. Easo<sup>®</sup>,<sup>51</sup> U. Egede<sup>®</sup>,<sup>63</sup> V. Egorychev<sup>®</sup>,<sup>38</sup> C. Eirea Orro,<sup>40</sup> S. Eisenhardt<sup>®</sup>,<sup>52</sup> E. Ejopu<sup>®</sup>,<sup>56</sup> S. Ek-In $^{6}$ , <sup>43</sup> L. Eklund $^{6}$ , <sup>77</sup> M. E Elashri $^{59}$  J. Ellbracht $^{6}$ , <sup>15</sup> S. Ely $^{6}$ , <sup>55</sup> A. Ene $^{6}$ , <sup>37</sup> E. Epple $^{6}$ , <sup>59</sup> S. Escher $^{6}$ , <sup>14</sup> J. Eschle $^{44}$  S. Escn $^{44}$  T. Evans $^{56}$  F. Fabiano $^{9}$ , <sup>27</sup>, <sup>1</sup> L. N. Falcao $^{9}$ , <sup>1</sup> Y. Fan $^{9}$ , <sup>6</sup> B. Fang $^{9}$ , <sup>11,68</sup> L. Fantini $^{9}$ , <sup>72,k</sup> M. Faria<sup>©</sup>, <sup>43</sup> S. Farry<sup>©</sup>, <sup>54</sup> D. Fazzini<sup>©</sup>, <sup>26,e</sup> L. F Felkowski<sup>©</sup>, <sup>75</sup> M. Feo<sup>©</sup>, <sup>42</sup> M. Fernandez Gomez<sup>©</sup>, <sup>40</sup> A. D. Fernez<sup>©</sup>, <sup>60</sup> F. Ferrari<sup>©</sup>, <sup>20</sup> L. Ferreira Lopes<sup>©</sup>, <sup>43</sup> F. Ferreira Rodrigues<sup>©</sup>, <sup>2</sup> S. Ferreres Sole<sup>©</sup>, <sup>32</sup> M. Ferrillo<sup>©</sup>, <sup>44</sup> M. Ferro-Luzzi<sup>©</sup>, <sup>42</sup> S. Filippov<sup>©</sup>, <sup>38</sup> R. A. Fini<sup>©</sup>, <sup>19</sup> M. Fiorini<sup>©</sup>, <sup>21,d</sup> M. Firlej<sup>©</sup>, <sup>34</sup> K. M. Fischer<sup>©</sup>, <sup>57</sup> D. S. Fitzgerald<sup>©</sup>, <sup>78</sup> C. Fitzpatrick<sup>©</sup>, <sup>56</sup> T. Fiutowski<sup>©</sup>, <sup>34</sup> F. Fleuret<sup>©</sup>, <sup>12</sup> M. Fontana<sup>©</sup>, <sup>13</sup> F. Fontanelli<sup>©</sup>, <sup>24,g</sup> R. Forty<sup>©</sup>, <sup>42</sup> D. Foulds-Holt<sup>©</sup>, <sup>49</sup> V. Franco Lima<sup>©</sup>, <sup>54</sup> M. Franco Sevilla<sup>(6)</sup>, M. Frank<sup>(6)</sup>, <sup>42</sup> E. Franzoso<sup>(6)</sup>, <sup>21</sup> d G. Frau<sup>(6)</sup>, <sup>17</sup> C. Frei<sup>(6)</sup>, <sup>42</sup> D. A. Friday<sup>(6)</sup>, <sup>53</sup> L. F Frontini<sup>(6)</sup>, <sup>25</sup> J. Fu<sup>(6)</sup>, <sup>6</sup> Q. Fuehring, <sup>15</sup> T. Fulghesu, <sup>13</sup> E. Gabriel, <sup>32</sup> G. Galati, <sup>19,i</sup> M. D. Galati, <sup>32</sup> A. Gallas Torreira, <sup>40</sup> D. Galli, <sup>20,f</sup> S. Gambetta<sup>©</sup>, <sup>52,42</sup> M. Gandelman<sup>©</sup>, <sup>2</sup> P. Gandini<sup>©</sup>, <sup>25</sup> Y. Gao<sup>©</sup>, <sup>7</sup> Y. Gao<sup>©</sup>, <sup>5</sup> M. Garau<sup>©</sup>, <sup>27</sup>, <sup>j</sup> L. M. Garcia Martin<sup>©</sup>, <sup>50</sup> P. Garcia Moreno<sup>©</sup>, <sup>39</sup> J. García Pardiñas<sup>©</sup>, <sup>26,e</sup> B. Garcia Plana, <sup>40</sup> F. A. Garcia Rosales<sup>©</sup>, <sup>12</sup> L. Garrido<sup>©</sup>, <sup>39</sup> C. Gaspar<sup>©</sup>, <sup>42</sup> R. E. Geertsema<sup>®</sup>, <sup>32</sup> D. Gerick, <sup>17</sup> L. L. Gerken<sup>®</sup>, <sup>15</sup> E. Gersabeck<sup>®</sup>, <sup>56</sup> M. Gersabeck<sup>®</sup>, <sup>56</sup> T. Gershon<sup>®</sup>, <sup>50</sup> L. Giambastiani<sup>®</sup>, <sup>28</sup> V. Gibson<sup>®</sup>, <sup>49</sup> H. K. Giemza<sup>®</sup>, <sup>36</sup> A. L. Gilman<sup>®</sup>, <sup>57</sup> M. Giovannetti<sup>®</sup>, <sup>23,a</sup> A. Gioventù<sup>®</sup>, <sup>40</sup> P. Gironella Gironella<sup>®</sup>, <sup>39</sup> C. Giugliano<sup>®</sup>, <sup>21,d</sup> M. A. Giza<sup>®</sup>, <sup>35</sup> K. Gizdov<sup>®</sup>, <sup>52</sup> E. L. Gkougkousis<sup>®</sup>, <sup>42</sup> V. V. Gligorov<sup>®</sup>, <sup>13,42</sup> C. Göbel<sup>®</sup>, <sup>64</sup>
 E. Golobardes<sup>®</sup>, <sup>76</sup> D. Golubkov<sup>®</sup>, <sup>38</sup> A. Golutvin<sup>®</sup>, <sup>55,38</sup> A. Gomes<sup>®</sup>, <sup>1,1</sup> S. Gomez Fernandez<sup>®</sup>, <sup>39</sup> F. Goncalves Abrantes<sup>®</sup>, <sup>57</sup> M. Goncerz<sup>1</sup>, <sup>35</sup> G. Gong<sup>1</sup>, <sup>3</sup> I. V. Gorelov<sup>1</sup>, <sup>38</sup> C. Gotti<sup>1</sup>, <sup>26</sup> J. P. Grabowski<sup>1</sup>, <sup>70</sup> T. Grammatico<sup>1</sup>, <sup>13</sup> L. A. Granado Cardoso<sup>,42</sup> E. Graugés<sup>,39</sup> E. Graverini<sup>,43</sup> G. Graziani<sup>,6</sup>, A. T. Grecu<sup>,37</sup> L. M. Greeven<sup>,32</sup> N. A. Grieser, <sup>59</sup> L. Grillo, <sup>53</sup> S. Gromov, <sup>38</sup> B. R. Gruberg Cazon, <sup>57</sup> C. Gu, <sup>3</sup> M. Guarise, <sup>21,d</sup> M. Guittiere, <sup>11</sup> P. A. Günther, <sup>17</sup> E. Gushchin, <sup>38</sup> A. Guth, <sup>14</sup> Y. Guz, <sup>38</sup> T. Gys, <sup>42</sup> T. Hadavizadeh, <sup>63</sup> C. Hadjivasiliou, <sup>60</sup> G. Haefeli, <sup>43</sup> C. Haen, <sup>42</sup> J. Haimberger, <sup>42</sup> S. C. Haines, <sup>49</sup> T. Halewood-leagas, <sup>54</sup> M. M. Halvorsen, <sup>42</sup> P. M. Hamilton<sup>®</sup>,<sup>60</sup> J. Hammerich<sup>®</sup>,<sup>54</sup> Q. Han<sup>®</sup>,<sup>7</sup> X. Han<sup>®</sup>,<sup>17</sup> E. B. Hansen<sup>®</sup>,<sup>56</sup> S. Hansmann-Menzemer<sup>®</sup>,<sup>17</sup> L. Hao<sup>®</sup>,<sup>6</sup> N. Harnew<sup>®</sup>, <sup>57</sup> T. Harrison<sup>®</sup>, <sup>54</sup> C. Hasse<sup>®</sup>, <sup>42</sup> M. Hatch<sup>®</sup>, <sup>42</sup> J. He<sup>®</sup>, <sup>6,m</sup> K. Heijhoff<sup>®</sup>, <sup>32</sup> F. H Hemmer<sup>®</sup>, <sup>42</sup> C. Henderson<sup>®</sup>, <sup>59</sup> R. D. L. Henderson<sup>®</sup>, <sup>63,50</sup> A. M. Hennequin<sup>®</sup>, <sup>58</sup> K. Hennessy<sup>®</sup>, <sup>54</sup> L. Henry<sup>®</sup>, <sup>42</sup> J. Herd<sup>®</sup>, <sup>55</sup> J. Heuel<sup>®</sup>, <sup>14</sup> A. Hicheur<sup>®</sup>, <sup>2</sup> D. Hill<sup>®</sup>, <sup>43</sup> M. Hilton<sup>®</sup>, <sup>56</sup> S. E. Hollitt<sup>®</sup>, <sup>15</sup> J. Horswill<sup>®</sup>, <sup>56</sup> R. Hou<sup>®</sup>, <sup>7</sup> Y. Hou<sup>®</sup>, <sup>8</sup> J. Hu, <sup>17</sup> J. Hu<sup>®</sup>, <sup>66</sup> W. Hu<sup>®</sup>, <sup>5</sup> X. Hu<sup>®</sup>, <sup>3</sup> W. Huang<sup>6</sup>, X. Huang<sup>6</sup>, W. Hulsbergen<sup>9</sup>, <sup>32</sup> R. J. Hunter<sup>6</sup>, <sup>50</sup> M. Hushchyn<sup>9</sup>, <sup>38</sup> D. Hutchcroft<sup>9</sup>, <sup>54</sup> P. Ibis<sup>9</sup>, <sup>15</sup> M. Idzik<sup>9</sup>, <sup>34</sup> D. Ilin<sup>®</sup>,<sup>38</sup> P. Ilten<sup>®</sup>,<sup>59</sup> A. Inglessi<sup>®</sup>,<sup>38</sup> A. Iniukhin<sup>®</sup>,<sup>38</sup> A. Ishteev<sup>®</sup>,<sup>38</sup> K. Ivshin<sup>®</sup>,<sup>38</sup> R. Jacobsson<sup>®</sup>,<sup>42</sup> H. Jage<sup>®</sup>,<sup>14</sup> D. Inne, T. Intere, A. Ingressie, A. Inukline, A. Ishteeve, K. Ivshife, K. Jacobssone, H. Jagee,
S. J. Jaimes Elles<sup>41</sup> S. Jakobsen<sup>6</sup>, <sup>42</sup> E. Jans<sup>32</sup> B. K. Jashal<sup>6</sup>, <sup>41</sup> A. Jawahery<sup>6</sup>, <sup>60</sup> V. Jevtic<sup>6</sup>, <sup>15</sup> E. Jiang<sup>6</sup>, <sup>60</sup> X. Jiang<sup>6</sup>, <sup>46</sup> Y. Jiang<sup>6</sup>, <sup>6</sup> M. John<sup>6</sup>, <sup>57</sup> D. Johnson<sup>6</sup>, <sup>58</sup> C. R. Jones<sup>6</sup>, <sup>49</sup> T. P. Jones<sup>6</sup>, <sup>50</sup> B. Jost<sup>6</sup>, <sup>42</sup> N. Jurik<sup>6</sup>, <sup>42</sup> I. Juszczak<sup>6</sup>, <sup>35</sup> S. Kandybei<sup>6</sup>, <sup>45</sup> Y. Kang<sup>6</sup>, <sup>3</sup> M. Karacson<sup>6</sup>, <sup>42</sup> D. Karpenkov<sup>6</sup>, <sup>38</sup> M. Karpov<sup>6</sup>, <sup>38</sup> J. W. Kautz<sup>6</sup>, <sup>59</sup> F. Keizer<sup>6</sup>, <sup>42</sup> D. M. Keller<sup>6</sup>, <sup>62</sup> M. Kenzie<sup>6</sup>, <sup>50</sup> T. Ketel<sup>6</sup>, <sup>32</sup> B. Khanji<sup>6</sup>, <sup>15</sup> A. Kharisova<sup>6</sup>, <sup>38</sup> S. Kholodenko<sup>6</sup>, <sup>38</sup> G. Khreich<sup>6</sup>, <sup>11</sup>

T. Kirn<sup>®</sup>,<sup>14</sup> V. S. Kirsebom<sup>®</sup>,<sup>43</sup> O. Kitouni<sup>®</sup>,<sup>58</sup> S. Klaver<sup>®</sup>,<sup>33</sup> N. Kleijne<sup>®</sup>,<sup>29,c</sup> K. Klimaszewski<sup>®</sup>,<sup>36</sup> M. R. Kmiec<sup>®</sup>,<sup>36</sup> S. Koliiev<sup>®</sup>,<sup>46</sup> L. Kolk<sup>®</sup>,<sup>15</sup> A. Kondybayeva<sup>®</sup>,<sup>38</sup> A. Konoplyannikov<sup>®</sup>,<sup>38</sup> P. Kopciewicz<sup>®</sup>,<sup>34</sup> R. Kopecna,<sup>17</sup> P. Koppenburg ,<sup>32</sup> M. Korolev ,<sup>38</sup> I. Kostiuk ,<sup>32</sup> O. Kot,<sup>46</sup> S. Kotriakhova , A. Kozachuk ,<sup>38</sup> P. Kravchenko ,<sup>38</sup> L. Kravchuk ,<sup>38</sup> R. D. Krawczyk ,<sup>42</sup> M. Kreps ,<sup>50</sup> S. Kretzschmar ,<sup>14</sup> P. Krokovny ,<sup>38</sup> W. Krupa ,<sup>34</sup> W. Krzemien ,<sup>36</sup> J. Kubat,<sup>17</sup> S. Kubis<sup>10</sup>,<sup>75</sup> W. Kucewicz<sup>10</sup>,<sup>35</sup> M. Kucharczyk<sup>10</sup>,<sup>35</sup> V. Kudryavtsev<sup>0</sup>,<sup>38</sup> E. K Kulikova<sup>0</sup>,<sup>38</sup> A. Kupsc<sup>10</sup>,<sup>7</sup> D. Lacarrere <sup>(6)</sup>, <sup>42</sup> G. Lafferty <sup>(6)</sup>, <sup>56</sup> A. Lai <sup>(6)</sup>, <sup>27</sup> A. Lampis <sup>(6)</sup>, <sup>27</sup>, <sup>j</sup> D. Lancierini <sup>(6)</sup>, <sup>44</sup> C. Landesa Gomez <sup>(6)</sup>, <sup>40</sup> J. J. Lane <sup>(6)</sup>, <sup>56</sup> R. Lane<sup>(1)</sup>, <sup>48</sup> C. Langenbruch<sup>(1)</sup>, <sup>14</sup> J. Langer<sup>(1)</sup>, <sup>15</sup> O. Lantwin<sup>(1)</sup>, <sup>38</sup> T. Latham<sup>(1)</sup>, <sup>50</sup> F. Lazzari<sup>(1)</sup>, <sup>29,n</sup> M. Lazzaroni<sup>(1)</sup>, <sup>25</sup> R. Le Gac  $^{,10}$  S. H. Lee  $^{,78}$  R. Lefèvre  $^{,9}$  A. Leflat  $^{,38}$  S. Legotin  $^{,38}$  P. Lenisa  $^{,21,d}$  O. Leroy  $^{,10}$  T. Lesiak  $^{,35}$  B. Leverington  $^{,17}$  A. Li $^{,9}$  A. Lef K. Li $^{,78}$  P. Li $^{,42}$  P.-R. Li $^{,67}$  S. Li $^{,7}$  T. Li $^{,4}$  T. Li $^{,66}$  Y. Li $^{,42}$  Z. Li $^{,62}$  X. Liang  $^{,62}$  C. Lin  $^{,67}$  T. Lin  $^{,51}$  R. Lindner  $^{,42}$  V. Lisovskyi  $^{,15}$  R. Litvinov  $^{,27,j}$  G. Liu  $^{,66}$  H. Liu  $^{,6}$  Q. Liu  $^{,6}$ S. Liu<sup>®</sup>,<sup>4,6</sup> A. Lobo Salvia<sup>®</sup>,<sup>39</sup> A. Loi<sup>®</sup>,<sup>27</sup> R. Lollini<sup>®</sup>,<sup>72</sup> J. Lomba Castro<sup>®</sup>,<sup>40</sup> I. Longstaff,<sup>53</sup> J. H. Lopes<sup>®</sup>,<sup>2</sup> A. Lopez Huertas<sup>0</sup>, <sup>39</sup> S. López Soliño<sup>6</sup>, <sup>40</sup> G. H. Lovell<sup>6</sup>, <sup>49</sup> Y. Lu<sup>6</sup>, <sup>40</sup> C. Lucarelli<sup>6</sup>, <sup>22,b</sup> D. Lucchesi<sup>6</sup>, <sup>28,p</sup> S. Luchuk<sup>6</sup>, <sup>38</sup> M. Lucio Martinez<sup>6</sup>, <sup>74</sup> V. Lukashenko<sup>6</sup>, <sup>32,46</sup> Y. Luo<sup>6</sup>, <sup>3</sup> A. Lupato<sup>6</sup>, <sup>56</sup> E. Luppi<sup>6</sup>, <sup>21,d</sup> A. Lusiani<sup>6</sup>, <sup>29,c</sup> K. Lynch<sup>6</sup>, <sup>18</sup> X.-R. Lyu <sup>6</sup>, R. Ma<sup>6</sup>, S. Maccolni <sup>6</sup>, <sup>15</sup> F. Machefert <sup>6</sup>, <sup>11</sup> F. Maciuc <sup>6</sup>, <sup>37</sup> I. Mackay <sup>6</sup>, <sup>57</sup> V. Macko <sup>43</sup>
 L. R. Madhan Mohan <sup>48</sup> A. Maevskiy <sup>6</sup>, <sup>38</sup> D. Maisuzenko <sup>6</sup>, <sup>38</sup> M. W. Majewski, <sup>34</sup> J. J. Malczewski <sup>6</sup>, <sup>35</sup> S. Malde <sup>6</sup>, <sup>57</sup>
 B. Malecki <sup>6</sup>, <sup>35,42</sup> A. Malinin <sup>6</sup>, <sup>38</sup> T. Maltsev <sup>6</sup>, <sup>38</sup> G. Manca <sup>6</sup>, <sup>27,j</sup> G. Mancinelli <sup>6</sup>, <sup>10</sup> C. Mancus <sup>6</sup>, <sup>11,25,4</sup> R. Manera Escalero,<sup>39</sup> D. Manuzzi<sup>®</sup>,<sup>20</sup> C. A. Manzari<sup>®</sup>,<sup>44</sup> D. Marangotto<sup>®</sup>,<sup>25,q</sup> J. F. Marchand<sup>®</sup>,<sup>8</sup> U. Marconi<sup>®</sup>,<sup>20</sup> S. Mariani<sup>®</sup>, <sup>22,b</sup> C. Marin Benito<sup>®</sup>, <sup>39</sup> J. Marks<sup>®</sup>, <sup>17</sup> A. M. Marshall<sup>®</sup>, <sup>48</sup> P. J. Marshall, <sup>54</sup> G. Martelli<sup>®</sup>, <sup>72,k</sup> G. Martellotti<sup>®</sup>, <sup>30</sup> L. Martinazzoli<sup>(0)</sup>,<sup>42,e</sup> M. Martinelli<sup>(0)</sup>,<sup>26,e</sup> D. Martinez Santos<sup>(0)</sup>,<sup>40</sup> F. Martinez Vidal<sup>(0)</sup>,<sup>41</sup> A. Massafferri<sup>(0)</sup>,<sup>1</sup> M. Materok<sup>(0)</sup>,<sup>14</sup> L. Martinazzone, A. Matsarlette, A. Matsarlette, M. Materoke, R. Materoke, M. Materoke, M. Materoke, R. Materoke, A. Materoke, M.-N. Minard,<sup>8,s</sup> A. Minotti<sup>®</sup>,<sup>26,e</sup> T. Miralles<sup>®</sup>,<sup>9</sup> S. E. Mitchell<sup>®</sup>,<sup>52</sup> B. Mitreska<sup>®</sup>,<sup>15</sup> D. S. Mitzel<sup>®</sup>,<sup>15</sup> A. Mödden<sup>®</sup>,<sup>15</sup> R. A. Mohammed<sup>®</sup>,<sup>57</sup> R. D. Moise<sup>®</sup>,<sup>14</sup> S. Mokhnenko<sup>®</sup>,<sup>38</sup> T. Mombächer<sup>®</sup>,<sup>40</sup> M. Monk<sup>®</sup>,<sup>50,63</sup> I. A. Monroy<sup>®</sup>,<sup>69</sup> S. Monteil<sup>©</sup>,<sup>9</sup> G. Morello<sup>©</sup>,<sup>23</sup> M. J. Morello<sup>©</sup>,<sup>29,c</sup> M. P. Morgenthaler<sup>©</sup>,<sup>17</sup> J. Moron<sup>©</sup>,<sup>34</sup> A. B. Morris<sup>©</sup>,<sup>42</sup> A. G. Morris<sup>©</sup>,<sup>50</sup> R. Mountain<sup>©</sup>,<sup>62</sup> H. Mu<sup>©</sup>,<sup>3</sup> E. Muhammad<sup>©</sup>,<sup>50</sup> F. Muheim<sup>©</sup>,<sup>52</sup> M. Mulder<sup>©</sup>,<sup>73</sup> K. Müller<sup>©</sup>,<sup>44</sup> C. H. Murphy<sup>©</sup>,<sup>57</sup> D. Murray<sup>©</sup>, <sup>56</sup> R. Murta<sup>©</sup>, <sup>55</sup> P. Muzzetto<sup>©</sup>, <sup>27,j</sup> P. Naik<sup>©</sup>, <sup>48</sup> T. Nakada<sup>©</sup>, <sup>43</sup> R. Nandakumar<sup>©</sup>, <sup>51</sup> T. Nanut<sup>©</sup>, <sup>42</sup> I. Nasteva<sup>©</sup>, <sup>2</sup> M. Needham<sup>®</sup>, <sup>52</sup> N. Neri<sup>®</sup>, <sup>25,q</sup> S. Neubert<sup>®</sup>, <sup>70</sup> N. Neufeld<sup>®</sup>, <sup>42</sup> P. Neustroev, <sup>38</sup> R. Newcombe, <sup>55</sup> J. Nicolini<sup>®</sup>, <sup>15,11</sup> D. Nicotra<sup>®</sup>, <sup>74</sup> E. M. Niel<sup>®</sup>, <sup>43</sup> S. Nieswand, <sup>14</sup> N. Nikitin<sup>®</sup>, <sup>38</sup> N. S. Nolte<sup>®</sup>, <sup>58</sup> C. Normand<sup>®</sup>, <sup>8,27,j</sup> J. Novoa Fernandez<sup>®</sup>, <sup>40</sup> G. N Nowak<sup>®</sup>,<sup>59</sup> C. Nunez<sup>®</sup>,<sup>78</sup> A. Oblakowska-Mucha<sup>®</sup>,<sup>34</sup> V. Obraztsov<sup>®</sup>,<sup>38</sup> T. Oeser<sup>®</sup>,<sup>14</sup> S. Okamura<sup>®</sup>,<sup>21,d</sup> R. Oldeman<sup>®</sup>, <sup>27,j</sup> F. Oliva<sup>®</sup>, <sup>52</sup> C. J. G. Onderwater<sup>®</sup>, <sup>73</sup> R. H. O'Neil<sup>®</sup>, <sup>52</sup> J. M. Otalora Goicochea<sup>®</sup>, <sup>2</sup> T. Ovsiannikova<sup>®</sup>, <sup>38</sup>
P. Owen<sup>®</sup>, <sup>44</sup> A. Oyanguren<sup>®</sup>, <sup>41</sup> O. Ozcelik<sup>®</sup>, <sup>52</sup> K. O. Padeken<sup>®</sup>, <sup>70</sup> B. Pagare<sup>®</sup>, <sup>50</sup> P. R. Pais<sup>®</sup>, <sup>42</sup> T. Pajero<sup>®</sup>, <sup>57</sup> A. Palano<sup>®</sup>, <sup>19</sup>
M. Palutan<sup>®</sup>, <sup>23</sup> Y. Pan<sup>®</sup>, <sup>56</sup> G. Panshin<sup>®</sup>, <sup>38</sup> L. Paolucci<sup>®</sup>, <sup>50</sup> A. Papanestis<sup>®</sup>, <sup>51</sup> M. Pappagallo<sup>®</sup>, <sup>19,i</sup> L. L. Pappalardo<sup>®</sup>, <sup>21,d</sup>
C. Pappenheimer<sup>®</sup>, <sup>59</sup> W. Parker<sup>®</sup>, <sup>60</sup> C. Parkes<sup>®</sup>, <sup>56</sup> B. Passalacqua<sup>®</sup>, <sup>21,d</sup> G. Passaleva<sup>®</sup>, <sup>22</sup> A. Pastore<sup>®</sup>, <sup>19</sup> M. Patel<sup>®</sup>, <sup>55</sup> C. Patrignani<sup>®</sup>, <sup>20,f</sup> C. J. Pawley<sup>®</sup>, <sup>74</sup> A. Pellegrino<sup>®</sup>, <sup>32</sup> M. Pepe Altarelli<sup>®</sup>, <sup>42</sup> S. Perazzini<sup>®</sup>, <sup>20</sup> D. Pereima<sup>®</sup>, <sup>38</sup> A. Pereiro Castro<sup>®</sup>, <sup>40</sup> P. Perret<sup>®</sup>, <sup>9</sup> K. Petridis<sup>®</sup>, <sup>48</sup> A. Petrolini<sup>®</sup>, <sup>24,g</sup> A. Petrov, <sup>38</sup> S. Petrucci<sup>®</sup>, <sup>52</sup> M. Petruzzo<sup>®</sup>, <sup>25</sup> A. Pereiro Castro, "P. Perreto, "K. Petridiso, "A. Petrolinio, "A Petrol, "S. Petrov, "S. Petruccio, "M. Petruzzoo,"
H. Phamo, 6<sup>2</sup> A. Philippovo, <sup>38</sup> R. Piandanio, <sup>6</sup> L. Picao, <sup>29</sup>, <sup>c</sup> M. Piccinio, <sup>72</sup> B. Pietrzyko, <sup>8</sup> G. Pietrzyko, <sup>11</sup> M. Pilio, <sup>57</sup> D. Pincio, <sup>30</sup> F. Pisanio, <sup>42</sup> M. Pizzichemio, <sup>26,42</sup>, <sup>e</sup> V. Placintao, <sup>37</sup> J. Plewso, <sup>47</sup> M. Plo Casasuso, <sup>40</sup> F. Polcio, <sup>13,42</sup> M. Poli Lenero, <sup>23</sup> A. Poluektovo, <sup>10</sup> N. Polukhinao, <sup>38</sup> I. Polyakovo, <sup>42</sup> E. Polycarpoo, <sup>2</sup> S. Ponceo, <sup>42</sup> D. Popovo, <sup>6,42</sup> S. Poslavskiio, <sup>38</sup> K. Prasantho, <sup>35</sup> L. Prombergero, <sup>17</sup> C. Prouveo, <sup>40</sup> V. Pugatcho, <sup>46</sup> V. Puillo, <sup>11</sup> G. Punzio, <sup>29,n</sup> H. R. Qio, <sup>3</sup> W. Qian<sup>®</sup>,<sup>6</sup> N. Qin<sup>®</sup>,<sup>3</sup> S. Qu<sup>®</sup>,<sup>3</sup> R. Quagliani<sup>®</sup>,<sup>43</sup> N. V. Raab<sup>®</sup>,<sup>18</sup> B. Rachwal<sup>®</sup>,<sup>34</sup> J. H. Rademacker<sup>®</sup>,<sup>48</sup> R. Rajagopalan,<sup>62</sup> M. Rama<sup>©</sup>, <sup>29</sup> M. Ramos Pernas<sup>©</sup>, <sup>50</sup> M. S. Rangel<sup>©</sup>, <sup>2</sup> F. Ratnikov<sup>©</sup>, <sup>38</sup> G. Raven<sup>©</sup>, <sup>33,42</sup> M. Rebollo De Miguel<sup>©</sup>, <sup>41</sup>
 F. Redi<sup>©</sup>, <sup>42</sup> J. Reich<sup>©</sup>, <sup>48</sup> F. Reiss<sup>©</sup>, <sup>56</sup> C. Remon Alepuz, <sup>41</sup> Z. Ren<sup>©</sup>, <sup>3</sup> P. K. Resmi<sup>©</sup>, <sup>57</sup> R. Ribatti<sup>©</sup>, <sup>29,c</sup> A. M. Ricci<sup>©</sup>, <sup>27</sup>
 S. Ricciardi<sup>©</sup>, <sup>51</sup> K. Richardson<sup>6</sup>, <sup>58</sup> M. Richardson-Slipper<sup>©</sup>, <sup>52</sup> K. Rinnert<sup>©</sup>, <sup>54</sup> P. Robbe<sup>©</sup>, <sup>11</sup> G. Robertson<sup>©</sup>, <sup>52</sup> A. B. Rodrigues<sup>0</sup>, <sup>43</sup> E. Rodrigues<sup>0</sup>, <sup>54</sup> E. Rodriguez Fernandez<sup>0</sup>, <sup>40</sup> J. A. Rodriguez Lopez<sup>0</sup>, <sup>69</sup> E. Rodriguez Rodriguez<sup>0</sup>, <sup>40</sup> D. L. Rolf<sup>0</sup>, <sup>42</sup> A. Rollings<sup>0</sup>, <sup>57</sup> P. Roloff<sup>0</sup>, <sup>42</sup> V. Romanovskiy<sup>0</sup>, <sup>38</sup> M. Romero Lamas<sup>0</sup>, <sup>40</sup> A. Romero Vidal<sup>0</sup>, <sup>40</sup> J. D. Roth, <sup>78,8</sup> M. Rotondo<sup>0</sup>, <sup>23</sup> M. S. Rudolph<sup>0</sup>, <sup>62</sup> T. Ruf<sup>0</sup>, <sup>42</sup> R. A. Ruiz Fernandez<sup>0</sup>, <sup>40</sup> J. Ruiz Vidal, <sup>41</sup> A. Ryzhikov<sup>0</sup>, <sup>38</sup> D. D. Roth, <sup>78,8</sup> M. Rotondo<sup>0</sup>, <sup>23</sup> M. S. Rudolph<sup>0</sup>, <sup>62</sup> T. Ruf<sup>0</sup>, <sup>42</sup> R. A. Ruiz Fernandez<sup>0</sup>, <sup>40</sup> J. Ruiz Vidal, <sup>41</sup> A. Ryzhikov<sup>0</sup>, <sup>38</sup> D. D. Roth, <sup>78,8</sup> M. Rotondo<sup>0</sup>, <sup>23</sup> M. S. Rudolph<sup>0</sup>, <sup>62</sup> T. Ruf<sup>0</sup>, <sup>42</sup> R. A. Ruiz Fernandez<sup>0</sup>, <sup>40</sup> J. Ruiz Vidal, <sup>41</sup> A. Ryzhikov<sup>0</sup>, <sup>38</sup> D. D. Roth, <sup>78,8</sup> M. Rotondo<sup>0</sup>, <sup>23</sup> M. S. Rudolph<sup>0</sup>, <sup>62</sup> T. Ruf<sup>0</sup>, <sup>42</sup> R. A. Ruiz Fernandez<sup>0</sup>, <sup>40</sup> J. Ruiz Vidal, <sup>41</sup> A. Ryzhikov<sup>0</sup>, <sup>38</sup> D. D. Roth, <sup>78,8</sup> M. Rotondo<sup>0</sup>, <sup>23</sup> M. S. Rudolph<sup>0</sup>, <sup>62</sup> T. Ruf<sup>0</sup>, <sup>42</sup> R. A. Ruiz Fernandez<sup>0</sup>, <sup>40</sup> J. Ruiz Vidal, <sup>41</sup> A. Ryzhikov<sup>0</sup>, <sup>38</sup> D. Rotondo<sup>10</sup>, <sup>41</sup> R. Ruiz Fernandez<sup>10</sup>, <sup>41</sup> R. Ruiz Fernadez<sup>10</sup>, <sup>41</sup> R. Ruiz Fernadez<sup>10</sup>, <sup>41</sup> R. Ruiz Ferna J. B. Koli, <sup>1</sup> M. Kolondo<sup>1</sup>, <sup>1</sup> M. S. Kudoph<sup>1</sup>, <sup>1</sup> Kul<sup>2</sup>, <sup>1</sup> K. A. Kul<sup>2</sup> Fernande<sup>2</sup>, <sup>1</sup> J. Kul<sup>2</sup>, <sup>1</sup> A. Ky<sup>2</sup>likov<sup>2</sup>, <sup>3</sup> J. Ryzka<sup>0</sup>, <sup>34</sup> J. J. Saborido Silva<sup>0</sup>, <sup>40</sup> N. Sagidova<sup>0</sup>, <sup>38</sup> N. Sahoo<sup>0</sup>, <sup>47</sup> B. Saitta<sup>0</sup>, <sup>27</sup>, <sup>j</sup> M. Salomoni<sup>0</sup>, <sup>42</sup> C. Sanchez Gras<sup>0</sup>, <sup>32</sup> I. Sanderswood<sup>0</sup>, <sup>41</sup> R. Santacesaria<sup>0</sup>, <sup>30</sup> C. Santamarina Rios<sup>0</sup>, <sup>40</sup> M. Santimaria<sup>0</sup>, <sup>23</sup> E. Santovetti<sup>0</sup>, <sup>31,a</sup> D. Saranin<sup>0</sup>, <sup>38</sup> G. Sarpis<sup>0</sup>, <sup>14</sup> M. Sarpis<sup>0</sup>, <sup>70</sup> A. Sarti<sup>0</sup>, <sup>30</sup> C. Satriano<sup>0</sup>, <sup>30,t</sup> A. Satta<sup>0</sup>, <sup>31</sup> M. Saur<sup>0</sup>, <sup>15</sup> D. Savrina<sup>0</sup>, <sup>38</sup> H. Sazak<sup>0</sup>, <sup>9</sup> L. G. Scantlebury Smead<sup>0</sup>, <sup>57</sup> A. Scarabotto<sup>0</sup>, <sup>13</sup> S. Schael<sup>0</sup>, <sup>14</sup> S. Scherl<sup>0</sup>, <sup>54</sup> M. Schiller<sup>0</sup>, <sup>53</sup> H. Schindler<sup>0</sup>, <sup>42</sup> M. Schmelling, <sup>16</sup> B. Schmidt, <sup>42</sup> S. Schmitt, <sup>14</sup> O. Schneider, <sup>43</sup> A. Schopper, <sup>42</sup> M. Schubiger, <sup>32</sup> S. Schulte, <sup>43</sup> M. H. Schune<sup>(0)</sup>,<sup>11</sup> R. Schwemmer<sup>(0)</sup>,<sup>42</sup> B. Sciascia<sup>(0)</sup>,<sup>23</sup> A. Sciuccati<sup>(0)</sup>,<sup>42</sup> S. Sellam<sup>(0)</sup>,<sup>40</sup> A. Semennikov<sup>(0)</sup>,<sup>38</sup> M. Senghi Soares<sup>(0)</sup>,<sup>33</sup> A. Sergi<sup>(0)</sup>,<sup>24,g</sup> N. Serra<sup>(0)</sup>,<sup>44</sup> L. Sestini<sup>(0)</sup>,<sup>28</sup> A. Seuthe<sup>(0)</sup>,<sup>15</sup> Y. Shang<sup>(0)</sup>,<sup>5</sup> D. M. Shangase<sup>(0)</sup>,<sup>78</sup> M. Shapkin ,<sup>38</sup> I. Shchemerov ,<sup>38</sup> L. Shchutska ,<sup>43</sup> T. Shears ,<sup>54</sup> L. Shekhtman ,<sup>38</sup> Z. Shen ,<sup>5</sup> S. Sheng ,<sup>4,6</sup> V. Shevchenko ,<sup>38</sup> B. Shi ,<sup>6</sup> E. B. Shields ,<sup>26,e</sup> Y. Shimizu ,<sup>11</sup> E. Shmanin ,<sup>38</sup> R. Shorkin ,<sup>38</sup> J. D. Shupperd ,<sup>62</sup> B. G. Siddi<sup>®</sup>,<sup>21,d</sup> R. Silva Coutinho<sup>®</sup>,<sup>62</sup> G. Simi<sup>®</sup>,<sup>28</sup> S. Simone<sup>®</sup>,<sup>19,i</sup> M. Singla<sup>®</sup>,<sup>63</sup> N. Skidmore<sup>®</sup>,<sup>56</sup> R. Skuza<sup>®</sup>,<sup>17</sup>

T. Skwarnickie, <sup>62</sup> M. W. Slater <sup>47</sup> J. C. Smallwood, <sup>57</sup> J. G. Smeaton, <sup>49</sup> E. Smith, <sup>44</sup> K. Smith, <sup>61</sup> M. Smith, <sup>55</sup> A. Snoche, <sup>32</sup> L. Soares Lavrae, <sup>9</sup> M. D. Sokoloffe, <sup>59</sup> F. J. P. Solere, <sup>53</sup> A. Solomin, <sup>38,48</sup> A. Soloveve, <sup>38</sup> I. Solovyeve, <sup>38</sup> R. Songe, <sup>63</sup> F. L. Souza De Almeidae, <sup>2</sup> B. Souza De Paulae, <sup>2</sup> B. Spadaro Norellae, <sup>25,4</sup> E. Spedicatoe, <sup>20</sup> E. Spiridenkov, <sup>38</sup> P. Spradlin, <sup>53</sup> V. Sriskaran, <sup>42</sup> F. Stagni, <sup>42</sup> M. Stahle, <sup>42</sup> S. Stahle, <sup>42</sup> S. Stanislaue, <sup>57</sup> E. N. Steine, <sup>42</sup> O. Steinkamp, <sup>44</sup> O. Stenyakin, <sup>38</sup> H. Stevene, <sup>15</sup> S. Stone, <sup>62,5</sup> D. Strekalinae, <sup>38</sup> Y. S. Sue, <sup>6</sup> F. Suljike, <sup>57</sup> J. Sune, <sup>27</sup> L. Sune, <sup>66</sup> Y. Sun, <sup>60</sup> P. Svihrae, <sup>56</sup> M. D. Tate, <sup>57</sup> A. Terenteve, <sup>44</sup> F. Tcubert, <sup>42</sup> E. Thomase, <sup>42</sup> D. J. D. Thompsone, <sup>47</sup> K. A. Thomsone, <sup>54</sup> H. Tilquine, <sup>55</sup> V. Tisserande, <sup>9</sup> S. T'Jampense, <sup>8</sup> M. Tobine, <sup>4</sup> L. Tomassettie, <sup>214</sup> G. Tonani, <sup>25,4</sup> Z. Tonge, <sup>5</sup> D. Torres Machadoe, <sup>1</sup> D. Y. Toue, <sup>3</sup> S. M. Trilove, <sup>46</sup> C. Tripple, <sup>43</sup> G. Tucie, <sup>6</sup> N. Tuninge, <sup>32</sup> A. Uklejae, <sup>36</sup> D. J. Unverzagte, <sup>17</sup> A. Usachove, <sup>33</sup> A. Ustyuzhanine, <sup>38</sup> U. Uwere, <sup>17</sup> A. Vagner, <sup>38</sup> V. Vagnonie, <sup>30</sup> A. Valassie, <sup>42</sup> G. Valenti, <sup>22,4</sup> A. Venkateswarane, <sup>43</sup> M. Veronesi, <sup>32</sup> M. Vesterinene, <sup>50</sup> D. Vieirae, <sup>59</sup> M. Vieites Diaze, <sup>43</sup> X. Vilasis-Cardonae, <sup>76</sup> E. Vilella Figueras, <sup>54</sup> A. Villae, <sup>20</sup> P. Vincente, <sup>13</sup> E. C. Volle, <sup>11</sup> D. vom Bruche, <sup>10</sup> A. Vorobyev, <sup>38</sup> X. Vorobyev, <sup>38</sup> K. Vose, <sup>74</sup> C. Vrahase, <sup>52</sup> J. Washe, <sup>92</sup> E. J. Waltone, <sup>63</sup> C. Wang, <sup>6</sup> Y. Wange, <sup>7</sup> J. Wange, <sup>6</sup> J. J. Wange, <sup>6</sup> J. J. Wange, <sup>6</sup> J. J. Wange, <sup>6</sup> M. Wange, <sup>55</sup> B. D. C. Westhenry, <sup>48</sup> D. J. White, <sup>56</sup> M. Wittehead, <sup>51</sup> A. R. Wiederholde, <sup>50</sup> D. Wiednere, <sup>15</sup> G. Wilkinsone, <sup>57</sup> M. K. Wilkinsone, <sup>57</sup> J. Wange, <sup>6</sup> Z. Yaange, <sup>6</sup> Z. Wange, <sup>7</sup> J. Wange, <sup>7</sup> Z. Wange, <sup>6</sup> J. Wange, <sup>7</sup> Z. Wange, <sup>6</sup> J. Wange, <sup>7</sup> Z. Wange, <sup>6</sup>

(LHCb Collaboration)

<sup>1</sup>Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro, Brazil

<sup>2</sup>Universidade Federal do Rio de Janeiro (UFRJ), Rio de Janeiro, Brazil

<sup>3</sup>Center for High Energy Physics, Tsinghua University, Beijing, China

<sup>4</sup>Institute of High Energy Physics (IHEP), Beijing, China

<sup>5</sup>School of Physics State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

<sup>6</sup>University of Chinese Academy of Sciences, Beijing, China

<sup>7</sup>Institute of Particle Physics, Central China Normal University, Wuhan, Hubei, China

<sup>8</sup>Université Savoie Mont Blanc, CNRS, IN2P3-LAPP, Annecy, France

<sup>9</sup>Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

<sup>10</sup>Aix Marseille Univ, CNRS/IN2P3, CPPM, Marseille, France

<sup>11</sup>Université Paris-Saclay, CNRS/IN2P3, IJCLab, Orsay, France

<sup>12</sup>Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France

<sup>13</sup>LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France

<sup>14</sup>I. Physikalisches Institut, RWTH Aachen University, Aachen, Germany

<sup>15</sup>Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany

<sup>16</sup>Max-Planck-Institut für Kernphysik (MPIK), Heidelberg, Germany

<sup>17</sup>Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

<sup>18</sup>School of Physics, University College Dublin, Dublin, Ireland

<sup>19</sup>INFN Sezione di Bari, Bari, Italy

<sup>20</sup>INFN Sezione di Bologna, Bologna, Italy

<sup>21</sup>INFN Sezione di Ferrara, Ferrara, Italy

<sup>22</sup>INFN Sezione di Firenze, Firenze, Italy

<sup>23</sup>INFN Laboratori Nazionali di Frascati, Frascati, Italy

<sup>24</sup>INFN Sezione di Genova, Genova, Italy

<sup>25</sup>INFN Sezione di Milano, Milano, Italy

<sup>26</sup>INFN Sezione di Milano-Bicocca, Milano, Italy

<sup>27</sup>INFN Sezione di Cagliari, Monserrato, Italy

<sup>28</sup>Università degli Studi di Padova, Università e INFN, Padova, Padova, Italy
<sup>29</sup>INFN Sezione di Pisa, Pisa, Italy

<sup>30</sup>INFN Sezione di Roma La Sapienza, Roma, Italy <sup>31</sup>INFN Sezione di Roma Tor Vergata, Roma, Italy <sup>32</sup>Nikhef National Institute for Subatomic Physics, Amsterdam, Netherlands <sup>33</sup>Nikhef National Institute for Subatomic Physics and VU University Amsterdam, Amsterdam, Netherlands <sup>34</sup>AGH - University of Science and Technology, Faculty of Physics and Applied Computer Science, Kraków, Poland <sup>35</sup>Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Kraków, Poland <sup>36</sup>National Center for Nuclear Research (NCBJ), Warsaw, Poland <sup>37</sup>Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest-Magurele, Romania <sup>38</sup>Affiliated with an institute covered by a cooperation agreement with CERN <sup>39</sup>ICCUB, Universitat de Barcelona, Barcelona, Spain <sup>40</sup>Instituto Galego de Física de Altas Enerxías (IGFAE), Universidade de Santiago de Compostela, Santiago de Compostela, Spain <sup>41</sup>Instituto de Fisica Corpuscular, Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain <sup>42</sup>European Organization for Nuclear Research (CERN), Geneva, Switzerland <sup>43</sup>Institute of Physics, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland <sup>44</sup>Physik-Institut, Universität Zürich, Zürich, Switzerland <sup>45</sup>NSC Kharkiv Institute of Physics and Technology (NSC KIPT), Kharkiv, Ukraine <sup>46</sup>Institute for Nuclear Research of the National Academy of Sciences (KINR), Kyiv, Ukraine <sup>47</sup>University of Birmingham, Birmingham, United Kingdom <sup>48</sup>H.H. Wills Physics Laboratory, University of Bristol, Bristol, United Kingdom <sup>49</sup>Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom <sup>50</sup>Department of Physics, University of Warwick, Coventry, United Kingdom <sup>51</sup>STFC Rutherford Appleton Laboratory, Didcot, United Kingdom <sup>52</sup>School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom <sup>53</sup>School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom <sup>54</sup>Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom <sup>55</sup>Imperial College London, London, United Kingdom <sup>56</sup>Department of Physics and Astronomy, University of Manchester, Manchester, United Kingdom <sup>57</sup>Department of Physics, University of Oxford, Oxford, United Kingdom <sup>58</sup>Massachusetts Institute of Technology, Cambridge, MA, USA 59 University of Cincinnati, Cincinnati, OH, USA <sup>60</sup>University of Maryland, College Park, MD, USA <sup>61</sup>Los Alamos National Laboratory (LANL), Los Alamos, NM, USA <sup>62</sup>Syracuse University, Syracuse, NY, USA <sup>63</sup>School of Physics and Astronomy, Monash University, Melbourne, Australia, associated to<sup>50</sup> <sup>64</sup>Pontifícia Universidade Católica do Rio de Janeiro (PUC-Rio), Rio de Janeiro, Brazil, associated to<sup>2</sup> <sup>65</sup>Physics and Micro Electronic College, Hunan University, Changsha City, China, associated to<sup>7</sup> <sup>66</sup>Guangdong Provincial Key Laboratory of Nuclear Science, Guangdong-Hong Kong Joint Laboratory of Quantum Matter, Institute of Quantum Matter, South China Normal University, Guangzhou, China, associated to<sup>3</sup> <sup>67</sup>Lanzhou University, Lanzhou, China, associated to<sup>4</sup> <sup>68</sup>School of Physics and Technology, Wuhan University, Wuhan, China, associated to<sup>3</sup> <sup>69</sup>Departamento de Fisica, Universidad Nacional de Colombia, Bogota, Colombia, associated to<sup>13</sup> <sup>70</sup>Universität Bonn - Helmholtz-Institut für Strahlen und Kernphysik, Bonn, Germany, associated to<sup>17</sup> <sup>71</sup>Eotvos Lorand University, Budapest, Hungary, associated to<sup>42</sup> <sup>72</sup>INFN Sezione di Perugia, Perugia, Italy, associated to<sup>21</sup> <sup>73</sup>Van Swinderen Institute, University of Groningen, Groningen, Netherlands, associated to<sup>32</sup> <sup>74</sup>Universiteit Maastricht, Maastricht, Netherlands, associated to<sup>32</sup> <sup>75</sup>Faculty of Material Engineering and Physics, Cracow, Poland, associated to<sup>35</sup> <sup>76</sup>DS4DS, La Salle, Universitat Ramon Llull, Barcelona, Spain, associated to<sup>39</sup> <sup>77</sup>Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden, associated to<sup>53</sup> <sup>78</sup>University of Michigan, Ann Arbor, MI, United States, associated to<sup>62</sup> <sup>a</sup>Università di Roma Tor Vergata, Roma, Italy. <sup>b</sup>Università di Firenze, Firenze, Italy. <sup>c</sup>Scuola Normale Superiore, Pisa, Italy. <sup>d</sup>Università di Ferrara, Ferrara, Italy.

<sup>e</sup>Università di Milano Bicocca, Milano, Italy.

<sup>f</sup>Università di Bologna, Bologna, Italy.

<sup>g</sup>Università di Genova, Genova, Italy.

<sup>h</sup>Universidad Nacional Autónoma de Honduras, Tegucigalpa, Honduras.

<sup>i</sup>Università di Bari, Bari, Italy.

<sup>j</sup>Università di Cagliari, Cagliari, Italy.

<sup>k</sup>Università di Perugia, Perugia, Italy. <sup>1</sup>Universidade de Brasília, Brasília, Brazil.

<sup>m</sup>Hangzhou Institute for Advanced Study, UCAS, Hangzhou, China.

<sup>n</sup>Università di Pisa, Pisa, Italy.

°Central South U., Changsha, China.

<sup>p</sup>Università di Padova, Padova, Italy.

<sup>q</sup>Università degli Studi di Milano, Milano, Italy.

<sup>r</sup>Excellence Cluster ORIGINS, Munich, Germany.

<sup>s</sup>Deceased.

<sup>t</sup>Università della Basilicata, Potenza, Italy.

<sup>u</sup>Universidad de Alcalá, Alcalá de Henares, Spain.

<sup>v</sup>Università di Urbino, Urbino, Italy.