

Reading a single qubit system using weak measurement with variable strength

Younes, Ahmed

DOI:

[10.1016/j.aop.2017.03.008](https://doi.org/10.1016/j.aop.2017.03.008)

License:

Creative Commons: Attribution-NonCommercial-NoDerivs (CC BY-NC-ND)

Document Version

Peer reviewed version

Citation for published version (Harvard):

Younes, A 2017, 'Reading a single qubit system using weak measurement with variable strength', *Annals of Physics*, vol. 380, pp. 93-105. <https://doi.org/10.1016/j.aop.2017.03.008>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Accepted Manuscript

Reading a single qubit system using weak measurement with variable strength

Ahmed Younes

PII: S0003-4916(17)30081-7

DOI: <http://dx.doi.org/10.1016/j.aop.2017.03.008>

Reference: YAPHY 67353

To appear in: *Annals of Physics*

Received date: 8 November 2016

Accepted date: 11 March 2017



Please cite this article as: A. Younes, Reading a single qubit system using weak measurement with variable strength, *Annals of Physics* (2017), <http://dx.doi.org/10.1016/j.aop.2017.03.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Reading a Single Qubit System Using Weak Measurement with Variable Strength

Ahmed Younes^{a,b}

^a*Department of Mathematics and Computer Science, Faculty of Science, Alexandria University, Egypt*

^b*School of Computer Science, University of Birmingham, Birmingham, B15 2TT, United Kingdom*

Abstract

The information contents of an unknown qubit system is usually read using sharp measurement. Sharp measurement is an irreversible operation that will cause the superposition to collapse to one of the two possible states in a probabilistic way. This paper will propose a quantum algorithm to read the information contents of an unknown qubit without applying sharp measurement on that qubit. A quantum feedback control scheme will be introduced where sharp measurement will be applied iteratively on an auxiliary qubit weakly entangled with the unknown qubit. It will shown that the information contents can be read by counting the outcomes from the sharp measurement on the auxiliary qubit which will make the amplitudes of the superposition move in a random walk manner. The effect of this operation on the unknown qubit can be reversed to decrease the disturbance introduced to the system. The strength of the weak measurement can then be defined and can be controlled using an arbitrary number of dummy qubits (virtual qubits) μ to be added to the system. This can slowdown the measurement process to an arbitrary scale to reach the effect of the sharp measurement after $O(\mu^2)$ measurements on the auxiliary qubit.

Keywords: Quantum algorithm; Sharp measurement; Weak measurement; Random walk; Quantum feedback control.

2010 MSC: 68Q12, 81P15, 81P16, 81P50

Email address: ayounes@alexu.edu.eg (Ahmed Younes)

1. Introduction

Reading the information contents of an unknown qubit system is essential during any computation process, e.g. examining the contents and quantum error corrections. The reading process of a quantum system is usually done by measurements. Quantum Measurement, strong measurement, or sharp measurement is widely believed to be an irreversible [9] operation that produce a probabilistic outcome by projecting the superposition of the possible states into a single state. Using strong measurement will destroy the original information contents of a qubit and might act as an error in this context.

It was shown in [17, 18, 19] that a measurement process can be logically or physically reversible. A measurement process is said to be logically reversible [17, 18] when the information about the pre-measurement state is preserved during the measurement [16] and can be recovered from the post-measurement state only if the post-measurement density operator and the outcome of the measurement can be used to fully calculate the pre-measurement density operator of the measured system, and so we can construct a logically reversible measurement for any sharp measurement that continuously approaches that sharp measurement with a decrease in the measurement error. A quantum measurement is said to be physically reversible [18, 19] if the pre-measurement state can be restored from the post-measurement state in a probabilistic way using another reversing measurement so that the information about the system is preserved during the measurement process and the original state can be recovered using a physical process.

A physically reversible quantum measurement can be seen as a weak measurement where it was shown in [8, 6] that a quantum state post a partial-collapse measurement (weak measurement) can be recovered (uncollapsed) by adding a rotation and a second partial measurement with the same strength so that the extracted information from the partial-collapse measurement is erased, canceling the effect of both measurements. Physically reversible quantum mea-

30 surement has been used in [12] on a spin-1/2 system using a spin-1/2 probe trying to completely specify an unknown quantum state of a single system (see also erratum of Ref. [12]).

Quantum feedback control was first studied in quantum optics [21, 4, 14]. Quantum feedback control was shown to have many applications, e.g. cooling an atom in an optical cavity [15], measuring optical phase using adaptive
35 measurements [11], the stabilization of a single qubit, prepared in one of two nonorthogonal states against dephasing noise [3], quantum error correction [7], entanglement generation using measurement [13], and quantum communication [5].

40 It was shown in [14, 3, 20, 1, 2] that to obtain information about a quantum system, quantum feedback control using weak measurement can be used where the timescale of the measurement process can be extended where it takes the form of a random walk towards the final outcome such that the more the system is disturbed by the measurement, the more information is obtained about that
45 system.

In this paper, a quantum algorithm will be proposed to acquire an unknown qubit system in order to obtain information about it without applying sharp measurement. The algorithm will read the content of that qubit using a quantum feedback control scheme where the sharp measurement on an auxiliary
50 qubit will give the effect of weak measurement on the unknown qubit due to weak entanglement. The algorithm will make the amplitudes of the superposition move in a random walk manner to decrease the disturbance on the system where the opposite steps of the random walk will have a reversal effect on that system. The proposed algorithm will show that the strength of the weak
55 measurement can be controlled by controlling the amount of disturbance introduced by adding an arbitrary number of dummy qubits to the system. This can slow-down the measurement process to an arbitrary scale according to the amount of information needed such that the more we disturb the superposition, the more information we gain about it.

60 The paper is organized as follows: Section 2 defines the problem to be solved

by the proposed algorithm. Section 3 defines the partial negation operator that will be used to create weak entanglement between the unknown qubit and an auxiliary qubit. Section 4 proposes the algorithm to read the information contents of an unknown qubit without applying sharp measurement on that qubit. Section 5 shows that weak measurement applied on the unknown qubit by applying iterative measurements on the auxiliary qubit has a reversal effect when the random walk moves in opposite directions. Section 6 shows that the algorithm will preserve the stability state so that the random walk converges to the correct destination even if the random walk moves up to some specific number of steps in the wrong direction. Section 7 defines the strength of the weak measurement and shows that this strength can be controlled based on the number of dummy qubits added to the system. Section 8 discusses the case of partial gain of information about the unknown qubit. The paper ends up with a conclusion in Section 9.

2. Problem statement

Given a qubit $|\psi\rangle$ with unknown ϕ as follows,

$$|\psi\rangle = \cos(\phi)|0\rangle + \sin(\phi)|1\rangle. \quad (1)$$

It is required to know how close the qubit to either $|0\rangle$ or $|1\rangle$ without too much disturbance to the superposition, i.e. no projective measurement is allowed on that qubit since projective measurement will make the qubit collapse to either $|0\rangle$ with probability $\cos^2(\phi)$ or to $|1\rangle$ with probability $\sin^2(\phi)$.

3. Partial negation operator

Let X be the Pauli-X gate which is the quantum equivalent to the NOT gate. It can be seen as a rotation of the Bloch Sphere around the X-axis by π radians as follows,




Figure 1: Quantum circuits for the M_x operator followed by a partial measurement then reset the auxiliary qubit $|ax\rangle$ to state $|0\rangle$.

$$X = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}. \quad (2)$$

85 The c^{th} partial negation operator V is the c^{th} root of the X gate and can be calculated using diagonalization as follows,

$$V = \sqrt[c]{X} = \frac{1}{2} \begin{bmatrix} 1+t & 1-t \\ 1-t & 1+t \end{bmatrix}, \quad (3)$$

where $t = \sqrt[c]{-1}$, and applying V for d times on a qubit is equivalent to the operator,

$$V^d = \frac{1}{2} \begin{bmatrix} 1+t^d & 1-t^d \\ 1-t^d & 1+t^d \end{bmatrix}, \quad (4)$$

such that if $d = c$, then $V^d = X$.

90 The V gate will be used to define an operator M_x as follows [22], M_x is an operator on $n+1$ qubits register that applies V conditionally for n times on an auxiliary qubit initialized to state $|0\rangle$ and will be denoted as $|ax\rangle$. The number of times the V gate is applied on $|ax\rangle$ is based on the 1-density of a vector $|x_0x_1\dots x_{n-1}\rangle$, where the 1-density of a state vector is the number of qubits in state $|1\rangle$, as follows (as shown in Fig. 1),

95

$$M_x = \text{Cont_}V(x_0; ax)\text{Cont_}V(x_1; ax) \dots \text{Cont_}V(x_{n-1}; ax), \quad (5)$$

where the $\text{Cont_}V(x_j; ax)$ gate is a 2-qubit controlled gate with control qubit $|x_j\rangle$ and target qubit $|ax\rangle$. The $\text{Cont_}V(x_j; ax)$ gate applies V conditionally on $|ax\rangle$ if $|x_j\rangle = |1\rangle$, so, if d is the 1-density of $|x_0x_1 \dots x_{n-1}\rangle$ then,

$$M_x(|x_0x_1 \dots x_{n-1}\rangle \otimes |0\rangle) = |x_0x_1 \dots x_{n-1}\rangle \otimes \left(\frac{1+t^d}{2}|0\rangle + \frac{1-t^d}{2}|1\rangle \right), \quad (6)$$

and the probabilities of finding the auxiliary qubit $|ax\rangle$ in state $|0\rangle$ or $|1\rangle$ when
 100 measured is respectively as follows,

$$\begin{aligned} Pr(|ax\rangle = |0\rangle) &= \left| \frac{1+t^d}{2} \right|^2 = \cos^2\left(\frac{d\pi}{2c}\right), \\ Pr(|ax\rangle = |1\rangle) &= \left| \frac{1-t^d}{2} \right|^2 = \sin^2\left(\frac{d\pi}{2c}\right). \end{aligned} \quad (7)$$

4. The proposed algorithm

4.1. Register preparation

Given an unknown qubit $|\psi\rangle = \cos(\phi)|0\rangle + \sin(\phi)|1\rangle$, append a quantum register of $\mu + 1$ qubits to $|\psi\rangle$, where the μ qubits are all initialized to state $|1\rangle$
 105 and a single auxiliary qubit $|ax\rangle$ initialized to state $|0\rangle$ as follows,

$$\begin{aligned} |\psi_{ext}\rangle &= |\psi\rangle \otimes |1\rangle^{\otimes \mu} \otimes |0\rangle \\ &= \cos(\phi) \left(|0\rangle \otimes |1\rangle^{\otimes \mu} \otimes |0\rangle \right) + \sin(\phi) \left(|1\rangle \otimes |1\rangle^{\otimes \mu} \otimes |0\rangle \right) \\ &= \cos(\phi) (|\psi_0\rangle \otimes |0\rangle) + \sin(\phi) (|\psi_1\rangle \otimes |0\rangle). \end{aligned} \quad (8)$$

The number of the μ qubits is a free parameter that will be used to adjust the accuracy of the proposed algorithm according to our purposes as will be shown later.

4.2. The algorithm

110 When the operator M_x is applied on $|\psi_{ext}\rangle$, it gives,

$$M_x |\psi_{ext}\rangle = \cos(\phi) \left(|\psi_0\rangle \otimes \left(\frac{1+t^{d_0}}{2} |0\rangle + \frac{1-t^{d_0}}{2} |1\rangle \right) \right) + \sin(\phi) \left(|\psi_1\rangle \otimes \left(\frac{1+t^{d_1}}{2} |0\rangle + \frac{1-t^{d_1}}{2} |1\rangle \right) \right), \quad (9)$$

where d_0 is the 1-density of the state $|\psi_0\rangle$ and d_1 is the 1-density of the state $|\psi_1\rangle$, then $d_0 = \mu$ and $d_1 = \mu + 1$, the probabilities of finding the auxiliary qubit $|ax\rangle$ in state $|0\rangle$ or $|1\rangle$ when measured is respectively as follows,

$$\Pr_0(|ax\rangle = |0\rangle) = \sin^2(\phi) \cos^2(\theta_1) + \cos^2(\phi) \cos^2(\theta_0), \quad (10)$$

$$\Pr_0(|ax\rangle = |1\rangle) = \sin^2(\phi) \sin^2(\theta_1) + \cos^2(\phi) \sin^2(\theta_0), \quad (11)$$

where $\theta_0 = \frac{\pi d_0}{2c}$ and $\theta_1 = \frac{\pi d_1}{2c}$.

115 Applying the Algorithm on $|\psi_{ext}\rangle$ for $j \geq 1$ iterations with $j = j_0 + j_1$, such that j_0 counts how many times we found $|ax\rangle = |0\rangle$ and j_1 counts how many times we found $|ax\rangle = |1\rangle$, then the amplitudes of the system will be updated after each iteration according to the following recurrence relations, let the system at iteration $j \geq 1$ is as follows,

$$|\psi_{ext}^j\rangle = \alpha_j |\psi_0\rangle + \beta_j |\psi_1\rangle, \quad (12)$$

120 with $\alpha_0 = \cos(\phi)$ and $\beta_0 = \sin(\phi)$. The probability to find $|ax\rangle = |0\rangle$ or $|ax\rangle = |1\rangle$ is as follows,

$$\Pr_j(|ax\rangle = |0\rangle) = \alpha_j^2 \cos^2(\theta_0) + \beta_j^2 \cos^2(\theta_1), \quad (13)$$

$$\Pr_j(|ax\rangle = |1\rangle) = \alpha_j^2 \sin^2(\theta_0) + \beta_j^2 \sin^2(\theta_1). \quad (14)$$

When measurement is applied on $|ax\rangle$, if we find $|ax\rangle = |0\rangle$ then the amplitudes of the system will be updated as follows,

$$\alpha_{j+1} = \frac{\alpha_j \cos(\theta_0)}{\sqrt{\Pr_j(ax=0)}}, \quad (15)$$

Algorithm 1 Measurement Based Quantum Random Walk

```
1: Prepare  $|\psi_{ext}\rangle$ 
2: Let  $j_0 = 0$ 
3: Let  $j_1 = 0$ 
4: for  $counter = 1 \rightarrow r$  do
5:   Apply the operator  $M_x$  on  $|\psi_{ext}\rangle$ .
6:   Measure  $|ax\rangle$ 
7:   if  $|ax\rangle = |1\rangle$  then
8:      $j_1 = j_1 + 1$ 
9:   else
10:     $j_0 = j_0 + 1$ 
11:   end if
12:   Reset  $|ax\rangle$  to state  $|0\rangle$ 
13: end for
14: if  $j_1 > j_0$  then
15:   The qubit  $|\psi\rangle$  is closer to state  $|1\rangle$ 
16: else
17:   The qubit  $|\psi\rangle$  is closer to state  $|0\rangle$ 
18: end if
```

$$\beta_{j+1} = \frac{\beta_j \cos(\theta_1)}{\sqrt{\text{Pr}_j(ax=0)}}, \quad (16)$$

125 and if we find $|ax\rangle = |1\rangle$ then the amplitudes of the system will be updated as follows,

$$\alpha_{j+1} = \frac{\alpha_j \sin(\theta_0)}{\sqrt{\text{Pr}_j(ax=1)}}, \quad (17)$$

$$\beta_{j+1} = \frac{\beta_j \sin(\theta_1)}{\sqrt{\text{Pr}_j(ax=1)}}. \quad (18)$$

The following equations are the closed forms of the above recurrence relations such that $\text{Pr}_j(|\psi_0\rangle) = \alpha_j^2$ and $\text{Pr}_j(|\psi_1\rangle) = \beta_j^2$. The probabilities of finding the
130 auxiliary qubit $|ax\rangle$ in state $|0\rangle$ or $|1\rangle$ when measured is respectively as follows,

$$\text{Pr}_j(|ax\rangle = |0\rangle) = \frac{\sin^2(\phi) \cos^{2(j_0+1)}(\theta_1) \sin^{2j_1}(\theta_1) + \cos^2(\phi) \cos^{2(j_0+1)}(\theta_0) \sin^{2j_1}(\theta_0)}{\sin^2(\phi) \cos^{2j_0}(\theta_1) \sin^{2j_1}(\theta_1) + \cos^2(\phi) \cos^{2j_0}(\theta_0) \sin^{2j_1}(\theta_0)} \quad (19)$$

$$\text{Pr}_j(|ax\rangle = |1\rangle) = \frac{\sin^2(\phi) \cos^{2j_0}(\theta_1) \sin^{2(j_1+1)}(\theta_1) + \cos^2(\phi) \cos^{2j_0}(\theta_0) \sin^{2(j_1+1)}(\theta_0)}{\sin^2(\phi) \cos^{2j_0}(\theta_1) \sin^{2j_1}(\theta_1) + \cos^2(\phi) \cos^{2j_0}(\theta_0) \sin^{2j_1}(\theta_0)} \quad (20)$$

and the probabilities of states $|\psi_0\rangle$ and $|\psi_1\rangle$ will be changed according to the outcome of the measurement on $|ax\rangle$, i.e. j_1 will be incremented by 1 if $|ax\rangle = |1\rangle$, and j_0 will be incremented by 1 if $|ax\rangle = |0\rangle$, so the probabilities of states $|\psi_0\rangle$ and $|\psi_1\rangle$ after $j \geq 1$ iterations will be as follows,

$$\text{Pr}_j(|\psi_0\rangle) = \frac{\cos^2(\phi) \cos^{2j_0}(\theta_0) \sin^{2j_1}(\theta_0)}{\sin^2(\phi) \cos^{2j_0}(\theta_1) \sin^{2j_1}(\theta_1) + \cos^2(\phi) \cos^{2j_0}(\theta_0) \sin^{2j_1}(\theta_0)} \quad (21)$$

$$\text{Pr}_j(|\psi_1\rangle) = \frac{\sin^2(\phi) \cos^{2j_0}(\theta_1) \sin^{2j_1}(\theta_1)}{\sin^2(\phi) \cos^{2j_0}(\theta_1) \sin^{2j_1}(\theta_1) + \cos^2(\phi) \cos^{2j_0}(\theta_0) \sin^{2j_1}(\theta_0)} \quad (22)$$

135 The first aim of the algorithm is to make the measurement on $|ax\rangle$ has a weak effect on the probabilities of $|\psi\rangle$, i.e. weak measurement. This can be done by setting c in M_x such that $c > d_1$ so that finding $|ax\rangle = |0\rangle$ will not

make $|\psi_1\rangle$ disappear from the superposition. One more benefit from using weak measurement is that weak measurement can be reversed as will proved later.

140 The second aim is to get $j_0 > j_1$ with high probability if $\sin^2(\phi) < \cos^2(\phi)$, and vice versa, and since the value of ϕ is unknown, so we need to make $\Pr(|ax\rangle = |1\rangle)$ and $\Pr(|ax\rangle = |0\rangle)$ as close as possible to 0.5 so that the impact of ϕ appears on the probabilities of $|ax\rangle$. Setting the probabilities of $|ax\rangle$ as close as possible to 0.5 will also make the measurement on $|ax\rangle$ has a small
145 impact on the probabilities of $|\psi\rangle$.

To satisfy the above two aims, we need to set $\theta_0 = \frac{\pi}{4} - \varepsilon$ and $\theta_1 = \frac{\pi}{4} + \varepsilon$ for small $\varepsilon > 0$. This can be done by setting the parameters as follows,

$$\begin{aligned} d_0 &= \mu, \\ d_1 &= \mu + 1, \\ c &= 2\mu + 1, \end{aligned} \tag{23}$$

so that,

$$\begin{aligned} \theta_0 &= \frac{\pi\mu}{2(2\mu+1)}, \\ \theta_1 &= \frac{\pi(\mu+1)}{2(2\mu+1)}. \end{aligned} \tag{24}$$

The μ dummy qubits appended to the system will be used later to define the
150 strength of the weak measurement, so that the scale of the weak measurement can be extended by adding more dummy qubits. The effect of the number of the dummy qubits will appear only in the definition of the M_x operator, so, instead of adding the dummy qubits physically to the system, they can be added virtually as a parameter in the M_x operator to save the physical resources and
155 the dummy qubits can be seen as virtual qubits, so, $|\psi_{ext}\rangle$ can be redefined as follows,

$$|\psi_{ext}\rangle = |\psi\rangle \otimes |0\rangle, \tag{25}$$

and the M_x operator can be redefined as follows,

$$M_x = |0\rangle\langle 0| \otimes U_0 + |1\rangle\langle 1| \otimes U_1, \tag{26}$$

where U_0 and U_1 are defined as follows,

$$U_0 = \frac{1}{2} \begin{bmatrix} 1 + t^{d_0} & 1 - t^{d_0} \\ 1 - t^{d_0} & 1 + t^{d_0} \end{bmatrix}, U_1 = \frac{1}{2} \begin{bmatrix} 1 + t^{d_1} & 1 - t^{d_1} \\ 1 - t^{d_1} & 1 + t^{d_1} \end{bmatrix}. \quad (27)$$

5. Reversibility of weak measurement

160 During the run of the proposed algorithm, repetitive measurement on $|ax\rangle$ will slightly change the probabilities of $|\psi_0\rangle$ and $|\psi_1\rangle$. If after an arbitrary measurement, we find $|ax\rangle = |0\rangle$, then the probability of $|\psi_0\rangle$ will increase, and if we find $|ax\rangle = |1\rangle$, then the probability of $|\psi_1\rangle$ will increase. This section will show that after arbitrary number of measurements on $|ax\rangle$, if the number
165 of times we found $|ax\rangle = |0\rangle$ equals to the number of times we found $|ax\rangle = |1\rangle$, then the probabilities of $|\psi_0\rangle$ and $|\psi_1\rangle$ will be restored to the initial probabilities, i.e. finding $|ax\rangle = |0\rangle$ after any measurement on $|ax\rangle$ will reverse the effect of finding $|ax\rangle = |1\rangle$ after any other measurement and vice versa. To prove this, we need the following lemma.

170 **Lemma 5.1.** *Let $\theta_0 = \frac{\pi\mu}{2(2\mu+1)}$ and $\theta_1 = \frac{\pi(\mu+1)}{2(2\mu+1)}$ for any $\mu \geq 1$, then for any $m \geq 0$,*

$$\frac{\cos^m(\theta_1) \sin^m(\theta_1)}{\cos^m(\theta_0) \sin^m(\theta_0)} = 1. \quad (28)$$

Proof Since $\theta_0 = \frac{\pi\mu}{2(2\mu+1)}$ and $\theta_1 = \frac{\pi(\mu+1)}{2(2\mu+1)}$, then θ_0 and θ_1 can be re-written as,

$$\begin{aligned} \theta_0 &= \frac{\pi}{4} - \varepsilon, \\ \theta_1 &= \frac{\pi}{4} + \varepsilon, \end{aligned} \quad (29)$$

with $\varepsilon = \frac{\pi}{4(2\mu+1)}$, then,

$$\begin{aligned} \cos(\theta_1) &= \cos\left(\frac{\pi}{4} + \varepsilon\right) \\ &= \frac{1}{\sqrt{2}} (\cos(\varepsilon) - \sin(\varepsilon)) \\ &= \sin\left(\frac{\pi}{4} - \varepsilon\right) \\ &= \sin(\theta_0), \end{aligned} \quad (30)$$

175 and,

$$\begin{aligned}
\sin(\theta_1) &= \sin\left(\frac{\pi}{4} + \varepsilon\right) \\
&= \frac{1}{\sqrt{2}}(\cos(\varepsilon) + \sin(\varepsilon)) \\
&= \cos\left(\frac{\pi}{4} - \varepsilon\right) \\
&= \cos(\theta_0),
\end{aligned} \tag{31}$$

and so Eq.(28) holds.

Theorem 5.2. Assume that the initial probabilities of $|\psi_0\rangle$ and $|\psi_1\rangle$ be $\cos^2(\phi)$ and $\sin^2(\phi)$ respectively. Let j_0 and j_1 be the number of times we find $|ax\rangle = |0\rangle$ and $|ax\rangle = |1\rangle$ respectively when measured. If $j_0 = j_1$ then the probabilities of $|\psi_0\rangle$ and $|\psi_1\rangle$ will be equal to the initial probabilities.

Proof Assume that $|ax\rangle$ is measured for j times, where j is an even number such that $j = j_0 + j_1$ and $j \geq 0$. If $j_0 = j_1$ then the proof holds directly using Lemma 5.1 in Eq.(21) and Eq.(22).

6. Stability of the proposed algorithm

Due to the symmetry of the problem, we can consider only the case when $\sin^2(\phi) < \cos^2(\phi)$, and the case of $\sin^2(\phi) > \cos^2(\phi)$ can be deduced by similarity. It is clear from Eqs. (10) and (11) that before the first measurement on $|ax\rangle$, we have $\Pr_0(|ax\rangle = |0\rangle) > \Pr_0(|ax\rangle = |1\rangle)$ if $\sin^2(\phi) < \cos^2(\phi)$, and from from Eqs. (19) and (20) we can see that the more we move in the correct direction, i.e. incrementing j_0 faster than j_1 , the more we gain bias to $\Pr_j(|ax\rangle = |0\rangle)$.

This section will show that even if the algorithm moves in the wrong direction, i.e. incrementing j_1 faster than j_0 when $\sin^2(\phi) < \cos^2(\phi)$, $\Pr_j(|ax\rangle = |0\rangle)$ will stay greater than $\Pr_j(|ax\rangle = |1\rangle)$ for a certain number of wrong measurements on $|ax\rangle$, i.e. $|ax\rangle = |1\rangle$, giving a high probability for the algorithm to recover from the effect of moving in the wrong direction.

Given that $\cos(\theta_0) = \sin(\theta_1)$, and $\sin(\theta_0) = \cos(\theta_1)$ as shown in Eqs. (30) and (31), then the four master equations of the system shown in Eqs. (19), (20), (21) and (22) can be re-written as follows,

$$\Pr_j(|ax\rangle = |0\rangle) = \frac{\tan^2(\varphi) \sin^2(\theta_0) + \cos^2(\theta_0) \tan^{2\Delta j}(\theta_0)}{\tan^2(\varphi) + \tan^{2\Delta j}(\theta_0)}, \quad (32)$$

200

$$\Pr_j(|ax\rangle = |1\rangle) = \frac{\tan^2(\varphi) \cos^2(\theta_0) + \sin^2(\theta_0) \tan^{2\Delta j}(\theta_0)}{\tan^2(\varphi) + \tan^{2\Delta j}(\theta_0)}, \quad (33)$$

$$\Pr_j(|\psi_0\rangle) = \frac{\tan^{2\Delta j}(\theta_0)}{\tan^2(\varphi) + \tan^{2\Delta j}(\theta_0)}, \quad (34)$$

$$\Pr_j(|\psi_1\rangle) = \frac{\tan^2(\varphi)}{\tan^2(\varphi) + \tan^{2\Delta j}(\theta_0)}, \quad (35)$$

where $\Delta j = j_1 - j_0$. For the algorithm to be stable, then $\Delta j < 0$ when $\sin^2(\phi) < \cos^2(\phi)$. We know that weak measurement is reversible, assume the random walk moves for $\Delta j > 0$ steps in the wrong direction. We need to know how far the random walk should go in the wrong direction while maintaining the stability condition $\Pr(|ax\rangle = |0\rangle) > \frac{1}{2}$, so we get,

205

$$\sin^2(\phi) < \cos^2(\phi) \tan^{2\Delta j}(\theta_0), \quad (36)$$

such that, if $\Delta j = 0$, so we get the initial probabilities of the system, i.e. $\sin^2(\phi) < \cos^2(\phi)$, and we have $\Pr(|ax\rangle = |0\rangle) > \frac{1}{2}$ as long as,

$$\Delta j \geq \frac{\log(\tan(\phi))}{\log(\tan(\theta_0))} \geq 0. \quad (37)$$

This means that the algorithm will maintain the stability condition even if the random walk goes in the wrong direction for at most $\frac{\log(\tan(\phi))}{\log(\tan(\theta_0))}$ steps. This gives the algorithm a chance to restore the random walk to move in the correct direction

210

7. The strength of weak measurement

The strength of the weak measurement can be understood as the distance that the random walk has to move from the initial state to the state that are ϵ -far from the projected state for small $\epsilon \geq 0$, so, the scale of a projective measurement is of length 1, i.e. it has the maximum strength, after which the state of the unknown qubit will be projected to one of the eigen vectors of the system in a probabilistic way. This section will show that the strength of the weak measurement can controlled by using an arbitrary number of dummy qubits μ in the system. It will be shown that the measurement process can be scaled to an arbitrary length based on the number of dummy qubits added to the system.

Assuming again the case where $\sin^2(\phi) < \cos^2(\phi)$, then the scale of the measurement process is based upon the number of steps that the random walk should move starting from $\text{Pr}_0(|\psi_0\rangle) = \cos^2(\varphi)$ to reach after $j \geq 1$ steps to $\text{Pr}_j(|\psi_0\rangle) = 1 - \epsilon$ for small $\epsilon > 0$, so

$$\text{Pr}_j(|\psi_0\rangle) = \frac{\tan^{2\Delta j}(\theta_0)}{\tan^2(\varphi) + \tan^{2\Delta j}(\theta_0)} \geq 1 - \epsilon, \quad (38)$$

then,

$$\begin{aligned} \Delta j &\geq \frac{\log(\tan^2(\varphi)(\frac{1-\epsilon}{\epsilon}))}{\log(\tan^2(\theta_0))} \\ &\geq \frac{\log(\tan^2(\varphi)(\frac{1-\epsilon}{\epsilon}))}{\log(\sin^2(\theta_0)) - \log(\cos^2(\theta_0))} \\ &\geq \frac{\log(\tan^2(\varphi)(\frac{1-\epsilon}{\epsilon}))}{\log(\cos^2(\theta_1)) - \log(\cos^2(\theta_0))} \\ &\geq \frac{\log(\tan^2(\varphi)(\frac{1-\epsilon}{\epsilon}))}{\log(\cos^2(\theta_1)) - \log(\cos^2(\theta_0))}, \end{aligned} \quad (39)$$

and since $\theta_0 = \frac{\pi\mu}{4\mu+2}$ and $\theta_1 = \frac{\pi(\mu+1)}{4\mu+2}$ then

$$\begin{aligned} \Delta j &\geq \frac{\log(\tan^2(\varphi)(\frac{1-\epsilon}{\epsilon}))}{(\frac{\pi\mu}{4\mu+2})^2 - (\frac{\pi(\mu+1)}{4\mu+2})^2} \\ &\geq (\frac{2}{\pi})^2 \log(\tan^2(\varphi)(\frac{1-\epsilon}{\epsilon})) (2\mu + 1). \end{aligned} \quad (40)$$

For sufficiently large $\mu > 0$, $\text{Pr}_j(|ax\rangle = |0\rangle) = \frac{1}{2} + \delta$ and $\text{Pr}_j(|ax\rangle = |1\rangle) = \frac{1}{2} - \delta$ for small $\delta > 0$, then [10],

$$\Delta j = \sqrt{\frac{2}{\pi} j} \quad (41)$$

and since φ is unknown, then assume $\varphi = \frac{\pi}{2}$ as an upper bound for the total number of steps j and so the scale of the measurement process is,

$$\begin{aligned} j_{proj} &\geq \frac{\pi}{2} (\Delta j)^2 \\ &\geq \frac{2}{\pi} \left(\log \left(\tan^2 \left(\frac{\pi}{2} \right) \left(\frac{1-\epsilon}{\epsilon} \right) \right) (2\mu + 1) \right)^2 \\ &\geq O(\mu^2). \end{aligned} \quad (42)$$

This means that if the algorithm is iterated for j_{proj} iterations, then $\Pr_{proj}(j_0 > j_1) = \sin^2(\varphi)$ similar to the case of the projective measurement.

235 8. Partial gain of information

Assume the case when we are given a certain number of dummy qubits μ and we do not want to iterate the algorithm for j_{proj} times, but we want to stop early at iteration $J < j_{proj}$ for not fully disturbing the superposition, then we need to find $\Pr_J(j_0 > j_1)$ after J iterations.

240 Assume that the algorithm is iterated for $J \geq 2$ times such that $J = J_0 + J_1$ where J_0 is the number of times we read $|ax\rangle = |0\rangle$ and J_1 is the number of times we read $|ax\rangle = |1\rangle$. It is important to notice here that due to the reversibility of weak measurement shown in Theorem 5.2, the final state of the system will be the same with any order of outcomes from $|ax\rangle$ as long as the values of J_0 and
245 J_1 are fixed since ΔJ will be the same, so the probability to find $|ax\rangle = |0\rangle$ for J_0 after J iterations can be calculated as follows,

$$\Pr(j_0 = J_0) = \binom{J}{J_0} (\Pr_J(|ax\rangle = |0\rangle))^{J_0} (\Pr_J(|ax\rangle = |1\rangle))^{J-J_0}. \quad (43)$$

When $\varphi < \frac{\pi}{4}$, the algorithm is assumed to be successful if $j_0 > j_1$ and vice versa. Without losing of generality, assume J is even, then the algorithm is assumed successful when we read $|ax\rangle = |0\rangle$ for at least $\frac{J}{2} + 1$ times, i.e. $j_0 > \frac{J}{2}$,

250 then




Figure 2: The probability of success for the measurement based quantum random walks with different values of μ , where the solid lines refers to the simulation results and the dotted lines is the probability of success shown in Eq.(45).

$$\Pr\left(j_0 > \frac{J}{2}\right) = \sum_{k=\frac{J}{2}+1}^J \binom{J}{k} (\Pr_J(|ax\rangle = |0\rangle))^k (\Pr_J(|ax\rangle = |1\rangle))^{J-k}, \quad (44)$$

where $\binom{J}{k} = \frac{J!}{k!(J-k)!}$, and we know that $\Pr_J(j_0 > j_1) = \frac{1}{2}$ as a trivial case when $\varphi = \frac{\pi}{4}$, i.e. when $|\psi\rangle = \frac{1}{\sqrt{2}}(|0\rangle + |1\rangle)$, then the probability of success of the algorithm after J iterations with $\Delta J = -\sqrt{\frac{2}{\pi}}J$ is as follows,

$$\Pr_J(j_0 > j_1) = \sin^2(\varphi) + \cos(2\varphi) \Pr\left(j_0 > \frac{J}{2}\right). \quad (45)$$

For $\varphi > \frac{\pi}{4}$, the same equation (Eq.(45)) can be used as the probability of success of the algorithm but with $\Delta J = \sqrt{\frac{2}{\pi}}J$. As an illustrative example, Fig. 2 shows simulation results of the algorithm compared with the probability of success shown in Eq.(45) by setting $J = 100$ for $\mu = 1$, $\mu = 10$ and $\mu = 50$. The simulation results shown in Fig. 2 is the average of the probability of success




Figure 3: The amount of disturbance introduced to the system using the measurement based quantum random walks with different values of μ , where the solid lines refers to the simulation results and the dotted lines is expected amount of disturbance shown in Eq.(45).

to read the information of $|\psi\rangle$. The simulation results are collected by applying
 260 the algorithm iteratively for $0 \leq \sin^2(\phi) \leq 1$ with step 0.001 and each step is
 repeated 1000 times. Taking the probability of success of $\varphi = 0$ as a reference
 probability relevant to the probability of success of projective measurement, so
 iterating the algorithm for 100 items gives a probability of success of 1.0 using
 $\mu = 1$, 0.74224 using $\mu = 10$, and 0.52233 using $\mu = 50$ which is close to a random
 265 guess.

Based on the same example shown in Fig. 2, Fig. 3 shows the actual amount
 of disturbance introduced to the system using the proposed algorithm taken as
 the average disturbance from all the trials compared with the expected amount
 of disturbance d_e calculated as follows,

$$d_e = |\cos^2(\phi) - \Pr_j(|\psi_0\rangle)|. \quad (46)$$

270 It is possible to restrict the disturbance to be introduced to system to an
 arbitrary small $\delta > 0$ regardless to how many iterations of the algorithm is




Figure 4: The upper bound of $|\Delta j|$ for not introducing disturbance $\delta > 0$ to the system such that $0 < \delta < \frac{1}{2}$ for $\phi \leq \frac{\pi}{4}$ using $\mu = 5$ dummy qubits.

applied as long as $d_e < \delta$. To achieve this, we have to make Δj satisfies the following condition,

$$\left| \cos^2(\phi) - \frac{\tan^{2\Delta j}(\theta_0)}{\tan^2(\phi) + \tan^{2\Delta j}(\theta_0)} \right| < \delta, \quad (47)$$

then,

$$|\Delta j| < \frac{\log\left(\frac{\tan^2(\phi)(\delta - \cos^2(\phi))}{\cos^2(\phi) - 1 - \delta}\right)}{\log(\tan^2(\phi))}. \quad (48)$$

275 This means that no disturbance more than $\delta > 0$ will be introduced to the system as long as Δj satisfies the condition shown in Eq.(48). Fig. 4 shows the required values of $|\Delta j|$ for $\phi \leq \frac{\pi}{4}$ and the allowed disturbance $0 < \delta < \frac{1}{2}$ using $\mu = 5$.

280 Fig. 5(a) shows a MBQRW with $\mu = 1$ where the $|\psi\rangle$ will collapse to either $|0\rangle$ or $|1\rangle$ very fast with probabilities close to $\cos^2(\phi)$ or $\sin^2(\phi)$ respectively. This gives high accuracy but will disturb the superposition in a way very close to the projective measurement.




Figure 5: Measurement Based quantum random walks with (a) $\mu = 1$, (b) $\mu = 10$, (c) $\mu = 100$ and $\mu = 1000$.

Fig. 5(b) shows a MBQRW with $\mu = 10$ where $|\psi\rangle$ will not collapse to $|0\rangle$ or $|1\rangle$ but will make it move up or down with probabilities not far from $\cos^2(\phi)$ or $\sin^2(\phi)$ respectively. This gives acceptable accuracy and will not disturb the superposition very much.

Fig. 5(c) and Fig. 5(d) show MBQRWs with large number of dummy qubits μ where $|\psi\rangle$ will not collapse to either $|0\rangle$ or $|1\rangle$ and information gain about $|\psi\rangle$ will be no better than a random guess.

290 9. Conclusion

In this paper, a quantum algorithm has been proposed to read the information contents of an unknown qubit without using sharp measurement on that qubit. The proposed algorithm used a partial negation operator that creates a weak entanglement between the unknown qubit and the an auxiliary qubit. A quantum feedback control scheme is used where sharp measurement is applied iteratively on the auxiliary qubit. Counting the outcomes from the sharp measurement on the auxiliary qubit has been used to read the information contents on the unknown qubit. It has been shown that the iterative measurements on the auxiliary qubit makes the amplitudes of the superposition move in a random walk manner. The random walk has a reversal effect when moved in opposite directions, this helps to decrease the disturbance that will be introduced to the system during the run of the algorithm. The proposed algorithm defined the strength of the weak measurement as the distance the random walk has to move from the initial state to the state of the sharp measurement which can be controlled by using an arbitrary number of dummy qubits (virtual qubits) μ in the system. Adding more dummy qubits to the system made the measurement process slower so that the effect of the sharp measurement will be reached after $O(\mu^2)$ measurements on the auxiliary qubit. It has been shown that the more we disturb the system, the more information we can get about that system.

310 Acknowledgement

I would like to gratefully thank Prof. Jonathan E. Rowe (University of Birmingham) for his valuable comments and suggestions on an earlier version of this work that greatly improved the manuscript.

References

- 315 [1] Y. Aharonov, L. Vaidman, Phys. Rev. A 41 (1990) 11.
[2] Y. W. Cheong, S.-W. Lee, Phys. Rev. Lett. 109 (2012) 150402.

- [3] G. G. Gillett, et al., Phys. Rev. Lett. 104 (2010) 080503.
- [4] H. A. Haus, Y. Yamamoto, Phys. Rev. A 34 (1986) 270.
- [5] K. Jacobs, Quantum Inf. Comput. 7 (2007) 127.
- 320 [6] A. N. Jordana, A. N. Korotkov, Contemp. Phys. 51 (2010) 125.
- [7] M. Koashi, M. Ueda, Phys. Rev. Lett. 82 (1999) 2598.
- [8] N. Katz, et al., Phys. Rev. Lett. 101 (2008) 200401.
- [9] L. D. Landau, E. M. Lifshitz, Quantum mechanics (non-relativistic theory),
3rd ed. Butterworth-Heinemann, Oxford (1977).
- 325 [10] H. König, et al., J. Reine Angew. Math. 511 (1999) 1.
- [11] D. T. Pope, et al., Phys. Rev. A 70 (2004) 043812.
- [12] A. Royer, Phys. Rev. Lett. 73 (1994) 913 ; Erratum Phys. Rev. Lett. 74
(1995) 1040.
- [13] R. Ruskov, A. N. Korotkov, Phys. Rev. B 67 (2003) 241305.
- 330 [14] W. P. Smith, et al., Phys. Rev. Lett. 89 (2002) 133601.
- [15] D. A. Steck, et al., Phys. Rev. Lett. 92 (2004) 223004.
- [16] H. Terashima, M. Ueda, Phys. Rev. A 74 (2006) 012102.
- [17] M. Ueda, M. Kitagawa, Phys. Rev. Lett. 68 (1992) 3424.
- [18] M. Ueda, et al., Phys. Rev. A 53 (1996) 3808.
- 335 [19] M. Ueda, in Frontiers in Quantum Physics: Proc. of the Int. Conf. on Front.
in Quant. Phys., pp. 136144 (1999).
- [20] R. Vijay, et al., Nature 490 (2012) 77.
- [21] Y. Yamamoto, et al., Phys. Rev. A 33 (1986) 3243.
- [22] A. Younes, Quant. Inf. Proc., 14 (2015) 3161.