

Association of mechanical bowel preparation with oral antibiotics and anastomotic leak following left sided colorectal resection

The 2017 European Society of Coloproctology (ESCP) collaborating group; Pinkney, Thomas; Glasbey, James

DOI:
[10.1111/codi.14362](https://doi.org/10.1111/codi.14362)

License:
Other (please specify with Rights Statement)

Document Version
Peer reviewed version

Citation for published version (Harvard):
The 2017 European Society of Coloproctology (ESCP) collaborating group, Pinkney, T & Glasbey, J 2018, 'Association of mechanical bowel preparation with oral antibiotics and anastomotic leak following left sided colorectal resection: an international, multi-centre, prospective audit', *Colorectal Disease*, vol. 20, no. S6, pp. 15-32. <https://doi.org/10.1111/codi.14362>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Checked for eligibility: 20/11/2018

This is the peer reviewed version of the following article: The 2017 European Society of Coloproctology (ESCP) collaborating group (2018), Association of mechanical bowel preparation with oral antibiotics and anastomotic leak following left sided colorectal resection: an international, multi-centre, prospective audit. *Colorectal Dis*, 20: 15-32., which has been published in final form at doi:10.1111/codi.14362. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Association of mechanical bowel preparation with oral antibiotics and anastomotic leak following left sided colorectal resection: An international, multi-centre, prospective audit

The 2017 European Society of Coloproctology (ESCP) collaborating group*

**Collaborating authors listed at end of manuscript*

Correspondence to:

Mr James Glasbey

European Society of Coloproctology (ESCP) Cohort Studies Committee

Department of Colorectal Surgery

University of Birmingham

Heritage Building

Mindelsohn Way

Birmingham B15 2TH

Email: j.glasbey@bham.ac.uk

Keywords: Colorectal surgery; Colonic cancer; Laparoscopic surgery; Bowel preparation; Anastomotic leak

Conflicts of interest: None to declare

Funding: None

Word count: 2609

Abstract word count: 230

Acknowledgements: Supported by the European Society of Coloproctology (ESCP). REDCap and infrastructural support was received from the Birmingham Surgical Trials Institute (BiSTC) at the Birmingham Clinical Trials Unit (BCTU).

Abstract

Introduction: The optimal bowel preparation strategy to minimise the risk of anastomotic leak is yet to be determined. This study aimed to determine whether oral antibiotics combined with mechanical bowel preparation (MBP+Abx) was associated with a reduced risk of anastomotic leak when compared to mechanical bowel preparation alone (MBP) or no bowel preparation (NBP).

Methods: A pre-planned analysis of the European Society of Coloproctology (ESCP) 2017 Left Sided Colorectal Resection audit was performed. Patients undergoing elective left sided colonic or rectal resection with primary anastomosis between 1 January 2017 and 15 March 2017 by any operative approach were included. The primary outcome measure was anastomotic leak.

Results: Of 3676 patients across 343 centres in 47 countries, 618 (16.8%) received MBP+ABx, 1945 MBP (52.9%) and 1099 patients NBP (29.9%). Patients undergoing MBP+ABx had the lowest overall rate of anastomotic leak (6.1%, 9.2%, 8.7% respectively) in unadjusted [dataanalysis](#). After case-mix adjustment using a mixed-effects multivariable regression model, MBP+Abx was associated with a lower risk of anastomotic leak (OR 0.52, 0.30-0.92, p=0.02) but MBP was not (OR 0.92, 0.63-1.36, p=0.69) compared to NBP.

Conclusion: This non-randomised study adds ‘real-world’, contemporaneous, and prospective evidence of the beneficial effects of combined mechanical bowel preparation and oral antibiotics in the prevention of anastomotic leak following left sided colorectal resection across diverse settings. We have also demonstrated limited uptake of this strategy in current international colorectal practice.

What this study adds

This international study found that administration of combined oral antibiotics with mechanical bowel preparation halved the odds of anastomotic leak following left sided colorectal surgery compared to those with no bowel preparation; a finding consistent across sensitivity analyses.

Despite this, only 16.8% of patients received this preparation strategy in contemporary practice.

Introduction

Anastomotic leak following left sided colorectal surgery is associated with increased morbidity and mortality, reduced quality of life and worse oncological outcomes [1, 2]. As such, identifying perioperative measures that may reduce anastomotic failure rates is a major research focus.

The optimal preoperative bowel preparation regime in left sided colorectal surgery remains controversial. Current enhanced recovery after surgery (ERAS) recommendations states that mechanical bowel preparation (MBP) should not be used routinely in colonic surgery due to the distressing and physiological adverse effects that can be associated [3] with and because of the lack of evidence for its usebenefit [4, 5]. The majority of data on combined MBP with selective gastrointestinal decontamination with oral antibiotics comes from retrospective analyses of large North American databases. These demonstrate evidence of reduction in anastomotic leak and surgical site infection rates when compared to MBP alone, oral antibiotics alone or no preparation [6-11]. Evidence from seven several published clinical trials is consistent with this finding, but randomised evidence remains of low and moderate methodological quality with high risk of bias. In Europe [12], mechanical bowel preparation with concurrent oral antibiotics is the subject of a number of blinded, multi-centre randomised trials currently open to recruitment, but in the years before they report there remainsthere is no existing high quality prospective data to support this choice of preoperative bowel preparation strategy in elective colectomy [13, 14].

The primary aim of this study was to explore associations between bowel preparation strategy and anastomotic leak after elective left sided colorectal resection with primary anastomosis. The secondary aims were to explore associations of other technical and intraoperative factorsanastomotic technique with anastomotic failure, and to assess the clinical impact of anastomotic leak.

Methods

Protocol

This prospective, observational, multi-centre audit was conducted in line with a pre-specified protocol (<http://www.escp.eu.com/research/cohort-studies>). An external pilot of the protocol and data capture system was conducted in five international centres prior to launch, allowing refinement of the study tool and delivery. This data was not included within the main study analysis.

Centre eligibility

Any unit performing gastrointestinal surgery was eligible to register to enter patients into the study. No minimum case volume, or centre-specific limitations were applied. The study protocol was disseminated to registered members European Society of Coloproctology (ESCP), and through national surgical or colorectal societies.

Patient eligibility

Adult patients (>16 years) undergoing planned, elective left hemicolectomy, sigmoid colectomy or rectal resection with a single, primary anastomosis were extracted from the main audit database. Operations with multiple (>1) anastomoses were excluded as were resections with formation of end colostomy without restoration of gastrointestinal continuity (e.g. abdominoperineal resection, Hartmann's procedure), [more extensive colorectal resection \(e.g. subtotal or total colectomy\)](#), [pouch formation](#), pelvic exenteration or multivisceral resection and reversal of colostomy. Both malignant and benign indications for surgery were eligible. Open, laparoscopic, laparoscopic-converted, robotic and robotic-converted procedures were all eligible, including those incorporating a perineal approach, both traditional or transanal.

Data capture

Consecutive sampling was performed of eligible patients over an 8-week study period in each included centres. Local investigators commenced data collection on any date between the 1 January 2017 and 15 March 2017, with the last eligible patient being enrolled on 10 May 2017. This study adopted the UK National Research Collaborative model for data collection and follow-up. Small teams of up to five surgeons or surgical trainees worked together to collect prospective data on all eligible patients at each centre. Quality assurance was provided by at least one consultant or attending-level surgeon. Data was recorded contemporaneously and stored on a secure, user-encrypted online platform (REDCap) without using patient identifiable information. Centres were asked to validate that all eligible patients during the study period had been entered, and to attain >95% completeness of data field entry prior to final submission.

There were three main phases of data collection for each patient, each represented by separate clinical reporting forms. Case report form (CRF) A collected baseline patient- and disease-specific characteristics including Age, Gender, American Society of Anaesthesiologists (ASA) classification grade, smoking history, body mass index, history of diabetes mellitus, cardiovascular disease, concurrent anticoagulant therapy, indication for surgery, disease location and urgency of surgery. CRF B collected information about the index operation and non-patient or disease related factors including operator grade (Consultant, Trainee), operator specialty interest (Colorectal, General Surgery), operative approach, level of proximal and distal transection, anastomosis type (handsewn, stapled), anastomotic configuration (side-to-side, side-to-end, end-to-end), distance of the anastomosis from the anal verge (in centimetres), whether an intraoperative leak test was performed, and whether a proximal defunctioning enterostomy (loop ileostomy, end ileostomy, loop colostomy) was formed.

CRF C collected follow-up data on the primary and secondary outcome measures. This study was designed to bring efficiency by using normal postoperative follow-up pathways to obtain

outcome data. Follow-up data was collected to 30 postoperative days through review of patient notes (paper and electronic) during their index admission, reviewing hospital systems to check for readmission or reoperation, and reviewing postoperative radiology reports. Where postoperative review at or before 30 postoperative days formed part of routine practice follow-up data was also obtained at this clinical review.

Outcome measure

The primary outcome measure was overall anastomotic leak, pre-defined as either i) gross anastomotic leakage proven radiologically or clinically, or ii) the presence of an intraperitoneal (abdominal or pelvic) fluid collection on post-operative imaging. The secondary outcome measures were the postoperative major complication rate, defined as Clavien-Dindo classification grade 3 to 5 (reoperation, reintervention, unplanned admission to critical care, organ support requirement or death), the postoperative length of stay (in whole days), with day of surgery as day zero, and the postoperative mortality rate, defined as death within 30 days of surgery.

Statistical analysis

This report has been prepared in accordance to guidelines set by the STROBE (strengthening the reporting of observational studies in epidemiology) statement for observational studies [15].

Patient, disease and operative characteristics were compared by type of bowel preparation (no bowel preparation (NBP), mechanical bowel preparation alone (MBP), mechanical bowel preparation and oral antibiotics (MBP + Abx) and by the primary outcome anastomotic leak using Student's t-test for normal, continuous data, Mann-Whitney U test for non-normal continuous data or Chi-squared test for categorical data. To test the association between overall anastomotic leak and the main explanatory variables of interest (type of bowel

preparation, other non-patient and disease related factors described above), a mixed-effects logistic regression model was fitted. Clinically plausible patient, disease and operation-specific factors were entered into the model for risk-adjustment, treated as fixed effects. These were defined *a priori* within the study protocol, and included irrespective of their significance on univariate analysis. Hospitals were entered into the model as a random-effect, to adjust for hospital-level variation in outcome. Sensitivity analyses were performed for proven anastomotic leakage only. Effect estimates are presented as odds ratios (OR) with 95% confidence intervals (95% CI) and two-tailed p-values. An alpha level of 0.05 was used throughout. Data analysis was undertaken using R Studio V3.1.1 (R Foundation, Boston, USA).

Ethical approval

All participating centres were responsible for compliance to local approval requirements for ethics approval or indemnity as required. In the UK, the National Research Ethics Service tool recommended that this project was not classified as research, and the protocol was registered as clinical audit in all participating centres.

Results

Patient and disease characteristics

This analysis included 3676 patients from 343 centres in 47 countries (Figure 1). The mean age of included patients was 66 years (range 18-99 years), 58.4% (2149/3676) were male, and the majority were low preoperative risk (69.5% ASA 1-2, 2558/3676). Resection involved colon only in 35.8% (1317/3676) and the rectum in 64.2% (2359/3676). The primary indication for surgery was malignant disease in 78.7% (2894/3676) and benign disease in 21.3% (782/3676). The abdominal approach was laparoscopic in 56.2% (2065/3676), robotic in 3.9% (144/3676), and a transanal perineal approach was used in 10.0% (369/3676). Pre-operatively, 15.1% (556/3676) of included patients were on enteral and 0.8% (29/3676) on parenteral nutritional supplementation. An intra-abdominal abscess was present preoperatively in 3.0% (111/3676). Few patients were on exogenous steroid therapy at the time of surgery (10/3676). Amongst those with a malignant indication for surgery 21.9% (634/2894) had undergone neoadjuvant therapy, with long-course chemoradiotherapy being most common strategy (437/634, 66.7%). The majority of oncological resections were for T2 and T3 disease (686/2894, 23.7%; 1399/2894, 48.3% respectively).

Practice of bowel preparation and use of preoperative antibiotics

Overall 1099 patients received no bowel preparation (29.9%), 1945 received MBP (52.9%) and 618 (16.8%) received MBP+ABx. Information on type of bowel preparation was not obtained in 14 patients. The patient and disease characteristics of included patients, grouped by choice of preparation strategy, is shown in Table 1. Compared to those received MBP alone, patients undergoing MBP+ABx were older, lower risk, less likely to be obese, and less likely to have a history of cardiovascular disease in comparison to those receiving NBP. When compared to those receiving NBP, those receiving MBP+ABx were less likely to be current smokers and were more likely to have disease involving the low or middle rectum (Figure 2).

Intraoperative and technical characteristics

Attempted laparoscopy was the most common initial operative approach (56.2%, 2065/3676), with a conversion rate of 15.9% (328/2065). 39.9% (1467/3676) of patients underwent open surgery and 3.9% (144/3676) robotic surgery (of which 16/144, 11.1% underwent conversion). 86.4% (3177/3676) underwent stapled anastomosis, of which 93.7% (2977/3177) used a circular stapler. 13.6% (499/3676) of anastomoses were handsewn.

Anastomotic leak

The overall anastomotic leak rate was 8.5% (312/3676). Patient and disease characteristics (Table 2) and intraoperative and technical characteristics (Table 3) differed between groups of patients who did and did not have anastomotic leak. In the unadjusted [dataanalysis](#), patients with leak were more likely to be male, have undergone a low or middle rectal anastomosis, neoadjuvant therapy, a handsewn anastomosis, a defunctioning ileostomy, or had a planned admission to critical care from theatre.

Outcomes of patients by bowel preparation strategy

In the unadjusted analysis (Table 4), the rate of anastomotic leak was 6.1% (38/618) in those with MBP+ABx, 9.2% (178/1945) in those with MBP and 8.7% (96/1099) in those with NBP. Correspondingly, the major complication rates in those with MBP+Abx was lower than in the other two groups (8.6%; 11.5%; 11.5% respectively). The mean length of stay was significantly higher in those with MBP alone (7.8 days; 8.9 days; 7.8 days [respectively](#), p<0.001).

In the [univariableunivariate](#) analysis, no significant association was seen between choice of bowel preparation strategy and anastomotic leak (Table 5). Male gender (OR 1.89, 1.37-2.62; p<0.001) and a low rectal anastomosis (OR 2.37, 1.19-5.42; p=0.02) carried an increased risk of

anastomotic failure. Side-to-side configuration (OR 0.39, 0.15-0.81; p=0.02), stapled anastomosis (OR 0.65, 0.44-1.01; p=0.04), and not having a defunctioning stoma (OR 0.56, 0.42-0.76; p<0.001) conveyed [a](#) statistically significant benefit.

In the multilevel model (Figure 34), MBP+Abx was [the only bowel preparation strategy](#) associated with lower risk of anastomotic failure (OR 0.52, 0.30-0.92, p=0.02) than NBP ([reference](#)). This association was consistent in a sensitivity analysis for 'proven' anastomotic leak alone (Table 6, OR 0.48, 0.26-0.89, p=0.02). Male gender remained significantly associated with a higher rate of anastomotic leak, and middle age and side-to-side anastomosis a lower rate of anastomotic leak. The model had acceptable discrimination (AUC: 0.69).

Clinical impact of anastomotic leak

Patients with anastomotic leak were five times more likely to die postoperatively than those without (Table 7, 0.5% versus 3.5%, p<0.001). Anastomotic leak was also associated with double the postoperative length of stay (17.2 days versus 7.9 days, p<0.001). The definition of anastomotic leakage chosen as the primary outcome of this study included the presence of an intraperitoneal (abdominal or pelvic) fluid collection on post-operative imaging as well as those leaks 'proven' on radiological or clinical examination. Despite giving a rate nearly double that of the 'proven' leaks alone, the impact on mortality rates and length of stay was remarkably similar when the two groups are compared.

Discussion

This analysis of a large, multicentre prospective audit of elective left colorectal resections demonstrated a benefit for mechanical bowel preparation with oral antibiotics in the reduction of anastomotic failure, which was consistent across sensitivity analyses. The overall rate of usage of this bowel preparation strategy remained low, at less than one-fifth of the international cohort. Anastomotic leak was associated with worse short-term survival, more critical care usage and a prolonged length of stay.

This study adds to a growing body of evidence to support the addition of oral antibiotics to mechanical bowel preparation regimes for left sided colorectal surgery. A comprehensive systematic review published in 2018 described six randomised controlled trials testing MBP+ABx, failing to find a benefit upon meta-analysis [16, 17]. However, a majorityhalf of included studies (three of six) were of unclear methodological quality and published more than 20 years ago. Anastomotic outcomes from these studies are unlikely to be comparable to those in a modern era of minimally invasive surgery and modernised stapling devices and thus may lack relevance to current clinical practice. Of the more contemporary randomised studies, all three were single-centre and of limited methodological rigor [18-20]. The highest quality of these included just 579 patients, was open-label, and examined anastomotic leak as a secondary outcome with no clear outcome definition or assessment criteria stated.

The most convincing current evidence supporting MBP+Abx is found in retrospective analyses of the large American College of Surgeons' National Surgical Quality Improvement Program (ACS-NSQIP) database. Seven analyses of this dataset have been published to date, including around 147,000 patients [6-11, 21]. These share common criticisms including; the low fidelity of retrospectively collected clerical data, high percentages of missing data fields and a high propensity for selection and reporting bias [6-10]. When meta-analysis has been

performed on these observational datasets a 40% reduction in odds of anastomotic leak has been described [22].

This analysis represents the first prospective observational assessment of the relationship of MBP+ABx and anastomotic leak, demonstrating a significant benefit in elective left sided colorectal anastomoses, which prevailed after risk adjustment for patient, operation and disease factors. Few other modifiable intraoperative or technical characteristics had a significant association with anastomotic leak in univariableunivariate or multilevel models. Side-to-side anastomotic configuration (common in left sided colonic, rather than rectal resections) appeared to convey a benefit in multivariable analysis, which may reflect other unmeasured confounders, such as technical ease of the procedure and the number of stapler firings in circular stapled rectal anastomoses. Whilst this study was underpowered to detect a difference in the primary outcome within many of these smaller subgroups, variation within our data suggests that an optimal technique for left sided colorectal anastomosis is yet to reach consensus. Whilst a number of acceptable modifications are likely to exist, standardisation of techniques for anastomotic formation may improve outcomes by reducing unacceptable variation.

The ESCP Left Sided Colorectal Resections 2017 audit used the same combined outcome measure of radiologically or clinically 'proven' anastomotic leak or intraabdominal collection that has been previous described in the ESCP 2015 audit of Right Sided Resections [23]. Again the data demonstrated an increase in adverse postoperative events (death, length of stay, critical care requirement) of similar magnitude for both the combined and 'proven' anastomotic leak groups, validating the use of our primary outcome measure in left sided disease. We recommend that this combined outcome measure is used in future prospective randomised and non-randomised studies.

This study presents a [multicentre evaluation](#) [‘real-world’ view](#) of bowel preparation practice and its outcomes using a validated ‘snap-shot’ methodology that combines pragmatism with high-quality, protocolised data collection performed by frontline teams of clinicians in a multicentre, international setting [24-30]. [Randomised trials are sometimes criticised for being performed in highly controlled settings \(i.e. explanatory trials\), and treatment effects described are not realised when adopted into widespread clinical practice. This study adds to the literature by demonstrating that a signal for benefit in combined oral antibiotics and bowel preparation is also seen in a ‘real world’ setting.](#) –We attempted to minimise the impact of selection bias on our findings by the application of mixed-effects models adjusting for the effects of patient, disease, operative and centre level variation. However we lack the fidelity in this dataset to examine in detail specific centre level characteristics regarding those centres applying MBP+ABx in routine practice (for example surgical resection volume, availability of adjuncts to testing anastomotic integrity). There are also likely to be a number of unmeasured patient and intraoperative risk factors for anastomotic leak that we were unable to adjust for with this observational study.

A large, international randomised trial is needed to determine whether antibiotics alone are sufficient, or whether it is the combination with mechanical bowel preparation that is mechanistic. Although the current evidence base has been stated as being conclusive, incomplete penetration into clinical practice as demonstrated within this study and the relatively weak existing data mean a major trial is warranted. [Further efforts to explore reasons for the low rate of adoption of combined antibiotics and bowel preparation amongst the international surgical community will support future quality improvement efforts.](#)

References

1. McDermott FD, Heeney A, Kelly ME, Steele RJ, Carlson GL, Winter DC. Systematic review of preoperative, intraoperative and postoperative risk factors for colorectal anastomotic leaks. *Br J Surg* 2015; **102**: 462-79.
2. Vallance A, Wexner S, Berho M, Cahill R, Coleman M, Haboubi N, et al. A collaborative review of the current concepts and challenges of anastomotic leaks in colorectal surgery. *Colorectal Dis* 2017; **19**: O1-O12.
3. Gustafsson UO, Scott MJ, Schwenk W, Demartines N, Roulin D, Francis N, et al. Guidelines for perioperative care in elective colonic surgery: Enhanced Recovery After Surgery (ERAS((R))) Society recommendations. *World J Surg* 2013; **37**: 259-84.
4. Courtney DE, Kelly ME, Burke JP, Winter DC. Postoperative outcomes following mechanical bowel preparation before proctectomy: a meta-analysis. *Colorectal Dis* 2015; **17**: 862-9.
5. Guenaga KF, Matos D, Wille-Jorgensen P. Mechanical bowel preparation for elective colorectal surgery. *Cochrane Database Syst Rev* 2011: CD001544.
6. Althumairi AA, Canner JK, Pawlik TM, Schneider E, Nagarajan N, Safar B, et al. Benefits of Bowel Preparation Beyond Surgical Site Infection: A Retrospective Study. *Ann Surg* 2016; **264**: 1051-7.
7. Klinger AL, Green H, Monlezun DJ, Beck D, Kann B, Vargas HD, et al. The Role of Bowel Preparation in Colorectal Surgery: Results of the 2012-2015 ACS-NSQIP Data. *Ann Surg* 2017
8. Koller SE, Bauer KW, Egleston BL, Smith R, Philp MM, Ross HM, et al. Comparative Effectiveness and Risks of Bowel Preparation Before Elective Colorectal Surgery. *Ann Surg* 2018; **267**: 734-42.

9. Midura EF, Jung AD, Hanseman DJ, Dhar V, Shah SA, Rafferty JF, et al. Combination oral and mechanical bowel preparations decreases complications in both right and left colectomy. *Surgery* 2018; **163**: 528-34.
10. Moghadamyeghaneh Z, Hanna MH, Carmichael JC, Mills SD, Pigazzi A, Nguyen NT, et al. Nationwide analysis of outcomes of bowel preparation in colon surgery. *J Am Coll Surg* 2015; **220**: 912-20.
11. Scarborough JE, Mantyh CR, Sun Z, Migaly J. Combined Mechanical and Oral Antibiotic Bowel Preparation Reduces Incisional Surgical Site Infection and Anastomotic Leak Rates After Elective Colorectal Resection: An Analysis of Colectomy-Targeted ACS NSQIP. *Ann Surg* 2015; **262**: 331-7.
12. Chen M, Song X, Chen LZ, Lin ZD, Zhang XL. Comparing Mechanical Bowel Preparation With Both Oral and Systemic Antibiotics Versus Mechanical Bowel Preparation and Systemic Antibiotics Alone for the Prevention of Surgical Site Infection After Elective Colorectal Surgery: A Meta-Analysis of Randomized Controlled Clinical Trials. *Dis Colon Rectum* 2016; **59**: 70-8.
13. Clinicaltrials.gov. (2018). Mechanical Bowel Preparation and Oral Antibiotics Before Colon Cancer Surgery - Full Text View - ClinicalTrials.gov. [online] Available at: <https://clinicaltrials.gov/ct2/show/NCT03475680>. [Accessed 23 May 2018].
14. Clinicaltrials.gov. (2018). Mechanical Bowel Preparation and Oral Antibiotics Before Colon Cancer Surgery - Full Text View - ClinicalTrials.gov. [online] Available at: <https://clinicaltrials.gov/ct2/show/NCT03475680>. [Accessed 23 May 2018].
15. von Elm E, Altman DG, Egger M, Pocock SJ, Gotzsche PC, Vandebroucke JP, et al. Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies. *BMJ* 2007; **335**: 806-8.

16. Canner SRKFGHNAJK. Clinical outcomes following mechanical plus oral antibiotic bowel preparation versus oral antibiotics alone in patients undergoing colorectal surgery. *BJS Open* 2018
17. S. T. McSorley CWS, A. J. McMahon. Meta-analysis of oral antibiotics, in combination with preoperative intravenous antibiotics and mechanical bowel preparation the day before surgery, compared with intravenous antibiotics and mechanical bowel preparation alone to reduce surgical-site infections in elective colorectal surgery. *BJS Open* 2018
18. Lewis RT. Oral versus systemic antibiotic prophylaxis in elective colon surgery: a randomized study and meta-analysis send a message from the 1990s. *Can J Surg* 2002; **45**: 173-80.
19. Hata H, Yamaguchi T, Hasegawa S, Nomura A, Hida K, Nishitai R, et al. Oral and Parenteral Versus Parenteral Antibiotic Prophylaxis in Elective Laparoscopic Colorectal Surgery (JMTO PREV 07-01): A Phase 3, Multicenter, Open-label, Randomized Trial. *Ann Surg* 2016; **263**: 1085-91.
20. Sadahiro S, Suzuki T, Tanaka A, Okada K, Kamata H, Ozaki T, et al. Comparison between oral antibiotics and probiotics as bowel preparation for elective colon cancer surgery to prevent infection: prospective randomized trial. *Surgery* 2014; **155**: 493-503.
21. Kiran RP, Murray AC, Chiuzan C, Estrada D, Forde K. Combined preoperative mechanical bowel preparation with oral antibiotics significantly reduces surgical site infection, anastomotic leak, and ileus after colorectal surgery. *Ann Surg* 2015; **262**: 416-25; discussion 23-5.
22. McSorley ST SC, McMahon AJ. Meta-analysis of oral antibiotics, in combination with preoperative intravenous antibiotics and mechanical bowel preparation the day before surgery, compared with intravenous antibiotics and mechanical bowel preparation alone to reduce surgical-site infections in elective colorectal surgery. *BJS Open* 2018

23. European Society of Coloproctology. The relationship between method of anastomosis and anastomotic failure after right hemicolectomy and ileo-caecal resection: an international snapshot audit. *Colorectal Dis* 2017
24. Impact of postoperative non-steroidal anti-inflammatory drugs on adverse events after gastrointestinal surgery. *Br J Surg* 2014; **101**: 1413-23.
25. Outcomes After Kidney injury in Surgery (OAKS): protocol for a multicentre, observational cohort study of acute kidney injury following major gastrointestinal and liver surgery. *BMJ Open* 2016; **6**: e009812.
26. STARSurg Collaborative. Multicentre prospective cohort study of body mass index and postoperative complications following gastrointestinal surgery. *Br J Surg* 2016; **103**: 1157-72.
27. GlobalSurg Collaborative. Mortality of emergency abdominal surgery in high-, middle- and low-income countries. *Br J Surg* 2016; **103**: 971-88.
28. GlobalSurg Collaborative. Surgical site infection after gastrointestinal surgery in high-income, middle-income, and low-income countries: a prospective, international, multicentre cohort study. *Lancet Infect Dis* 2018; **18**: 516-25.
29. West Midlands Research Collaborative. Right Iliac Fossa Pain Treatment (RIFT) Study: protocol for an international, multicentre, prospective observational study. *BMJ Open* 2018; **8**: e017574.
30. Chapman SJ, EuroSurg Collaborative. Ileus Management International (IMAGINE): protocol for a multicentre, observational study of ileus after colorectal surgery. *Colorectal Dis* 2018; **20**: O17-O25.

Authorship list (PubMed citable)

Writing Group

James C. Glasbey (Chair), Ruth Blanco-Colino, Michael Kelly, Baljit Singh, Aneel Bhangu, Thomas Pinkney, Tomas Poskus.

ESCP Cohort Studies and Audits Committee

Alaa El-Hussuna (2017 Audit Lead), Nick J. Battersby, Aneel Bhangu, Nicholas C. Buchs, Christianne Buskens, Sanjay Chaudri, Matteo Frasson, Gaetano Gallo, James Glasbey, Ana María Minaya-Bravo, Dion Morton, Ionut Negoi, Dmitri Nepogodiev, Francesco Pata, Luis Sánchez-Guillén, Baljit Singh, Oded Zmora, Thomas Pinkney (Chair)

Statistical Analysis and Data Management

James Glasbey, Dmitri Nepogodiev, Rita Perry, Laura Magill, Aneel Bhangu (Guarantor)

ESCP Research Committee

Dion Morton (Chair), Donato Altomare, Willem Bemelman, Steven Brown, Christianne Buskens, Quentin Denost, Charles Knowles, Søren Laurberg, Jérémie H. Lefèvre, Gabriela Möeslein, Tom Pinkney, Carolynne Vaizey, Oded Zmora

Collaborators

Albania: S. Bilali, V. Bilali (University Hospital Center Mother Teresa).

Argentina: M. Salomon, M. Cillo, D. Estefania, J. Patron Uriburu, H. Ruiz (Buenos Aires British Hospital); P. Farina, F. Carballo, S. Guckenheimer (Hospital Pirovano).

Australia: D. Proud, R. Brouwer, A. Bui, B. Nguyen, P. Smart (Austin Hospital); A. Warwick, J. E. Theodore (Redcliffe Hospital).

Austria: F. Herbst, T. Birsan, B. Dauser, S. Ghaffari, N. Hartig (Barmherzige Brüder, Wien); A. Stift, S. Argeny, L. Unger (Medical University of Vienna); R. Strouhal, A. Heuberger (Oberndorf b. Salzburg).

Belarus: A. Varabei, N. Lahodzich, A. Makhmudov, L. Selniahina (Minsk Regional Clinical Hospital).

Belgium: T. Feryn, T. Leupe, L. Maes, E. Reynvoet, K. Van Langenhove (AZ Sint-Jan Brugge); M. Nachtergael (AZ St Jozef); B. Monami, D. Francart, C. Jehaes, S. Markiewicz, J. Weerts (Clinique St Joseph, Liege); K. Van Belle, B. Bomans, V. Cavenaile, Y. Nijs, M. Vertruyen (Europe Hospitals Brussels); P. Pletinckx, D. Claeys, B. Defoort, F. Muysoms, S. Van Cleven (Maria Middelares Gent); C. Lange, K. Vindevoghel (OLV van Lourdes Hospital Waregem); A. Wolthuis (University Hospital Leuven).

Bosnia and Herzegovina: M. Todorovic, S. Dabic, B. Kenjic, S. Lovric, J. Vidovic (JZU Hospital Sveti Vračevi); S. Delibegovic, Z. Mehmedovic (University Clinic Center Tuzla).

Brazil: A. Christiano, B. Lombardi, M. Marchiori Jr, V. Tercioli Jr (Hospital Centro Médico de Campinas).

Bulgaria: D. Dardanov, P. Petkov, L. Simonova, A. Yonkov, E. Zhivkov (Alexandrovska Hospital - First Surgery); S. Maslyankov, V. Pavlov, M. Sokolov, G. Todorov (Alexandrovska Hospital, Second Surgery Clinic); V. Stoyanov, I. Batashki, N. Iarumov, I. Lozev, B. Moshev (Medical

Institute - Ministry of Interior); M. Slavchev, B. Atanasov, N. Belev, P. Krstev, R. Penkov
(University Hospital - Eurohospital).

Croatia: G. Šantak, J. Čosić, A. Previšić, L. Vukušić, G. Zukarnović (County Hospital Požega);
M. Zelić, D. Kršul, V. Lekić Vitlov, D. Mendrila (University Hospital Rijeka).
Czech Republic: J. Orhalmi, T. Dusek, O. Maly, J. Paral, O. Sotona (Charles University
Hospital). M. Skrovina, V. Bencurik, M. Machackova (Complex Oncology Center Novy Jicin,
Surgical Department); Z. Kala, M. Farkašová, T. Grolich, V. Procházka (Surgical Department,
University Hospital Brno); J. Hoch, P. Kocian, L. Martinek (University Hospital Motol, Prague); F.
Antos, V. Pruchova (University Hospital Prague Bulovka).

Denmark: A. El-Hussuna, A. Ceccotti, T. Madsbøll, D. Straarup, A. Uth Ovesen (Aalborg
University Hospital); P. Christensen, P. Bondeven, P. Edling, H. Elfeki, V. Alexandrovich
Gameza, S. Michelsen Bach, I. Zheltiakova (Aarhus University Hospital/Randers Regional
Hospital); PM. Krarup, A. Krogh, H-C. Rolff (Bispebjerg); J. Lykke, A. F. Juvik, H. H. K. Lóven,
M. Marckmann, J. T. F. Osterkamp (Herlev Hospital); A. H. Madsen, J. Worsøe (Hospital Unit
West); A. Ugianskis (North Denmark Regional Hospital); M. D. Kjær, B. Youn Cho Lee (Odense
University Hospital); A. Khalid, M. H. Kristensen (Regional Hospital Viborg).

Egypt: M. El Sorogy, A. Elgeidie, M. Elhemaly, A. El Nakeeb, M. Elrefai (Gastrointestinal
Surgery Center, Mansoura University); M. Shalaby, S. Emile, W. Omar, A. Sakr, W. Thabet
(Mansoura University Hospital); S. Awny, I. Metwally, B. Refky, N. Shams, M. Zuhdy (Oncology
Center Mansoura University).

Finland: A. Lepistö, I. Keränen, A. Kivelä, T. Lehtonen, P. Siironen (Helsinki University
Hospital); T. Rautio, M. Ahonen-Siirtola, K. Klintrup, K. Paarnio, H. Takala (Oulu University

Hospital); M. Hyöty, E. Haukijärvi, S-M. Kotaluoto, K. Lehto, T. Tomminen (Tampere University Hospital); H. Huhtinen, A. Carpelan, J. Karvonen, A. Rantala, P. Varpe (Turku University Hospital).

France: E. Cotte, Y. Francois, O. Glehen, G. Passot (Centre Hospitalier Lyon Sud); A. d'Alessandro, E. Chouillard, J. C. Etienne, E. Ghilles, B. Vinson-Bonnet (Centre Hospitalier Poissy Saint Germain en LayeCHIPS); A. Germain, A. Ayav, L. Bresler (CHU Nancy-Brabois); R. Chevalier, Q. Denost, R. Didailler, E. Rullier (Hopital Haut Leveque); E. Tiret, N. Chafai, J. H. Lefevre, Y. Parc (Hôpital Saint-Antoine); I. Sielezneff, D. Mege (Timone Hospital); Z. Lakkis (University Hospital of Besancon); M. Barussaud (University Hospital of Poitiers).

Germany: C. Krones, B. Bock, R. Webler (Marienhospital Aachen); J. Baral, T. Lang, S. Münch, F. Pullig, M. Schön (Städtisches Klinikum Karlsruhe); S. Hinz, T. Becker, T. Möller, F. Richter, C. Schafmayer (University Hospital Schleswig-Holstein, Kiel); J. Hardt, P. Kienle (University Medical Center Mannheim); F. Crescenti, M. Ahmad, Y. Soleiman (Verden KRH).

Greece: I. Papaconstantinou , A. Gklavas, K. Nastos, T. Theodosopoulos, A. Vezakis (Areteion Hospital); K. Stamou, A. Saridaki (Athens Bioclinic); E. Xynos, S. Paraskakis, N. Zervakis (Creta-InterClinic Hospital); G. Skroubis, T. Amanatidis, S. Germanos, I. Maroulis, G. Papadopoulos (General University Hospital of Patras); N. Dimitriou, A. Alexandrou, E. Felekouras, J. Griniatsos, I. Karavokyros (Laiko Hospital); A. Papadopoulos, C. Chouliaras, P. Ioannidis, D. Katsounis, E. Kefalou (Nikaia General Hospital); I. E. Katsoulis, D. Balalis, D. P. Korkolis, D. Manatakis (St. Savvas Cancer Hospital); G. Tzovaras, I. Baloyiannis, I. Mamaloudis (University Hospital of Larissa).

Hungary: G. Lázár, S. Ábraham, A. Paszt, Z. Simonka, I. Tóth (Department of Surgery, University of Szeged); A. Zaránd, Z. Baranyai, G. Ferreira, L. Harsányi, P. Ónody (Semmelweis

University, 1st Clinic of Surgery); B. Banky, Á. Burány, M. Lakatos, J. Marton, A. Solymosi (St. Borbala Hospital); I. Besznyák, A. Bursics, G. Papp, G. Saftics, I. Svastics (Uzsoki Hospital);

Iceland: E. Valsdottir, J. Atladottir, T. Jonsson, P. Moller, H. Sigurdsson (University Hospital of Iceland).

India: S. K. Gupta, S. Gupta, N. Kaul, S. Mohan, G. Sharma (Government Medical College, Jammu, Jammu and Kashmir, India); R. Wani, N. Chowdri, M. Khan, A. Mehraj, F. Q. Paray (Sher-i-Kashmir Institute of Medical Sciences).

Ireland: A. Coveney, J. Burke, J. Deasy, S. El-Masry, D. McNamara (Beaumont Hospital); M. F. Khan, R. Cahill, E. Faul, J. Mulsow, C. Shields (Mater Misericordiae University Hospital); M. E. Kelly, G. Bass, S. T. Martin, R. O'Connell, E. Ryan (St Vincent's Private Hospital); T. Connelly, G. Ahmad, W. Bukhari, F. Cooke (University Hospital Waterford).

Israel: O. Zmora, R. Gold Deutch, N. Haim, R. Lavy, A. Moscovici (Assaf Harofe Medical Center); N. Shussman, R. Gefen, G. Marom, A. Pikarsky, D. Weiss (Hadassah Hebrew University Medical Center); S. Avital, N. Hermann, B. Raguan, M. Slavin, I. White (Meir Medical Center); N. Wasserberg, H. Arieli, N. Gurevich (RMC, Beilinson Campus); M. R. Freund, S. Dorot, Y. Edden, G. Halfteck, P. Reissman, E. Yair (Shaare Zedek Mount Sinai Medical Center); Y. Edden, R. Pery (Sheba Medical Center); H. Tulchinsky, A. Weizman (Sourasky Medical Center).

Italy: F. Agresta, R. Curinga, E. Finotti, G. Savino, L. A. Verza (Adria Hospital); C. R. Asteria, L. Boccia, A. Pascariello (ASST - Mantua); N. Tamini, A. Bugatti, L. Gianotti, M. Totis (Asst-Monza, Ospedale San Gerardo); L. Vincenti, V. Andriola, I. Giannini, E. Travaglio (Azienda

Ospedaliero Universitaria Consorziale Policlinico di Bari); R. Balestri, P. Buccianti, N. Roffi, E. Rossi, L. Urbani (Azienda Ospedaliero Universitaria Pisana); A. Mellano, A. Cinquegrana (Candiolo Cancer Institute IRCCS); A. Lauretta, C. Belluco (Chirurgia Oncologica Generale, IRCCS Centro di Riferimento Oncologico, Aviano Centro di Riferimento Oncologico, IRCCS, Aviano); M. Mistrangelo, M. E. Allaix, S. Arolfo, M. Morino, V. Testa (Città della Salute e della Scienza di Torino); P. Delrio, U. Pace, D. Rega, D. Scala (Division of Colorectal Surgery, Department of Abdominal Surgery, Istituto Nazionale Tumori "Fondazione G.Pascale ", IRCCS Naples Colorectal Surgical Oncology Istituto Nazionale per lo Studio e la Cura dei Tumori); G. Gallo, G. Clerico, S. Cornaglia, A. Realis Luc, M. Trompetto (Department of Colorectal Surgery, S. Rita Clinic); G. Ugolini, N. Antonacci, S. Fabbri, I. Montroni, D. Zattoni (Faenza Hospital); C. D'Urbano, A. Cornelli, M. Viti (G. Salvini); M. Inama, M. Bacchion, A. Casaril, H. Impellizzeri, G. Moretto (Hospital Dott. Pederzoli); A. Spinelli, M. Carvello, G. David, F. Di Candido, M. Sacchi (Humanitas Research Hospital); A. Frontali, V. Ceriani, M. Molteni (IRCCS MultiMedica); R. Rosati, F. Aleotti, U. Elmore, M. Lemma, A. Vignali (IRCCS San Raffaele, Department of Gastrointestinal Surgery IRCCS Ospedale San Raffaele); S. Scabini, G. Casoni Pattacini, A. Luzzi, E. Romairone (Policlinico IRCCS San Martino, Genoa IST); F. Marino, D. Lorusso, F. Pezzolla (Dept. of General Surgery, IRCCS "Saverio de Bellis", Castellana Grotte (Ba) IRCCS 'Saverio de Bellis'); F. Colombo, C. Baldi, D. Foschi, G. Sampietro, L. Sorrentino (L. Sacco University Hospital); S. Di Saverio, A. Birindelli, E. Segalini, D. Spacca (Maggiore Hospital); G. M. Romano, A. Belli, F. Bianco, S. De franciscis, A. Falato (Surgical Oncology Istituto Nazionale Tumori G.Pascale National Cancer Institute Naples); A. Muratore, P. Marsanic (Ospedale Agnelli Pinerolo); S. Grimaldi, N. Castaldo, M. G. Ciolfi, P. Picarella, R. Porfidia (Ospedale Convenzionato Villa d'Elmi Fiori Acerra); S. Di Saverio, A. Birindelli, G. Tugnoli (Ospedale Maggiore); A. Bondurri, D. Cavallo, A. Maffioli, A. Pertusati (Ospedale Sacco Italy); F. Pulighe, F. Balestra, C. De Nisco, M. Podda (Ospedale San Francesco); E. Opocher, M. Longhi, N. M. Mariani, N. Maroni, A. Pisani Ceretti (Ospedale San Paolo); R. Galleano, P. Aonzo, G. Curletti,

L. Reggiani (Ospedale Santa Corona); M. Marconi, L. Del Prete, M. Oldani, R. Pappalardo, S. Zacccone I (Ospedale Santa Maria delle Stelle); M. Scatizzi, M. Baraghini, S. Cantafio, F. Feroci, I. Giani (Ospedale Santo Stefano, Prato); R. Tutino, G. Cocorullo, G. Gulotta, L. Licari, G. Salamone (Policlinico 'P. Giaccone'); P. Sileri, F. Saraceno (Policlinico Tor Vergata); F. La Torre, P. Chirletti, D. Coletta, G. De Toma, A. Mingoli (Policlinico Umberto I 'Sapienza University'); M. Papandrea, E. De Luca, R. Sacco, G. Sammarco, G. Vescio (Policlinico Universitario di Catanzaro); V. Tonini, S. Bianchini, M. Cervellera, S. Vaccari (Policlinico universitario Sant'Orsola-Malpighi, Universita degli Studi di Bologna); N. Cracco, G. Barugola, E. Bertocchi, R. Rossini, G. Ruffo (Sacro Cuore Don Calabria Hospital); A. Sartori, N. Clemente, M. De Luca, A. De Luca, G. Scaffidi (San Valentino Hospital); L. Lorenzon, G. Balducci, T. Bocchetti, M. Ferri, P. Mercantini (Sant'Andrea Hospital); F. Pata, S. Bauce, A. Benevento, C. Bottini, P. R. Crapa (Sant' Antonio Abate Hospital, Gallarate); M. Rubbini, G. Anania, P. Carcoforo, G. Cavallesco, C. Feo (University Hospital of Ferrara).

Japan: T. Yamamoto (Yokkaichi Hazu Medical Centre).

Latvia: A. Sivins, G. Ancans, S. Gerķis, R. Lunis, A. Pcolkins (Latvia Oncology Center).

Lithuania: D. Venskutonis, S. Bradulskis, E. Dainius, A. Subocius, J. Vencius (Department of General Surgery, LSMU, Kaunas Clinical Hospital); P. Zeromskas, V. Eismontas, V. Nutautiene, D. Simcikas, A. Tamosiunas (Klaipeda University Hospital); S. Svagzdys, T. Latkauskas, P. Lizdenis, Z. Saladzinskas, A. Tamelis (Lithuanian University of Health Sciences Hospital Kauno Klinikos); A. Dulskas, J. Kuliavas, N. E. Samalavicius (National Cancer Institute, Lithuania); T. Poskus, V. Jotautas, S. Mikalauskas, E. Poskus, K. Strupas (Vilnius University).

Malaysia: A. D. Zakaria, N. N.Lah, M. Wong, W. Z. Zain, Z. Zakaria (Department of Surgery, School of Medical Sciences, Hospital Universiti Sains Malaysia / Hospital Universiti Sains Malaysia); L. Mazlan, Z. A. Mohd Azman, I. Sagap (UKM Medical Centre).

Malta: J. Psaila, P. Andrejevic, C. Cini, S. Ellul, K. Pace (Mater Dei Hospital). Morocco: M. Ahallat, M. Hamid, A. Hrora, M. A. Majbar, M. Raiss (Ibn Sina University Hospital).

Netherlands: E. Westerduin, W. Bemelman, C. Buskens, P. Tanis (Academic Medical Centre); P.C. van der Sluis, P.H. Davids, A. Pronk, A.H.W. Schiphorst, N. Smakman (Diakonessenhuis); D. Zimmerman, T. Koeter, J. Stijns, Y-T. van Loon (Elisabeth TweeSteden Hospital); M. Vermaas, E. de Graaf, P. Doornbosch, P. van Hagen, O. van Ruler (IJselland Ziekenhuis); B. Toorenvliet, J. Nonner, I. van den Berg, L. van Steensel, W. Vles (Ikazia); J. Melenhorst, R. Orsini, R. Visschers (Maastricht University Medical Centre); C. Hoff (Medical Center Leeuwarden); R. Blom, H. Marsman (Onze Lieve Vrouwe Gasthuis); I. Mulder, H. Cense, S. de Castro, A. Demirkiran, M. Hunfeld (Rode Kruis Ziekenhuis Beverwijk); A. van Geloven, J. de Groot, E. Hendriks, M. Leeuwenburg, N. van Oorschot (Tergooi); F. Wit, C. Rupert, P. Veldman (Tjongerschans ziekenhuis); M. Keijzers, J. Konsten (VieCuri Medisch Centrum voor Noord Limburg); F. Den Boer, M. Corver (Zaans Medical Center); E. G.-J. Boerma, L. Koolen, M. Martens, K. Van Wijck (Zuyderland Medical Center).

Norway: D. Ignjatovic, R. Breuer, B. Gurpreet, T. Oresland, T. Tetens Moe (Akershus University Hospital); A. Nesbakken, I. Flaaten, H. Backe, T-A. Wik (Oslo University Hospital); K. Radiya, T. Dehli, P. Gjessing, S. Norderval, K. Woll (University Hospital of North Norway).

Pakistan: M. Anwer, M. S. Qureshi (JPMC WARD 2); A. U. Qureshi, M. Billah, M. Y. Jawad, A. Raza, N. Urooj (King Edward Medical University/Mayo Hospital, Lahore).

People's Republic of China: X. Wang, L. Li (West China Hospital in Sichuan University). Poland: D. Jajtner, B. Gasinski, W. Kabiesz (Beskidian Oncology Center); P. Walega, M. Romaniszyn (Third Department of General Surgery, Jagiellonian University Medical College); M. Zawadzki, R. Czarnecki, Z. Obuszko, M. Rzaca, M. Sitarska (Wojewódzki Szpital Specjalistyczny).

Portugal: P. Silva, A. Duarte, D. Gonçalves, M. Morais (Centro Hospitalar de S. João); N. Rama, J. Nobre, I. Sales (Centro Hospitalar Leiria, EPE); J. Costa Pereira, S. Costa, C. Costa Pereira, C. Insua, I. Romero (Centro Hospitalar Tâmega e Sousa); N. Figueiredo, J. Cunha, H. Domingos, P. Vieira (Champalimaud Foundation); M. Cunha, M. Americano, E. Amorim, J. Rachadell (Cirurgia 2 - CHA - Unidade Portimão); J. M. Carvas, I. Armas, P. Fernandes, C. Pires, R. Reis (Hospital de Bragança); R. Martins, M. Dos Santos, P. Henriques (Hospital de Faro, Centro Hospitalar do Algarve); O. Oliveira, M. Duarte, L. Ferreira, J. Miranda, N. Vilela (Hospital Distrital de Santarém, E.P.E.); J. Corte Real, S. Carlos, M. Frois Borges, P. Moniz Pereira, J. Simões (Hospital Garcia de Orta); P. Silva-vaz, V. Bettencourt, A. Gouveia, H. Perez, R. Rainho (Unidade Local de Saúde de Castelo Branco).

Romania: V. Bintintan, C. Ciuce, G. Dindelegan, R. Scurtu, R. Seicean (Clinica Chirurgie I); D. Cristian, T. Burcos, F. Grama, D. M. Mandi, G. Richiteanu (Coltea Clinical Hospital); A. Miron, V. Calu, O. Enciu, M. Nadragea, R. Parvuletu (Elias Emergency Hospital); S. S. Mogoanta, A. Crafcicu, S. Paitici (Emergency County Hospital of Craiova); I. Negoi, M. Beuran, C. Ciubotaru, A. Prodan, M. Vartic (Emergency Hospital of Bucharest); V. Tomulescu, C. Copăescu (Ponderas Academic Hospital).

Russia: A. Yanishev, A. Abelevich, A. Kokobelyan, M. Lebedeva, R. Luzan (FSBEI HE PRMU MOH); D. Popov, A. Sednev, A. Klimenko, A. Semenov, S. Vasilyev (City Hospital 9); A. Pozdnyakov, D. Cherdancev, D. Mahotin, A. Nesytykh, V. Samsonyuk (Krasnoyarsk Regional

Clinical Hospital); I. Pravosudov, D. Ivlev, A. Karachun, K. Lebedev, D. Samsonov (N.N. Petrov National Medical Research Institute Center of Oncology); R. Aiupov, D. Feoktistov, M. Garipov, S. Nail, N. Tarasev (National Republic Oncology Center); A. Yanishev, A. Abelevich, A. Kokobelyan, M. Lebedeva, R. Luzan (Nizhny Novgorod Regional Clinical Hospital); R. Aiupov, D. Feoktistov, M. Garipov, N. Suleymanov, N. Tarasov (Republican Oncological Centre, Ufa); A. Rasulov, H. Dzhumabaev, Z. Mamedli (Russian Cancer Research Center); A. Bedzhanyan (Russian Research Center of Surgery named after B.V.Petrovsky); D. Popov, A. Sednev, A. Klimenko, A. Semenov, S. Vasilyev (Saint-Petersburg City Hospital 9); A. Khazov, M. Khanovich, G. Khrykov (Saint-Petersburg Clinical Oncological Health Center); S. Katorkin, P. Andreev, A. Chernov, O. Davidova, A. Zhuravlev (Samara State Medical University); S. Achkasov, D. Shakhmatov, Y. Shelygin, O. Sushkov, A. Vardanyan (State Scientific Centre of Coloproctology); A. Ilkanich, N. Barbashinov, V. Darvin, S. Onishchenko, Y. Voronin (Surgut District Hospital).

Serbia: Z. Krivokapić, G. Barišić, I. Dimitrijević, V. Marković, A. Sekulić (Clinic for Digestive Surgery-First Surgical Clinic, Clinical Center of Serbia, University of Belgrade, Medical Faculty); G. Stanojevic, B. Brankovic, M. Nestorovic, V. Pecic, D. Petrovic (Clinic for General Surgery, Clinical Center Nis); I. Kostic, A. Aleksic, D. Dabic, B. Maric, V. Perunicic (General Hospital Cacak); Z. Radovanovic, M. Djuric, D. Lukic, D. Radovanovic (Oncology Institute of Vojvodina); V. Cuk, V. Cuk, J. Juloski, M. Kenic, I. Krdzic (Surgical Clinic KBC Zvezdara).

Singapore: J. C. Ngu, Y. Y. Ng, N. Teo (Changi General Hospital).

Slovak Republic: J. Korcek, A. Lazorisak, (Faculty Hospital Nitra).

Slovenia: M. Rems, Š. Ramovš Trampuš (General Hospital Jesenice); A. Tomazic, J. Grosek, J. Kosir, G. Norcic (University Medical Centre Ljubljana).

Spain: V. Vigorita, N. Caceres, E. Casal, A. Ruano, I. Trostchansky (Alvaro Cunqueiro Hospital); T. Golda, A. Galvez Saldaña, E. Kreisler Moreno, J. Lopez Dominguez, M. Vila Tura (Bellvitge University Hospital); F. Labarga, P. Galvez, V. Maderuelo, C. Suero (Complejo Asistencial Universitario de Palencia); J. Bargallo, L. Cayetano, S. Lamas, M. C. Silva (Consorci Sanitari de Terrassa - Hospital de Terrassa); J. C. Bernal-Sprekelsen, R. Gómez, S. Jareño, A. Ríos, D. Vercher (Consorcio Hospital General Universitario); J-M. García-González, J. Cervera-Aldama, J. Ramos-Prada, M. Santamaría-Olabarrieta (Cruces University Hospital); N. Borda, J. M. Enríquez-Navascués, Y. Saralegui (Donostia University Hospital); A. Calero-Lillo, S. Aznar-Puig, M. A. López-Lara, S. Muñoz-Collado, J. Valverde-Sintas (Fundacio Hospital Esperit Sant); P. Menendez, C. Leon (Gutierrez Ortega Hospital); N. Truan, R. Baldonedo, D. Fernández-Martínez, J. Otero, L. Solar-García (Hospital Universitario Central de Asturias); V. Turrado-Rodríguez, F. de Lacy Oliver, A. M. Lacy Fortuny, B. Martin Perez, A. M. Otero Piñeiro (Hospital Clinic Barcelona); J. Paredes, F. Fernandez, M. J. Ladra, A. Paulos, D. Prieto (Hospital Clinico Universitario de Santiago de Compostela); J. P. Beltrán de Heredia, F. Blanco Antona, B. de Andrés Asenjo, C. Ferreras García, A. Romero de Diego (Hospital Clínico Universitario de Valladolid); E. Cordoba Diaz de Laspra, E. Echazarreta Gallego, M. Elia Guedea (Hospital Clinico Universitario de Zaragoza); D. Escola, S. Martinez (Hospital Comarcal Alt Penedes); V. Primo Romaguera, R. Parreño, L. Pastor, E. Rosell (Hospital de Dénia); R. Lozoya Trujillo, R. Alós Company, M. D. Ruiz Carmona, A. Solana Bueno (Hospital de Sagunto); S. Salvans Ruiz, S. Alonso Gonçalves, M. Jiménez- Toscano, M. Pascual Damieta, M. Pera Roman (Hospital Del Mar); E. M. Pellicer-Franco, J. A. Garcia-Marin, M. Mengual-Ballester, V. Soria-Aledo, G. Valero-Navarro (Hospital Morales Meseguer); M. Vicente-Ruiz, C. Garcia-Zamora, A. Gonzalez-Gil, M. J. Montoya-Tabares, M. Paredes-Quiles (Hospital Rafael

Mendez); J. Die Trill, P. Abadia, I. Moreno, J. D. Pina, D. Ramos Rubio (Hospital Ramon y Cajal); J. Escartin, J. L. Blas, J. Fernando, R. Ferrer, J. Garcia Egea (Hospital Royo Villanova); I. Pros, W. Martinez, J. Rius, M. Socías (Hospital Sant Joan de Deu de Martorell); D. Sabia, J. Castellvi Valls, V. Gonzalez Santin, S. Mompart Garcia, L. Viso Pons (Hospital Sant Joan Despí Moises Broggi); D. Julià, A. Codina-Cazador, R. Farrés, N. Gómez, P. Planellas (Hospital Universitari de Girona Doctor Josep Trueta); M. Cuadrado, I. Camps (Hospital Universitari Germans Trias i Pujol); M. Rufas, J. Escoll, A. Fermiñán, P. Muriel, E. Sierra (Hospital Universitario Arnau de Vilanova de Lerida); C. Alvarez-Laso, P. Lora, H. Padín (Hospital Universitario de Cabueñas); J. Garcia-Septiem, C. Bustamante, V. Jimenez, J. Jimenez-Miramon, J. L. Ramos (Hospital Universitario de Getafe); A. B. Gallardo, P. Benito, L. Colao, P. Galindo, C. Garcia (Hospital Universitario de Torrejón de Ardoz); A. Forero-Torres, A. Alonso Poza, B. Diequez Fernandez, C. Gilsanz Martin, M. Hernandez Garcia (Hospital Universitario del Sureste); J. A. Rojo López, J. M. Gil López, M. González Zunzárren, J. Martínez Alegre, L.J. P. Zorrilla Matilla (Hospital Universitario Infanta Sofia); A. Navarro-Sánchez, F. J. Alcalá Serrano, J. López-Fernández, D. Montesdeoca Cabrera (Hospital Universitario Insular de Gran Canaria); M. Alvarez-Gallego, J. Guevara, I. Pascual Miquelañez, I. Rubio-Perez (Hospital Universitario La Paz); M. Gomez Ruiz, J. Alonso Martín, C. Cagigas Fernández, J. Castillo Diego (Hospital Universitario Marques de Valdecilla); J. A. Pando, C. Maristany, A. Muñoz-Duyos, A. Rada-Palomino, H. Vargas-Pierola (Hospital Universitario Mutua Terrassa); E. Peña Ros, J. A. Benavides Buleje, J. M. Muñoz Camarena, P. A. Parra Baños, M. Ramirez Faraco (Hospital Universitario Reina Sofía); J. J. Arenal, M. A. Cidores, J. L. Marcos, J. Sánchez, C. Tinoco (Hospital Universitario Río Hortega); L. J. García Flórez, R. D. Arias Pacheco, G. Mínguez Ruiz, N. Gutiérrez Rodríguez Corral, A. Rodríguez Infante (Hospital Universitario San Agustín); M. J. Carrillo López, M. M. Carrasco Prats, A. Lage Laredo, Á. Martínez Manzano, P. Rodríguez García (Hospital Universitario Santa Lucia); J. J. Segura-Sampedro, N. Alonso-Hernández, M. Fernandez Isart, M. Gamundi Cuesta, A. Ochogavia Segui (Hospital

Universitario Son Espases); N. Ibañez, J. Abrisqueta, J. Lujan (Hospital Universitario Virgen de la Arrixaca); R. Gómez Pérez, E. Corrales Valero, C. Monje Salazar, E. Sanchiz Cardenas, R. Soler Humanes (Hospital Universitario Virgen de la Victoria); R. M. Jimenez-Rodriguez, F. De la Portilla, J. M. Diaz Pavon, A. M. Garcia Cabrera, M. L. Reyes Diaz (Hospital Universitario Virgen del Rocio); E. Espin, F. Marinello, M. Martí, J. L. Sanchez, F. Vallribera (Hospital Valle de Hebron); F. J. Orts Mico, M. Ortin Navarro, M. Perez Climent, C. Serra Diaz (Hospital Virgen de los Lirios); M. Millan, A. Caro, J. Escuder, B. Espina, F. Feliu (Joan XXIII University Hospital); A. Climent Aira, A. Estévez Diz, M. T. Moreno Asencio, A. Varela Mato, R. Vázquez Bouzán (POVISA Hospital); A. M. Minaya-Bravo, M.M. Diez-Alonso, R. Villeta-Plaza (Principe de Asturias Hospital); H. Guadalajara, D. Alías, D. García Olmo, C. Pastor, I. Valverde (Quironsalud Publicos); A. Sanchez Romero, A. Gardea, M. Gil Santos, T. Nimmersgern, P. Serrano Paz (Unidad de Coloproctología, Hospital Vinalopó-Torrevieja); M. Romero-Simó, T. Blasco-Segura, I. Caravaca-García, D. Costa-Navarro, A. Zarco-Pleguezuelos (University General Hospital of Alicante); L. Sánchez-Guillén, B. Flor-Lorente, M. Frasson, Á. García-Granero, E. García-Granero (University Hospital La Fe Valencia); B. Arencibia, J. Alonso, G. Febles, E. M. Nogués, C. Roque (University Hospital of Gran Canaria Dr. Negrín).

Sweden: J. Segelman, J. Nygren (Ersta Hospital); G. Nestler (Falu lasarett); M. Abraham-Nordling, M. Egenvall (Karolinska University Hospital); P. Myrelid, B. Jung, P. Loftås (Linköping University Hospital); M-L. Lydrup, N. Azahr, P. Buchwald, P. Mangell, I. Syk (Skane University Hospital); M. Nikberg, J. Carlander, A. Chabok, K. Smedh, C. Tiselius (Västmanlands Hospital Västerås); S. Haapaniemi, A. Benckert (Vrinnevi Hospital Norrkoping).
Switzerland: M. Adamina, C. Freil-Lanter, C. Gingert, P. Müller, J. Schäfli (Kantonsspital Winterthur); L. Regusci, M. Brenna, F. Fasolini (Regional Hospital Mendrisio); H. Misteli, P. Kirchhoff, D. Oertli (University Hospital Basel, Switzerland); D. Hahnloser, D. Clerc, M. Hübner

(University Hospital of Lausanne, CHUV); F. Ris, N. C. Buchs, M. Chevallay, P. Morel, B. Schiltz
(University Hospitals Geneva).

Taiwan: J. Y. Wang, W-C. Su, C-W. Huang, C-J. Ma, H-L. Tsai (Kaohsiung Medical University
Hospital).

Turkey: G. S. Özbalcı, B. B. Özkan, U. Karabacak (19 Mayıs University Faculty of Medicine); D.
Bugra (American Hospital); F. Agalar, H. Baloglu, I. Basoglu (Anadolu Medical Center [in aff
with Johns Hopkins Med]); N. Okkabaz, E. Binboga, A. Biricik, A. Celik, E. Yavuz (Bagcilar
Training and Research Hospital); A. E. Canda, C. Agalar, M. Fuzun, S. Sokmen, C. Terzi
(Dokuz Eylul University); A. Isik (Erzincan University, Mengucek Gazi Training and Research
Hospital); B. Karip, A. C. Bilgili (Fatih Sultan Mehmet Training and Research Hospital); S.
Leventeoglù, B. Aytac, E. Küçükdiler, A. Yıldız, O. Yuksel (Gazi University Medical School); H.
Sinan, O. Hancerliogullari, S. Kaymak, O. Kozak, M. T. Ozer (Gulhane Training and Research
Hospital); I. S. Sarici, O. Akca, M. U. Kalayci, Y. Kara (Kanuni Sultan Suleyman Training and
Research Hospital); D. Bugra, O. Agcaoglu, E. Balik, O. Bayram (Koc University School of
Medicine); G. S. Özbalcı, B. B. Özkan, U. Karabacak (On Dokuz Mayis University Faculty of
Medicine); U. Sungurtekin, U. Ozgen (Pamukkale University School of Medicine); S. Demirbas
(TOBB-ETU University Hospital); E. Öztürk, O. Isik, T. Yilmazlar (Uludag University School of
Medicine); E. Colak, S. Karagul, V. Kinas (University of Health Sciences, Samsun Training and
Research Hospital).

UK: N. Fearnhead, I. Lord, P. Stewart (Addenbrooke's [Cambridge University] Hospital); M.
Zammit (Basildon Hospital); S. Arnold, N. J. Battersby, J. Broadhurst, A. MehtaS. Moran, F.
Seretis (Basingstoke and North Hampshire Hospital); J. Shabbir, C. Jones, J. Kynaston (Bristol
Royal Infirmary); D. Vimalachandran, E. Blower, C. McFaul, D. McWhirter, J. Pilkington

(Countess of Chester Hospital); T. Wilson, M. Chowdhary (Doncaster Royal Infirmary); B. Stubbs, M. Abdalkoddus, C. Lai, N. Thavanesan, C. Yao (Dorset County Hospital); T. Agarwal, S. Dindyal, R. M. C. Hill, S. Reade, A. Slesser (Ealing Hospital); H. Paterson, A. Balfour, M. Boland, A. Geraghty, J. O'Kelly (Edinburgh Western General Hospital); P. Patel, S. Tezas (Furness General Hospital); S. Yahia, V. Jadhav, K. Marimuthu, A. Narayanan, B. Piramanayagam (George Eliot Hospital); N. Bradley, F. Buchanan, K. Paul, J. Singh, K. Thomson (Glasgow Royal Infirmary); S. Korsgen, M. Bedford, K. Lee, K. Leong (Good Hope Hospital); D. McArthur, A. Bhangu, S. Malik, I. Mohamed (Heartlands Hospital); P. Cunha, A. Pilavas (Homerton University Hospital NHS Trust); A. Reddy, S. Ahmed, A. Ahmed, J. Voll (James Cook University Hospital); V. Velchuru, R. Lal, B. Mirshekar-Syahkal (James Paget Hospital); M. Kassai, M. Aleem, S. Keogh-Bootland (Jersey General Hospital); P. Sarmah, S. Brown, R. Keegan, A. Kelkar, P. Sen (Kettering General Hospital); M. Oliveira-Cunha, S. Chaudhri, R. Fares, B. Singh, W. M. Thomas (Leicester General Hospital); M. I. Aslam, K. Boyle, D. Hemingway, A. Miller, M. Norwood (Leicester Royal Infirmary); S. Gurjar, M. Al-Saeedi, L. Anandan, A. Sudlow, N. Zampitis (Luton & Dunstable Hospital); K. Malik, M. Bogdan, C. Smart (Macclesfield District General Hospital); M. R. Iqbal, S. Bailey, D. Lawes, G. Omar, R. Tamhane (Maidstone and Tunbridge Wells NHS Trust); M. Evans, S. Ather, J. Lim, H. Nageswaran, G. Taylor (Morriston Hospital); L. Hunt, J. Nicholls (Musgrove Park Hospital); I. Shaikh, F. Muscara, J. O'Brien, E. Photi, A. Stearns (Norfolk and Norwich University Hospital); D. Meylemans, C. Cunningham, R. Hompes (Oxford University Hospitals); A. Tennakoon, N. Kumarasinghe, M. Rao, I. Upanishad (Pilgrim Hospital); S. Smolarek, E. Platt, B. Rossi, J. C. Tham (Plymouth Hospital NHS Trust); J. Khan, N. Ahmad, Z. Shweejawee, S. Stefan (Queen Alexandra Hospital); N. Smart, I. Daniels, T. Gregoir, L. Longstaff, F. McDermott (Royal Devon & Exeter Hospital); M. Varcada, I. Drami, T. Gala, E. Moggia, K. Ratnatunga (Royal Free Hospital NHS Trust Hampstead); R. Harries, J. Hayes, G. Williams (Royal Gwent Hospital); T. Raymond, C. Bronder, E. Davies, P. Hawkin, O. Ryska (Royal Lancaster Infirmary); K. Ayral, A.

Beveridge, A. Bhowmik, M. Gill, R. Simpson (Royal Preston Hospital); A. Schofield, K. McArdle, M. Parmar (Royal Shrewsbury Hospital); M. Williamson, H. Burton, E. Courtney, C. Grant, A. Saracino (Royal United Hospital Bath); K. Newton, J. Epstein (Salford Royal NHS Foundation Trust); G. Branagan, M. Bignell, M. Symankewicz (Salisbury District Hospital); S. Zaman, R. Mankotia, Z. Siddiqui, A. Torrance (Sandwell General Hospital); D. Artiough, M. Eggleston, K. Gokul, D. Selwyn (Southport and Ormskirk Hospitals); J. Warusavitarne, P. Chandrasinghe, J. Grainger , C. A. Leo, C. J. Vaizey (St Mark's Hospital); G. Harris, B. Levy, A. Skull (St Richard's Hospital); M. Thaha, S. Ahmed, A. Garg, H. Patel, A. Ramsanahie (The Royal London Hospital, Barts Health NHS Trust); M. Mondragon-Pritchard, K. Cuinas Leon, G. Williams (The Royal Wolverhampton NHS Trust); A. Shukla, H. Brewer, J. Fitzgerald, H. Kho (United Lincolnshire Hospitals NHS Trust); J. Torkington, S. Tate, J. Wheat (University Hospital of Wales); S. Smolarek, E. Platt, B. Rossi, J. C. Tham (University Hospitals Plymouth NHS Trust); J. Knight, J. Richardson, A. Tzivanakis (University Hospital Southampton); M. Gregori, M. A. Ashraf, M. Atif, A. Birindelli, J. Santos (University Hospitals Birmingham NHS FT); N. Saffaf, M. I. Aslam, L. Canning (Warwick Hospital); N. Chadratreya, M. Bowen, B. Graham, Y. Hamad, M. Kaubrys (Weston General Hospital at Weston super Mare); Z. U. Chaudhry, C. Bhan, H. Mukhtar, A. Oshovo, J. Wilson (Whittington Hospital NHS Trust); J. Richardson, N. Gouvas, D. Nicol, S. Pandey, M. Zilvetti (Worcestershire Royal Hospital); A. Sharma, T. Fatayer, S. Mothe, M. Rahman (Wythenshawe Hospital, UHSM); N. Curtis, A. Allison, R. Dalton, N. Francis, J. Ockrim (Yeovil District Hospital).

Ukraine: G. Psaras, H. Dudarovaska, T. Marharint, E. Mostovoy, S. Voloshin (Mariupol Cancer Center); O. Kolesnik, D. Makhmudov (National Cancer Institute, Ukraine).

United States: Y. Altinel (Cleveland Clinic); A. Iqbal, L. Cunningham, K. Go, S. Tan (University of Florida).

Formatted: Left, Pattern: Clear

Formatted: Font: Font color: Auto,

ESCP Cohort Studies and Audits Committee

Alaa El-Hussuna (2017 Audit Lead), Aneel Bhangu, Nicholas Buchs, Christianne Buskens, Sanjay Chaudri, Matteo Frasson, Gaetano Gallo, James Glasbey, Ana Minaya, Dien Morton, Ionut Negoi, Dmitri Nepogodiev, Francesco Pata, Luis Sánchez Guillén, Baljit Singh, Oded Zmora, Thomas Pinkney (Chair)

Statistical Analysis and Data Management

James Glasbey, Dmitri Nepogodiev, Rita Perry, Laura Magill, Aneel Bhangu (Guarantor)

ESCP Research Committee

Dien Morton (Chair), Denato Altomare, Willem Bemelman, Steven Brown, Christianne Buskens, Quentin Denost, Charles Knowles, Søren Laurberg, Jérémie Lefèvre, Gabriela Möeslein, Tom Pinkney, Carolynne Vaizey, Oded Zmora

Collaborators

Albania: S. Bilali, V. Bilali (University Hospital Center Mother Teresa).

Argentina: M. Salomon, M. Cillo, D. Estefania, J. Patron Uriburu, H. Ruiz (Buenos Aires British Hospital); P. Farina, F. Carballo, S. Guckenheimer (Hospital Pirovano).

Australia: D. Proud, R. Brouwer, A. Bui, B. Nguyen, P. Smart (Austin Hospital); A. Warwick, J. Theodore (Redcliffe Hospital).

Austria: F. Herbst, T. Birsan, B. Dauser, S. Ghaffari, N. Hartig (Barmherzige Brüder, Wien); A. Stift, S. Argeny, L. Unger (Medical University of Vienna); R. Streuhal, A. Heuberger (Oberndorf b. Salzburg).

Belarus: A. Varabei, N. Lahodzich, A. Makhmudov, L. Selniashina (Minsk Regional Clinical Hospital).

Belgium: T. Feryn, T. Leupe, L. Maes, E. Reynvoet, K. Van Langenhove (AZ Sint-Jan Brugge); M. Nachtergael (AZ St Jozef); B. Monami, D. Francart, C. Jehaes, S. Markiewicz, J. Weerts (Clinique St Joseph, Liege); K. Van Belle, B. Bomans, V. Cavenaile, Y. Nijs, M. Vertruyen (Europe Hospitals Brussels); P. Pletinckx, D. Claeys, B. Defoort, F. Muysoms, S. Van Cleven (Maria Middelares Gent); C. Lange, K. Vindevoghel (OLV van Lourdes Hospital Waregem); A. Welthuis (University Hospital Leuven).

Bosnia and Herzegovina: M. Todorovic, S. Dabic, B. Kenjic, S. Lovric, J. Vidovic (JZU Hospital Sveti Vračevi); S. Delibegovic, Z. Mehmedovic (University Clinic Center Tuzla).

Brazil: A. Christiano, B. Lombardi, M. Marchiori Jr, V. Terciotti Jr (Hospital Centro Médico de Campinas).

Bulgaria: D. Dardanov, P. Petkov, L. Simenova, A. Yonkov, E. Zhivkov (Alexandrovska Hospital – First Surgery); S. Maslyankov, V. Pavlov, M. Sekelov, G. Todorov (Alexandrovska Hospital, Second Surgery Clinic); V. Stoyanov, I. Batashki, N. Jarumov, I. Lozev, B. Moshev (Medical Institute – Ministry of Interior); M. Slavchev, B. Atanasev, N. Belev, P. Krstev, R. Penkov (University Hospital – Eurohospital).

Croatia: G. Šantak, J. Čosić, A. Previšić, L. Vukušić, G. Zukanović (County Hospital Požega); M. Zelić, D. Kršul, V. Lekić Vitlov, D. Mendrila (University Hospital Rijeka).

Czech Republic: J. Orhalmi, T. Dusek, O. Maly, J. Paral, O. Setona (Charles University Hospital). M. Skrovina, V. Bencurík, M. Machácková (Complex Oncology Centre Nový Jičín, Surgical Department); Z. Kala, M. Farkašová, T. Grelich, V. Procházka (Surgical Department, University Hospital Brno); J. Hoch, P. Kocian, L. Martinek (University Hospital Motol, Prague); F. Antos, V. Pruchová (University Hospital Prague Bulovka).

Denmark: A. El Hussuna, A. Ceccotti, T. Madsbøll, D. Straarup, A. Uth Ovesen (Aalborg University Hospital); P. Christensen, P. Bondeven, P. Edling, H. Elfeki, V. Alexandrovich Gameza, S. Michelsen Bach, I. Zheltiakova (Aarhus University Hospital/Randers Regional Hospital); PM. Krarup, A. Krogh, H.C. Rølff (Bispebjerg); J. Lykke, A. F. Juvik, H.H. K. Léven, M. Marckman, J. T. F. Osterkamp (Herlev Hospital); A. H. Madsen, J. Worsøe (Hospital Unit West); A. Ugianskis (North Denmark Regional Hospital); M. D. Kjær, B. Youn Cho Lee (Odense University Hospital); A. Khalid, M. H. Kristensen (Regional Hospital Viborg).

Egypt: M. El Seregy, A. Elgeidie, M. Elhemaly, A. ElNakeeb, M. Elrefai (Gastrointestinal Surgery Center, Mansoura University); M. Shalaby, S. Emile, W. Omar, A. Sakr, W. Thabet (Mansoura University Hospital); S. Awny, I. Metwally, B. Refky, N. Shams, M. Zuhdy (Oncology Center Mansoura University).

Finland: A. Lepistö, I. Keränen, A. Kivelä, T. Lehtonen, P. Siironen (Helsinki University Hospital); T. Rautio, M. Ahonen-Siirtola, K. Klintrup, K. Paarnio, H. Takala (Oulu University Hospital); M. Hyöty, E. Haukijärvi, S.M. Kotaluoto, K. Lehto, T. Tomminen (Tampere University

Hospital); H. Huhtinen, A. Carpelan, J. Karvonen, A. Rantala, P. Varpe (Turku University Hospital).

France: E. Cotte, Y. Francois, O. Glehen, G. Passot (Centre Hospitalier Lyon Sud); A. d'Alessandro, E. Chouillard, J. C. Etienne, E. Ghilles, B. Vinson Bonnet (CHIPS); A. Germain, A. Ayav, L. Bresler (CHU Nancy-Brabois); R. Chevalier, Q. Denest, R. Didailier, E. Rullier (Hôpital Haut Leveque); E. Tiret, N. Chafai, J. Lefevre, Y. Parc (Hôpital Saint Antoine); I. Sielezneff, D. Mege (Timone Hospital); Z. Lakkis (University Hospital of Besançon); M. Barussaud (University Hospital of Poitiers).

Germany: C. Krones, B. Bock, R. Webler (Marienhospital Aachen); J. Baral, T. Lang, S. Münch, F. Pullig, M. Schön (Städtisches Klinikum Karlsruhe); S. Hinz, T. Becker, T. Möller, F. Richter, C. Schafmayer (University Hospital Schleswig Holstein, Kiel); J. Hardt, P. Kienle (University Medical Center Mannheim); F. Crescenti, M. Ahmad, Y. Soleiman (Verden KRH).

Greece: I. Papaconstantinou, A. Gklavas, K. Nastos, T. Theodoseopoulos, A. Vezakis (Areteion Hospital); K. Stamou, A. Saridaki (Athens Bioclinic); E. Xynos, S. Paraskakis, N. Zervakis (Crete InterClinic Hospital); G. Skroubis, T. Amanatidis, S. Germanos, I. Maroulis, G. Papadopoulos (General University Hospital of Patras); N. Dimitriou, A. Alexandrou, E. Felekouras, J. Griniatsos, I. Karavokyros (Laiko Hospital); A. Papadopoulos, C. Chouliaras, P. Ioannidis, D. Katsounis, E. Kefalou (Nikaia General Hospital); I. Katsoulis, D. Balalis, D. Manatakis (St. Savvas Cancer Hospital); G. Tzavaras, I. Baloyiannis, I. Mamaloudis (University Hospital of Larissa).

Hungary: G. Lázár, S. Ábraham, A. Paszt, Z. Simonka (Department of Surgery, University of Szeged); A. Zaránd, Z. Baranyai, G. Ferreira, L. Harsányi, P. Ónody (Semmelweis University,

~~1st Clinic of Surgery); B. Banky, Á. Burány, M. Lakatos, J. Marton, A. Solymosi (St. Borbala Hospital); I. Besznyák, A. Bursics, G. Papp, G. Saftics, I. Svastics (Uzsoki Hospital);~~

~~Iceland: E. Valsdottir, J. Atladottir, T. Jonsson, P. Moller, H. Sigurdsson (University Hospital of Iceland).~~

~~India: S. K. Gupta, S. Gupta, N. Kaul, S. Mehan, G. Sharma (Government Medical College, Jammu, Jammu and Kashmir, India); R. Wani, N. Chowdri, M. Khan, A. Mehraj, F. Paray (Sher-i-Kashmir Institute of Medical Sciences).~~

~~Ireland: A. Coveney, J. Burke, J. Deasy, S. El-Masry, D. McNamara (Beaumont Hospital); M. F. Khan, R. Cahill, E. Faul, J. Mulsoe, C. Shields (Mater Misericordiae University Hospital); M. E. Kelly, G. Bass, S. T. Martin, R. O'Connell, E. Ryan (St Vincent's Private Hospital); T. Connolly, G. Ahmad, W. Bukhari, F. Cooke (University Hospital Waterford).~~

~~Israel: O. Zmora, R. Gold Deutch, N. Haim, R. Lavy, A. Moscovici (Assaf Harofe Medical Center); N. Shussman, R. Gefen, G. Marom, A. Pikarsky, D. Weiss (Hadassah Hebrew University Medical Center); S. Avital, N. Hermann, B. Raguan, M. Slavin, I. White (Meir Medical Center); N. Wasserberg, H. Arieli, N. Gurevich (RMC, Beilinson Campus); M. R. Freund, S. Dorot, G. Halfteck, P. Reissman, E. Yair (Shaare Zedek Mount Sinai); Y. Eden, R. Pery (Sheba Medical Center); H. Tulchinsky, A. Weizman (Sourasky Medical Center).~~

~~Italy: F. Agresta, R. Curinga, E. Finotti, G. Savino, L. A. Verza (Adria Hospital); C. R. Asteria, L. Boccia, A. Pascalello (ASST Mantua); N. Tamini, A. Bugatti, L. Gianetti, M. Tetis (Aset Monza, Ospedale San Gerardo); L. Vincenti, V. Andriola, I. Giannini, E. Travaglio (Azienda Ospedaliero-Universitaria Consorziale Policlinico di Bari); R. Balestri, P. Buccianti, N. Roffi, E.~~

Rossi, L. Urbani (Azienda Ospedaliero Universitaria Pisana); A. Mellano, A. Cinquegrana (Candiolo Cancer Institute IRCCS); A. Lauretta, C. Belluco (Centro di Riferimento Oncologico, IRCCS, Aviano); M. Mistrangelo, M. E. Allaix, S. Arolfo, M. Merino, V. Testa (Città della Salute e della Scienza di Torino); P. Delrio, U. Pace, D. Rega, D. Scala (Colorectal Surgical Oncology Istituto Nazionale per lo Studio e la Cura dei Tumori); G. Gallo, G. Clerico, S. Cernaglia, A. Realis Luc, M. Trompetto (Department of Colorectal Surgery, S. Rita Clinic); G. Ugolini, N. Antonacci, S. Fabbri, I. Montroni, D. Zattoni (Faenza Hospital); C. D'Urbano, A. Cornelli, M. Viti (G. Salvini); M. Inama, M. Bacchion, A. Casaril, H. Impellizzeri, G. Moretto (Hospital Dott. Pederzoli); A. Spinelli, M. Carvello, G. David, F. Di Candido, M. Sacchi (Humanitas Research Hospital); A. Frontali, V. Ceriani, M. Molteni (IRCCS MultiMedica); R. Rosati, F. Aleotti, U. Elmore, M. Lemma, A. Vignali (IRCCS Ospedale San Raffaele); S. Scabini, G. Casoni Pattacini, A. Luzzi, E. Romairone (IRCCS San Martino IST); F. Marino, D. Lorusso, F. Pezzolla (IRCCS 'Saverio de Bellis'); F. Colombo, C. Baldi, D. Foschi, G. Sampietro, L. Sorrentino (L. Sacco University Hospital); S. Di Saverio, A. Birindelli, E. Segalini, D. Spacca (Maggiore Hospital); G. M. Romano, A. Belli, F. Bianco, S. De franciscis, A. Falato (National Cancer Institute Naples); A. Muratore, P. Marsanic (Ospedale Agnelli Pinerolo); S. Grimaldi, N. Castaldo, M. G. Cielli, P. Picarella, R. Porfidia (Ospedale Convenzionato Villa Dei Fiori); S. Di Saverio, A. Birindelli, G. Tugnoli (Ospedale Maggiore); A. Bondurri, D. Cavallo, A. Maffioli, A. Pertusati (Ospedale Sacco Italy); F. Pulighe, F. Balestra, C. De Nisco, M. Podda (Ospedale San Francesco); E. Opochev, M. Longhi, N. M. Mariani, N. Maroni, A. Pisani Ceretti (Ospedale San Paolo); R. Galleano, P. Aenzo, G. Curletti, L. Reggiani (Ospedale Santa Corona); M. Marconi, L. Del Prete, M. Oldani, R. Pappalardo, S. Zaccione (Ospedale Santa Maria delle Stelle); M. Scatizzi, M. Baraghini, S. Gantafio, F. Feroci, I. Giani (Ospedale Santo Stefano, Prato); R. Tutino, G. Cecerullo, G. Gulotta, L. Licari, G. Salamone (Policlinico 'P. Giaccone'); P. Sileri, F. Saraceno (Policlinico Tor Vergata); F. La Torre, P. Chirletti, D. Coletta, G. De Tomi, A. Mingoli (Policlinico Umberto I 'Sapienza University'); M. Papandrea, E. De Luca, R. Sacco, G. Sammarco, G. Vescio

(Policlinico Universitario di Catanzaro); V. Tonini, S. Bianchini, M. Cervellera, S. Vaccari (Policlinico universitario Sant'Orsola-Malpighi, Università degli Studi di Bologna); N. Cracco, G. Barugola, E. Bertocchi, R. Ressini, G. Ruffo (Sacred Heart Don Calabria Hospital); A. Sartori, N. Clemente, M. De Luca, A. De Luca, G. Scaffidi (San Valentino Hospital); L. Lorenzon, G. Balducci, T. Beccetti, M. Ferri, P. Mercantini (Sant'Andrea Hospital); F. Pata, S. Bauce, A. Benevento, C. Bottini, P. R. Crapa (Sant' Antonio Abate Hospital, Gallarate); M. Rubbini, G. Anania, P. Carcoforo, G. Cavallesco, C. Feo (University Hospital of Ferrara).

Japan: T. Yamamoto (Yokkaichi Hazu Medical Centre).

Latvia: A. Sivins, G. Ancans, S. Gerķis, R. Lunis, A. Peclkins (Latvia Oncology Center).

Lithuania: D. Venskutonis, S. Bradulskis, E. Dainius, A. Subėcius, J. Vencius (Department of General Surgery, LSMU, Kaunas Clinical Hospital); P. Žeromskas, V. Eismontas, V. Nutautiene, D. Simcikas, A. Tamaiunas (Klaipeda University Hospital); S. Svagzdys, T. Latkauskas, P. Lizdenis, Z. Saladzinskas, A. Tamelis (Lithuanian University of Health Sciences Hospital Kauno Klinikos); A. Dulskas, J. Kuljavas, N. E. Samalavicius (National Cancer Institute, Lithuania); T. Poskus, V. Jotautas, S. Mikalauskas, E. Poskus, K. Strupas (Vilnius University).

Malaysia: A. Zakaria, N. N. Lah, M. Wong, Z. Zain, Z. Zakaria (Hospital Universiti Sains Malaysia); L. Mazlan, Z. A. Mohd Azman, I. Sagap (UKM Medical Centre).

Malta: J. Psaila, P. Andrejevic, C. Cini, S. Ellul, K. Pace (Mater Dei Hospital). Morocco: M. Ahallat, M. Hamid, A. Hrora, M. A. Majbar, M. Raiss (Ibn Sina University Hospital).

Netherlands: E. Westerduin, W. Bemelman, C. Buskens, P. Tanis (Academic Medical Centre); P.C. van der Sluis, P.H. Davids, A. Pronk, A.H.W. Schiphorst, N. Smakman (Diakonessenhuis); D. Zimmerman, T. Keeter, J. Stijns, Y.T. van Leen (Elisabeth TweeSteden Hospital); M. Vermaas, E. de Graaf, P. Deornebosch, P. van Hagen, O. van Ruler (IJsselland Ziekenhuis); B. Teerenvliet, J. Nonner, I. van den Berg, L. van Steensel, W. Vles (Ikazia); J. Melenhorst, R. Orsini, R. Visschers (Maastricht University Medical Centre); C. Hoff (Medical Center Leeuwarden); P. Blom, H. Marsman (Onze Lieve Vrouwe Gasthuis); I. Mulder, H. Cense, S. de Castro, A. Demirkiran, M. Hunfeld (Rode Kruis Ziekenhuis Beverwijk); A. van Geleven, J. de Groot, E. Hendriks, M. Leeuwenburg, N. van Oorschot (Tergooi); F. Wit, C. Rupert, P. Veldman (Tjongerschans ziekenhuis); M. Keijzers, J. Konsten (VieCuri Medisch Centrum voor Noord Limburg); F. Den Boer, M. Corver (Zaans Medical Center); E.J. Beerma, L. Koelen, M. Martens, K. Van Wijck (Zuyderland Medical Center).

Norway: D. Ignjatovic, R. Breuer, B. Gurpreet, T. Oresland, T. Tetens Moe (Akershus University Hospital); A. Nesbakken, I. Flateh Backe, T.A. Wik (Oslo University Hospital); K. Radiya, T. Dehli, P. Gjessing, S. Norderval, K. Woll (University Hospital of North Norway).

Pakistan: M. Anwer, M. S. Qureshi (JPMC WARD 2); A. U. Qureshi, M. Billah, M. Y. Jawad, A. Raza, N. Urooj (King Edward Medical University/Mayo Hospital, Lahore).

People's Republic of China: X. Wang, L. Li (West China Hospital). **Poland:** D. Jajtner, B. Gasinski, W. Kabiesz (Beskidian Oncology Center); P. Walega, M. Romaniszyn (Third Department of General Surgery, Jagiellonian University Medical College); M. Zawadzki, R. Czarnecki, Z. Obuszko, M. Rzaca, M. Sitarska (Wojewódzki Szpital Specjalistyczny).

Portugal: P. Silva, A. Duarte, D. Gonçalves, M. Morais (Centro Hospitalar de S. João); N. Rama, J. Nobre, I. Sales (Centro Hospitalar Leiria, EPE); J. Costa Pereira, S. Costa, C. Costa Pereira, C. Insua, I. Romero (Centro Hospitalar Tâmega e Sousa); N. Figueiredo, J. Cunha, H. Domingos, P. Vieira (Champalimaud Foundation); M. Cunha, M. Americano, E. Amorim, J. Rachadell (Cirurgia 2 - CHA - Unidade Portimão); J. Carvas, I. Armas, P. Fernandes, C. Pires, R. Reis (Hospital de Bragança); R. Martins, M. Dos Santos, P. Henriques (Hospital de Faro, Centro Hospitalar do Algarve); O. Oliveira, M. Duarte, L. Ferreira, J. Miranda, N. Vilela (Hospital Distrital de Santarém, E.P.E.); J. Corte Real, S. Carlos, M. Freis Borges, P. Moniz Pereira, J. Simões (Hospital Garcia de Orta); P. Silva-vaz, V. Bettencourt, A. Gouveia, H. Perez, R. Rainho (Unidade Local de Saúde de Castelo Branco).

Romania: V. Bintintan, C. Ciuce, G. Dindelegan, R. Scurtu, R. Seicean (Clinica Chirurgie I); D. Cristian, T. Burces, F. Grama, D. M. Mandi, G. Richiteanu (Coltea Clinical Hospital); A. Miron, V. Calu, O. Enciu, M. Nadragea, R. Parvuletu (Elias Emergency Hospital); S. S. Megeanta, A. Grafcicu, S. Paitici (Emergency County Hospital of Craiova); I. Negoi, M. Beuran, C. Ciubotaru, A. Predan, M. Vartic (Emergency Hospital of Bucharest); V. Tomulescu, C. Copacescu (Ponderas Academic Hospital).

Russia: D. Popov, A. Sednev, A. Klimenko, A. Semenov, S. Vasilyev (City Hospital 9); A. Pozdnyakov, D. Cherdancev, D. Mahotin, A. Nesytykh, V. Samsonyuk (Krasnoyarsk Regional Clinical Hospital); I. Pravosudev, D. Ivlev, A. Karachun, K. Lebedev, D. Samsonov (N.N. Petrov Research Institute of Oncology); R. Aiupov, D. Feektistov, M. Garipov, S. Nail, N. Tarasov (National Republic Oncology Center); A. Yanishev, A. Abelevich, A. Kokobelyan, M. Lebedeva, R. Luzan (Nizhny Novgorod Regional Clinical Hospital); A. Rasulov, H. Dzhumabaev, Z. Mamedli (Russian Cancer Research Center); A. Bedzhanyan (Russian Research Center of Surgery named after B.V. Petrovsky); A. Khazov, M. Khanovich, G. Khrykov (Saint Petersburg Clinical Oncological Health Center); S. Katorkin, P. Andreev, A. Chernov, O. Davidova, A.

Zhuravlev (Samara State Medical University); S. Achkasov, D. Shakhmatov, Y. Shelygin, O. Sushkov, A. Vardanyan (State Scientific Centre of Coloproctology); A. Ilkanich, N. Barbashinov, V. Darvin, S. Onishchenko, Y. Veronin (Surgut District Hospital).

Serbia: Z. Krivekapić, G. Barišić, I. Dimitrijević, V. Marković, A. Sekulić (Clinic for Digestive Surgery-I Surgical Clinic, Clinical Center of Serbia); G. Stanojevic, B. Brankovic, M. Nesterovic, V. Pećic, D. Petrović (Clinic for General Surgery, Clinical Center Niš); I. Kostic, A. Aleksic, D. Đabie, B. Marić, V. Perunicic (General Hospital Cacak); Z. Radovanović, M. Djurić, D. Lukić, D. Radovanović (Oncology Institute of Vojvodina); V. Čuk, V. Čuk, J. Juloski, M. Kenić, I. Krdžić (Surgical Clinic KBC Zvezdara).

Singapore: J. C. Ngu, Y. Y. Ng, N. Tee (Changi General Hospital).

Slovak Republic: J. Korcek, A. Lazorisak, (Faculty Hospital Nitra).

Slovenia: M. Rems, Š. Ramovš Trampuš (General Hospital Jesenice); A. Tomazic, J. Grosek, J. Kosir, G. Nercic (University Medical Centre Ljubljana).

Spain: V. Vigorita, N. Cáceres, E. Casal, A. Ruano, I. Trostchansky (Alvaro Cunqueiro Hospital); T. Góldar, A. Galvez-Saldaña, E. Kreisler Moreno, J. López Domínguez, M. Vila Tura (Bellvitge University Hospital); F. Labarga, P. Galvez, V. Maderuelo, C. Suero (Complejo Asistencial Universitario de Palencia); J. Bargallo, L. Cayetano, S. Lamas, M. C. Silva (Consorci Sanitari de Terrassa-Hospital de Terrassa); J. C. Bernal-Sprekelsen, R. Gómez, S. Jareño, A. Ríos, D. Vercher (Consorcio Hospital General Universitario); J. M. García-González, J. Cervera-Aldama, J. Ramos-Prada, M. Santamaría-Olabarrieta (Cruces University Hospital); N. Borda, J. M. Enríquez-Navascués, Y. Sarasogui (Donostia University Hospital); A. Calero-Lillo, S. Aznar

Puig, M. A. López-Lara, S. Muñoz-Collado, J. Valverde-Sintas (Fundació Hospital Esperit Sant); P. Menendez, C. Leon (Gutierrez-Ortega Hospital); N. Truan, R. Baldonedo, D. Martínez, J. Otero, L. Solar (Hospital Central de Asturias); V. Turrado-Rodríguez, F. de Lacy-Oliver, A. M. Lacy-Fortuny, B. Martín-Pérez, A. M. Otero Piñeiro (Hospital Clínic Barcelona); J. Paredes, F. Fernández, M. J. Ladra, A. Paulos, D. Prieto (Hospital Clínico Universitario de Santiago de Compostela); J. P. Beltrán-de-Heredia, F. Blanco-Antona, B. de Andrés-Asenjo, C. Ferreras-García, A. Romero-de-Diego (Hospital Clínico Universitario de Valladolid); E. Córdoba-Díaz-de-Laspra, E. Echazarreta-Gallego, M. Elia-Guedea (Hospital Clínico Universitario de Zaragoza); D. Escola, S. Martínez (Hospital Comarcal Alt Penedès); V. Primo-Romaguera, R. Parreño, L. Pastor, E. Rosell (Hospital de Dénia); R. Lozoya-Trujillo, R. Alós-Company, M. D. Ruiz-Carmona, A. Selana-Bueno (Hospital de Sagunto); S. Salvans-Ruiz, S. Alonso-Gonçalves, M. Jiménez-Tescano, M. Pascual-Damieta, M. Pera-Roman (Hospital Del Mar); E. M. Pellicer-Franco, J. A. García-Marin, M. Mengual-Ballester, V. Seria-Aledo, G. Valero-Navarro (Hospital Morales-Meseguer); M. Vicente-Ruiz, C. García-Zamora, A. González-Gil, M. J. Montoya-Tabares, M. Paredes-Quiles (Hospital Rafael-Méndez); J. Die-Trill, P. Abadia, I. Moreno, J. D. Pina, D. Ramos-Rubio (Hospital Ramón y Cajal); J. Escartín, J. L. Blas, J. Fernando, R. Ferrer, J. García-Egea (Hospital Royo-Villanova); I. Pros, W. Martínez, J. Rius, M. Socías (Hospital Sant-Joan-de-Deu de Martorell); D. Sabia, J. Castellví-Valls, V. González-Santin, S. Mempart-García, L. Viso-Pons (Hospital Sant-Joan-Despí Moisés-Broggi); D. Julià, A. Codina-Cazador, R. Farrés, N. Gómez, P. Planellas (Hospital Universitari de Girona Doctor Josep-Trueta); M. Cuadrado, I. Camps (Hospital Universitari Germans-Trias-i-Pujol); M. Rufas, J. Escoll, A. Fermiñán, P. Muriel, E. Sierra (Hospital Universitario Arnau-de-Vilafranca-de-Lérida); C. Alvarez-Laso, P. Lora, H. Padín (Hospital Universitario de Cabueñes); J. García-Septién, C. Bustamante, V. Jiménez, J. Jiménez-Miramón, J. L. Ramos (Hospital Universitario de Getafe); A. B. Gallardo, P. Benito, L. Celao, P. Galindo, C. García (Hospital Universitario de Torrejón-de-Ardoz); A. Forero-Torres, A. Alonso-Poza, B. Diéguez-Fernández, C. Gilsanz-Martín, M.

Hernandez Garcia (Hospital Universitario del Sureste); J. A. Rojo López, J. M. Gil López, M. González Zunzárren, J. Martínez Alegre, J. P. Zorrilla Matilla (Hospital Universitario Infanta Sofía); A. Navarro Sánchez, F. J. Alcalá Serrano, J. López Fernández, D. Montesdeoca Cabrera (Hospital Universitario Insular de Gran Canaria); M. Alvarez Gallego, J. Guevara, I. Pascual Miguelañez, I. Rubio Perez (Hospital Universitario La Paz); M. Gómez Ruiz, J. Alonso Martín, C. Cagigas Fernández, J. Castillo Diego (Hospital Universitario Marques de Valdecilla); J. A. Pando, C. Maristany, A. Muñoz Duyos, A. Rada Palomino, H. Vargas Pierola (Hospital Universitario Mutua Terrassa); E. Peña Res, J. A. Benavides Buleje, J. M. Muñoz Camarena, P. A. Parra Baños, M. Ramirez Faraco (Hospital Universitario Reina Sofía); J. J. Arenal, M. A. Góteres, J. L. Marcos, J. Sánchez, C. Tinoco (Hospital Universitario Río Hortega); L. J. García Flórez, R. D. Arias Pacheco, G. Minguez Ruiz, N. Rodríguez Corral, A. Rodríguez Infante (Hospital Universitario San Agustín); M. J. Carrillo López, M. M. Carrasco Prats, A. Lage Laredo, Á. Martínez Manzano, P. Rodríguez García (Hospital Universitario Santa Lucía); J. J. Segura Sampedro, N. Alonso Hernández, M. Fernandez Isart, M. Gamundi Cuesta, A. Ochegavia Segui (Hospital Universitario Sen Espases); N. Ibañez, J. Abrisqueta, J. Lujan (Hospital Universitario Virgen de la Arrixaca); R. Gómez Pérez, E. Corrales Valero, C. Monje Salazar, E. Sanchiz Cardenas, R. Soler Humanes (Hospital Universitario Virgen de la Victoria); R. M. Jimenez Rodriguez, F. De la Portilla, J. M. Diaz Pavón, A. M. Garcia Cabrera, M. L. Reyes Diaz (Hospital Universitario Virgen del Rocío); E. Espin, F. Marinello, M. Martí, J. L. Sanchez, F. Vallibera (Hospital Valle de Hebron); F. J. Orts Mico, M. Ortín Navarro, M. Perez Climent, C. Serra Diaz (Hospital Virgen de los Lirios); M. Millan, A. Caro, J. Escuder, B. Espina, F. Feliu (Joan XXIII University Hospital); A. Climent Aira, A. Estévez Diz, M. T. Moreno Asencio, A. Varela Mato, R. Vázquez Bouzán (POVISA Hospital); A. M. Minaya Bravo, M.M. Diez Alonso, R. Villeta Plaza (Principe de Asturias Hospital); H. Guadalajara, D. Alías, D. García Olmo, C. Pastor, I. Valverde (Quironsalud Publicos); A. Sanchez Romero, A. Gardea, M. Gil Santos, T. Nimmersgern, P. Serrano Paz (Unidad de Coloproctología, Hospital Vinalopó)

~~Torrevieja); M. Romero-Simó, T. Blasco-Segura, I. Caravaca-García, D. Costa-Navarro, A. Zarco-Pleguezuelos (University General Hospital of Alicante); L. Sánchez-Guillén, B. Flor-Lorente, M. Frasson, Á. García-Granero, E. García-Granero (University Hospital La Fe Valencia); B. Arencibia, J. Alonso, G. Febles, E. M. Nogués, C. Roque (University Hospital of Gran Canaria Dr. Negrín).~~

~~Sweden: J. Segelman, J. Nygren (Ersta Hospital); G. Nestler (Falu lasarett); M. Abraham-Nordling, M. Egenvall (Karolinska University Hospital); P. Myrelid, B. Jung, P. Loftås (Linköping University Hospital); M-L. Lydrup, N. Azahr, P. Buchwald, P. Mangell, I. Syk (Skane University Hospital); M. Nikberg, J. Carlander, A. Chabek, K. Smedh, G. Tisellius (Västmanlands Hospital Västerås); S. Haapaniemi, A. Benckert (Vrinnevi Hospital Norrkoping).~~

~~Switzerland: M. Adamina, C. Freil-Lanter, C. Gingert, P. Müller, J. Schäfli (Kantonsspital Winterthur); L. Regusci, M. Brenna, F. Fasolini (Regional Hospital Mendrisio); H. Misteli, P. Kirchhoff, D. Oertli (University Hospital Basel, Switzerland); D. Hahnloser, D. Clerc, M. Hübner (University Hospital of Lausanne, CHUV); F. Ris, N. C. Buchs, M. Chevallay, P. Morel, B. Schiltz (University Hospitals Geneva).~~

~~Taiwan: J. Y. Wang, W-C. Su, C-W. Huang, C-J. Ma, H-L. Tsai (Kaohsiung Medical University Hospital).~~

~~Turkey: G. S. Özbalcı, B. B. Özkan, U. Karabacak (19 Mayıs University Faculty of Medicine); D. Bugra (American Hospital); F. Agalar, H. Baloglu, I. Baseglu (Anadolu Medical Center [in aff with Johns Hopkins Med]); N. Okkabaz, E. Binboga, A. Biricik, A. Celik, E. Yavuz (Bageilar Training and Research Hospital); A. E. Canda, C. Agalar, M. Fuzun, S. Sokmen, C. Terzi (Dokuz Eylül University); A. Isik (Erzincan University, Mengücek Gazi Training and Research Hospital); B. Karip, A. C. Bilgili (Fatih Sultan Mehmet Training and Research Hospital); S.~~

Leventoglu, B. Aytac, A. Yildiz, O. Yuksel (Gazi University Medical School); H. Sinan, O. Hancerliogullari, S. Kaymak, O. Kozak, M. T. Ozer (Gulhane Training and Research Hospital); I. S. Sarici, O. Akca, M. U. Kalayci, Y. Kara (Kanuni Sultan Suleyman Training and Research Hospital); D. Bugra, O. Agcaoglu, E. Balik, O. Bayram (Koc University School of Medicine); U. Sungurtekin, U. Ozgen (Pamukkale University School of Medicine); S. Demirbas (TOBB ETU University Hospital); E. Öztürk, O. Isik, T. Yilmazlar (Uludag University School of Medicine); E. Colak, S. Karagul, V. Kinas (University of Health Sciences, Samsun Training and Research Hospital).

UK: N. Fearnhead, I. Lord, P. Stewart (Addenbrooke's [Cambridge University] Hospital); M. Zammit (Basildon Hospital); S. Arnold, N. Battersby, J. Breadhurst, A. Mehta, F. Seretis (Basingstoke and North Hampshire Hospital); J. Shabbir, C. Jones, J. Kynaston (Bristol Royal Infirmary); D. Vimalachandran, E. Blower, C. McFaul, D. McWhirter, J. Pilkington (Countess of Chester Hospital); T. Wilson, M. Chowdhary (Doncaster Royal Infirmary); B. Stubbs, M. Abdalkeddus, C. Lai, N. Thavanesan, C. Yao (Dorset County Hospital); T. Agarwal, S. Dindyal, R. M. C. Hill, S. Reade, A. Slesser (Ealing Hospital); H. Paterson, A. Balfour, M. Boland, A. Geraghty, J. O'Kelly (Edinburgh Western General Hospital); P. Patel, S. Tezas (Furness General Hospital); S. Yahia, V. Jadhav, K. Marimuthu, A. Narayanan, B. Piramanayagam (George Eliot Hospital); N. Bradley, F. Buchanan, K. Paul, J. Singh, K. Thomson (Glasgow Royal Infirmary); S. Korsgen, M. Bedford, K. Lee, K. Leong (Good Hope Hospital); D. McArthur, A. Bhangu, S. Malik, I. Mohamed (Heartlands Hospital); P. Cunha, A. Pilavas (Homerton University Hospital NHS Trust); A. Reddy, S. Ahmed, A. Ahmed, J. Voll (James Cook University Hospital); V. Velchuru, R. Lal, B. Mirshekar Syahkal (James Paget Hospital); M. Kassai, M. Aleem, S. Keogh Bootland (Jersey General Hospital); P. Sarmah, S. Brown, R. Keegan, A. Kelkar, P. Sen (Kettering General Hospital); M. Oliveira Cunha, S. Chaudhri, R. Fares, B. Singh, W. M. Thomas (Leicester General Hospital); M. I. Aslam, K. Boyle, D. Hemingway, A. Miller, M.

Norwood (Leicester Royal Infirmary); S. Gurjar, M. Al-Saeedi, L. Anandan, A. Sudlow, N. Zampitis (Luton & Dunstable Hospital); K. Malik, M. Bogdan, C. Smart (Macclesfield District General Hospital); M. R. Iqbal, S. Bailey, D. Lawes, G. Omar, R. Tamhane (Maidstone and Tunbridge Wells NHS Trust); M. Evans, S. Ather, J. Lim, H. Nageswaran, G. Taylor (Merriston Hospital); L. Hunt, J. Nicholls (Musgrove Park Hospital); I. Shaikh, F. Muscara, J. O'Brien, E. Photi, A. Stearns (Norfolk and Norwich University Hospital); D. Meylemans, C. Cunningham, P. Hompes (Oxford University Hospitals); A. Tennakeen, N. Kumarasinghe, M. Rao, I. Upanishad (Pilgrim Hospital); S. Smolarek, E. Platt, B. Rossi, J. C. Tham (Plymouth Hospital NHS Trust); J. Khan, N. Ahmad, Z. Shweejawee, S. Stefan (Queen Alexandra Hospital); N. Smart, I. Daniels, T. Gregoir, L. Longstaff, F. McDermott (Royal Devon & Exeter Hospital); M. Varcada, I. Drami, T. Gala, E. Moggia, K. Ratnatunga (Royal Free Hospital NHS Trust Hampstead); R. Harries, J. Hayes, G. Williams (Royal Gwent Hospital); T. Raymond, C. Broder, E. Davies, P. Hawkin, O. Ryska (Royal Lancaster Infirmary); K. Ayral, A. Beveridge, A. Bhewmik, M. Gill, R. Simpson (Royal Preston Hospital); A. Schofield, K. McArdle, M. Parmar (Royal Shrewsbury Hospital); M. Williamson, H. Burton, E. Courtney, C. Grant, A. Saracino (Royal United Hospital Bath); K. Newton, J. Epstein (Salford Royal NHS Foundation Trust); G. Branagan, M. Bignell, M. Symankiewicz (Salisbury District Hospital); S. Zaman, R. Mankotia, Z. Siddiqui, A. Torrance (Sandwell General Hospital); D. Artioukh, M. Eggleston, K. Gokul, D. Selwyn (Southport and Ormskirk Hospitals); J. Warusavitarne, P. Chandrasinghe, J. Grainger, C. A. Leo, C. J. Vaizey (St Mark's Hospital); G. Harris, B. Levy, A. Skull (St Richard's Hospital); M. Thaha, S. Ahmed, A. Garg, H. Patel, A. Ramsanahie (The Royal London Hospital, Barts Health NHS Trust); M. Mondragon Pritchard, K. Cuinas Leon, G. Williams (The Royal Wolverhampton NHS Trust); A. Shukla, H. Brewer, J. Fitzgerald, H. Kho (United Lincolnshire Hospitals NHS Trust); J. Torkington, S. Tate, J. Wheat (University Hospital of Wales); J. Knight, J. Richardson, A. Tzivanakis (University Hospital Southampton); M. Gregori, M. A. Ashraf, M. Atif, A. Birindelli, J. Santos (University Hospitals Birmingham NHS FT); N. Saffaf, M. I. Aslam, L. Canning (Warwick

~~Hospital); N. Chandratreya, M. Bowen, B. Graham, Y. Hamad, M. Kaubrys (Weston General Hospital at Weston super Mare); Z. U. Chaudhry, C. Bhan, H. Mukhtar, A. Oshowo, J. Wilson (Whittington Hospital NHS Trust); J. Richardson, N. Geuvas, D. Nicoll, S. Pandey, M. Zilvetti (Worcestershire Royal Hospital); A. Sharma, T. Fatayer, S. Mothe, M. Rahman (Wythenshawe Hospital, UHSM); N. Curtis, A. Allison, R. Dalton, N. Francis, J. Ockrim (Yeovil District Hospital). Ukraine: G. Psaras, H. Dudarovaska, T. Marharint, E. Mostovoy, S. Voloshin (Mariupol Cancer Center); O. Kolesnik, D. Makhmudov (National Cancer Institute, Ukraine).~~

~~United States: Y. Altinel (Cleveland Clinic); A. Iqbal, L. Cunningham, K. Go, S. Tan (University of Florida).~~