### UNIVERSITY<sup>OF</sup> BIRMINGHAM

## University of Birmingham Research at Birmingham

# Behavioural weight management interventions for postnatal women

Ferguson, Janice; Daley, Amanda; Parretti, Helen

DOI:

10.1111/obr.12834

License

Other (please specify with Rights Statement)

Document Version
Peer reviewed version

Citation for published version (Harvard):

Ferguson, J, Daley, A & Parretti, H 2019, 'Behavioural weight management interventions for postnatal women: a systematic review of systematic reviews of randomized controlled trials', *Obesity Reviews*, vol. 20, no. 6, pp. 829-841. https://doi.org/10.1111/obr.12834

Link to publication on Research at Birmingham portal

#### Publisher Rights Statement:

Checked for eligibility: 19/12/2018

"This is the peer reviewed version of the following article: Ferguson, JA, Daley, AJ, Parretti, HM. Behavioural weight management interventions for postnatal women: A systematic review of systematic reviews of randomized controlled trials. Obesity Reviews. 2019; 1–13. , which has been published in final form at https://doi.org/10.1111/obr.12834. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions."

#### General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- •Users may freely distribute the URL that is used to identify this publication.
- •Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- •User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- •Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

#### Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Download date: 25. Apr. 2024

### Behavioural weight management interventions for postnatal women: a systematic review of systematic reviews of randomised controlled trials

Janice A. Ferguson<sup>1</sup>, Amanda J. Daley<sup>1, 2</sup> and Helen M. Parretti<sup>1</sup>

1 Institute of Applied Health Research, University of Birmingham, Birmingham, B15 2TT, UK

2 School of Sport, Exercise and Health Sciences, Loughborough University, Loughborough, LE11 3TU, UK

#### **Supplementary Information**

Example search strategy

- 1 postnatal.mp.
- 2 postpartum.mp.
- 3 exp mother/ or post-pregnancy.mp. or exp puerperium/
- 4 1 or 2 or 3
- 5 (weight fluctuation or body weight management or weight or weight gain or weight control or weight change or weight or weight reduction or weight loss program).mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word]
- 6 (body mass index or body mass).mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word]
- 7 (body weight or physical activity).mp. or exp exercise/ or exp physical activity/ [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word]
- 8 (exercise or aerobic exercise).mp. or exp exercise/ [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word]
- 9 obesity.mp. or exp maternal obesity/ [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word]
- 10 (overweight or obesity).mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word]
- 11 exp diet restriction/ or exp diet therapy/ or exp diet/ or exp low fat diet/
- 12 exp intervention study/
- 13 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12
- 14 4 and 13
- 15 exp systematic review/
- 16 meta analysis/
- 17 15 or 16
- 18 14 and 17

 Table S1: Excluded full text papers and reasons for exclusion

Review	Reason for exclusion	
An 2017 (S1)	Population was not postnatal women	
Berger 2014 (S2)	No response from authors when contacted with data enquiry	
Elliott-Sale 2017 (S3)	No methodology reported	
Evenson 2014 (S4)	Not a systematic review with a summary of weight related data reported only from RCTs	
Falivene 2017 (S5)	Not a systematic review with a summary of weight related data reported only from RCTs	
Fowles 2012 (S6)	Focus of review was on interventions for health promotion and not specifically weight management	
Hanson 2017 (S7)	Not a systematic review of RCTs with a summary of weight related data reported only from RCTs	
Harrison 2016 (S8)	Not a systematic review of RCTs with a summary of weight related data reported only from RCTs	
Hoedjes 2010 (S9)	No summary of weight related data reported only from RCTs	
Jongen 2014 (S10)	No summary of weight related data	
Keller 2008 (S11)	No summary of weight related data	
Malouf 2014 (S12)	Did not compare effectiveness of weight management interventions	
Moredich 2014 (S13)	Population were not exclusively postnatal women	
Nagl 2015 (S14)	No summary of weight related data reported only from RCTs	
Netting 2014 (S15)	No summary weight related data	
Neville 2014 (S16)	Not a systematic review of RCTs with a summary of weight related data reported only from RCTs	
Peacock 2014 (S17)	No summary of weight related data	
Rawdin 2014 (S18)	Not a systematic review of RCTs with a summary of weight related data reported only from RCTs	
Saligheh 2017 (S19)	No summary of weight related data reported only from RCTs	
Sikorski 2014 (S20)	Abstract only, full paper unavailable	
Spencer 2015 (S21)	Protocol	
Tanensapf 2011(S22)	Population were not exclusively postnatal women	
Teychenne 2013 (S23)	No summary of weight related data	
Van der Pligt 2013 (S24)	No summary of weight related data reported only from RCTs	
Walker 2007 (S25)	Not a systematic review of RCTs with a summary of weight related data reported only from RCTs	
Weaver 2008 (S26)	Not a systematic review of RCTs with a summary of weight related data reported only from RCTs	

Table S2: RCTs in the included systematic reviews with weight-related data

	Kuhlmann (2008)	Amorim (2013)	Choi (2013)	Elliott-Sale (2014)	Nascimento (2014)	Lim (2015)	Guo (2016)	Sherifali (2017)	Lau (2017)
Bertz 2012 (S27)				Sweden	Sweden	Sweden			Sweden
Cheung 2011 (S28)							Australia		
Colleran 2012 (S29)					USA	USA		USA	USA
Craigie 2011 (S30)		UK	UK		UK				
Davenport 2011 (S31)					Canada				
deRosset 2013 (S32)						USA			
Dewey 1994 (S33)		USA			USA	USA			
Herring 2014 (S34)								USA	USA
Hu 2012 (S35)							China		
Huang 2011 (S36)		Taiwan				Taiwan			
Kearney 2006 (S37)		USA				USA			
Kim 2012 (S38)							USA	USA	
Krummel 2010 (S39)		USA							
LeCheminant 2014 (S40)						USA			
Leermakers 1998 (S41)	USA	USA			USA	USA			
Lovelady 2000 (S42)		USA	USA		USA	USA			
Lovelady 2009 (S43)		USA				USA			
Maturi 2011 (S44)				Iran					
McCrory 1999 (S45)		USA				USA			
McIntyre 2012 (S46)					Australia	Australia	Australia		
Nicklas 2014 (S47)						USA		USA	
Østbye 2009 (S48)		USA	USA		USA	USA			
O'Toole 2003 (S49)	USA	USA			USA	USA			
Reinhardt 2012 (S50)						Australia	Australia		
Shek 2014 (S51)						China	China		
Shyam 2013 (S52)							Malaysia		
Stendell-Hollis 2013 (S53)						USA			
Γripette 2014 (S54)						Japan			
Walker 2012 (S55)			USA		USA	USA			
Wein 1999 (S56)							Australia		
Wiltheiss 2013 (S57)						USA			
Youngwanichsetha 2013 (S58)						Thailand			
Zourladani 2011 (S59)						Greece			

Table S3: Quality Assessment of the included reviews using the AMSTAR tool

1. Was an "a priori" design	provided?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	No		
Choi 2013 (33)	No		
Kuhlman 2009 (31)	No		
Elliott-Sale 2015 (32)	No		
Nascimento 2014 (35)	Yes		
Guo 2016 (39)	No		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	No		
2. Was there duplicate stud	y selection and data extraction?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	Can't answer		
Elliott-Sale 2015 (32)	No		
Nascimento 2014 (35)	Can't answer		
Guo 2016 (39)	No		
Lau 2017 (38)	Can't answer		
Sherifali 2017 (37)	Yes		
3. Was a comprehensive lite	erature search performed?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	Yes		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	Yes		
Guo 2016 (39)	Yes		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	Yes		
	tion (i.e. grey literature) used as an inclusion criterion?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	No		
Kuhlman 2009 (31)	No		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	No		
Guo 2016 (39)	No		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	No		
	5. Was a list of studies (included and excluded) provided?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	No		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	Yes		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	Yes		


Guo 2016 (39)	No		
Lau 2017 (38)	No		
Sherifali 2017 (37)	No		
	s of the included studies provided?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	Yes		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	Yes		
Guo 2016 (39)	Yes		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	Yes		
7. Was the scientific quality	ty of the included studies assessed and documented?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	No		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	Yes		
Guo 2016 (39)	Yes		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	Yes		
8. Was the scientific qu	uality of the included studies used appropriately in		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	No		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	Yes		
Guo 2016 (39)	Yes		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	Yes		
9. Were the methods used	to combine the findings of studies appropriate?		
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	Yes		
Kuhlman 2009 (31)	Not applicable		
Elliott-Sale 2015 (32)	Yes		
Nascimento 2014 (35)	Yes		
Guo 2016 (39)	Not applicable		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	Yes		
10. Was the likelihood of pu	ublication bias assessed?		
Amorim 2013 (36)	No		
Lim 2015 (34)	Yes		
Choi 2013 (33)	No		
Kuhlman 2009 (31)	No		
Elliott-Sale 2015 (32)	No		

Nascimento 2014 (35)	Yes		
Guo 2016 (39)	No		
Lau 2017 (38)	Yes		
Sherifali 2017 (37)	No		
11. Was the conflict of interest included?			
Amorim 2013 (36)	Yes		
Lim 2015 (34)	Yes		
Choi 2013 (33)	No		
Kuhlman 2009 (31)	No		
Elliott-Sale 2015 (32)	No		
Nascimento 2014 (35)	No		
Guo 2016 (39)	No		
Lau 2017 (38)	No		
Sherifali 2017 (37)	No		

Table S4: RCTs with weight related data, but excluded from the mega meta-analysis

Original Study	Reason excluded from meta-analysis	
Cheung 2011 (S28)	Had BMI data only	
	Did not randomise the control group, they were matched to the	
Davenport 2011 (S31)	intervention groups by age, parity and BMI.	
deRosset 2013 (S32)	Had BMI data only	
Hu 2012 (S35)	Had BMI data only	
Huang 2011 (S36)	No baseline postnatal weight data	
Kearney 2006 (S37)	No baseline postnatal weight data	
	Compared resistance training to an active comparison group	
LeCheminant 2014 (S40)	(flexibility training)	
McCrory 1999 (S45)	Intervention too short (11 days)	
Shek 2014 (S51)	Had BMI data only	
Stendell-Hollis 2013	Compared two types of diet (MyPyramid vs a Mediterranean-	
(S53)	type diet)	
Wein 1999 (S56)	Had BMI data only	

Figure S1: Funnel plot of RCTs with weight related data



#### **Supplementary references**

- S1. An R, Ji M, Zhang S. Effectiveness of Social Media-based Interventions on Weightrelated Behaviors and Body Weight Status: Review and Meta-analysis. Am J Health Behav. 2017;41(6):670-82.
- S2. Berger AA, Peragallo-Urrutia R, Nicholson WK. Systematic review of the effect of individual and combined nutrition and exercise interventions on weight, adiposity and metabolic outcomes after delivery: evidence for developing behavioral guidelines for post-partum weight control. BMC Pregnancy and Childbirth. 2014;14:319.
- S3. J. Elliott-Sale K. The Effects of Exercise on Postpartum Weight Retention in Overweight and Obese Women. Curr Women's Health Rev. 2017;13(1):11-16.
- S4. Evenson KR, Mottola MF, Owe KM, Rousham EK, Brown WJ. Summary of International Guidelines for Physical Activity Following Pregnancy. Obstet Gynecol Surv. 2014;69(7):407-14.
- S5. Falivene MA, Orden AB. Maternal behavioral factors influencing postpartum weight retention. Clinical and metabolic implications. Rev Bras Saude Mater. Infant. 2017;17(2):251-9.
- S6. Fowles ER, Cheng H-R, Mills S. Postpartum Health Promotion Interventions: A Systematic Review. Nurs Res. 2012;61(4):269-82.
- S7. Hanson M, Barker M, Dodd JM, Kumanyika S, Norris S, Steegers E, et al. Interventions to prevent maternal obesity before conception, during pregnancy, and post partum. Lancet Diabetes Endocrinol. 2017;5(1):65-76.
- S8. Harrison CL, Brown WJ, Hayman M, Moran LJ, Redman LM. The Role of Physical Activity in Preconception, Pregnancy and Postpartum Health. Semin Reprod Med. 2016;34(2):e28-37.
- S9. Hoedjes M, Berks D, Vogel I, Franx A, Visser W, Duvekot JJ, et al. Effect of postpartum lifestyle interventions on weight loss, smoking cessation, and prevention of smoking relapse: a systematic review. Obstet Gynecol Surv. 2010;65(10):631-52.
- S10. Jongen C, McCalman J, Bainbridge R, Tsey K. Aboriginal and Torres Strait Islander maternal and child health and wellbeing: a systematic search of programs and services in Australian primary health care settings. BMC Pregnancy Childbirth. 2014;14(1):251.
- S11. Keller C, Records K, Ainsworth B, Permana P, Coonrod DV. Interventions for weight management in postpartum women. J Obstet Gynecol Neonatal Nurs. 2008;37(1):71-9.
- S12. Malouf R, Redshaw M, Kurinczuk JJ, Gray R. Systematic review of heath care interventions to improve outcomes for women with disability and their family during pregnancy, birth and postnatal period. BMC Pregnancy Childbirth. 2014;14:58.
- S13. Moredich CA, Kessler TA. Physical activity and nutritional weight loss interventions in obese, low-income women: an integrative review. J Midwifery Womens Health. 2014;59(4):380-7.
- S14. Nagl M, Linde K, Stepan H, Kersting A. Obesity and anxiety during pregnancy and postpartum: A systematic review. J Affect Disord. 2015;186:293-305.
- S15. Netting MJ, Middleton PF, Makrides M. Does maternal diet during pregnancy and lactation affect outcomes in offspring? A systematic review of food-based approaches. Nutrition 2014;30(11-12):1225-41.
- S16. Neville CE, McKinley MC, Holmes VA, Spence D, Woodside JV. The effectiveness of weight management interventions in breastfeeding women--a systematic review and critical evaluation. Birth (Berkeley, Calif). 2014;41(3):223-36.
- S17. Peacock AS, Bogossian F, McIntyre HD, Wilkinson S. A review of interventions to prevent Type 2 Diabetes after Gestational Diabetes. Women Birth 2014;27(4):e7-e15.

- S18. Rawdin AC, Duenas A, Chilcott JB. The cost-effectiveness of weight management programmes in a postnatal population. Public Health. 2014;128(9):804-10.
- S19. Saligheh M, Hackett D, Boyce P, Cobley S. Can exercise or physical activity help improve postnatal depression and weight loss? A systematic review. Arch Womens Ment Health. 2017;20(5):595-611.
- S20. Sikorski C, Lakhanpaul M, Costello A, Heys M. G479(P) A systematic review: 'Can postnatal women's groups improve health outcomes for women and children in high-income countries?'. Arch Dis Child. 2014;99(Suppl 1):A200-A.
- S21. Spencer L, Rollo M, Hauck Y, MacDonald-Wicks L, Wood L, Hutchesson M, et al. The effect of weight management interventions that include a diet component on weight-related outcomes in pregnant and postpartum women: a systematic review protocol. JBI Database System Rev Implement Rep. 2015;13(1):88-98.
- S22. Tanentsapf I, Heitmann BL, Adegboye AR. Systematic review of clinical trials on dietary interventions to prevent excessive weight gain during pregnancy among normal weight, overweight and obese women. BMC Pregnancy Childbirth. 2011;11(1):81.
- S23. Teychenne M, York R. Physical activity, sedentary behavior, and postnatal depressive symptoms: a review. Am J Prev Med. 2013;45(2):217-27.
- S24. van der Pligt P, Willcox J, Hesketh KD, Ball K, Wilkinson S, Crawford D, et al. Systematic review of lifestyle interventions to limit postpartum weight retention: implications for future opportunities to prevent maternal overweight and obesity following childbirth. Obes Rev 2013;14(10):792-805.
- S25. Walker LO. Managing excessive weight gain during pregnancy and the postpartum period. J Obstet Gynecol Neonatal Nurs. 2007;36(5):490-500.
- S26. Weaver K. Review: dietary restriction, with or without aerobic exercise, promotes weight loss in postpartum women. Evid Based Nurs. 2008;11(1):14.
- S27. Bertz F, Brekke HK, Ellegard L, Rasmussen KM, Wennergren M, Winkvist A. Diet and exercise weight-loss trial in lactating overweight and obese women. Am J Clin Nutr. 2012;96(4):698-705.
- S28. Cheung NW, Smith BJ, van der Ploeg HP, Cinnadaio N, Bauman A. A pilot structured behavioural intervention trial to increase physical activity among women with recent gestational diabetes. Diabetes Res Clin Pract. 2011;92(1):e27-9.
- S29. Colleran HL, Lovelady CA. Use of MyPyramid Menu Planner for Moms in a weight-loss intervention during lactation. J Acad Nutr Diet. 2012;112(4):553-8.
- S30. Craigie AM, Macleod M, Barton KL, Treweek S, Anderson AS. Supporting postpartum weight loss in women living in deprived communities: design implications for a randomised control trial. Eur J Clin Nutr. 2011;65(8):952-8.
- S31. Davenport MH, Giroux I, Sopper MM, Mottola MF. Postpartum exercise regardless of intensity improves chronic disease risk factors. Med Sci Sports Ex. 2011;43(6):951-8.
- S32. deRosset L, Berry DC, Sanchez-Lugo L, Ritter K, Purdum C, Santolim V, et al. Mama sana ... usted sana: lessons learned from a postpartum weight loss intervention for Hispanic women with infants six months or less. Hisp Health Care Int. 2013;11(2):78-86.
- S33. Dewey KG, Lovelady CA, Nommsen-Rivers LA, McCrory MA, Lonnerdal B. A randomized study of the effects of aerobic exercise by lactating women on breast-milk volume and composition. N Engl J Med. 1994;330(7):449-53.
- S34. Herring SJ, Cruice JF, Bennett GG, Davey A, Foster GD. Using technology to promote postpartum weight loss in urban, low-income mothers: a pilot randomized controlled trial. J Nutr Educ Behav. 2014;46(6):610-5.
- S35. Hu G, Tian H, Zhang F, Liu H, Zhang C, Zhang S, et al. Tianjin Gestational Diabetes Mellitus Prevention Program: study design, methods, and 1-year interim report on the feasibility of lifestyle intervention program. Diabetes Res Clin Pract. 2012;98(3):508-17.

- S36. Huang TT, Yeh CY, Tsai YC. A diet and physical activity intervention for preventing weight retention among Taiwanese childbearing women: a randomised controlled trial. Midwifery. 2011;27(2):257-64.
- S37. Kearney MH, Simonelli MC. Intervention fidelity: lessons learned from an unsuccessful pilot study. Appl Nurs Res. 2006;19(3):163-6.
- S38. Kim C, Draska M, Hess ML, Wilson EJ, Richardson CR. A web-based pedometer programme in women with a recent history of gestational diabetes. Diabet Med 2012;29(2):278-83.
- S39. Krummel D, Semmens E, MacBride AM, Fisher B. Lessons Learned from the Mother's Overweight Management Study in Four West Virginia WIC Offices. J Nutr Educa Behav. 2010;42(3 Suppl):S52-S8.
- S40. LeCheminant JD, Hinman T, Pratt KB, Earl N, Bailey BW, Thackeray R, et al. Effect of resistance training on body composition, self-efficacy, depression, and activity in postpartum women. Scand J Med Sci Sports. 2014;24(2):414-21.
- S41. Leermakers EA, Anglin K, Wing RR. Reducing postpartum weight retention through a correspondence intervention. Int J Obes Relat Metab Disord. 1998;22: 1103-9
- S42. Lovelady CA, Garner KE, Moreno KL, Williams JP. The effect of weight loss in overweight, lactating women on the growth of their infants. N Engl J Med. 2000;342(7):449-53.
- S43. Lovelady CA, Bopp MJ, Colleran HL, Mackie HK, Wideman L. Effect of exercise training on loss of bone mineral density during lactation. Med Sci Sports Ex. 2009;41(10):1902-7.
- S44. Maturi MS, Afshary P, Abedi P. Effect of physical activity intervention based on a pedometer on physical activity level and anthropometric measures after childbirth: a randomized controlled trial. BMC Pregnancy Childbirth. 2011;11(1):103.
- S45. McCrory MA, Nommsen-Rivers LA, Mole PA, Lonnerdal B, Dewey KG. Randomized trial of the short-term effects of dieting compared with dieting plus aerobic exercise on lactation performance. Am J Clin Nutr. 1999;69(5):959-67.
- S46. McIntyre HD, Peacock A, Miller YD, Koh D, Marshall AL. Pilot Study of an Individualised Early Postpartum Intervention to Increase Physical Activity in Women with Previous Gestational Diabetes. Int J Endocrinol. 2012;2012:5.
- S47. Nicklas JM, Zera CA, England LJ, Rosner BA, Horton E, Levkoff SE, et al. A webbased lifestyle intervention for women with recent gestational diabetes mellitus: a randomized controlled trial. Obstet Gynecol. 2014;124(3):563-70.
- S48. Østbye T, Krause KM, Lovelady CA, Morey MC, Bastian LA, Peterson BL et al. Active mothers postpartum: a randomized controlled weight-loss intervention trial. Am J Prev Med. 2009;37(3):173-80.
- S49. O'Toole ML, Sawicki MA, Artal R. Structured diet and physical activity prevent postpartum weight retention. J Womens Health (2002). 2003;12(10):991-8.
- S50. Reinhardt JA, van der Ploeg HP, Grzegrzulka R, Timperley JG. Implementing lifestyle change through phone-based motivational interviewing in rural-based women with previous gestational diabetes mellitus. Health Promot J Austr 2012;23(1):5-9.
- S51. Shek NW, Ngai CS, Lee CP, Chan JY, Lao TT. Lifestyle modifications in the development of diabetes mellitus and metabolic syndrome in Chinese women who had gestational diabetes mellitus: a randomized interventional trial. Arch Gynecol Obstet. 2014;289(2):319-27.
- S52. Shyam S, Arshad F, Abdul Ghani R, Wahab NA, Safii NS, Nisak MY, et al. Low glycaemic index diets improve glucose tolerance and body weight in women with previous history of gestational diabetes: a six months randomized trial. Nutr J. 2013;12:68.

- S53. Stendell-Hollis NR, Thompson PA, West JL, Wertheim BC, Thomson CA. A comparison of Mediterranean-style and MyPyramid diets on weight loss and inflammatory biomarkers in postpartum breastfeeding women. J Womens Health (2002). 2013;22(1):48-57.
- S54. Tripette J, Murakami H, Gando Y, Kawakami R, Sasaki A, Hanawa S, et al. Homebased active video games to promote weight loss during the postpartum period. Med Sci Sports Ex. 2014;46(3):472-8.
- S55. Walker LO, Sterling BS, Latimer L, Kim SH, Garcia AA, Fowles ER. Ethnic-specific weight-loss interventions for low-income postpartum women: findings and lessons. West J Nurs Res. 2012;34(5):654-76.
- S56. Wein P, Beischer N, Harris C, Permezel M. A trial of simple versus intensified dietary modification for prevention of progression to diabetes mellitus in women with impaired glucose tolerance. Aust N Z J Obstet Gynaecol. 1999;39(2):162-6.
- S57. Wiltheiss GA, Lovelady CA, West DG, Brouwer RJ, Krause KM, Ostbye T. Diet quality and weight change among overweight and obese postpartum women enrolled in a behavioral intervention program. J Acad Nutr Diet. 2013;113(1):54-62.
- S58. Youngwanichsetha S, Phumdoung S, Ingkathawornwong T. The effects of tai chi qigong exercise on plasma glucose levels and health status of postpartum Thai women with type 2 diabetes. Focus on Alternative and Complementary Therapies. 2013;18(4):182-7.
- S59. Zourladani A, Tsaloglidou A, Tzetzis G, Tsorbatzoudis C, Matziari C. The effect of a low impact exercise training programme on the well-being of Greek postpartum women: a randomised controlled trial: original research article. Int Sport Med J. 2011;12(1):30-8.