UNIVERSITY BIRMINGHAM University of Birmingham Research at Birmingham

Comparative reviews of diagnostic test accuracy in imaging research

Sharifabadi, Anahita Dehmoobad Sharifabadi; Leeflang, Mariska M G; Treanor, Lee ; Kraaijpoel, Noemie ; Alabousi, Mostafa ; Asraoui, Nabil ; Choo-Foo, Jade ; Takwoingi, Yemisi; Deeks, Jonathan; McInnes, Matthew DF

License: None: All rights reserved

Document Version Peer reviewed version

Citation for published version (Harvard):

Sharifabadi, ADS, Leeflang, MMG, Treanor, L, Kraaijpoel, N, Alabousi, M, Asraoui, N, Choo-Foo, J, Takwoingi, Y, Deeks, J & McInnes, MDF 2019, 'Comparative reviews of diagnostic test accuracy in imaging research: evaluation of current practices', *European Radiology*, vol. 29, no. 10, pp. 5386-5394.

Link to publication on Research at Birmingham portal

Publisher Rights Statement: Checked for eligibility: 20/03/2019

This is the accepted manuscript for a forthcoming publication in European Radiology.

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

•Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.

•User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?) •Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Title: Comparative reviews of diagnostic test accuracy in imaging research: evaluation of current practices.

Authors

- 1. Anahita Dehmoobad Sharifabadi BHSc, Department of Radiology-Faculty of Medicine, University of Ottawa. <u>adehm071@uottawa.ca</u>
- 2. **Mariska Leeflang** MG PhD Amsterdam UMC, University of Amsterdam, Clinical Epidemiology, Biostatistics and Bioinformatics, Amsterdam Public Health, Meibergdreef 9, Amsterdam, Netherlands. <u>m.m.leeflang@amc.uva.nl</u>
- 3. Lee Treanor BSc, Department of Radiology-Faculty of Medicine, University of Ottawa. <u>ltrea080@uottawa.ca</u>
- 4. **Noemie Kraaijpoel** Academic Medical Center, Meibergdreef 9, 1105 AZ Amsterdam, The Netherlands. <u>n.kraaijpoel@amc.uva.nl</u>
- 5. Jean-Paul Salameh BSc. Clinical Epidemiology Program, Ottawa Hospital Research Institute. School of Epidemiology and Public Health, University of Ottawa. jsala016@uottawa.ca
- 6. Mostafa Alabousi MD, McMaster University. <u>malab101@uottawa.ca</u>
- 7. Nabil Asraoui Faculty of Medicine, University of Ottawa. <u>nasra070@uottawa.ca</u>
- 8. Jade Choo-Foo_Faculty of Medicine, University of Ottawa. jchoo007@uottawa.ca
- 9. **Yemisi Takwoingi** PhD, Institute of Applied Health Research, University of Birmingham, UK. <u>y.takwoingi@bham.ac.uk</u>
- 10. Jonathan Deeks, Jonathan J PhD, Institute of Applied Health Research, University of Birmingham, UK. j.deeks@bham.ac.uk
- 11. Matthew DF McInnes MD PhD FRCPC (Corresponding Author) Associate Professor, University of Ottawa Department of Radiology. Clinical Epidemiology Program, Ottawa Hospital Research Institute. Room c159 Ottawa Hospital Civic Campus, 1053 Carling Ave. Ottawa ON, K1Y 4E9. Email: <u>mmcinnes@toh.on.ca</u> Phone: (613)761-4054. Fax: (613)761-4476

Title: Comparative reviews of diagnostic test accuracy in imaging research: evaluation of current practices.

Article type: Original Research

Abstract

Purpose: The purpose of this methodological review was to determine the extent to which comparative imaging systematic reviews of diagnostic test accuracy (DTA) use primary studies with comparative or non-comparative designs.

Methods: MEDLINE was used to identify DTA systematic reviews published in imaging journals between January 2000 and May 2018. Inclusion criteria: systematic reviews comparing at least 2 index tests (one of which was imaging-based); review characteristics were extracted. Study design and other characteristics of primary studies included in the systematic reviews were evaluated.

Results: 103 comparative imaging reviews were included; 11 (11%) included only comparative studies, 12 (11%) included only non-comparative primary studies and 80 (78%) included both comparative and non-comparative primary studies. For reviews containing both comparative and non-comparative primary studies, the median proportion of non-comparative primary studies was 81% (IQR 57%-90%). Of 92 reviews that included non-comparative primary studies, 86% did not recognize this as a limitation. Furthermore, among 4,182 primary studies, 3,438 (82%) were non-comparative and 744 (18%) were comparative in design.

Conclusion: Most primary studies included in comparative imaging reviews are noncomparative in design and awareness of the risk of bias associated with this is low. This may lead to incorrect conclusions about the relative accuracy of diagnostic tests and be counter-productive for informing guidelines and funding decisions about imaging tests.

Key Words: diagnostic test, routine; comparative effectiveness research; sensitivity and specificity

Key Points:

- 1. Few comparative accuracy imaging reviews include only primary studies with optimal comparative study designs. Among the rest, few recognize the risk of bias conferred from inclusion of primary studies with non-comparative designs.
- 2. The demand for accurate comparative accuracy data combined with minimal awareness of valid comparative study designs may lead to counter-productive research and inadequately supported clinical decisions for diagnostic tests.
- 3. Using comparative accuracy imaging reviews with a high risk of bias to inform

guidelines and funding decisions may have detrimental impacts on patient care.

Abbreviations:

CT: Computed tomography DTA: Diagnostic test accuracy MRI: Magnetic resonance imaging PRISMA – DTA: Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies QUADAS-2: Quality Assessment of Diagnostic Accuracy Studies RCT: Randomized controlled trial SPSS: Statistical Package for the Social Sciences RSNA: Radiologic Society of North America US: Ultrasound VOICE: Value of Imaging through Comparative Effectiveness

Word Count (Introduction-Discussion): 2886

Introduction

Research comparing the diagnostic accuracy of two or more imaging tests is essential to determine optimal diagnostic pathways and downstream treatment decisions. Comparative effectiveness research has recently been highly prioritized; there is a multitude of initiatives and increased funding to ensure high-quality comparative medical research [1-5]. In medical imaging, comparative accuracy studies are in high demand; the National Institute of Medicine has called for investigators to compare the effectiveness of imaging tests in diagnosis and monitoring of various target conditions [1]. Systematic reviews of comparative accuracy studies, where evidence on the diagnostic accuracy of two or more index tests are synthesized, are a major determinant of funding new imaging technologies and policies regarding their usage [7].

When comparing healthcare interventions, randomized controlled trials (RCTs) are common and the highest standard for comparison [8]. Systematic reviews of RCTs are used in clinical decision making for selecting optimal interventions. Systematic reviews that compare the accuracy of diagnostic tests often use primary studies that have investigated only one of the index tests and make uncontrolled between-study comparisons [9,10]. These primary study comparisons are termed non-comparative as they evaluate index tests in different and/or non-randomized study populations with varying characteristics and different reference standards or methodologies. In contrast to indirect comparisons and network meta-analyses of interventional studies, there is typically no common control to adjust for differences in accuracy of common tests between studies, and their usage at the same point in the diagnostic pathway is often incorrectly assumed [11-13]. As a result, the high degree of heterogeneity observed in

DTA meta-analyses [14] raises concern that results derived from comparing noncomparative primary studies may be at high risk of bias [10].

Unlike studies comparing therapeutic interventions, well-designed comparative studies in diagnostic test accuracy (DTA) research are relatively uncommon [10, 15]. High quality comparative methods would include primary studies that apply the index tests to every study participant or randomly allocate participants to receive one of the index tests [9,10]. These studies are expected to be at lower risk of bias since they enable comparisons of like-with-like, either within the same participants or between randomized groups [16].

DTA systematic reviews using non-comparative primary studies are likely to report different results, and are at higher risk of bias, compared to systematic reviews using comparative primary studies [10]. Methods to adjust for bias introduced due to inclusion of non-comparative primary studies, such as adjusting for study features or using individual patient data, have not demonstrated success [17,18]. If comparative imaging reviews largely rely on non-comparative primary studies, the conclusions regarding the comparative accuracy of index tests may be biased. As such, an evaluation of the current practices in conducting imaging comparative accuracy research is an important first step in understanding the potential extent of such bias.

The purpose of this methodological review was to determine the extent to which comparative imaging systematic reviews of DTA use primary studies with comparative or non-comparative designs.

Methods

Research ethics board approval is not required for this study type at our institution. The study protocol was registered in the Open Science Framework (DOI 10.17605/OSF.I O/P7X3C).

Terminology

A '**comparative imaging review**' is defined as a systematic review of DTA that includes at least one comparison of test accuracy of imaging tests.

For classification of primary studies that were included in the comparative imaging reviews, we used the term "**non-comparative primary study**" to refer to studies that either: a) evaluated a single test; or b) compared the accuracy of 2 or more tests between non-randomly allocated groups. We used the term "**comparative primary study**" to refer to a study that aimed to compare either; a) the accuracy of at least two index tests in the same population of participants (for which participants had both tests and the reference standard); or b) one that randomly allocated patients to receive each index test and reference standard. Furthermore, we classified a primary study as comparative only if at least two of the index tests compared are the same as the competing index tests in the comparative imaging review. Figure 1 provides a schematic of the classification scheme for primary study comparative methods.

Data Sources, Searches and Inclusion

MEDLINE was searched to identify DTA systematic reviews published between January 1st, 2000 and May 6th, 2018 (last date of search). The Montori method was used as a search strategy to identify systematic reviews (search details in Appendix 1) [19]. The search was restricted to imaging-specific journals based on the 2015 Thomas Institute of Science Information list of imaging journals [20], corresponding to 72

journals (Appendix 2). We did not use specific keywords filtering comparative imaging reviews. There were no restrictions on language and type of index test.

Comparative imaging reviews were included if the following criteria were met: (1) the diagnostic accuracy of at least two index tests (at least one of which must be an imaging test: CT, MRI, US, x-ray, nuclear medicine, mammography) were evaluated in human subjects against a reference standard; (2) if the objective of the review was comparative; and (3) if the review contained at least one sentence in which the review authors made a comparison between index tests regarding their relative diagnostic accuracy. Reviews were excluded if the full-text article was irretrievable, if the primary studies were not identifiable through the references or if comparisons were made between different thresholds of the same index tests.

A single investigator (AD) performed the title and abstract screen. Two investigators (AD and MA) independently assessed full texts of relevant studies for inclusion. Disagreements were resolved by discussion, or by consulting a third reviewer (MDFM).

Data Extraction from Comparative Imaging Reviews

Two reviewers (any two of: LT, ADS, JC, NA medical students; JPS, an epidemiology graduate student; and NK, MA medical residents) independently extracted the following data from the full text of included comparative imaging reviews: first author, journal, journal impact factor, publication year, target condition, index test evaluated, imaging modality/subspecialty, number of included primary studies, whether comparative primary study design was an inclusion criterion, and whether the inclusion of non-comparative primary studies was recognized as a limitation. The meta-analytic method for comparing the accuracy of the index tests was extracted and categorized as follows: a) between meta-analysis (e.g. separate models fitted for each test and comparisons made between meta-analytic summaries using statistical tests); b) within meta-analysis (e.g. test comparisons made within a single meta-analytic model e.g. meta-regression); c) none (e.g. informal comparisons or narrative reviews); d) unclear (not reported). If either a separate analysis limited to comparative primary studies or a regression analysis with comparative primary study design was a co-variate were performed, its impact on the results was recorded.

Data Extraction from Primary Studies

For each included comparative imaging review, the abstracts (and if necessary full texts) of the primary studies were retrieved to extract the following: first author, publication year, and study design (described in Figure 1). If <90% of patients underwent both index tests, the study was classified as non-randomized allocation of patients to index tests. For reviews evaluating >2 index tests, each pairwise test comparison was considered separately. For reviews with multiple comparisons, the largest meta-analysis was used for data extraction; for example, if a comparative imaging review included both per-lesion and per-patient meta-analyses, the analysis with the largest dataset was included. Primary studies were classified under randomized allocation if this was explicitly stated in the design of the study.

All data extraction was duplicated independently, with disagreements resolved through discussion and if necessary with a third reviewer (MDFM).

Data Synthesis and Analysis

Descriptive statistics were used to calculate the proportion of comparative imaging reviews relying on: a) only comparative primary studies, b) only noncomparative primary studies, and c) both comparative and non-comparative primary

studies. Additionally, other review characteristics extracted were classified by review type (only comparative, only non-comparative, both comparative and non-comparative). The proportion of each type of primary study design was examined by review type and publication year. Analyses were performed using SPSS software, version 24 [21].

Results

Selection of Comparative Imaging Reviews

One-hundred and three comparative imaging reviews were included, comprising of 2,280 unique primary studies. Screening and inclusion details are outlined in Figure 2. *Comparative Imaging Review Characteristics*

Comparative imaging review characteristics are outlined in Table 1. Overall, 11/103 (11%) included only comparative primary studies, 12/103 (11%) included only non-comparative primary studies, and 80/103 (78%) included both comparative and non-comparative primary studies (Table 2). The median percentage of non-comparative primary studies for all reviews was 81 (IQR 38-93). For reviews containing both comparative and non-comparative primary studies, the median percentage of non-comparative primary studies was 81 (IQR 57%-90%). Of the comparative imaging reviews that included non-comparative primary studies, 79/92 (86%) did not recognize the limitation of including non-comparative primary studies. Among comparative imaging reviews that included both comparative and non-comparative primary studies, 6/80 (8%) included a subgroup analysis for comparative primary studies. The impact of the subgroup on the final results of the review were not reported for 2 [22, 23], did not impact the final results for 3 [24-26], and changed the direction of results for 1 [27].

Comparative imaging review characteristics stratified by overall review type (i.e. based on the design of their included primary studies) are outlined in Table 2.

Primary Study Characteristics

Among the primary studies assessed; 3,438/4,182 (82%) were non-comparative and 744/4,182 (18%) were comparative; these numbers are higher than the number of included primary studies (2,280), because in multiple comparison reviews, primary studies were considered separately for each pairwise comparison. Of non-comparative primary studies, 3,285/3,438 (96%) were single test vs. reference standard studies and 153/3,438 (4%) were non-randomized studies. Within the non-randomized primary studies, 94/153 (61%) conducted both index test in <90% of all patients and 59/153 (39%) compared non-randomized groups of patients. Of comparative primary studies, 734/744 (99%) were within patient comparisons and 10/744 (1%) were randomized. Detailed information regarding individual primary studies stratified by overall review types and their publication year are provided in Table 3.

Discussion

This methodologic review of 103 comparative imaging systematic reviews identified that a minority (11%) include only primary studies with comparative design. Among the remaining comparative imaging systematic reviews, primary studies with non-comparative design comprised the majority of included studies (>80%); few of them recognized the risk of bias conferred by inclusion of primary studies with non-comparative design. The bias introduced by including primary studies with non-comparative designs raises major concerns regarding the validity of conclusions that can be drawn from these comparative imaging reviews.

Our findings are consistent with a previously published study on general diagnostic accuracy comparative reviews (including non-imaging topics) in which 11% of comparative reviews included only primary studies with comparative design [10]. However, our finding that 82% of primary studies included in comparative accuracy imaging systematic reviews were non-comparative in design is higher than reported by Takwoingi *et al.*, who identified that 69% of included primary studies were non-comparative [10]. This discrepancy may be related to the relative difficulty in conducting index tests; for example, conducting multiple imaging tests on study participants is likely more logistically challenging than multiple laboratory tests.

In our cohort, there was a higher proportion of multiple index test comparisons in reviews that included primary studies with non-comparative design; all reviews that included only comparative design primary studies evaluated only 2 index tests. The increased likelihood of including non-comparative primary studies in multiple comparison reviews illustrates the difficult balance between limiting inclusion to comparative design primary studies (to minimize the risk of bias) versus allowing all primary study-design types to include more studies (higher precision) in the comparative imaging review. Authors evaluating more than two index tests should consider techniques such as network meta-analysis which may overcome some of the bias from noncomparative primary studies [28].

Our findings raise concern regarding meta-analytic approaches used in comparative imaging reviews. Most reviews (80%) reported 'between' meta-analysis comparisons (separate meta-analyses for each index test). The comparison of accuracy estimates from these separate meta-analyses is problematic since it does not account for both within and between study variability in one statistical model [14]. Authors should

consider methods such as hierarchical meta-regression (including test type as a covariate) which would better account for these sources of variability and allow more valid comparisons of accuracy [29].

In order to increase the quality and validity of comparative imaging reviews, more primary studies with comparative design are needed [15]. Within patient comparison studies (all patients receive both index tests) may be challenging to conduct. For example, randomization may be unethical when one of the diagnostic pathways may lead to earlier adequate therapy [30]. Furthermore, conducting more than one index test in one population may be challenging due to the high cost of imaging and potential for increased time to treatment. Certain procedural techniques may also not be technically feasible to perform twice on one patient; for example, it may not be feasible to obtain image-guided biopsies of one lesion twice [30]. Despite this, randomization of patients to index tests in comparative primary studies should be considered as an alternate high-quality design. Randomization may decrease the logistic challenges of having all patients undergo 2 tests is considered comparable. Interestingly, we identified only 10 primary studies that used randomized allocation indicating that this design may be under-utilized.

The median year of publication for primary studies with comparative design was higher (2007) than that for primary studies with non-comparative design (2003). This may represent progress related to efforts to promote high quality comparative research [31]. Recent initiatives such as courses and workshops on comparative research by national and international agencies, such as the RSNA Value of Imaging through Comparative Effectiveness (VOICE) program, should further promote optimal methods for comparative accuracy primary studies and systematic reviews [5, 31].

The goal of comparative accuracy reviews should be to allow valid comparisons between imaging tests. Valid comparisons are not feasible unless review authors are aware of the risk of bias from inclusion of primary studies with non-comparative design. Using non-comparative designs to compare two index tests may be futile in terms of cost and time as decisions made in clinical practice from these reviews may be confounded. Non-comparative primary studies may have used the index tests in various clinical contexts and diagnostic pathways, making comparisons between the two tests inaccurate [10]. To address this source of confounding, review authors can consider only including primary studies with comparative design; however, given the relative lack of these studies in the imaging literature, this may limit sample size. Alternatively, if primary studies with non-comparative design are included, statistical methods to explore the impact primary studies design (e.g. meta-regression using study design as a co-variate) should be considered [10].

Various guidelines have been developed to improve the conduct and reporting of systematic reviews that compare index tests. The Cochrane Collaboration's Handbook for Systematic Reviews of Diagnostic Test Accuracy provides further guidance for review authors on appropriate analysis and interpretation of results for DTA comparative systematic reviews [32]. Furthermore, the PRISMA-DTA checklist facilitates more comprehensive and transparent reporting of reviews to contextualize conclusions regarding index test superiority in comparisons [33, 34]. However, some tools designed for DTA systematic reviews are not optimized for comparative accuracy (e.g. QUADAS-2 for assessing risk of bias in included studies); further work to tailor these for comparative reviews would be helpful [35].

This study has several strengths. The search included reviews published since 2000, and a broad set of imaging journals. Pilot extraction forms were used in addition to duplicate independent extraction to reduce variability. The data extraction included several thousand primary studies and used contemporary guidance regarding study design classification.

This work has limitations. The search was limited to imaging journals only; imaging reviews published in non-imaging journals were not included. The analysis did not explore other primary study characteristics which could further bias comparative reviews; for example, factors known to confer high risk of bias such as blinding of the index tests to each other and to the reference standard were not considered [33, 35]. Evaluation of further sources of bias in comparative imaging reviews are warranted in future research. Furthermore, a 90% threshold for studies that did not implement both index tests in the study sample was arbitrary. However, given the small number of studies in this category, it is unlikely to significantly impact our findings. In addition, it was important to identify these studies to illustrate the discrepancies between our definition of comparative studies and those used in the included reviews.

In conclusion, our findings illustrate challenges in comparative imaging reviews; 1) a minority of reviews rely exclusively on primary studies with comparative design; 2) the majority of primary studies included in comparative accuracy reviews are noncomparative in design; 3) awareness of the risk of bias conferred from inclusion of primary studies with non-comparative design is low. The recent prioritization of comparative accuracy data and simultaneous minimal awareness of valid comparative designs may lead to counter-productive research and inadequately supported clinical decisions for diagnostic tests and subsequent treatment. Given the rapid growth of

systematic reviews in imaging journals and the fundamental role of imaging in clinical practice, it is vital that high quality comparative accuracy imaging research is encouraged in primary studies, and that the risk of bias from including non-comparative primary studies in reviews is better understood and acknowledged [36].

References

1. Institute of Medicine (US) Roundtable on Value & Science-Driven Health Care (2009) Learning What Works: Infrastructure Required for Comparative Effectiveness Research: Workshop Summary. Appendix C, Comparative Effectiveness Research Priorities: IOM Recommendations Washington, DC: National Academies Press (US). Available via https://www.nap.edu/read/12214/chapter/2. Accessed 11 Oct 2018

Godlee F (2010) More research is needed - but what type?. BMJ. 341:c4662
 Comparative Effectiveness Research Prioritization: National Academies of

Sciences, Engineering, Medicine. Available via

http://www.nationalacademies.org/hmd/Activities/Research/CERPriorities.aspx.

4. America RSoN. RSNA/ASNR Comparative Effectiveness Research Training (CERT) Program. Available via https://www.rsna.org/education/workshops/comparative-effectiveness-research-training. Accessed 11 Oct 2018

5. Value of Imaging Through Comparative Effectiveness (VOICE)

A Collaborative Training Program in Biomedical Big Data and Comparative Effectiveness Research (2018). Radiology.

6. Pandharipande PV, Gazelle GS (2009) Comparative effectiveness research: what it means for radiology. Radiology 253(3):600-5

7. Guide to the methods of technology appraisal (2013). National Institute for Health and Care Excellence (NICE). NICE Process and Methods Guides.

 Concato J, Shah N, Horwitz RI (2000) Randomized, controlled trials, observational studies, and the hierarchy of research designs. N Engl J Med 342(25):1887-92

9. Leeflang MM, Deeks JJ, Gatsonis C, Bossuyt PM (2008) Systematic reviews of diagnostic test accuracy. Ann Intern Med 149(12):889-97

10. Takwoingi Y, Leeflang MM, Deeks JJ (2013) Empirical evidence of the importance of comparative studies of diagnostic test accuracy. Ann Intern Med 158(7):544-54

 Sutton A, Ades AE, Cooper N, Abrams K (2008) Use of indirect and mixed treatment comparisons for technology assessment. Pharmacoeconomics 26(9):753-67
 Lumley T (2002) Network meta-analysis for indirect treatment comparisons. Stat Med 21(16):2313-24

13. Bossuyt PM, Irwig L, Craig J, Glasziou P (2006) Comparative accuracy: assessing new tests against existing diagnostic pathways. BMJ 332(7549):1089-92

14. Dinnes J, Deeks J, Kirby J, Roderick P (2005) A methodological review of how heterogeneity has been examined in systematic reviews of diagnostic test accuracy. Health Technol Assess 9(12):1-113, iii

15. Leeflang MMG, Reitsma JB (2018) Systematic reviews and meta-analyses addressing comparative test accuracy questions. Diagnostic and Prognostic Research 2(17)

16. Zhou X-H, Obuchowski NA, McClish DK (2011) Statistical Methods in Diagnostic Medicine: John Wiley & Sons DOI:10.1002/9780470906514

17. Leeflang M, Nisio M, Rutjes A, Zwinderman AH, Bossuyt P (2011) Adjusting for indirectness in comparative test accuracy meta-analyses.: Cochrane Database of Systematic Reviews, Supplement

18. Wang J, Bossuyt P, Geskus R et al (2015) Using individual patient data to adjust for indirectness did not successfully remove the bias in this case of comparative test accuracy. J Clin Epidemiol 68(3):290-8

19. Shojania KG, Bero LA (2001) Taking advantage of the explosion of systematic reviews: an efficient MEDLINE search strategy. Eff Clin Pract 4(4):157-62

20. Web of Science: Clarivate Analytics. Available via

https://login.webofknowledge.com/. Accessed 11 Oct 2018.

21. IBM Statistics for Mac (2016). 24 ed: Corp IBM.

22. Issa Y, Kempeneers MA, van Santvoort HC, Bollen TL, Bipat S, Boermeester MA (2017) Diagnostic performance of imaging modalities in chronic pancreatitis: a systematic review and meta-analysis. Eur Radiol 27(9):3820-44

23. Kiewiet JJ, Leeuwenburgh MM, Bipat S, Bossuyt PM, Stoker J, Boermeester MA (2012) A systematic review and meta-analysis of diagnostic performance of imaging in acute cholecystitis. Radiology 264(3):708-20

24. Laméris W, van Randen A, Bipat S, Bossuyt PM, Boermeester MA, Stoker J (2008) Graded compression ultrasonography and computed tomography in acute colonic diverticulitis: meta-analysis of test accuracy. Eur Radiol 18(11):2498-511

25. Vilgrain V, Esvan M, Ronot M, Caumont-Prim A, Aubé C, Chatellier G (2016) A meta-analysis of diffusion-weighted and gadoxetic acid-enhanced MR imaging for the detection of liver metastases. Eur Radiol 26(12):4595-615

26. Wang Z, Wang Y, Sui X et al (2015) Performance of FLT-PET for pulmonary lesion diagnosis compared with traditional FDG-PET: A meta-analysis. Eur J Radiol 84(7):1371-7

27. Berger N, Luparia A, Di Leo G et al (2017) Diagnostic Performance of MRI Versus Galactography in Women With Pathologic Nipple Discharge: A Systematic Review and Meta-Analysis. AJR Am J Roentgenol 209(2):465-71.

28. McGrath TA, Bossuyt PM, Cronin P et al (2018) Best practices for MRI systematic reviews and meta-analyses. J Magn Reson Imaging DOI: 10.1002/jmri.26198

29. Rutter CM, Gatsonis CA (2001) A hierarchical regression approach to metaanalysis of diagnostic test accuracy evaluations. Stat Med 20(19):2865-84

30. Bossuyt PM, Lijmer JG, Mol BW (2000) Randomised comparisons of medical tests: sometimes invalid, not always efficient. Lancet 356(9244):1844-7

31. Kang SK, Rawson JV, Recht MP (2018) Supporting Imagers' VOICE: A National Training Program in Comparative Effectiveness Research and Big Data Analytics. J Am Coll Radiol 15(10):1451-4

32. Macaskill P GC, Deeks JJ, Harbord RM, Takwoingi Y (2010) Chapter 10: Analysing and Presenting Results. In: Deeks JJ, Bossuyt PM, Gatsonis C (editors), Cochrane Handbook for Systematic Reviews of Diagnostic Test Accuracy The Cochrane Collaboration.

33. McInnes MDF, Moher D, Thombs BD et al (2018) Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies: The PRISMA-DTA Statement. JAMA 319(4):388-96

34. Frank RA, Bossuyt PM, McInnes MDF (2018) Systematic Reviews and Meta-Analyses of Diagnostic Test Accuracy: The PRISMA-DTA Statement. Radiology DOI: 10.1148/radiol.2018180850

35. Whiting PF, Rutjes AW, Westwood ME et al (2011) QUADAS-2: a revised tool for the quality assessment of diagnostic accuracy studies. Ann Intern Med 155(8):529-36

36. Alabousi M, Alabousi A, McGrath TA et al (2018) Epidemiology of systematic reviews in imaging journals: evaluation of publication trends and sustainability? Eur Radiol DOI: 10.1007/s00330-018-5567-z

Table 1. Characteristics of included comparative imaging reviews.

Table 2. Characteristics of included reviews stratified by type of included studies.

Table 3. Distribution of primary studies across overall review categories based on included primary studies (only comparative, only non-comparative, and combination) and primary study publication year.

Figure Captions

Figure 1. Comparative and non-comparative primary study designs.

Figure 2. Selection of DTA imaging reviews.

Appendix 1 – Search strategy for systematic reviews in imaging journals.

(systematic review [ti] OR meta-analysis [pt] OR meta-analysis [ti] OR systematic literature review [ti] OR this systematic review [tw] OR pooling project [tw] OR (systematic review [tiab] AND review [pt]) OR meta synthesis [ti] OR meta-analy*[ti] OR integrative review [tw] OR integrative research review [tw] OR rapid review [tw] OR umbrella review [tw] OR consensus development conference [pt] OR practice guideline [pt] OR drug class reviews [ti] OR cochrane database syst rev [ta] OR acp journal club [ta] OR health technol assess [ta] OR evid rep technol assess summ [ta] OR jbi database system rev implement rep [ta]) OR (clinical guideline [tw] AND management [tw]) OR ((evidence based[ti] OR evidence-based medicine [mh] OR best practice* [ti] OR evidence synthesis [tiab]) AND (review [pt] OR diseases category[mh] OR behavior and behavior mechanisms [mh] OR therapeutics [mh] OR evaluation studies[pt] OR validation studies[pt] OR guideline [pt] OR pmcbook)) OR ((systematic [tw] OR systematically [tw] OR critical [tiab] OR (study selection [tw]) OR (predetermined [tw]) OR inclusion [tw] AND criteri* [tw]) OR exclusion criteri* [tw] OR main outcome measures [tw] OR standard of care [tw] OR standards of care [tw]) AND (survey [tiab] OR surveys [tiab] OR overview* [tw] OR review [tiab] OR reviews [tiab] OR search* [tw] OR handsearch [tw] OR analysis [ti] OR critique [tiab] OR appraisal [tw] OR (reduction [tw]AND (risk [mh] OR risk [tw]) AND (death OR recurrence))) AND (literature [tiab] OR articles [tiab] OR publications [tiab] OR publication [tiab] OR bibliography [tiab] OR bibliographies [tiab] OR published [tiab] OR pooled data [tw] OR unpublished [tw] OR citation [tw] OR citations [tw] OR database [tiab] OR internet [tiab] OR textbooks [tiab] OR references [tw] OR scales [tw] OR papers [tw] OR datasets [tw] OR trials [tiab] OR meta-analy* [tw] OR (clinical [tiab] AND studies [tiab]) OR treatment outcome [mh] OR treatment outcome [tw] OR pmcbook)) NOT (letter [pt] OR newspaper article [pt]) AND Abdominal Imaging [ta] OR Academic Radiology [ta] OR American Journal of Neuroradiology [ta] OR American Journal of Roentgenology [ta] OR OR BMC Medical Imaging [ta] OR British Journal of Radiology [ta] OR Canadian Association of Radiologists Journal [ta] OR Cancer Imaging [ta] OR Cardiovascular and Interventional Radiology [ta] OR Clinical Imaging [ta] OR Clinical Neuroradiology [ta] OR Computerized Medical Imaging and Graphics [ta] OR Contrast Media and Molecular Imaging [ta] OR Current Medical Imaging Reviews [ta] OR Dentomaxillofacial Radiology [ta] OR Diagnostic and Interventional Imaging [ta] OR European Journal of Nuclear Medicine and Molecular Imaging [ta] OR European Journal of Radiology [ta] OR European Radiology [ta] OR IEEE Transactions on Medical Imaging [ta] OR International Journal of Computer Assisted Radiology and Surgery [ta] OR Interventional Neuroradiology [ta] OR Investigative Radiology [ta] OR Iranian Journal of Radiology [ta] OR OR Japanese Journal of Radiology [ta] OR JBR-BTR [ta] OR Journal of Cardiovascular Computed Tomography [ta] OR Journal of Cardiovascular Magnetic Resonance [ta] OR Journal of Clinical Ultrasound [ta] OR Journal of Computer Assisted Tomography [ta] OR Journal of Digital Imaging [ta] OR Journal of Magnetic Resonance Imaging [ta] OR Journal of Medical Imaging and Health Informatics [ta] OR Journal of Medical Imaging and Radiation Oncology [ta] OR Journal of Medical Ultrasonics [ta] OR Journal of Neuroimaging [ta] OR Journal of the American College of Radiology [ta] OR Journal of Thoracic Imaging [ta] OR Journal of Ultrasound in Medicine [ta] OR Journal of Vascular and Interventional Radiology [ta] OR Korean Journal of Radiology

[ta] OR Magnetic Resonance Imaging [ta] OR Magnetic Resonance Imaging Clinics of North America [ta] OR Magnetic Resonance in Medical Sciences [ta] OR Magnetic Resonance in Medicine [ta] OR Medical Image Analysis [ta] OR Medical Ultrasonography [ta] OR Molecular Imaging [ta] OR Molecular Imaging and Biology [ta] OR Neuroimage [ta] OR Neuroimaging Clinics of North America [ta] OR Neuroradiology [ta] OR Pediatric Radiology [ta] OR Quarterly Journal of Nuclear Medicine and Molecular Imaging [ta] OR Radiographics [ta] OR Radiologic Clinics of North America [ta] OR Radiology [ta] OR Radiology and Oncology [ta] OR Seminars in Musculoskeletal Radiology [ta] OR Seminars in Roentgenology [ta] OR Skeletal Radiology [ta] OR Surgical and Radiologic Anatomy [ta] OR Ultrasonic Imaging [ta] OR Ultrasonics [ta] OR Ultrasound in Medicine and Biology [ta] OR Ultrasound in Obstetrics and Gynecology [ta] OR Ultrasound Quarterly [ta]

Appendix 2: Included imaging journals. Full journal title (72 Journals) RADIOLOGY JOURNAL OF CARDIOVASCULAR MAGNETIC RESONANCE EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING NEUROIMAGE INVESTIGATIVE RADIOLOGY MEDICAL IMAGE ANALYSIS ULTRASOUND IN OBSTETRICS & GYNECOLOGY MAGNETIC RESONANCE IN MEDICINE IEEE TRANSACTIONS ON MEDICAL IMAGING EUROPEAN RADIOLOGY Contrast Media & Molecular Imaging JOURNAL OF MAGNETIC RESONANCE IMAGING AMERICAN JOURNAL OF NEURORADIOLOGY Journal of the American College of Radiology Clinical Neuroradiology JOURNAL OF NEURORADIOLOGY AMERICAN JOURNAL OF ROENTGENOLOGY EUROPEAN JOURNAL OF RADIOLOGY JOURNAL OF VASCULAR AND INTERVENTIONAL RADIOLOGY MOLECULAR IMAGING AND BIOLOGY RADIOGRAPHICS Journal of Cardiovascular Computed Tomography QUARTERLY JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING ULTRASOUND IN MEDICINE AND BIOLOGY NEURORADIOLOGY Molecular Imaging ABDOMINAL IMAGING CLINICAL RADIOLOGY CARDIOVASCULAR AND INTERVENTIONAL RADIOLOGY ULTRASONIC IMAGING ACADEMIC RADIOLOGY ULTRASONICS DENTOMAXILLOFACIAL RADIOLOGY Magnetic Resonance Imaging Clinics of North America **BRITISH JOURNAL OF RADIOLOGY**

International Journal of Computer Assisted Radiology and Surgery RADIOLOGIC CLINICS OF NORTH AMERICA INTERNATIONAL JOURNAL OF RADIATION BIOLOGY Radiology and Oncology JOURNAL OF THORACIC IMAGING **BMC MEDICAL IMAGING** JOURNAL OF NEUROIMAGING KOREAN JOURNAL OF RADIOLOGY NEUROIMAGING CLINICS OF NORTH AMERICA JOURNAL OF ULTRASOUND IN MEDICINE SKELETAL RADIOLOGY PEDIATRIC RADIOLOGY CANCER IMAGING JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY SEMINARS IN INTERVENTIONAL RADIOLOGY Diagnostic and Interventional Radiology JOURNAL OF DIGITAL IMAGING COMPUTERIZED MEDICAL IMAGING AND GRAPHICS Magnetic Resonance in Medical Sciences SEMINARS IN ULTRASOUND CT AND MRI SURGICAL AND RADIOLOGIC ANATOMY Journal of Medical Imaging and Radiation Oncology Medical Ultrasonography SEMINARS IN MUSCULOSKELETAL RADIOLOGY CANADIAN ASSOCIATION OF RADIOLOGISTS JOURNAL-JOURNAL DE LASSOCIATION CANADIENNE DES RADIOLOGISTES CLINICAL IMAGING Journal of Medical Imaging and Health Informatics Japanese Journal of Radiology JOURNAL OF CLINICAL ULTRASOUND SEMINARS IN ROENTGENOLOGY Ultrasound Quarterly INTERVENTIONAL NEURORADIOLOGY **Current Medical Imaging Reviews** Journal of Medical Ultrasonics CONCEPTS IN MAGNETIC RESONANCE PART A Iranian Journal of Radiology JBR-BTR

Characteristic	acteristics of included comparative imag	Number	
Year of Publication, median (IQR)		2013 (2010-2017)	
Total Journals		25	
	Radiology	16 (15)	
	European Radiology	15 (15)	
	European Journal of Radiology	12 (12)	
	Other	60 (58)	
Journal Impact Factor, median (IQR)		2.57 (2.13 – 3.97)	
Imaging Modalities, n (%) ^a			
	MRI	56 (54)	
	СТ	52 (50)	
	Nuclear Medicine	41 (40)	
	US	36 (35)	
	Plain Films	7 (7)	
	Mammography	3 (3)	
	Fluoroscopy	2 (2)	
	Interventional Radiology	1 (1)	
	Other	9 (9)	
Target Conditions		60	
	Hepatic Lesions	7 (7)	
	Coronary Artery Disease	5 (5)	
	Breast Cancer	5 (5)	
	Bone Metastases	5 (5)	
	Appendicitis	4 (4)	
	Pulmonary Nodule	4 (4)	
	Prostate Cancer	3 (3)	
	Ovarian Carcinoma	3 (3)	
	Thyroid Lesion	3 (3)	
	Pulmonary Embolism	2 (2)	
	Cholecystitis	2 (2)	
	Pancreatic Cancer	2 (2)	
	Acetabular Tears	2 (2)	
	Other	56 (54)	
Imaging Spec	ialties	13	
	Oncologic Imaging	35 (34)	
	Gastrointestinal	17 (17)	
	Musculoskeletal	11 (11)	
	Chest	7 (7)	
	Cardiac	6 (6)	
	Breast	5 (5)	
	Other	22 (21)	
^a Multipla mo	delition are reported per review		

Table 1. Characteristics of included comparative imaging reviews.

^a Multiple modalities are reported per review.

	Only comparative studies ^b	Only non- comparative studies ^c	Both comparative and non- comparative studies ^d	Total
Reviews, n (%)	11 (11)	12 (11)	80 (78)	103 (100)
Number of primary studies per	review			
Median (range)	7 (4-12)	17 (11-42)	24 (3-90)	19 (3-90
IQR	6-11	13-26	13-39	12-33
Number of index tests, n (%)				
2	11 (100)	11 (92)	41 (51)	63 (61)
3	0	1 (8)	22 (28)	23 (22)
4	0	0	11 (14)	11 (11)
>=5	0	0	6 (7)	6 (6)
Year of publication, n (%) ^a				
Median (range)	2014 (2007-2018)	2014 (2000-2016)	2013 (2002 - 2018)	2013 (2000 - 2018)
IQR	2008 - 2018	2012 - 2016	2010 - 2017	2010 - 2017
Comparative primary studies as an inclusion criterion, n (%)	10 (91)	1 (9)	6 (7)	17 (17)
Reference standard, n (%)				
Composite (pathology and/or follow up)	2 (18)	3 (25)	32 (40)	37 (36)
Imaging and/or clinical follow up	1 (9)	3 (25)	14 (17)	18 (17)
Pathology	4 (36)	4 (33)	17 (21)	25 (24)
Surgery/Intra- operative	1 (9)	0	4 (5)	5 (5)
None specified	1 (9)	1 (8)	4 (5)	6 (6)
Other	2 (18)	1 (8)	9 (11)	12 (12)
Method, n (%)				
Between meta- analysis	9 (82)	10 (83)	63 (79)	82 (80)
Within meta-analysis	0	1 (8)	3 (4)	4 (4)
None	2 (18)	1 (8)	14 (17)	17 (16)
^a Dev total madian antit	-			

Table 2. Characteristics of included reviews stratified by type of included studies.

^a By total median split. ^b Only comparative refers to comparative imaging reviews containing only comparative primary studies.

^c Only non-comparative refers to comparative imaging reviews containing only non-

comparative primary studies. ^d Both non-comparative and comparative refers to comparative imaging reviews containing a combination of comparative and non-comparative primary studies.

Table 3. Distribution of primary studies across overall review categories based on included primary studies (only comparative, only non-comparative, and combination) and primary study publication year.

	Review Categories			Publication Year
Primary Study	Only comparative n (%)	Only non- comparative n (%)	Both comparative and non-comparative n (%)	Median (range) IQR
Non-comparative primary study				
Single test vs. reference standard	0	263 (99)	3022 (79)	2003 (1972-2017) 1997-2008
Non-randomized allocation to index tests	0	3 (1)	150 (4)	2007 (1987-2016) 2001-2010
Total non-comparative	0	266 (100)	3172 (83)	2003 (1972-2017) 1997-2008
Comparative primary study				
Within patient comparison of index tests ^a	80 (100)	0	654 (17)	2007 (1979-2018) 2002 – 2010
Randomized allocation to index tests	0	0	10 (0.003)	2009 (2000 – 2012) 2002 - 2010
Total comparative	80 (100)	0	664 (17)	2007 (1979-2018) 2002 - 2010

^a Within patient comparison of index tests refers to a primary study where both index tests were performed in one patient as well as the reference standard