

# The proper treatment of identity in dialetheic metaphysics

Jones, Nicholas

DOI:

[10.1093/pq/pqz030](https://doi.org/10.1093/pq/pqz030)

License:

Other (please specify with Rights Statement)

*Document Version*

Peer reviewed version

*Citation for published version (Harvard):*

Jones, N 2019, 'The proper treatment of identity in dialetheic metaphysics', *The Philosophical Quarterly*, pp. 1-28. <https://doi.org/10.1093/pq/pqz030>

[Link to publication on Research at Birmingham portal](#)

## **Publisher Rights Statement:**

Checked for eligibility: 03/05/2019

This is the peer reviewed version of the following article: Nicholas K Jones, The Proper Treatment of Identity in Dialetheic Metaphysics, *The Philosophical Quarterly*, pqz030, which has been published in final form at <https://doi.org/10.1093/pq/pqz030>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.

## **General rights**

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

## **Take down policy**

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact [UBIRA@lists.bham.ac.uk](mailto:UBIRA@lists.bham.ac.uk) providing details and we will remove access to the work immediately and investigate.

# The Proper Treatment of Identity in Dialetheic Metaphysics

Nicholas K. Jones  
University of Birmingham  
ORCID 0000-0003-2400-7189

Final version forthcoming in *The Philosophical Quarterly*

**Keywords:** Identity, indistinguishability, dialetheism, second-order quantification, binary quantification.

## Abstract

According to one prominent strand of mainstream logic and metaphysics, identity is indistinguishability. Priest has recently argued that this permits counterexamples to the transitivity and substitutivity of identity within dialetheic metaphysics, even in paradigmatically extensional contexts. This paper investigates two alternative regimentations of indistinguishability. Although classically equivalent to the standard regimentation on which Priest focuses, these alternatives are strictly stronger than it in dialetheic settings. Both regimentations are transitive, and one satisfies substitutivity. It is argued that both regimentations provide better candidates to occupy the core theoretical role of numerical identity than does the standard regimentation.

## 1 Introduction

According to one prominent strand of mainstream logic and metaphysics, numerical identity satisfies each of the following:<sup>1</sup>

**Substitutivity of Identicals (SI)**  $a = b, \phi_x(b) \vdash \phi_x(a)$

<sup>1</sup> Notation and terminology.  $\rightarrow$  is the material conditional, with  $\phi \rightarrow \psi$  definitionally equivalent to  $\neg\phi \vee \psi$ .  $\leftrightarrow$  is the material biconditional, with  $\phi \leftrightarrow \psi$  definitionally equivalent to  $(\phi \rightarrow \psi) \wedge (\psi \rightarrow \phi)$ .  $\forall X$  is the second-order universal quantifier, with  $X$  a variable of the syntactic type of monadic predicates.  $\phi$  and  $\psi$  are schematic letters for formulae.  $a$ ,  $b$ , and  $c$  are used ambiguously, sometimes as constants and sometimes as schematic for any constant or variable of the syntactic type of singular terms. For each formula  $\phi$ , variable  $v$ , and constant  $c$  of the same syntactic type as  $v$ ,  $\phi_v(c)$  is the result of replacing each free occurrence in  $\phi$  of  $v$  with an occurrence of  $c$ ; for example,  $(x = c)_x(b)$  is  $b = c$ , and  $Xa_X(F)$  is  $Fa$ .  $\Gamma \vdash \phi$  says that formula  $\phi$  is derivable from the collection  $\Gamma$  of formulae. A consequence relation  $\models$  validates  $\Gamma \vdash \phi$  iff  $\Gamma \models \phi$ . I am sloppy with use/mention where there is no danger of confusion, allowing context to disambiguate, and I omit quotation marks around formal vocabulary unless absolutely necessary.

**Transitivity of Identity (TI)**  $a = b, b = c \vdash a = c$ .

**Identity is Indistinguishability (II)** Numerical identity is indistinguishability, understood as complete sharing of properties.

These theses are closely related. TI is an instance of SI where  $\phi$  is  $x = c$ , and therefore follows from SI. Moreover, both SI and TI are valid in classical logic, if the standard second-order regimentation of indistinguishability as  $\forall X(Xa \leftrightarrow Xb)$  is used to define the identity sign. Since II appears to license that definition, II appears to validate SI and TI.

Perhaps the most controversial of the above principles is II. Doubts flow primarily from two sources.<sup>2</sup> One concerns putative examples of numerically distinct indistinguishable objects. The other concerns putative circularities arising from identifying numerical identity with, or grounding it in, indistinguishability. My own view is that this second kind of consideration is compelling, though I won't go into details here. My present claim is not that II is true, or unproblematic, or even close to universally accepted; I claim only that II, together with SI and TI, belongs to a prominent, reasonably mainstream, and not obviously false conception of identity. I propose simply to bracket doubts about II here, in the interest of exploring the view that results.

In a series of papers culminating in his recent book *One*, Graham Priest uses a dialetheic theory of identity on which II holds and yet both SI and TI are invalid to challenge this mainstream package of views (Priest 2009, 2010a,b, 2014). Although putative counterexamples to SI abound, notably involving attitude ascriptions and intensional operators, Priest's theory permits failures of SI and TI in even paradigmatically extensional contexts. He argues persuasively that these failures of SI and TI allow for elegant and unified solutions to a cluster of seemingly intractable metaphysical problems concerning the unity of propositions and other objects, intentionality, change, modality, vagueness, fission, and fusion.<sup>3</sup> This amounts to a powerful new case for dialetheism. Whereas standard motivations for dialetheism—the classic being (Priest 2006)—come largely (though not quite exclusively) from logic and semantics, this one draws on squarely metaphysical considerations. The conception of identity as satisfying II whilst invalidating both SI and TI is central to this case.

To see why II is so important, consider the following natural objection: Priest's view simply changes the subject by using the identity sign to express a non-transitive identity-like relation, rather than the transitive relation of identity properly so-called. That's where II comes in; it blocks this objection by ensuring that these rival views assign different logical properties to the same relation of indistinguishability, as defined in the standard second-order way, rather than merely differing over which relation they use to interpret the identity sign. Classical and dialetheic metaphysicians may both agree that II is true,

<sup>2</sup> For discussion and references, see, e.g. (Forrest 2016; Hawley 2009; Hawthorne 2003; Noonan and Curtis 2018).

<sup>3</sup> See (Jones 2018) for more on Priest's account of the problem of unity, and two consistent solutions to it.

agree on the standard second-order regimentation of indistinguishability, and yet disagree on the logical properties of the relation thereby defined.

I will argue that this new metaphysical case for dialetheism fails. The problem is that, in dialethic metaphysics, the standard second-order regimentation of indistinguishability does not capture II's intended notion. According to the intended notion, indistinguishable objects are not distinguished by their properties. But in dialethic settings, the standard second-order regimentation of indistinguishability as  $\forall X(Xa \leftrightarrow Xb)$  allows for properties that distinguish  $a$  from  $b$ .

This doesn't in itself undermine the metaphysical case for dialetheism. If the standard regimentation captures the strongest definable relation of indistinguishability, perhaps this is just a discovery about indistinguishability within dialethic metaphysics: indistinguishable (hence, by II, identical) objects may be differentiated by their properties. Although that's surprising and non-standard, so is dialetheism. And once you've admitted true contradictions, why not also admit indistinguishables whose properties differentiate them?

However, within dialethic metaphysics, the strongest definable relation of indistinguishability is not captured by the standard regimentation  $\forall X(Xa \leftrightarrow Xb)$ . In §3, I present two alternative regimentations of indistinguishability which, although classically equivalent to the standard regimentation, are strictly stronger than it in dialethic settings. If the first regimentation is employed in II, then TI but not SI is valid. And if the second regimentation is employed in II, then both TI and SI are valid. I argue in §4 that only this second regimentation defines a relation that can occupy the core theoretical role of numerical identity. It follows that the non-transitive relation defined by  $\forall X(Xa \leftrightarrow Xb)$  is not numerical identity, and is therefore irrelevant to the identity-involving metaphysical problems mentioned above.

Unlike previous dialethic attempts to validate SI and TI in the presence of II, notably (Cobreros et al. 2013, 2014), my approach is compatible with Priest's preferred paraconsistent logic LP, and with attractive meta-rules like the transitivity of entailment. My focus throughout is on what are normally regarded as extensional contexts, setting intensional operators and attitude ascriptions aside as raising complications not central to the present investigation; for Priest's system permits failures of SI and TI not involving intensionality or the attitudes.<sup>4</sup>

---

<sup>4</sup> The mechanisms responsible for failures of SI and TI in Priest's system fundamentally differ between extensional and intensional contexts. In intensional contexts, SI and TI fail because many functions from worlds to extensions are not in the second-order domain. The specifically dialethic aspect of the semantics is irrelevant, in that failures of SI and TI for intensional contexts remain even if the underlying non-modal logic is classical because all properties are classical (i.e. extension and anti-extension are exclusive as well as exhaustive at every world). However, if every property is classical and every formula defines a property, failures of SI and TI vanish for intensional contexts. By contrast, if all properties are classical, Priest's semantics permits no failures of SI and TI in extensional contexts; but if properties are not all classical, failures of SI and TI for extensional contexts remain even if all formulae define properties. See §3.6 and (Priest 2014: 35–7) for details of some of these claims.

## 2 From indistinguishability to substitutivity

Our first task is to regiment the notion of indistinguishability, or complete sharing of properties, i.e.: every property of  $a$  is a property of  $b$ , and conversely. This quantification over properties is naturally regimented as second-order quantification. Our first notion of indistinguishability is then defined thus:

$$a \text{ is weakly indistinguishable from } b =_{\text{df}} \forall X(Xa \leftrightarrow Xb).$$

I will assume for the time being that the notion of indistinguishability employed in II is weak indistinguishability. If II is true thus interpreted, the identity sign can be introduced with its intended interpretation into a second-order language without it, by defining  $a = b$  as  $\forall X(Xa \leftrightarrow Xb)$ . When the identity sign is defined in this way, SI and TI are valid in classical second-order logic.

Priest advocates a paraconsistent logic (LP) within which this definition of identity does not validate SI or TI. He also provides a corresponding model-theoretic semantics for the language of second-order logic which supplies countermodels to, and thereby invalidates, both SI and TI when the identity sign is defined by weak indistinguishability; I describe some such countermodels in §3.4 and §3.5. Instead, this semantics validates only the following weaker substitutivity principles:

**Material SI (MSI)**  $a = b \vdash \phi_x(b) \rightarrow \phi_x(a)$

**Material TI (MTI)**  $a = b \vdash b = c \rightarrow a = c$

MTI is an instance of MSI where  $\phi$  is  $x = c$ , and therefore follows from MSI.

At a first pass, one might expect that SI and TI follow from MSI and MTI. For one might expect that one can use MSI to argue from the left of SI to its right, thus:

1. Suppose:  $a = b$
2. Suppose:  $\phi_x(b)$
3. By 1, MSI:  $\phi_x(b) \rightarrow \phi_x(a)$ .
4. By 2, 3, *modus ponens*:  $\phi_x(a)$ .

However, this argument fails because *modus ponens* (i.e.  $\phi, \phi \rightarrow \psi \vdash \psi$ ) is invalid in *One's* paraconsistent system.

The model theory adopted in *One* invalidates *modus ponens* because it permits models in which (a)  $\phi$  is true, (b)  $\phi \rightarrow \psi$  is true, and yet (c)  $\psi$  is false. The trick is to permit models that make some formulae both true and false, as well as to make  $\phi \rightarrow \psi$  true in a model whenever  $\phi$  is false in that model *including whenever  $\phi$  is both true and false in the model*. When  $\phi$  is both true and false, (a) holds because  $\phi$  is true, and (b) holds because  $\phi$

is false. But (c) may also hold because merely making  $\phi$  true and false is irrelevant (in this semantics) to whether any other, arbitrarily chosen and potentially unrelated formula  $\psi$  is true. §3.2 onwards discusses this semantics in more detail.

We've seen where the arguments from MSI and MTI to SI and TI break down in Priest's setting. Let's now see why MSI and MTI are valid, if identity is defined as weak indistinguishability.<sup>5</sup>

The material conditional  $\phi_x(b) \rightarrow \phi_x(a)$  fails to be true on Priest's semantics iff  $\phi_x(b)$  is true and not also false, and  $\phi_x(a)$  is false and not also true. Call any such  $\phi$  a *differentiating formula* for  $a$  and  $b$ ; when it's of the form  $Px$ , call it a *differentiating predication* for  $a$  and  $b$ .

A negation  $\neg\phi$  is a differentiating formula for  $a$  and  $b$  only if  $\phi$  is. A conjunction  $\phi \wedge \psi$ , disjunction  $\phi \vee \psi$ , or conditional  $\phi \rightarrow \psi$  is a differentiating formula for  $a$  and  $b$  only if at least one of  $\phi$  and  $\psi$  is. And a generalisation  $\forall x\phi$  or  $\forall X\phi$  is a differentiating formula for  $a$  and  $b$  only if at least one of its instantiations  $\phi_x(t)$  or  $\phi_x(P)$  is. All formulae are recursively built from predications  $Pt$  using the connectives and quantifiers just mentioned. So there are no differentiating formulae for  $a$  and  $b$  unless there are differentiating predications for  $a$  and  $b$ .

If  $\forall X(Xa \leftrightarrow Xb)$  is true, there are no differentiating predications for  $a$  and  $b$  (or for  $b$  and  $a$ ). Intuitively, any such predication requires a property true and not also false of  $b$ , as well as false and not also true of  $a$ , whereas  $\forall X(Xa \leftrightarrow Xb)$  says that every property is true of both  $a$  and  $b$  or false of both  $a$  and  $b$  (but doesn't preclude some properties *also* being true of one and yet false of the other). So if  $\forall X(Xa \leftrightarrow Xb)$  is true, there are no differentiating predications and hence no differentiating formulae for  $a$  and  $b$ . This validates MSI and hence also MTI if the identity sign is defined as weak indistinguishability. One can also run this argument in classical second-order logic, where *modus ponens* is valid; so this also explains why defining identity as weak indistinguishability validates SI and TI in classical second-order logic. Although this argument was couched in relatively informal terms, it's straightforward to check that the model theory described in §3.2 verifies the preceding claims.

### 3 Strong and super-strong indistinguishability

Because weak indistinguishability is defined from the material conditional, its properties depend on those of the material conditional. If II concerns weak indistinguishability, this makes the logic of identity, including the validity of principles like SI, dependent on the logic of the material conditional, and in particular on the validity of *modus ponens*. As we

<sup>5</sup> See (Priest 2014: 30–31) for a more detailed argument. A simpler argument is available given unrestricted  $\lambda$ -conversion or second-order comprehension. Yet these are valid only if every formula determines a corresponding property, which Priest (2014: 24–26) explicitly denies. Comprehension is discussed in §3.6.

have seen, *modus ponens* is invalid for the material conditional in LP, which invalidates SI and TI when the identity sign is defined by weak indistinguishability.

This section introduces two alternative notions of indistinguishability defined without employing a conditional of any kind, material or otherwise. This makes their logic independent of the material conditional's. These notions of indistinguishability are conjunctions of purely quantificational notions, whereas weak indistinguishability is a conjunction of partly quantificational and partly conditional notions. (In each case, the conjuncts correspond to the two directions of the biconditional.)

If the first notion of *strong indistinguishability* is used to define the identity sign, TI but not SI is valid. If the second notion of *super-strong indistinguishability* is used to define the identity sign, TI and SI are both valid. So if one of these notions is employed instead of weak indistinguishability in II, then TI and perhaps also SI is valid. Although strong and super-strong indistinguishability are classically equivalent to weak indistinguishability, they're strictly stronger than it in the present dialethic setting. I use this last fact in §4 to argue that both strong and super-strong indistinguishability are better candidates to occupy the theoretical role of numerical identity than is weak indistinguishability.

### 3.1 Strong indistinguishability

To define strong indistinguishability, we need to supplement the language of second-order logic with an irreducibly binary universal second-order quantifier. To understand what this means, consider English generalisations of the form 'all *F*s are *G*s'. In introductory logic, we teach that this should be regimented as:

$$\forall x(Fx \rightarrow Gx)$$

The universal first-order quantifier  $\forall x$  here is unary in the following sense: it combines with a single formula—in this case  $Fx \rightarrow Gx$ —to form a sentence. According to the theory of generalised quantifiers, not all quantifiers are unary (e.g. Peters and Westerståhl 2008; Westerståhl 2016; Uzquiano 2018: §3.1). There are also binary quantifiers that combine with two formulae to form sentences. The classic example is 'most': 'most *F*s are *G*s' cannot be adequately regimented using only *F*, *G*, unary quantifiers, and the usual logical connectives. Yet this sentence can be adequately regimented using a binary quantifier that takes both '*Fx*' and '*Gx*' as arguments. Sentences formed using this quantifier have the form:

$$\text{Most } x(\phi : \psi)$$

where  $\phi$  occupies the quantifier's first argument and  $\psi$  its second.

'Most' is not the only binary quantifier. There is also a binary universal quantifier:  $\forall x(\phi : \psi)$ . We can use this quantifier to regiment 'all *F*s are *G*s' thus:

$$\forall x(Fx : Gx)$$

Unlike the familiar, orthodox regimentation, this one does not employ an extraneous logical connective  $\rightarrow$  not present in the surface form of English. It is thus a purely quantificational regimentation of ‘all  $F$ s are  $G$ s’, whereas the traditional regimentation is partly quantificational and partly conditional.

Indistinguishability is complete sharing of properties: all properties of  $a$  are properties of  $b$ , and conversely. We now have a choice in regimenting this. We can adopt the standard unary regimentation, obtaining weak indistinguishability. Or we can adopt a binary regimentation. Because we are using second-quantifiers to regiment property-talk, this second approach requires a binary second-order universal quantifier. With this to hand, we define strong indistinguishability thus:

$$a \text{ is strongly indistinguishable from } b =_{\text{df}} \forall X(Xa : Xb) \wedge \forall X(Xb : Xa)$$

Is there really any difference these two notions of indistinguishability? Does the choice of unary or binary universal quantification have semantic consequences? The rest of this section provides intuitive reason to think so, before we turn to formal details in §3.2; we focus on the first-order case for simplicity until then.

Intuitively, the truth of the unary generalisation  $\forall x\phi$  requires something of every object in the domain, namely, that it satisfies  $\phi$ . Thus the unary generalisation  $\forall x(Fx \rightarrow Gx)$  requires of every object in the domain that it satisfy the logically complex formula  $Fx \rightarrow Gx$ . By contrast, the truth of the binary generalisation  $\forall x(\phi : \psi)$  requires something of only those objects in the domain that satisfy  $\phi$ ; it requires nothing of objects that don’t satisfy  $\phi$ . Thus the binary generalisation  $\forall x(Fx : Gx)$  requires of every satisfier of  $Fx$  in the domain that it also satisfy  $Gx$ ; it requires nothing of the non-satisfiers of  $Fx$ , whereas its unary counterpart requires that they also satisfy  $Fx \rightarrow Gx$ . We now see the key semantic difference between the binary and unary regimentations of ‘all  $F$ s are  $G$ s’: the binary regimentation’s truth requires nothing of things that fail to satisfy  $Fx$ , whereas the unary regimentation’s truth requires them to satisfy  $Fx \rightarrow Gx$ . (Although that’s the key semantic difference for this paper’s purposes, it’s not the only one: the unary regimentation’s truth requires satisfiers of  $Fx$  to satisfy  $Fx \rightarrow Gx$  whereas the binary regimentation’s truth only requires them to satisfy  $Gx$ .)

In classical semantics, the unary and binary regimentations of ‘all  $F$ s are  $G$ s’ are mutually entailing. Suppose  $\forall x(Fx : Gx)$  is true, and hence that every satisfier of  $Fx$  also satisfies  $Gx$ . Then every satisfier of  $Fx$  also satisfies  $Fx \rightarrow Gx$ . And since every non-satisfier of  $Fx$  satisfies  $\neg Fx$ , every non-satisfier of  $Fx$  also satisfies  $Fx \rightarrow Gx$ . So everything satisfies  $Fx \rightarrow Gx$  and  $\forall x(Fx \rightarrow Gx)$  is true. Conversely, suppose  $\forall x(Fx \rightarrow Gx)$  is true, and hence that everything satisfies  $Fx \rightarrow Gx$ . There are two mutually exclusive ways of satisfying that formula: by satisfying both  $Fx$  and  $Gx$ , or by satisfying  $\neg Fx$ . So if every object satisfies  $Fx \rightarrow Gx$ , every satisfier of  $Fx$  also satisfies  $Gx$ , thereby making  $\forall x(Fx : Gx)$  true.

In the dialethic semantics described in §3.2, this equivalence breaks down. One way of



satisfying  $Fx \rightarrow Gx$  is to satisfy  $\neg Fx$ . But satisfaction of  $\neg Fx$  doesn't preclude satisfaction of  $Fx$ . So even if some satisfiers of  $Fx$  fail to satisfy  $Gx$  they will nonetheless satisfy  $Fx \rightarrow Gx$  if they also satisfy  $\neg Fx$ . The existence of any such objects prevents the binary  $\forall x(Fx : Gx)$  from being true—since they satisfy  $Fx$  but not  $Gx$ —but not the unary  $\forall x(Fx \rightarrow Gx)$  since they satisfy  $Fx \rightarrow Gx$  (though they also make it false, hence, if true, both true and false). So the latter does not entail the former, and the binary is strictly stronger than the unary.

### 3.2 Semantics

We can make these ideas precise in a model-theoretic setting. I first summarise the semantics in *One*, and then add an irreducibly binary second-order universal quantifier.

A model is a triple  $\langle D_1, D_2, v \rangle$ .  $D_1$  and  $D_2$  are non-empty sets: the domains of first- and second-order quantification. There are no constraints on  $D_1$ , except that it be non-empty. Each element  $D$  of  $D_2$  is a pair  $\langle D^+, D^- \rangle$  such that (a)  $D^+ \subseteq D_1$ , (b)  $D^- \subseteq D_1$ , and (c)  $D^+ \cup D^- = D_1$ . These pairs represent properties of the individuals (represented by the individuals) in  $D_1$ , with  $D^+$  the property's extension (comprising the things that possess it) and  $D^-$  its anti-extension (comprising the things that do not possess it). Note that extension and anti-extension may overlap, though they jointly exhaust  $D_1$ .  $v$  is a valuation function taking constants  $c$  of the object-language to their semantic values  $v(c)$  in the model. For singular term constants  $t$ ,  $v(t) \in D_1$ . For predicate constants  $P$ ,  $v(P) \in D_2$ , with  $v^+(P)$  and  $v^-(P)$  the extension and anti-extension respectively of  $v(P)$ ; that is,  $v(P) = \langle v^+(P), v^-(P) \rangle$ . We work with monadic predicates only for simplicity.

Each formula of the language of monadic second-order logic without identity is assigned truth-conditions ( $\models^+$ ) and falsity-conditions ( $\models^-$ ) in each model  $m = \langle D_1, D_2, v \rangle$ :

$$\begin{aligned}
 (Pt^+) \quad m \models^+ Pt &\text{ iff } v(t) \in v^+(P) \\
 (Pt^-) \quad m \models^- Pt &\text{ iff } v(t) \in v^-(P) \\
 (\neg^+) \quad m \models^+ \neg\phi &\text{ iff } m \models^- \phi \\
 (\neg^-) \quad m \models^- \neg\phi &\text{ iff } m \models^+ \phi \\
 (\wedge^+) \quad m \models^+ \phi \wedge \psi &\text{ iff } m \models^+ \phi \text{ and } m \models^+ \psi \\
 (\wedge^-) \quad m \models^- \phi \wedge \psi &\text{ iff } m \models^- \phi \text{ or } m \models^- \psi \\
 (\rightarrow^+) \quad m \models^+ \phi \rightarrow \psi &\text{ iff } m \models^- \phi \text{ or } m \models^+ \psi \\
 (\rightarrow^-) \quad m \models^- \phi \rightarrow \psi &\text{ iff } m \models^+ \phi \text{ and } m \models^- \psi
 \end{aligned}$$

I omit  $\vee$  and  $\leftrightarrow$  because they're definable from the connectives above and are not required below. For the quantifiers, we consider an extension of the object-language with a new constant term  $t_d$  for each  $d \in D_1$  and a new constant predicate  $P_D$  for each  $D \in D_2$ ; we also

extend the valuation  $v$  so that  $v(t_d) = d$  and  $v(P_D) = D$ .<sup>6</sup> Truth- and falsity-conditions are then assigned to quantified sentences of the original language using sentences of the extended language thus:

$$(\forall_{1u}^+) \quad m \Vdash^+ \forall x \phi \text{ iff, for all } d \in D_1, m \Vdash^+ \phi_x(t_d)$$

$$(\forall_{1u}^-) \quad m \Vdash^- \forall x \phi \text{ iff, for some } d \in D_1, m \Vdash^- \phi_x(t_d)$$

$$(\forall_{2u}^+) \quad m \Vdash^+ \forall X \phi \text{ iff, for all } D \in D_2, m \Vdash^+ \phi_x(P_D)$$

$$(\forall_{2u}^-) \quad m \Vdash^- \forall X \phi \text{ iff, for some } D \in D_2, m \Vdash^- \phi_x(P_D)$$

I omit the existential quantifier  $\exists$  because it's definable from  $\forall$  and is not required below. Finally, we define consequence as truth-preservation in all models:

$\Gamma \models \phi$  iff, for all models  $m$  such that  $m \Vdash^+ \gamma$  for all  $\gamma \in \Gamma$ ,  $m \Vdash^+ \phi$  (where  $\Gamma$  is any collection of sentences and  $\phi$  is a sentence).

If the identity sign is defined as weak indistinguishability, this semantics validates MSI and MTI but not SI and TI. That is:

$$\begin{array}{ll} a = b \models \phi_x(b) \rightarrow \phi_x(a) & a = b, \phi_x(b) \not\models \phi_x(a) \\ a = b \models b = c \rightarrow a = c & a = b, b = c \not\models a = c \end{array}$$

We'll see models that verify the right-hand results in §3.4 and §3.5.

We now add binary universal quantifiers, thus:

$$(\forall_{1b}^+) \quad m \Vdash^+ \forall x(\phi : \psi) \text{ iff, for all } d \in D_1 \text{ such that } m \Vdash^+ \phi_x(t_d), m \Vdash^+ \psi_x(t_d)$$

$$(\forall_{1b}^-) \quad m \Vdash^- \forall x(\phi : \psi) \text{ iff, for some } d \in D_1 \text{ such that } m \Vdash^+ \phi_x(t_d), m \Vdash^- \psi_x(t_d)$$

$$(\forall_{2b}^+) \quad m \Vdash^+ \forall X(\phi : \psi) \text{ iff, for all } D \in D_2 \text{ such that } m \Vdash^+ \phi_X(P_D), m \Vdash^+ \psi_X(P_D)$$

$$(\forall_{2b}^-) \quad m \Vdash^- \forall X(\phi : \psi) \text{ iff, for some } D \in D_2 \text{ such that } m \Vdash^+ \phi_X(P_D), m \Vdash^- \psi_X(P_D)$$

What is the logical form of these truth- and falsity-conditions for the binary quantifiers? In particular, what exactly is the logical form of clauses like the following?:

For all  $d \in D_1$  such that  $m \Vdash^+ \phi_x(t_d)$ ,  $m \Vdash^+ \psi_x(t_d)$

For all  $D \in D_2$  such that  $m \Vdash^+ \phi_X(P_D)$ ,  $m \Vdash^+ \psi_X(P_D)$

---

<sup>6</sup> Rather than extending the language with new constants, we could relativise  $\Vdash^+$  and  $\Vdash^-$  to assignments of elements of  $D_1$  and  $D_2$  to the first- and second-order variables respectively. The clauses for the quantifiers would then concern truth- and falsity under all assignments differing at most over the variable bound by the quantifier. For present purposes, nothing of philosophical or technical significance turns on this choice. I chose the presentation in the body text because it matches Priest's.

I now discuss two options, the *binary semantics* and the *material semantics*.

The binary semantics employs a primitive binary universal quantifier in the metalanguage. Using  $\Lambda$  for this quantifier to differentiate it from the object-language  $\forall$ , we can rewrite  $(\forall_{1b}^+)$  and  $(\forall_{2b}^+)$  as:

$$m \Vdash^+ \forall x(\phi : \psi) \text{ iff } \Lambda d(d \in D_1 \text{ and } m \Vdash^+ \phi_x(t_d) : m \Vdash^+ \psi_x(t_d))$$

$$m \Vdash^+ \forall X(\phi : \psi) \text{ iff } \Lambda D(D \in D_2 \text{ and } m \Vdash^+ \phi_X(P_D) : m \Vdash^+ \psi_X(P_D))$$

This makes the logic of object-language binary quantifiers dependent on that of metalanguage binary quantifiers. Specifically, §3.3 argues that unary regimentations of ‘all  $F$ s are  $G$ s’ do not entail their binary counterparts, while §3.4 and §3.5 argue for the validity of TI and SI when binary regimentations of indistinguishability are used to define identity. These arguments all depend on the validity of the following form of inference in the metalanguage:

**Metalinguistic Binary Universal Instantiation (MBUI)**  $\Lambda x(\phi : \psi), \phi_x(a)$ , therefore  $\psi_x(a)$   
(where  $\Lambda x(\phi : \psi)$ ,  $\phi_x(a)$ , and  $\psi_x(a)$  are all sentences of the metalanguage).

MBUI licenses instantiation of the second condition  $\psi$  with arbitrary satisfiers of the first condition  $\phi$ . Although appealing to metalinguistic binary quantifiers is non-standard, I see no problem with it in principle, or with the validity of MBUI in particular. Given the intended semantic effect of binary quantifiers outlined in §3.1—the truth of  $\forall x(\phi : \psi)$  requires satisfiers of  $\phi$  to satisfy  $\psi$  without requiring anything of non-satisfiers of  $\phi$ —this rule is clearly valid. But it is worth noting that we do not have to invoke such non-standard resources, provided the metatheory is classical. I return to these issues, including non-classical metatheory, in §3.7.

The material semantics employs a material conditional of the metalanguage. Using  $\Rightarrow$  for this conditional to differentiate it from the object-language  $\rightarrow$ , we can rewrite  $(\forall_{1b}^+)$  and  $(\forall_{2b}^+)$  as:

$$m \Vdash^+ \forall x(\phi : \psi) \text{ iff, for all } d((d \in D_1 \text{ and } m \Vdash^+ \phi_x(t_d)) \Rightarrow m \Vdash^+ \psi_x(t_d))$$

$$m \Vdash^+ \forall X(\phi : \psi) \text{ iff, for all } D((D \in D_2 \text{ and } m \Vdash^+ \phi_X(P_D)) \Rightarrow m \Vdash^+ \psi_X(P_D))$$

We can also rewrite the truth-conditions for the corresponding unary generalisations as:

$$m \Vdash^+ \forall x(\phi \rightarrow \psi) \text{ iff, for all } d((d \in D_1 \text{ and } m \Vdash^- \phi_x(t_d)) \Rightarrow m \Vdash^+ \psi_x(t_d))$$

$$m \Vdash^+ \forall X(\phi \rightarrow \psi) \text{ iff, for all } D((D \in D_2 \text{ and } m \Vdash^- \phi_X(P_D)) \Rightarrow m \Vdash^+ \psi_X(P_D))$$

Say that  $d$  *satisfies*  $\phi$  in  $m$  iff  $m \Vdash^+ \phi_x(t_d)$ , and *anti-satisfies*  $\phi$  in  $m$  iff  $m \Vdash^- \phi_x(t_d)$ . Then on this approach, the underlying difference between the truth-conditions for binary generalisations and their unary counterparts is essentially that between the following:

**Binary** It satisfies  $\phi \Rightarrow$  it satisfies  $\psi$ .

**Unary** It does not anti-satisfy  $\phi \Rightarrow$  it satisfies  $\psi$ .

In classical semantics, anti-satisfaction coincides with failure of satisfaction, and so failure of anti-satisfaction coincides with satisfaction. This makes Binary and Unary equivalent. In the present dialethic semantics, failure to anti-satisfy entails satisfaction; so Binary entails Unary. But satisfaction does not entail failure to anti-satisfy, since formulae can be both true and false; so Unary does not entail Binary.

The material semantics does not perfectly capture the intended semantic effect of binary quantifiers. The intended truth-condition of  $\forall x(\phi : \psi)$  requires that everything  $d$  in the domain satisfying  $\phi$  also satisfies  $\psi$ , requiring nothing of non-satisfiers of  $\phi$ . Yet the material truth-condition requires everything in the domain to satisfy a certain metalinguistic material conditional, i.e. Binary. This difference doesn't matter to the logic of the object-language when the metatheory is classical, since then every non-satisfier of the antecedent satisfies the whole conditional; this ensures that non-satisfiers of the antecedent cannot render the corresponding object-language binary generalisation untrue, in line with its intended interpretation. We can then simulate binary quantification using material conditionals and unary quantifiers in the metalanguage, but it is really just a simulation. This discrepancy between the intended semantic effect of binary quantification and the model-theoretic means by which it is implemented will matter when we consider dialethic metatheory in §3.7. Until then, I assume that the metatheory is classical. For simplicity, I will also tend to focus on the material semantics, rather than employ a primitive binary quantifier in the metalanguage.

On either semantics for binary quantifiers,  $a$  and  $b$  are strongly indistinguishable when every property with  $a$  in its extension also has  $b$  in its extension, and conversely. By contrast,  $a$  and  $b$  are weakly indistinguishable when every property without  $a$  in its anti-extension has  $b$  in its extension, and conversely. Because a property without  $a$  in its anti-extension must have  $a$  in its extension, strong indistinguishability entails weak indistinguishability. But because a property can have  $a$  in its extension whilst also having  $a$  in its anti-extension, weak indistinguishability does not entail strong indistinguishability. Were satisfaction and anti-satisfaction not just exhaustive but exclusive, however, then weak and strong indistinguishability would coincide. The next section argues for these claims in more detail.

### 3.3 Logical strength

In the present dialethic setting, binary generalisations are strictly stronger than their unary counterparts. I begin with the first-order case, before turning to second-order quantifiers followed by weak and strong indistinguishability.

Consider binary generalisations  $\forall x(\phi : \psi)$  and their unary counterparts  $\forall x(\phi \rightarrow \psi)$ . The binary has truth-condition  $(\forall_{1b}^+)$ . The unary has the following truth-condition, by  $(\forall_{1u}^+)$  and  $(\rightarrow^+)$ :

$$m \Vdash^+ \forall x(\phi \rightarrow \psi) \text{ iff, for all } d \in D_1, m \Vdash^- \phi_x(t_d) \text{ or } m \Vdash^+ \psi_x(t_d)$$

In short, the truth of  $\forall x(\phi \rightarrow \psi)$  in  $m$  requires that every single  $d \in D_1$  either anti-satisfies  $\phi$  in  $m$  or satisfies  $\psi$  in  $m$  (or both). By contrast, the truth of  $\forall x(\phi : \psi)$  in  $m$  requires only that every satisfier of  $\phi$  in  $m$  is also a satisfier of  $\psi$  in  $m$ . As a result, binary generalisations entail their unary counterparts but not conversely:

$$\forall x(\phi : \psi) \models \forall x(\phi \rightarrow \psi) \quad \forall x(\phi \rightarrow \psi) \not\models \forall x(\phi : \psi)$$

To see why the second entailment fails, consider the following countermodel:

$$D_1 = \{0\}$$

$$D_2 = \{P, Q\}$$

$$P^+ = \{0\} \quad P^- = \{0\}$$

$$Q^+ = \emptyset \quad Q^- = \{0\}$$

$$v(F) = P$$

$$v(G) = Q$$

In this model  $0 \in v^-(F)$  and hence  $0$  anti-satisfies  $Fx$ . Since  $0$  is the only element of  $D_1$ ,  $\forall x(Fx \rightarrow Gx)$  is true. Since  $0 \in v^+(F)$ ,  $0$  also satisfies  $Fx$ . But since  $0 \notin \emptyset$ , we have  $0 \notin v^+(G)$ , and hence  $0$  doesn't satisfy  $Gx$ . So on both the binary and material semantics of §3.2,  $\forall x(Fx : Gx)$  is not true. So this is a countermodel to  $\forall x(\phi \rightarrow \psi) \models \forall x(\phi : \psi)$ . Since  $\forall x(\phi : \psi) \models \forall x(\phi \rightarrow \psi)$ , however, binary generalisations are strictly stronger than their unary counterparts.

This difference in logical strength vanishes in classical semantics. We can obtain classical semantics from the present semantics by requiring that  $D^+$  and  $D^-$  are disjoint, for all  $D \in D_2$ . This precludes the countermodel above. Moreover, failure to satisfy  $\phi$  coincides with anti-satisfaction of  $\phi$  in this version of the semantics. We can then show that  $\forall x(\phi \rightarrow \psi) \models \forall x(\phi : \psi)$  in classical semantics. Suppose  $m \Vdash^+ \forall x(\phi \rightarrow \psi)$  and hence that, for all  $d \in D_1$ ,  $d$  anti-satisfies  $\phi$  or satisfies  $\psi$ . Consider an arbitrary  $d \in D_1$  that satisfies  $\phi$ . Since anti-satisfaction coincides with failure to satisfy,  $d$  does not anti-satisfy  $\phi$ . So  $d$  must satisfy  $\psi$ . Since  $d$  was arbitrary, every  $d \in D_1$  that satisfies  $\phi$  also satisfies  $\psi$ , and hence  $m \Vdash^+ \forall x(\phi : \psi)$ . Since  $m$  was arbitrary,  $\forall x(\phi \rightarrow \psi) \models \forall x(\phi : \psi)$ .

The lesson is that the choice between unary and binary regimentations of 'all  $F$ s are  $G$ s' doesn't matter in classical semantics. In dialethic semantics—or any other many-valued semantics—differences can emerge. Analogous results hold for the second-order quantifiers too. In particular:

$$\forall X(\phi : \psi) \models \forall X(\phi \rightarrow \psi) \quad \forall X(\phi \rightarrow \psi) \not\models \forall X(\phi : \psi)$$

Here's a countermodel to show that the unary regimentation does not entail its binary counterpart, and moreover that weak does not entail strong indistinguishability.

$$D_1 = \{0, 1\}$$

$$D_2 = \{Q\}$$

$$Q^+ = \{0\} \quad Q^- = \{0, 1\}$$

$$v(a) = 0$$

$$v(b) = 1$$

$$v(F) = Q$$

In this model,  $v(a)$  and  $v(b)$  both belong to  $v^-(F)$  because both belong to  $Q^-$ . So each of  $Fa \rightarrow Fb$  and  $Fb \rightarrow Fa$  is true (because each antecedent is false). Since  $Q$  is the only element of  $D_2$  and  $v(F) = Q$ , the same holds for every predicate  $P$  that can be added to the language with  $v(P) \in D_2$ . So each of  $\forall X(Xa \rightarrow Xb)$  and  $\forall X(Xb \rightarrow Xa)$  is true. So it's true in this model that  $a$  is weakly indistinguishable from  $b$ . Yet since  $v(a)$  but not  $v(b)$  belongs to  $v^+(F)$ , i.e.  $Q^+$ ,  $\forall X(Xa : Xb)$  is not true and so  $a$  is not strongly indistinguishable from  $b$ . This shows that  $\forall X(Xa \rightarrow Xb)$  does not entail  $\forall X(Xa : Xb)$ , and that weak indistinguishability does not entail strong. In sum, because binary second-order generalisations entail their unary counterparts but not conversely, strong indistinguishability entails weak indistinguishability but not conversely.

One striking feature of this model is that its second-order domain has only one member. As a result, many formulae do not define properties in this model and it does not verify all instances of the second-order comprehension schema:

$$\exists Y \forall z (Yz \leftrightarrow \phi) \text{ (where } Y \text{ is not free in } \phi)$$

One might wonder whether countermodels to  $\forall X(\phi \rightarrow \psi) \models \forall X(\phi : \psi)$  are available only because of this unusually permissive conception of the second-order domain. Perhaps the logical difference between weak and strong indistinguishability vanishes if we require that the second-order domain is much fuller. In fact, this is not the case; but since it's a somewhat involved matter, I postpone discussion to §3.6 to avoid getting sidetracked now.

### 3.4 Transitivity

Although weak indistinguishability is not transitive, strong indistinguishability is transitive. It follows that TI is valid if the identity sign is defined by strong but not weak indistinguishability.

It may be helpful to begin with a countermodel to the transitivity of weak indistinguishability:

$$D_1 = \{0, 1, 2\}$$

$$D_2 = \{Q\}$$

$$Q^+ = \{0, 1\} \quad Q^- = \{1, 2\}$$

$$v(a) = 0$$

$$v(b) = 1$$

$$v(c) = 2$$

In this model,  $a$  is weakly indistinguishable from  $b$  because every property (i.e.  $Q$ ) in  $D_2$  with  $v(a)$  in its extension also has  $v(b)$  in its extension, and conversely. This model also makes  $b$  weakly indistinguishable from  $c$  because every property with  $v(b)$  in its anti-extension also has  $v(c)$  in its anti-extension, and conversely.<sup>7</sup> The model does not make  $a$  weakly indistinguishable from  $c$ , however, because although  $v(a) \in Q^+$ , we have neither  $v(c) \in Q^+$  nor  $v(a) \in Q^-$ , which makes  $P_Q a \rightarrow P_Q c$  false and not also true. So this model shows that weak indistinguishability is not transitive and invalidates TI if the identity sign is defined by weak indistinguishability.

Although  $a$  is strongly indistinguishable from  $b$  in this model,  $b$  is not strongly indistinguishable from  $c$ ; so the model also shows how weak indistinguishability fails to entail strong indistinguishability.  $b$  and  $c$  are not strongly indistinguishable because although  $Q$  is a property such that  $v(b) \in Q^+$ , it's not the case that  $v(c) \in Q^+$ . So this isn't a countermodel to the transitivity of strong indistinguishability; in fact, there are no such countermodels.

Strong indistinguishability is transitive just in case the following holds:

$$\forall X(Xa : Xb) \wedge \forall X(Xb : Xa), \forall X(Xb : Xc) \wedge \forall X(Xc : Xb) \models \forall X(Xa : Xc) \wedge \forall X(Xc : Xa)$$

That holds if both of the following do:

$$\forall X(Xa : Xb), \forall X(Xb : Xc) \models \forall X(Xa : Xc)$$

$$\forall X(Xc : Xb), \forall X(Xb : Xa) \models \forall X(Xc : Xa)$$

Since those have the same form, it suffices to examine the first. We can show that it holds as follows. Suppose  $\forall X(Xa : Xb)$  and  $\forall X(Xb : Xc)$  are both true in an arbitrary model  $m$ . That is:

$$\text{For all } D \in D_2 \text{ such that } v(a) \in D^+, v(b) \in D^+.$$

---

<sup>7</sup> Were  $v(b)$  but not  $v(c)$  in the anti-extension of some property  $Q^*$ , the conditional  $P_{Q^*} c \rightarrow P_{Q^*} b$  would not be true, and so  $b$  would not be weakly indistinguishable from  $c$ . Note also that although the model makes  $a, b$  and  $b, c$  weakly indistinguishable, it also makes them not weakly indistinguishable. That's because the following are both true and false in the model:  $P_Q a \rightarrow P_Q b, P_Q b \rightarrow P_Q c$ . The first is false because  $v(a) \in P^+$  and  $v(b) \in P^-$ . The second is false because  $v(b) \in P^+$  and  $v(c) \in P^-$ .

For all  $D \in D_2$  such that  $v(b) \in D^+$ ,  $v(c) \in D^+$

Consider an arbitrary  $D \in D_2$  such that  $v(a) \in D^+$ . By the first clause,  $v(b) \in D^+$ . So  $D$  is such that  $v(b) \in D^+$ . So by the second clause,  $v(c) \in D^+$ . Since  $D$  was arbitrary: for all  $D \in D_2$  such that  $v(a) \in D^+$ ,  $v(c) \in D^+$ . But then  $m \Vdash^+ \forall X(Xa : Xc)$ . And since  $m$  was arbitrary:  $\forall X(Xa : Xb), \forall X(Xb : Xc) \models \forall X(Xa : Xc)$ . It follows that strong indistinguishability is transitive. So if the identity sign is defined as strong indistinguishability, TI is valid: numerical identity is transitive, dialetheism and the non-transitivity of weak indistinguishability notwithstanding.

### 3.5 Substitutivity and super-strong indistinguishability

We've seen that if identity is defined as strong indistinguishability, then TI is valid. Interestingly, however, this does not validate SI, of which TI is an instance. I first explain why, and then introduce a notion of super-strong indistinguishability that validates SI when used to define identity.

To see why SI fails, consider this instance of it:

$$a = b, \neg Fa \vdash \neg Fb$$

If the identity sign is defined as strong (or weak) indistinguishability, the following model invalidates that sequent:

$$\begin{aligned} D_1 &= \{0, 1\} \\ D_2 &= \{Q\} \\ Q^+ &= \{0, 1\} \quad Q^- = \{0\} \\ v(a) &= 0 \\ v(b) &= 1 \\ v(F) &= Q \end{aligned}$$

In this model,  $a$  is strongly (hence also weakly) indistinguishable from  $b$  because the only property  $Q$  in  $D_2$  has both  $v(a)$  and  $v(b)$  in its extension  $Q^+$ . The model makes  $\neg Fa$  true because  $v(a)$  is in the anti-extension  $Q^-$  of  $v(F)$ . But because  $v(b)$  is not in  $Q^-$ , the model does not make  $\neg Fb$  true and therefore invalidates the sequent displayed above.

We can define a stronger notion of indistinguishability that validates SI when used to define the identity sign. Whereas strong indistinguishability requires only that every property of  $a$  is a property of  $b$  and conversely, this notion requires also that every property not of  $a$  is also not a property of  $b$  and conversely. Formally:



$a$  is super-strongly indistinguishable from  $b =_{df} \forall X(Xa : Xb) \wedge \forall X(Xb : Xa) \wedge \forall X(\neg Xa : \neg Xb) \wedge \forall X(\neg Xb : \neg Xa)$

Semantically, a model makes  $a$  super-strongly indistinguishable from  $b$  iff both the following hold:

For every  $D \in D_2$  such that  $v(a) \in D^+$ ,  $v(b) \in D^+$ , and conversely.

For every  $D \in D_2$  such that  $v(a) \in D^-$ ,  $v(b) \in D^-$ , and conversely.

In short:  $v(a)$  and  $v(b)$  belong to the extensions and anti-extensions of exactly the same properties.

Super-strong indistinguishability is the conjunction of strong indistinguishability with  $\forall X(\neg Xa : \neg Xb) \wedge \forall X(\neg Xb : \neg Xa)$ . So super-strong indistinguishability entails strong indistinguishability, and TI is valid when identity is defined as super-strong indistinguishability. Unlike strong indistinguishability, however, this definition of identity also validates SI.

To get a feel for why this definition of identity validates SI, consider the model described at the beginning of this section. In that model,  $a$  is not super-strongly indistinguishable from  $b$  because although  $v(a)$  and  $v(b)$  are both in  $Q^+$ , only  $v(a) \in Q^-$ . Were we to make them super-strongly indistinguishable, by either removing  $v(a)$  from  $Q^-$  or adding  $v(b)$  into  $Q^-$ , we'd no longer have a countermodel to the initial sequent; for removing  $v(a)$  from  $Q^-$  would make  $\neg Fa$  untrue, and adding  $v(b)$  to  $Q^-$  would make  $\neg Fb$  true.

A general argument is also available; it's a variant of the argument for MTI and MSI at the end of §2. If identity is defined as super-strong indistinguishability, then a countermodel to SI is any model that satisfies both the following:

$a$  is super-strongly indistinguishable from  $b$ :  $v(a)$  and  $v(b)$  belong to exactly the same extensions and anti-extensions of all  $D \in D_2$ .

Some  $\phi$  is a differentiating formula for  $a$  and  $b$  in the following sense:

$\phi_x(b)$  is true and  $\phi_x(a)$  is false and not true.

Because our present interest is SI rather than MSI, this notion of a differentiating formula is weaker than that in §2:  $\phi_x(b)$  need only be true here, rather than true and not also false. Not all differentiating formulae in the present sense are differentiating formulae in the earlier sense.

Unless  $\phi$  is a predication, a negation  $\neg\phi$  is a differentiating formula for  $a$  and  $b$  only if  $\phi$  is; we saw above that negations of predications may be differentiating formulae even when the predication itself isn't. A conjunction  $\phi \wedge \psi$ , disjunction  $\phi \vee \psi$ , or material conditional  $\phi \rightarrow \psi$  is a differentiating formula for  $a$  and  $b$  only if at least one of  $\phi$  and  $\psi$  is. And

a generalisation  $\forall x\phi$  or  $\forall X\phi$  is a differentiating formula for  $a$  and  $b$  only if at least one of its instantiations  $\phi_x(t)$ ,  $\phi_X(P)$  is. All formulae are recursively built from predications  $Pt$  using the connectives and quantifiers just mentioned. So there are no differentiating formulae for  $a$  and  $b$  unless some predication or its negation is a differentiating formula for  $a$  and  $b$ . But if  $a$  is super-strongly indistinguishable from  $b$ , no predication  $Pt$  or its negation  $\neg Pt$  is a differentiating formula for  $a$  and  $b$ , regardless of which  $D \in D_2$  is  $v(P)$ . So if  $a$  is super-strongly indistinguishable from  $b$ , there are no differentiating formulae for  $a$  and  $b$  whatsoever. SI is therefore valid if identity is defined as super-strong indistinguishability. And I will argue in §4 that identity should indeed be defined as super-strong indistinguishability, on the assumption of II. Here's a brief spoiler for that argument.

Objects are indistinguishable when they're not distinguished by their properties. In classical metaphysics, that's ruled out by possession of the same properties. In dialethic metaphysics, however, objects may possess the same properties and yet be distinguished by them. That happens whenever one but not the other object both has and lacks the property. An adequate regimentation of indistinguishability should therefore ensure that indistinguishable objects are not distinguished by which properties they possess, and also not distinguished by which properties they lack. Neither weak nor strong indistinguishability ensures this, whereas super-strong indistinguishability does. Weakly indistinguishable objects may be distinguished by which properties they have or by which properties they lack, provided only that no property distinguishes them in both ways. Strongly indistinguishable objects may be distinguished only by which properties they lack. Super-strongly indistinguishable objects cannot be distinguished in either way. Super-strong indistinguishability therefore provides a better dialethic regimentation of indistinguishability than does either weak or strong indistinguishability. If numerical identity is indistinguishability, as II says, then numerical identity is super-strong indistinguishability, and so SI and TI are valid.

### 3.6 Comprehension

As noted in §3.4, the models discussed so far have very few elements in their second-order domains. Many formulae do not define properties in such models, and so instances of the following second-order comprehension schema are not all valid:

$$\exists Y \forall z (Yz \leftrightarrow \phi) \text{ (where } Y \text{ is not free in } \phi)$$

This section shows that the difference in logical strength between weak and strong indistinguishability is not an artefact of this unusually permissive conception of the second-order domain. We will see, however, that this is relevant to the relative logical strength of strong and super-strong indistinguishability. In particular, a natural constraint on models that validates comprehension also makes strong and super-strong indistinguishability mutually entailing.

Recall the following model from §3.4:

$$D_1 = \{0, 1, 2\}$$

$$D_2 = \{Q\}$$

$$Q^+ = \{0, 1\} \quad Q^- = \{1, 2\}$$

$$v(a) = 0$$

$$v(b) = 1$$

$$v(c) = 2$$

Because the pairs  $a, b$  and  $b, c$  but not  $a, c$  are weakly indistinguishable in this model, it invalidates TI and SI when identity is defined as weak indistinguishability. Because  $b, c$  are weakly but not strongly or super-strongly indistinguishable in this model, it shows that weak does not entail strong or super-strong. And because  $a, b$  are strongly but not super-strongly indistinguishable, it shows that strong does entail super-strong.

The goal is now to modify this model so as to verify each instance of comprehension without disrupting the pattern of weak indistinguishability, and whilst retaining pairs that are weakly but not strongly or super-strongly indistinguishable. This will show that the following are compatible with the validity of second-order comprehension: (a) defining identity as weak indistinguishability invalidates SI and TI; (b) strong and super-strong indistinguishability are strictly stronger than weak indistinguishability. In the kind of model we end up with, however, strong and super-strong indistinguishability are mutually entailing; that particular difference in logical strength is dependent on Priest's permissive conception of the second-order domain. The construction employed is adapted from (Priest 2010a: §3.2).

First, some terminology. For each formula  $\phi$  with at most one free variable  $x$ , and each model  $m$ , set:

$$v_m^+(\phi) = \{d \in D_1 : m \models^+ \phi_x(t_d)\} \text{ (i.e. the } m\text{-extension of } \phi\text{)}$$

$$v_m^-(\phi) = \{d \in D_1 : m \models^- \phi_x(t_d)\} \text{ (i.e. the } m\text{-anti-extension of } \phi\text{)}$$

$$v_m(\phi) = \langle v_m^+(\phi), v_m^-(\phi) \rangle$$

We will proceed by successively expanding  $D_2$ . Rename the second-order domain in the model above  $D_2^0$  and let model  $m^i$  be  $\langle D_1, D_2^i, v \rangle$ ; so the model above is  $m^0$ . Let the language of  $m^i$  be the result of extending the object-language with a new predicate  $P_D$  for each  $D \in D_2^i$ , and extend the valuation  $v$  so that  $v(P_D) = D$ . The process of expansion is then defined by:

$$D_2^{i+1} = D_2^i \cup \{v_{m^i}(\phi) : \phi \text{ is a formula of the language of } m^i \text{ with at most one free variable}\}$$

Because  $D_1$  is finite, the process terminates after finitely many steps in that  $D_2^i = D_2^{i+1}$ . Were  $D_1$  infinite, we would need an additional clause for limit ordinals  $\lambda$  to ensure that the process terminates:

$$D_2^\lambda = \bigcup_{i < \lambda} D_2^i$$

Let  $M$  be the model at which the process terminates.

Pairs that are not weakly/strongly/super-strongly indistinguishable in  $m^0$  remain so in all later  $m^i$  including  $M$ ; for later models only add to  $D_2$ , and so leave all counterexamples to weak/strong/super-strong indistinguishability in place. So we only need to check that weakly and super-strongly indistinguishable pairs in  $m^0$  also remain so in all later  $m^i$ . I discuss the behaviour of pairs that are strongly but not super-strongly indistinguishable shortly.

In this particular model, the super-strongly indistinguishable pairs are just  $a, a$ , and  $b, b$ , and  $c, c$ . Clearly, no way of adding to  $D_2$  can provide counterexamples to those. So they're all super-strongly indistinguishable in  $M$ .

Let's turn to weakly indistinguishable pairs. An arbitrary pair  $\alpha, \beta$  are not weakly indistinguishable in  $m^i$  iff, for some  $P_D$  in the language of  $m^i$ , the predication  $P_D x$  strongly differentiates  $\alpha$  from  $\beta$  in the following sense:

$P_D \alpha$  is true and not also false in  $m^i$

$P_D \beta$  is false and not also true in  $m^i$

or conversely. Each element of  $D_2^{i+1}$  has the same extension and anti-extension as some formula in the language of  $m^i$  (or some other earlier  $m^j$ ). So each predicate in the language of  $m^{i+1}$  has the same extension and anti-extension as some formula in the language of  $m^i$  (or some other earlier  $m^j$ ). So there is a strongly differentiating predication for  $\alpha$  and  $\beta$  in the language of  $m^{i+1}$  iff there is a strongly differentiating formula for  $\alpha$  and  $\beta$  in the language of  $m^i$  (or some other earlier  $m^j$ ). We saw at the end of §2 that there are no strongly differentiating formulae for  $\alpha$  and  $\beta$  in the language of any  $m$  if there are no strongly differentiating predications  $\alpha$  and  $\beta$  in the language of  $m$ . So if there are no strongly differentiating predications for  $\alpha$  and  $\beta$  in the language of  $m^0$ , there are no strongly differentiating predications for  $\alpha$  and  $\beta$  in the language of any later  $m^i$ , including  $M$ . Since  $\alpha$  and  $\beta$  were arbitrary, the pattern of weak indistinguishability in  $m^0$  is therefore also present in  $M$ .

It remains only to see that each instance of comprehension is true in  $M$ . Since  $v_M(\phi) \in D_2^M$ , for all  $\phi$  in the language of  $M$ , each instance of comprehension is true in  $M$ . To see this, instantiate the second-order quantifier for a predicate  $P_{v_M(\phi)}$  in the language of  $M$  such that  $v(P_{v_M(\phi)}) = v_M(\phi)$ :

$$\forall z (P_{v_M(\phi)} z \leftrightarrow \phi)$$

Because  $\phi$  and  $P_{v_M(\phi)}$  have the same extension and anti-extension in  $M$ , each instance of this schema is true in  $M$ . That suffices for the second-order existential generalisation of each instance of the schema to be true in  $M$  too.

Putting these pieces together, some countermodels to the transitivity of weak indistinguishability also verify each instance of comprehension. These models also contain weakly indistinguishable pairs that are not strongly or super-strongly indistinguishable, which shows that this difference in logical strength is independent of the validity or otherwise of comprehension.

Say that a model  $m$  is *comprehensive* iff, for all  $\phi$  in the language of  $m$ ,  $v_m(\phi) \in D_2$ . Each instance of comprehension is true in each comprehensive model. So restricting the models to the comprehensive models validates each instance of comprehension. It also makes strong and super-strong indistinguishability mutually entailing. To see this, consider any strongly indistinguishable pair  $a, b$ . Because they're strongly indistinguishable, they're in the extensions of exactly the same properties. We can show that if the model is comprehensive,  $a$  and  $b$  lack exactly the same properties too, and hence that they're super-strongly indistinguishable. So suppose for *reductio* that they don't lack exactly the same properties, that is, for some  $D \in D_2$ ,  $v(a) \in D^-$  and  $v(b) \notin D^-$ . Then  $m \Vdash^+ \neg P_D b$ , and so  $b \in v_m^+(\neg P_D x)$ . Since  $m$  is comprehensive  $v_m(\neg P_D x) \in D_2$ . But then, because  $a$  and  $b$  have exactly the same properties,  $v(a) \in v_m^+(\neg P_D x)$  too. So  $m \Vdash^+ \neg P_D a$ , which means  $m \Vdash^- P_D a$  and hence  $v(a) \notin D^-$ , contrary to the initial supposition. By *reductio*,  $a$  and  $b$  lack exactly the same properties in comprehensive models where they possess exactly the same properties. That is: strong indistinguishability entails super-strong indistinguishability in comprehensive models.

The restriction to comprehensive models is a natural way to validate comprehension. It also makes strong and super-strong indistinguishability mutually entailing. Since defining identity as super-strong indistinguishability validates SI, defining identity as strong indistinguishability validates SI over the comprehensive models. The apparent weakness of strong indistinguishability therefore depends on a permissive conception of the domain of second-order quantification; I take no stand here on whether that conception is correct or not. Note, however, that the difference in strength between both relations and weak indistinguishability is independent of this issue.

### 3.7 Dialetheic metatheory

I have been using a classical metatheory to characterise a non-classical consequence relation. However, dialetheists often claim that adequate dialetheic semantics requires dialetheic metatheory (e.g. Priest 2006: p70). So I now consider how dialetheic metatheory affects the preceding discussion. More specifically, I consider how the preceding is affected

when the logic of the metalanguage is Priest's preferred paraconsistent logic LP.<sup>8</sup>

Note first that the difference in logical strength between binary generalisations and their unary counterparts is not affected by this change. The model witnessing  $\forall x(\phi \rightarrow \psi) \not\models \forall x(\phi : \psi)$  near the beginning of §3.3 continues to do so. Adopting a dialethic metatheory enables construction of another model just like it except, as well as 0 failing to satisfy  $Gx$ , 0 also satisfies  $Gx$ . Simply replace  $\emptyset$  with any set that both does and does not contain 0 as member.<sup>9</sup> Like the original unmodified model, the resulting model witnesses  $\forall x(Fx \rightarrow Gx) \not\models \forall x(Fx : Gx)$  (although the new model also fails to witness that claim).

The primary consequence of adopting dialethic metatheory concerns the arguments for TI and SI in §3.4 and §3.5; I focus on the latter. Consider the following principles of binary universal instantiation:

**First-order Binary Universal Instantiation (BUI1)**  $\forall x(\phi : \psi), \phi_x(a) \vdash \psi_x(a)$

**Second-order Binary Universal Instantiation (BUI2)**  $\forall X(\phi : \psi), \phi_X(P) \vdash \psi_X(P)$

If BUI2 is valid, so is SI (hence also TI) when the identity sign is defined by super-strong indistinguishability. To see why, recall from §3.5 that when the identity sign is defined in this way, SI is valid if: whenever a model makes  $a$  super-strongly indistinguishable from  $b$ , no formula  $\phi$  differentiates  $a$  from  $b$  in the following sense:

$\phi_x(b)$  is true and  $\phi_x(a)$  is false and not true.

We saw in §3.5 that if no predication  $Px$  or its negation  $\neg Px$  satisfies this condition, then no formula does so. So consider a model that makes  $a$  super-strongly indistinguishable from  $b$ , hence in which the following are both true:

$$\begin{aligned} \forall X(Xb : Xa) \\ \forall X(\neg Xb : \neg Xa) \end{aligned}$$

Suppose  $Pb$  is true in this model. Then by the validity of BUI2, so is  $Pa$ . Now suppose  $\neg Pb$  is true in this model. Then by the validity of BUI2, so is  $\neg Pa$ . Since the predicate  $P$  was arbitrary, no predication or its negation differentiates  $a$  from  $b$  in the above sense. Since the model was arbitrary, the validity of BUI2 suffices for the validity of SI when the identity sign is defined by super-strong indistinguishability.

The key question is thus whether BUI2 is valid when the metatheory is dialethic. I investigate this question under §3.2's material and binary semantics in turn. We will see that although the material semantics invalidates both BUI principles, it does not respect the intended interpretation of binary universal quantification. By contrast, the binary semantics validates both BUI principles, if an analogous metalinguistic principle is valid, namely

<sup>8</sup> Thanks to an anonymous referee for pressing me to consider this issue.

<sup>9</sup> On paraconsistent set theory, see (Priest 2006: ch18). Any set with contradictory membership could be used in place of that mentioned in the text.

MBUI from §3.2. I will argue that this principle should be valid even assuming dialetheism. For simplicity, I focus on first-order quantifiers until further notice; the second-order case is essentially the same.

According to the material semantics,  $\forall x(\phi : \psi)$  is true in a model iff the following holds for all  $d \in D_1$ , where  $\Rightarrow$  is a material conditional of the metalanguage:

**Binary**  $d$  satisfies  $\phi \Rightarrow d$  satisfies  $\psi$

We can argue for the validity of BUI1 on this material semantics as follows. Consider a model in which  $\forall x(\phi : \psi)$  and  $\phi_x(a)$  are both true. Because  $\phi_x(a)$  is true,  $v(a)$  satisfies  $\phi$ . So by Binary and *modus ponens* for  $\Rightarrow$ ,  $v(a)$  satisfies  $\psi$ , and hence  $\psi_x(a)$  is true in this model. Since the model was arbitrary, BUI1 is valid.

If the metatheory is dialetheic, this argument fails because *modus ponens* is invalid for the metalinguistic material conditional  $\Rightarrow$ . As noted in §2, dialetheism allows for true material conditionals with true antecedent and false consequent, provided the antecedent is also false (hence both true and false). So on the material semantics, this argument for the object-language validity of BUI1 is itself invalid when the metatheory is dialetheic. Moreover, dialetheic metatheory permits countermodels to BUI1. In any such countermodel, there is  $d \in D_1$  such that:

1. Binary is true because  $d$  does not satisfy  $\phi$ .
2. Binary is false because  $d$  satisfies  $\phi$  but does not satisfy  $\psi$ .

Note that because these models require  $d$  both to satisfy and not satisfy  $\phi$ , they require a dialetheic metatheory.

However, recall from §3.2 that the material semantics does not perfectly capture the intended semantic effect of binary quantifiers: the material truth-condition of  $\forall x(\phi : \psi)$  requires something of everything in  $D_1$  when it should require something only of satisfiers of  $\phi$ . When the metatheory is classical, this intensional semantic difference doesn't affect truth-value in any model. But when the metatheory is dialetheic, it does. To see why, note that models satisfying 1 above misrepresent the intended semantics of binary generalisations. Insofar as  $d$  does not satisfy  $\phi$ , it should not contribute to making  $\forall x(\phi : \psi)$  true: non-satisfiers of  $\phi$  should be irrelevant to making that generalisation true. So  $\forall x(\phi : \psi)$  should be false (by 2) only and not also true. This shows that the material semantics is extensionally incorrect within dialetheic metatheory, given the intended semantic effect of binary quantifiers. It also shows that countermodels to BUI1 arise only because of this semantic inaccuracy; for were the metatheory classical, at most one of 1 and 2 could hold for each  $d \in D_1$ , which precludes countermodels to BUI1.

The lesson is that the material semantics is inadequate for binary quantification within dialetheic metatheory. In that setting, genuinely binary quantification cannot be simulated

using unary quantification on a material conditional in the metalanguage. Models verifying 1 and 2 are thus no threat to the validity of BUI1 on the intended interpretation of binary first-order quantification. Parallel reasoning shows that analogous countermodels to BUI2 provided by the material semantics are no threat to the validity of BUI2 on the intended interpretation of binary second-order quantification. So let us now consider the binary semantics.

According to the binary semantics, the truth-conditions for binary generalisations are given by:

$$m \Vdash^+ \forall x(\phi : \psi) \text{ iff } \Lambda d(d \in D_1 \text{ and } m \Vdash^+ \phi_x(t_d) : m \Vdash^+ \psi_x(t_d))$$

$$m \Vdash^+ \forall X(\phi : \psi) \text{ iff } \Lambda D(D \in D_2 \text{ and } m \Vdash^+ \phi_X(P_D) : m \Vdash^+ \psi_X(P_D))$$

where  $\Lambda$  is a primitive binary universal quantifier of the metalanguage. If BUI is valid for this quantifier—I called this principle MBUI in §3.2—these clauses validate BUI1 and BUI2 for the object-language binary quantifiers. To see why, consider a model in which  $\forall x(\phi : \psi)$  and  $\phi_x(a)$  are both true. By the truth-condition above,  $\Lambda d(d \in D_1 \text{ and } d \text{ satisfies } \phi : d \text{ satisfies } \psi)$ . Since  $\phi_x(a)$  is true,  $v(a)$  satisfies  $\phi$  and  $v(a) \in D_1$ . So by MBUI,  $v(a)$  satisfies  $\psi$ , which makes  $\psi_x(a)$  true in the model. Since the model was arbitrary, BUI1 is valid. The argument for BUI2 is similar.

So, should MBUI be valid under the assumption of dialetheism? I believe so. As mentioned previously, the intended semantic effect of a binary universal quantifier is as follows: its truth requires satisfiers of its first argument  $\phi$  to satisfy its second argument  $\psi$ , whilst requiring nothing of non-satisfiers of  $\phi$ . In dialethic settings, an object  $d$  or property  $D$  may both satisfy and fail to satisfy  $\phi$ . The generalisation's truth then *both* (a) requires that  $d/D$  satisfy  $\psi$  *and* (b) requires nothing of  $d/D$ . So by (a),  $d/D$  satisfies  $\psi$ . Since  $d/D$  was arbitrary, this validates MBUI, hence also BUI2 on the binary semantics. As we saw above, it follows that SI is valid when the identity sign is defined by super-strong indistinguishability, even when the metatheory is dialethic.

To close this section, let's consider two final doubts about the validity of BUI1/2. Both doubts arise because one can use the binary universal quantifier to define a conditional operator thus:

$$\phi \rightarrow \psi =_{\text{df}} \forall x(\phi : \psi)$$

If BUI1 is valid, then *modus ponens* is valid for  $\rightarrow$ . If we'd used a second-order quantifier to define  $\rightarrow$ , rather than a first-order quantifier, the validity of BUI2 would suffice for that of *modus ponens*. In a dialethic setting, however, this might make one suspicious. Dialetheists typically reject the following as invalid in order to prevent true contradictions from inducing triviality:

**Explosion**  $\phi \wedge \neg\phi \vdash \psi$



The validity of Explosion follows from that of:<sup>10</sup>

$$\begin{aligned}\neg\phi &\vdash \phi \rightarrow \psi \\ \phi, \phi \rightarrow \psi &\vdash \psi\end{aligned}$$

The second principle is *modus ponens* for the material conditional. Because the first principle is valid for the material conditional—since  $\phi \rightarrow \psi$  is definitionally equivalent to  $\neg\phi \vee \psi$ —the dialethic invalidity of *modus ponens* for  $\rightarrow$  is no accident. One might therefore doubt whether *modus ponens* should be valid for the newly defined conditional operator  $\rightarrow$ . And if it's not valid, then neither are BUI1/2.

This argument for the invalidity of BUI1/2 fails because Explosion does not follow from *modus ponens* for  $\rightarrow$  alone, but only from the pair:

$$\begin{aligned}\neg\phi &\vdash \phi \rightarrow \psi \\ \phi, \phi \rightarrow \psi &\vdash \psi\end{aligned}$$

The first principle is invalid on both material and binary semantics, within classical and dialethic metatheory. The following is a countermodel in all of those settings:

$$\begin{aligned}D_1 &= \{0\} \\ D_2 &= \{P, Q\} \\ P^+ &= \{0\} \quad P^- = \{0\} \\ Q^+ &= \emptyset \quad Q^- = \{0\} \\ v(F) &= P \\ v(G) &= Q \\ v(a) &= 0\end{aligned}$$

Since  $0 \in P^-$ :  $\neg Fa$  is true. Since  $0 \in P^+$ ,  $Fa$  is true and so 0 satisfies  $Fa$ . Yet since  $0 \notin \emptyset$ ,  $Ga$  is not true and so 0 does not satisfy  $Ga$ . So  $\forall x(Fa : Ga)$  and hence  $Fa \rightarrow Ga$  are not true, despite  $\neg Fa$  being true. This shows that the first of the above principles is invalid. A similar result is available for the alternative definition of  $\rightarrow$  using a second-order quantifier. So the invalidity of Explosion requires the invalidity of neither *modus ponens* for  $\rightarrow$  nor BUI1/2.

Now for the final doubt about BUI1/2. Any conditional operator  $>$  can be combined with a truth-predicate  $T$  to define a Curry sentence for any sentence  $\phi$ :

$$(C) \quad T(\langle C \rangle) > \phi$$

---

<sup>10</sup> Proof. Suppose  $\phi \wedge \neg\phi$  is true. So (a)  $\phi$  is true, and (b)  $\neg\phi$  is true. By (b) and the first principle in the text,  $\phi \rightarrow \psi$  is true. Then by (a) and *modus ponens*,  $\psi$  is true.

where  $\langle C \rangle$  is a quotation name for  $\langle C \rangle$ . If (a)  $T(\langle \psi \rangle)$  and  $\psi$  are always mutually entailing, (b) *modus ponens* and conditional proof are valid for  $>$ , then (c) the existence of the Curry sentence for  $\phi$  entails  $\phi$ .<sup>11</sup> Since  $\phi$  can be any sentence whatsoever, this induces triviality. One might reasonably take this to show that *modus ponens* is valid for no conditional, including  $\rightarrow$ , and hence that BUI1/2 are invalid.

I will make two points in response. Firstly, the Curry paradox may be taken to refute the universal intersubstitutability of  $T(\langle \psi \rangle)$  and  $\psi$ , rather than *modus ponens*. This alternative response to the paradox is attractive because it resolves many other truth-involving paradoxes too. Secondly, although every solution to the semantic paradoxes has surprising and otherwise unexpected consequences, one might reasonably require that they be confined to truth-involving subject matters. The metaphysical questions at issue here do not essentially involve truth. So even if the Curry paradox shows *modus ponens* to be invalid, it does not automatically threaten the validity of *modus ponens* within the truth-free languages I have been discussing.

## 4 The role of identity

We've seen three classically equivalent notions of indistinguishability with different logical properties in the present dialethic setting. Super-strong entails strong, which entails weak, but none of the converse entailments hold (except for that from strong to super-strong within the comprehensive models). II says that identity is indistinguishability. This allows us to introduce the identity sign with its intended interpretation into an identity-free second-order language by defining it as indistinguishability. Different choices about the regimentation of indistinguishability then yield different logical properties for the identity sign. If indistinguishability is regimented as weak indistinguishability, neither SI nor TI is valid even in paradigmatically extensional contexts (§2). If indistinguishability is regimented as strong indistinguishability, TI but not SI is valid (§§3.4–3.5). And if indistinguishability is regimented as super-strong indistinguishability, both TI and SI are valid (§3.5). Each of those last two views undermines the metaphysical argument for dialetheism outlined in §1. That is an abductive argument from metaphysical work for a non-transitive and non-substitutional identity relation; yet if the indistinguishability relation in II is either strong or super-strong indistinguishability, identity is at least transitive and perhaps also substitutional.

I will argue that the indistinguishability relation in II should be super-strong indistinguishability. I first outline the core theoretical role for numerical identity and then argue that only super-strong indistinguishability satisfies it. According to this role, identity is (or

<sup>11</sup> Proof sketch. Suppose the Curry sentence for conditional proof:  $T(\langle C \rangle) > \phi$ . By the truth-intersubstitutability:  $T(\langle C \rangle)$ . So by *modus ponens*:  $\phi$ . Discharging the supposition and applying conditional proof, this establishes the Curry sentence:  $T(\langle C \rangle) > \phi$ . So by the truth-intersubstitutability:  $T(\langle C \rangle)$ . And finally by *modus ponens*:  $\phi$

at least entails) the most demanding relation of sameness of properties: identical objects are not differentiated in any way by their properties. Since weakly and strongly indistinguishable objects can be differentiated by their properties, those relations cannot satisfy this role. Only super-strongly indistinguishable objects are not differentiated in any way by their properties.

One could respond by rejecting this role for identity. Unless debate about identity is to be merely terminological, an alternative identity-role is then required. What might this alternative be? One cannot appeal to II's connection between identity and indistinguishability; for the present issue concerns which notion of indistinguishability should be employed in II. And one cannot appeal to the prevalence of weak indistinguishability in, and absence of super-strong indistinguishability from, previous literature; for the previous literature presupposes classicality, which renders those notions equivalent. So although one could in principle reject my role for identity and then use weak indistinguishability in II, that would raise a significant challenge: explain why weak indistinguishability deserves the label 'identity' when other more demanding relations of sameness of properties do not. I see no way of meeting this challenge.

Dialetheism itself provides no reason to reject my theoretical role for identity (I return to this shortly). Both dialetheic and classical metaphysicians should therefore find my argument *suasive*. Since my conclusion entails the validity of both SI and TI, even dialetheic metaphysicians should reject the metaphysical argument for dialetheism outlined in §1. Although not a direct threat to dialetheism *per se*, this shows that dialetheism and II do not jointly deliver a non-transitive identity relation, and thereby undermines the new metaphysical argument for dialetheism. Dialetheic and classical metaphysicians alike should regard super-strong indistinguishability as a better satisfier of the identity-role than weak indistinguishability. Since super-strong indistinguishability is both transitive and substitutional, theoretical work for non-transitive identity does not motivate dialetheism, even by dialetheic lights.

With these preliminaries complete, let's continue to the argument.

There is a deep connection between numerical identity and objecthood. Reality comprises, at least in part, an array of objects instantiating properties and standing in relations. This supply of objects determines how fine-grained reality's distinctions can be. Given a collection of many objects, there can be distinctions amongst them. For example, the red ones on one side and the rest on the other. If many red objects remain, further distinctions can be made within them. And so on. But when the collection comprises just one single object, no more fine-grained distinctions can be made. When *a* is identical to *b*, no distinction treats them differently, whatever the supply of distinctions may be. Identical objects fall on exactly the same side(s) of each distinction; that's what it is for no more fine-grained distinction to be possible between them. Numerical identity thus limits how fine-grained reality can be.

Let me be clear about exactly what this connection between identity and fineness of grain requires, to emphasise its compatibility with dialetheism. It does not require—at least, not without additional assumptions incompatible with dialetheism—that identical objects never lie on opposite sides of the same distinction. Dialetheists should reject that idea because whenever  $a$  is both  $F$  and not  $F$ ,  $a$  lies on opposite sides of the  $F$ /non- $F$  distinction from itself. Rather, what’s required is that whenever  $a$  is identical to  $b$ , any distinction with  $a$  on a given side also has  $b$  on that side. That’s what it is for no distinction to differentiate between  $a$  from  $b$ , or to cut more finely than them. Dialetheism is entirely compatible with that.

This connection between objecthood, identity, and fineness of grain generates a core theoretical role for numerical identity: it is the most demanding and restrictive form of indistinguishability. A relation that permits differences of any sort between the properties of its relata is not numerical identity because it does not prevent there from being more fine-grained distinctions between its relata. Weak and strong indistinguishability both permit distinctions between their relata over which properties they possess and lack. When  $a$  is only weakly indistinguishable from  $b$ ,  $a$  may both have properties  $b$  does not and lack properties  $b$  does not. When  $a$  is only strongly distinguishable from  $b$ ,  $a$  may lack properties  $b$  does not. In both cases, the pattern of possession and lack differentiates  $a$  from  $b$ , showing that they are not numerically identical in the sense just outlined. Super-strong indistinguishability permits no such differences between its relata. Of the relations we’ve examined therefore, only super-strong indistinguishability can occupy the identity-role. Assuming that identity is indistinguishability, the proper treatment of identity in dialethic metaphysics is as super-strong indistinguishability.

## Acknowledgements

For comments and feedback, I’d like to thank Salvatore Florio, Simon Hewitt, Graham Priest, Rob Trueman, Henry Taylor, Al Wilson, and an anonymous referee. This work was supported by an Arts and Humanities Research Council Leadership Fellowship (grant number AH/P014070/1), and written while visiting the MIT Departments of Linguistics and Philosophy; thanks to both organisations for their support.

## References

- Cobrerros, P., Egré, P., Ripley, D., and van Rooij, R. (2013). Identity, leibniz’s law, and non-transitive reasoning. *Metaphysica*, 14(2):253–264.
- Cobrerros, P., Egré, P., Ripley, D., and van Rooij, R. (2014). Priest’s motorbike and tolerant identity. In Ciuni, R., Wansing, H., and Willkommen, C., editors, *Recent Trends*

- in *Philosophical Logic*, pages 75–84. Cham, Heidelberg, New York, Dordrecht, London: Springer.
- Forrest, P. (2016). The identity of indiscernibles. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, winter 2016 edition. <<https://plato.stanford.edu/archives/win2016/entries/identity-indiscernible/>> accessed 24 April 2019.
- Hawley, K. (2009). Identity and indistinguishability. *Mind*, 118(469):101–119.
- Hawthorne, J. (2003). Identity. In Loux, M. J. and Zimmerman, D. W., editors, *The Oxford Handbook of Metaphysics*, pages 99–130. Oxford: Oxford University Press.
- Jones, N. K. (2018). How to unify. *Ergo: An Open Access Journal of Philosophy*, 5(31):816–842.
- Noonan, H. and Curtis, B. (2018). Identity. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, summer 2018 edition. <<https://plato.stanford.edu/archives/sum2018/entries/identity/>> accessed 24 April 2019.
- Peters, S. and Westerståhl, D. (2008). *Quantifiers in Language and Logic*. Oxford: Oxford University Press.
- Priest, G. (2006). *In Contradiction*. Oxford: Oxford University Press, second edition.
- Priest, G. (2009). A case of mistaken identity. In Lear, J. and Oliver, A., editors, *The Force of Argument*, pages 205–222. New York, Abingdon: Routledge.
- Priest, G. (2010a). Contradiction and the structure of unity. In Jiang, Y., editor, *Analytic Philosophy in China*, pages 35–42. Hangzhou: Zhejiang University Press. <<http://grahampriest.net/?ddownload=1193>> accessed 10 April 2019.
- Priest, G. (2010b). Non-transitive identity. In Dietz, R. and Moruzzi, S., editors, *Cuts and Clouds: Vagueness, Its Nature and Its Logic*, pages 406–416. Oxford: Oxford University Press.
- Priest, G. (2014). *One: Being an Investigation into the Unity of Reality and of Its Parts, Including the Singular Object which is Nothingness*. Oxford: Oxford University Press.
- Uzquiano, G. (2018). Quantifiers and quantification. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, fall 2018 edition. <<https://plato.stanford.edu/archives/fall2018/entries/quantification/>> accessed 24 April 2019.

Westerståhl, D. (2016). Generalized quantifiers. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, winter 2016 edition. <<https://plato.stanford.edu/archives/win2016/entries/generalized-quantifiers/>> accessed 24 April 2019.