

Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

ATLAS Collaboration

DOI:

[10.1140/epjc/s10052-016-4385-1](https://doi.org/10.1140/epjc/s10052-016-4385-1)

License:

Creative Commons: Attribution (CC BY)

Document Version

Peer reviewed version

Citation for published version (Harvard):

ATLAS Collaboration 2016, 'Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector', *Eur. Phys. J. C*, vol. 76, 541.

<https://doi.org/10.1140/epjc/s10052-016-4385-1>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.



Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

Abstract

A search is performed for a heavy particle decaying into different flavour dilepton pairs ($e\mu$, $e\tau$ or $\mu\tau$), using 3.2 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13$ TeV collected in 2015 by the ATLAS detector at the Large Hadron Collider. No excess over the Standard Model prediction is observed. Limits at the 95% credibility level are set on the mass of a Z' boson with lepton-flavour-violating couplings at 3.0, 2.7 and 2.6 TeV, and on the mass of a supersymmetric τ sneutrino with R -parity-violating couplings at 2.3, 2.2 and 1.9 TeV, for $e\mu$, $e\tau$ and $\mu\tau$ final states, respectively. The results are also interpreted as limits on the threshold mass for quantum black hole production.

1 Introduction

Within the Standard Model (SM) of particle physics, direct production of lepton pairs with different flavours ($\ell\ell'$) is forbidden. However, lepton flavour violation (LFV) is allowed in many extensions of the SM. Models with additional gauge symmetries, e.g. production of a new heavy neutral gauge boson, similar to a Z' boson [1], scalar neutrinos in R -parity-violating (RPV) [2, 3] supersymmetry (SUSY) [4–9], or low-scale gravity models predicting quantum black hole (QBH) production [10] can produce decays to lepton-flavour-violating final states. Processes leading to flavour-violating dilepton final states have a clear detector signature and a low background from SM processes. The Drell–Yan (DY) process (dilepton production in hadron–hadron collisions), an irreducible background for same-flavour dilepton searches, is limited to the production and decay of a ditau system, enhancing the sensitivity to a possible signal. This paper looks for final states with two leptons of different flavour in proton–proton (pp) collisions at $\sqrt{s} = 13$ TeV. The invariant mass of the two leptons ($m_{\ell\ell'}$) is used as the search variable.

A common extension of the SM is the addition of an extra $U(1)$ gauge symmetry resulting in a massive vector boson known as a Z' boson [1]. The search presented in this paper assumes a Z' boson that has the same fermion couplings as the SM Z boson in the quark sector, but only leptonic decays that violate LFC are allowed. The addition of lepton-flavour-violating processes, $Z' \rightarrow e\mu, e\tau, \mu\tau$, requires new couplings between leptons of different generations: Q_{12}^ℓ, Q_{13}^ℓ and Q_{23}^ℓ , where the subscripts denote lepton generations. For the model considered, this paper assumes Q_{ij}^ℓ equal to the SM Z boson coupling to one lepton and only one LFV coupling different from zero at the same time. The ATLAS and CMS Collaborations have placed limits on the $e\mu, e\tau$ and $\mu\tau$ couplings as a function of the Z' boson mass up to 2.5 TeV, using the full $\sqrt{s} = 8$ TeV [11, 12].

In RPV SUSY, the Lagrangian terms allowing LFV can be expressed as $\frac{1}{2}\lambda_{ijk}L_iL_j\bar{e}_k + \lambda'_{ijk}L_iQ_j\bar{d}_k$, where L and Q are the $SU(2)$ doublet superfields of leptons and quarks, e and d are the $SU(2)$ singlet superfields of leptons and down-like quarks, λ and λ' are Yukawa couplings, and the indices i, j and k denote fermion generations. A τ sneutrino ($\tilde{\nu}_\tau$) may be produced in pp collisions by $d\bar{d}$ annihilation and subsequently decay to $e\mu, e\tau$, or $\mu\tau$. Although only $\tilde{\nu}_\tau$ is considered in this paper, results apply to any sneutrino flavour. For the theoretical prediction of the cross-section times branching ratio, the $\tilde{\nu}_\tau$ coupling to first-generation quarks (λ'_{311}) is assumed to be 0.11 for all channels. As for the Z' model, only one decay to a lepton-flavour-violating final state is allowed at the same time. As such, for an $e\mu$ final state, it is assumed that $\lambda_{312}=\lambda_{321}=0.07$, for $e\tau$ $\lambda_{313}=\lambda_{331}=0.07$ and $\mu\tau$ $\lambda_{323}=\lambda_{332}=0.07$. These values are consistent with benchmark couplings used in previous ATLAS and CMS searches [11, 12]. The ATLAS Collaboration has placed limits up to 2.0 TeV on the mass of an RPV SUSY $\tilde{\nu}_\tau$ [11].

Various models introduce extra dimensions in order to lower the value of the Planck mass (M_P) and solve the hierarchy problem. The search presented in this paper focuses on the ADD model [13], assuming $n = 6$, where n is the number of extra dimensions, and the RS model [14], with one extra dimension. Due to the increased strength of gravity at short distances, pp collisions at the Large Hadron Collider (LHC) could produce states with masses beyond the threshold mass (M_{th}), satisfying the Hoop conjecture [15] and form black holes. For the model considered, M_{th} is assumed to be equivalent to the extra-dimensional Planck scale. It is expected that, for masses beyond $3\text{--}5M_{\text{th}}$, thermal black holes would be produced [16, 17], characterised by high-multiplicity final states. As such, for the search presented in this paper, it is more interesting to focus on the mass region below $3\text{--}5M_{\text{th}}$, known as the quantum gravity regime, investigated in Refs. [18–20]. Non-thermal (or quantum) black holes would be formed in this region, and could decay to two-particle final states, producing the topology this analysis is focused on. Such quantum black holes would form a continuum in mass from M_{th} up to the beginning of the thermal regime. For

the model considered in this paper, the thermal regime is assumed to start at $3M_{\text{th}}$. The decay of quantum black holes would be governed by a yet unknown theory of quantum gravity. The two main assumptions of the extra-dimensions models considered [10] in this paper are:

- gravity couples with equal strength to all SM particle degrees of freedom;
- gravity conserves local symmetries (colour, electric charge) but can violate global symmetries such as LFC and baryon number conservation.

Following these assumptions, the branching ratio (BR) to each final state can be calculated. Two initial states could give rise to a quantum black hole decaying into a lepton-flavour-violating final state: $q\bar{q}$ and gg . The branching ratio to $\ell\ell'$ is 0.87% (0.34%) for a $q\bar{q}$ (gg) initial state [10]. This model was used in previous ATLAS and CMS searches in dijet [21–23], lepton+jet [24], photon+jet [25], $e\mu$ [12] and same-flavour dilepton [26] final states.

2 The ATLAS detector

The ATLAS detector [27] is a general-purpose particle detector with approximately forward-backward symmetric cylindrical geometry.¹ It is composed of four main components, each responsible for identifying and reconstructing different types of particles: the inner detector (ID), the electromagnetic and hadronic calorimeters, and the muon spectrometer (MS). Each of the sub-detectors is divided into two components, barrel and endcap, to provide coverage close to 4π in solid angle. In addition, two magnet systems are in place to allow charge and momentum measurements: an axial magnetic field of 2.0 T provided by a solenoid surrounding the ID, and a toroidal magnetic field for the MS. The ID, the component of the ATLAS detector closest to the interaction point, reconstructs the trajectories of charged particles in the region $|\eta| < 2.5$ and measures their momenta. It is composed of three sub-systems:

- i) a silicon pixel detector, including the newly installed insertable B-layer [28, 29];
- ii) the semi-conductor tracker, used in conjunction with the silicon pixel detector to determine primary and secondary vertices with high precision thanks to their high granularity;
- iii) the transition radiation tracker, providing additional tracking in the region $|\eta| < 2.0$ and electron identification.

Surrounding the ID, lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are LAr calorimeters with copper or tungsten absorbers for both the EM and hadronic energy measurements up to $|\eta| < 4.9$. Built around the calorimeter system, the MS is the sub-detector furthest from the interaction point. It consists of three layers of precision tracking chambers and fast detectors for triggering on muons. Tracking coverage is provided up to $|\eta| < 2.7$ through the use of monitored drift tubes and, in the innermost layer, cathode strip

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. The x - y plane is referred to as the transverse plane, used to define quantities such as the transverse momentum (p_T). Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

chambers for $|\eta| > 2.0$, while trigger coverage is provided by resistive plate and thin gap chambers up to $|\eta| < 2.4$.

The trigger and data-acquisition system is based on two levels of online event selection [30]: the level-1 trigger and the high-level trigger. The level-1 trigger is hardware-based and uses a subset of detector information to provide quick trigger decisions and reduce the accepted rate to 100 kHz. The high-level trigger is software-based and exploits the full detector information to further reduce the accepted rate to about one kHz.

3 Data and Monte Carlo simulated samples

The data sample used for this analysis was collected with the ATLAS detector during the 2015 LHC run with pp collisions at a centre-of-mass energy of 13 TeV with a 25 ns minimum proton bunch spacing. After selecting periods with stable beams and requiring all detector systems to be fully functional, the total integrated luminosity for the analysis is 3.2 fb^{-1} . The uncertainty in the integrated luminosity is 5.0%. It is derived following a methodology similar to that detailed in Ref. [31], from a calibration of the luminosity scale using x - y beam-separation scans performed in August 2015.

The $pp \rightarrow Z' \rightarrow \ell\ell'$ signal samples are generated at leading order (LO) using the Monte Carlo (MC) generator PYTHIA 8.186 [32] with the NNPDF23LO [33] parton distribution function (PDF) set and the A14 [34] set of tuned parameters (tune). Signal samples with 25 mass points ranging from 0.5 TeV up to 5 TeV are generated in 0.1 TeV steps from 0.5 to 2.0 TeV, 0.2 TeV steps from 2.0 to 3.0 TeV and 0.5 TeV steps from 3.0 to 5.0 TeV. The production cross-section is calculated with the same MC generator used for simulation. No mixing with the SM Z boson is included.

The $d\bar{d} \rightarrow \tilde{\nu}_\tau \rightarrow \ell\ell'$ signal samples are generated at LO using the MC generator MG5_AMC@NLO v2.3.3 [35] interfaced to the PYTHIA 8.186 parton shower model with the NNPDF23LO PDF set and the A14 tune. The signal samples are generated at the same pole-masses as for the Z' described above. The cross-section is calculated at LO with the same MC generator used for simulation. A next-to-leading order (NLO) correction factor (K -factor) is calculated for the cross-section based on Ref. [36] using LoopTools v2.2 [37].

The $pp \rightarrow \text{QBH} \rightarrow \ell\ell'$ samples are generated with QBH 3.00 [38] using the CTEQ6L1 [39] PDF set and the A14 tune, for which PYTHIA 8.183 provides showering and hadronisation. For each extra-dimensional model, eleven M_{th} points in 0.5 TeV steps were produced: from 3.0 to 8.0 TeV for the ADD $n = 6$ model, and from 1.0 to 6.0 TeV for the RS $n = 1$ model. The production cross-section is calculated with the same MC generator used for simulation. These two models have differences in the number and nature of the additional extra dimensions (large extra dimensions for ADD, one highly warped extra dimension for RS). In particular, the ADD model allows production of black holes with a larger gravitational radius and hence the parton-parton cross-section for this model is larger than for the RS model. Therefore, the M_{th} range of the generated samples is different for the two models.

The SM background to the LFV dilepton search is composed of several processes which can produce a final state with two different-flavour leptons. The dominant background contributions originate from $t\bar{t}$ and single-top production, with the subsequent decays of the top quark producing leptonically decaying W bosons. Other backgrounds originate from diboson (WW , WZ and ZZ) production and the DY process, $q\bar{q} \rightarrow Z/\gamma^* \rightarrow \tau\tau$, which can produce different-flavour final states through the leptonic decay of the W and

Z bosons and the τ lepton. Multi-jet and W +jets processes contribute due to the misidentification of jets as leptons.

Backgrounds from top quark production include $t\bar{t}$ and single-top with an associated W boson (tW). Both the $t\bar{t}$ and single-top-quark backgrounds are generated at NLO using the POWHEG-Box v2 [40] generator with the CT10 [41] PDF set in the matrix element (ME) calculations. PYTHIA 6.4.28 [42] and the corresponding Perugia 2012 tune [43] are used to simulate the parton shower, hadronisation, and the underlying event. Top quarks are decayed using MADSPIN [44], preserving all spin correlations. The parameter which controls the p_T of the first emission beyond the Born configuration in Powheg, called *hdamp*, is set to the mass of the top quark. The main effect of this is to regulate the high- p_T emission against which the $t\bar{t}$ system recoils. The mass of the top quark is set to 172.5 GeV. A value of 831^{+20}_{-29} (scale) $^{+35}_{-35}$ (PDF+ α_S) $^{+23}_{-22}$ (mass uncertainty) pb is used for the $t\bar{t}$ production cross-section, computed with TOP++ 2.0 [45], incorporating next-to-next-to-leading order (NNLO) corrections in QCD, including resummation of next-to-next-to-leading logarithmic (NNLL) soft gluon terms. A tW production cross-section of 71.7 ± 3.8 pb is used, as computed in Ref. [46] to approximately NNLO (NNLL+NLO) accuracy.

Diboson processes with four charged leptons, three charged leptons and one neutrino, two charged leptons and two neutrinos, or one boson decaying to leptons and the other hadronically, are simulated using the SHERPA 2.1.1 generator [47]. The matrix elements contain all diagrams with four electroweak vertices. Fully-leptonic decays are calculated for up to one (four leptons, two leptons and two neutrinos) or zero partons (three leptons and one neutrino) at NLO and up to three partons at LO using the COMIX [48] and OPENLOOPS [49] ME generators and merged with the SHERPA parton-shower [50] using the ME+PS@NLO prescription [51]. Semileptonic decays are calculated for up to one (ZZ) or zero (WW, WZ) additional partons at NLO and up to three additional partons at LO using COMIX and OPENLOOPS. The CT10 PDF set is used in conjunction with the default parton-shower tuning provided by the SHERPA authors in the release.

The Drell–Yan process is generated at LO using the PYTHIA8 MC generator with the NNPDF23LO PDF set. The same generator is used for showering and hadronisation. Dilepton mass-dependent K -factors are applied to account for higher-order QCD and electroweak corrections and to normalise the cross-section to NNLO, computed using FEWZ 3.1 [52] and the CT14NNLO PDF set [53].

SM processes such as W +jets and multi-jet production involving jets that fake leptons are evaluated through the use of data-driven methods detailed in Section 5. The W +jets contribution is estimated with the aid of SHERPA MC simulated samples. Matrix elements are calculated for up to two partons at NLO and four partons at LO using the same procedures, prescriptions and PDF set adopted for the diboson samples. The W +jets events are normalised to the NNLO cross-section [54].

For all samples used in this analysis, the effects of multiple interactions per bunch crossing (pile-up) are accounted for by overlaying minimum-bias events simulated with PYTHIA8 and re-weighting the MC events to reproduce the distribution of the average number of interactions per bunch crossing observed in the data. The MC generated events were processed with the ATLAS simulation infrastructure [55], based on GEANT4 [56], and passed through the trigger simulation and the same reconstruction software used for the data.

4 Object and event selection

Candidate muon tracks are initially reconstructed independently in the ID and the MS. The two tracks are then used as input to a combined fit which takes into account the energy loss in the calorimeter and multiple scattering. Muon identification is based on information from both the ID and MS to ensure that muons are reconstructed with the optimal momentum resolution up to very high p_T using the *High- p_T* operating point [57]. Muon candidates with hits in regions of the MS with residual misalignments, such as the barrel–endcap overlap region ($1.01 < |\eta| < 1.1$), are vetoed. Muon tracks are required to be within the ID acceptance region² of $|\eta| < 2.5$ and have at least three hits in each of the three traversed precision chambers in the MS. An exception is made in the region $|\eta| < 0.1$ due to the MS gap in that region, where tracks with at least three hits in a single precision chamber are allowed. In order to suppress hadrons misidentified as muons, the momentum measurements of the ID and the MS must agree within seven standard deviations. As well as the quality cuts, muon candidates must fulfil $p_T > 65$ GeV and transverse impact parameter (d_0) significance $|d_0/\sigma_{d_0}| < 3$ with respect to the beam line, where σ_{d_0} is the uncertainty in the value of the transverse impact parameter. The distance between the z -position of the point of closest approach of the muon track in the ID to the beamline and the z -coordinate of the primary vertex³ (Δz_0) is required to satisfy $|\Delta z_0 \sin \theta| < 0.5$ mm. This requirement aims to reduce the background from cosmic rays and from muons originating from heavy-flavour decays. Moreover, candidates are required to fulfil track-based isolation criteria with a fixed efficiency of 99% over the full range of muon momentum to further reduce contamination from non-prompt muons. The sum of the transverse momentum of tracks in an isolation cone of size $\Delta R = 0.2$ (excluding the muon itself) divided by the muon p_T is used as a discrimination criterion for the track-based isolation.

Electron candidates are formed from the energy in clusters of cells in the electromagnetic calorimeter associated with a track in the ID [58]. A multivariate analysis approach, employing a likelihood (LH) discriminant, is built to suppress contributions from hadronic jets, photon conversions, Dalitz decays and semileptonic heavy-flavour hadron or kaon decays. The LH discriminant utilises lateral and longitudinal calorimeter shower shape, tracking and cluster–track matching quantities. The discriminant criterion is a function of the transverse momentum and $|\eta|$ of the candidate electron. Two operating points are used in this analysis, as defined in Ref. [59]: *Medium* and *Tight*. The *Tight* working point (90% efficient at $p_T = 65$ GeV) is required for electron candidates, while the *Medium* working point (95% efficient at $p_T = 65$ GeV) is used to estimate the background contribution from jets misidentified as electrons (as discussed in Section 5). Electron candidates must fulfil $p_T > 65$ GeV and $|\eta| < 2.47$, excluding the region $1.37 < |\eta| < 1.52$, where the energy reconstruction performance is degraded due to the presence of extra inactive material. Further requirements are made on the impact parameter: $|d_0/\sigma_{d_0}| < 5$ and $|\Delta z_0 \sin \theta| < 0.5$ mm. To reject electrons faked by muons, electron candidates within a $\Delta R = 0.2$ cone around a muon candidate are removed. Moreover, candidates are required to fulfil relative track- (as defined above for muon candidates) and calorimeter-based isolation requirements with a fixed efficiency of 99%, to suppress background from non-prompt leptons originating from heavy-flavour or kaon decays, charged hadrons and photon conversions from π^0 decays. The sum of the calorimeter transverse energy deposits in an isolation cone of size $\Delta R = 0.2$ (excluding the electron itself) divided by the electron p_T is used as a discrimination criterion for the calorimeter-based isolation.

Jets, used in the reconstruction of hadronically-decaying τ leptons, are reconstructed using the anti- k_t algorithm [60] with a radius parameter (R) of 0.4, using as input topological clusters [61] of calorimeter

² For the $\mu\tau$ channel, the muon acceptance is limited by the coverage of the muon trigger system ($|\eta| < 2.4$).

³ The primary vertex corresponds to the interaction vertex with the highest p_T^2 sum of all tracks belonging to it.

cells [62]. The three-dimensional topological clusters are built from topologically connected calorimeter cells that contain a significant signal above noise. The cluster energies are corrected for inactive material and out-of-cluster energy losses. Jet calibrations derived from $\sqrt{s} = 13$ TeV simulation, and collision data taken at $\sqrt{s} = 8$ TeV and $\sqrt{s} = 13$ TeV, are used to correct the jet energies and directions to those of the particles from the hard-scatter interaction. This calibration procedure, described in Refs.[62–64], is improved by a data-derived correction to the relative calibration of jets in the central and the forward regions.

The reconstruction of τ leptons and their visible hadronic decay products, referred to as $\tau_{\text{had}}^{\text{vis}}$, starts with jets reconstructed from topological clusters as described above. Hadronic decays of τ leptons (τ_{had}) are mainly characterised by the presence of one or three charged particles, accompanied by a neutrino and possibly other neutral particles [65]. The $\tau_{\text{had}}^{\text{vis}}$ candidates must have energy deposits in the calorimeters in the range $|\eta| < 2.5$, with the transition region between the barrel and endcap calorimeters ($1.37 < |\eta| < 1.52$) excluded, a transverse momentum greater than 40 GeV, one or three associated tracks and an electric charge of ± 1 . Their identification is performed using a multivariate algorithm that employs boosted decision trees (BDTs) to discriminate against quark- and gluon-initiated jets using shower shape and tracking information. An additional dedicated likelihood-based veto is used to reduce the number of electrons misidentified as τ_{had} . The τ lepton candidates which overlap with electron or muon candidates within a cone of $\Delta R = 0.2$ are rejected.

The event selection requires a single-muon or single-electron trigger with a p_T threshold of 50 GeV for muons, and 60 or 120 GeV for electrons. The single-electron trigger with higher p_T threshold has a looser LH identification requirement, resulting in an increased trigger efficiency at high p_T . Selected events must have a reconstructed primary vertex and exactly two different-flavour lepton candidates meeting the above-mentioned criteria. Events with an additional lepton or extra “loose” lepton⁴ are vetoed. Moreover, the lepton candidates have to be back-to-back in the ϕ direction with $\Delta\phi(\ell, \ell') > 2.7$. No requirement is made on the respective charges of the leptons as it is found to reduce the signal efficiency by as much as 6% for the highest-mass signals considered due to charge mis-assignment, without a significant effect on the background rejection. For a Z' boson with a mass of 1.5 TeV, the acceptance times efficiency⁵ ($A\epsilon$) of the selection requirements is approximately 50%, 25% and 20% for the $e\mu$, $e\tau$ and $\mu\tau$ final states, respectively. To account for differences between data and simulation, corrections are applied to the lepton trigger, reconstruction, identification, and isolation efficiencies as well as the lepton energy/momentum resolution and scale [57, 58, 65].

The missing transverse momentum (E_T^{miss}) is defined as the negative vector sum of the transverse momenta of all identified physics objects (electrons, photons [66], muons, taus, jets) and an additional soft term. The soft term is constructed from all tracks that are associated with the primary vertex but not with any physics object. In this way, the missing transverse momentum is adjusted for the best calibration of the jets and the other identified physics objects above, while maintaining pile-up independence in the soft term [67].

An additional variable to estimate the contribution from reducible backgrounds is used: the transverse

⁴ A loose lepton is defined as a lepton satisfying all requirements except isolation for muons and a looser identification requirement (*LH-Medium*) for electrons. No loose τ lepton category is defined.

⁵ The acceptance (A) defines the geometrical and kinematic region covered by the detector. The efficiency (ϵ) is the fraction of events falling in the detector acceptance region that fulfil all selection criteria. Therefore, $A\epsilon$ is the fraction of events that pass all the selection requirements.

mass (m_T) of a lepton and the E_T^{miss} , defined as:

$$m_T = \sqrt{2p_T E_T^{\text{miss}}(1 - \cos(\Delta\phi(\ell, E_T^{\text{miss}}))}, \quad (1)$$

where $\Delta\phi(\ell, E_T^{\text{miss}})$ is the azimuthal angle between the lepton p_T and E_T^{miss} direction.

For events in the $e\tau$ and $\mu\tau$ channels, in order to reconstruct the dilepton invariant mass more accurately, the neutrino four-momentum is taken into account. The hadronic decay of a τ lepton from a heavy resonance leads to the neutrino and the resultant jet being nearly collinear. The neutrino four-momentum is reconstructed from the magnitude of the missing transverse momentum, and is assumed to be collinear with the τ_{had} candidate. For the mentioned channels, the above technique significantly improves the mass resolution and search sensitivity.

5 Background estimation

The background processes for this search can be divided into two categories: irreducible and reducible backgrounds. The former is composed of processes which can produce two different flavour prompt leptons in the final state, including the $DY \rightarrow \tau\tau$ process, $t\bar{t}$, single top, and diboson production. These processes are modelled using MC simulated samples. Reducible backgrounds occur when jets are misreconstructed as leptons, and require the use of data-driven techniques.

The MC samples used to estimate single-top and $t\bar{t}$ production are statistically limited for dilepton invariant masses above 1 TeV. Therefore, fits to the $m_{\ell\ell'}$ distribution using monotonically decreasing functions are used to extrapolate those backgrounds to the region $m_{\ell\ell'} > 1$ TeV. Two functional forms are investigated, chosen for their stability when varying the fit range and for the quality of the fit:

$$e^{-a} \cdot m_{\ell\ell'}^b \cdot m_{\ell\ell'}^{c \cdot \ln(m_{\ell\ell'})} \quad \text{and} \quad \frac{a}{(m_{\ell\ell'} + b)^c}, \quad (2)$$

where a , b and c are free parameters in the fit. A study of the stability of the fit was performed by varying the lower and upper limits of the fit range between 200–300 GeV and 1000–1200 GeV in 25 GeV steps, respectively. The stitching point between the MC estimation and the fit is chosen to be at 900 GeV for the top quark background. The nominal extrapolation is then taken to be the median of all the tested fit ranges using both functional forms. Good agreement is found between the fit prediction and the available MC events. The addition in quadrature of the fit parameter uncertainties and the RMS of all fit variations is assigned as a systematic uncertainty.

The contribution from reducible backgrounds originate mainly from W +jets and multi-jet processes. The background of muons originating from hadronic decays is found to be negligible compared to the contribution from fake electrons and taus. Therefore, in the $e\mu$ channel, where the contribution of the reducible background is expected to be small, these non-prompt muons are neglected. The reducible background in that channel is then reduced to events with one prompt muon and a jet faking an electron. This background contribution is usually not well modelled by MC simulation.

For the $e\mu$ channel, a technique known as the matrix method, described in Ref. [26], is employed. Exclusive samples are defined by loosening the selection criteria for electron candidates. Here the matrix method involves two parameters that need to be determined as a function of electron p_T : the probability of a loose electron to pass the full object selection, the so-called *real electron efficiency* (ϵ_R), and the probability of a

jet fulfilling the loose electron selection criteria to pass the full selection, known as the *electron fake rate* (ϵ_F). The former is evaluated from MC simulation, while the latter is evaluated in a data sample dominated by multi-jet events. To construct this multi-jet control sample, it is required that $E_T^{\text{miss}} < 25$ GeV and $m_T < 50$ GeV in order to suppress the W +jets contribution. Contamination from W +jets and other SM background processes (top, diboson, and $Z \rightarrow \ell\ell$) is subtracted using MC predictions.

For the $e\tau$ and $\mu\tau$ channels, the τ fake rate is measured in data in a $W \rightarrow e/\mu$ +jets control region as a function of the $\tau_{\text{had}}^{\text{vis}} p_T$. The region is defined to be orthogonal to the signal selection by reversing the $\Delta\phi(\ell, \ell')$ requirement. Only events with exactly one electron or muon fulfilling all selection criteria (as defined in Section 4), as well as $m_T > 60$ GeV, are used. The τ_{had} candidates present in those events are dominated by jets. The τ fake rate is defined as the fraction of jets fulfilling all τ object selection criteria, including the multivariate BDT-based identification. The derived fake rate is used to weight simulated W +jets events. After obtaining the fake-rate-weighted $m_{\ell\ell'}$ distribution, a normalisation factor for the W +jets background is obtained in a W +jets enriched region to scale the overall normalisation of the MC simulation to that of the data. The W +jets enriched region is defined as a sub-set of the signal selection by further requiring $E_T^{\text{miss}} > 30$ GeV and lepton $p_T < 150$ GeV to avoid possible signal contamination. The contribution from events with an electron/muon and a fake τ_{had} is found to make up around 55% of the overall background in the $e\tau$ and $\mu\tau$ channels.

To evaluate the fake background from events with a real τ_{had} and a fake electron/muon in the $e\tau$ and $\mu\tau$ channels, a fake-electron/muon enriched sample is defined by requiring a non-isolated electron/muon and a τ_{had} candidate. Three regions are defined:

Region 1: pairs of a non-isolated electron/muon and a τ_{had} with the same electric charge;

Region 2: pairs of an isolated electron/muon and a τ_{had} with the same electric charge;

Region 3: all pairs of a non-isolated electron/muon and a τ_{had} .

The $m_{\ell\ell'}$ shape of the contribution is obtained from region 3 by subtracting the contribution from other background sources to the data, while the ratio of isolated to non-isolated leptons in regions 1 and 2 is used to normalise this background contribution appropriately. The contribution from events with a fake electron/muon and a real τ lepton is found to be below 1% in the $\mu\tau$ channel, while in the $e\tau$ channel its contribution to the overall SM background is close to 5%.

A summary of the contribution from each SM background in each of the final states can be found in Section 8.

6 Systematic uncertainties

Sources of systematic uncertainty are divided in two categories: theoretical and experimental. Uncertainties in the predicted cross-section times branching ratio and the modelling of the $m_{\ell\ell'}$ shape of the background processes considered are regarded as theoretical uncertainties, while uncertainties relating to the simulation of the detector response are regarded as experimental uncertainties. Theoretical uncertainties (such as PDF-related uncertainties) in the signal cross-section are not considered in this paper.

The PDF uncertainties are the dominant theoretical systematic uncertainties, together with the uncertainty of the extrapolation to estimate the background contribution at high-mass (as described in Section 5). The contribution from PDF uncertainties is estimated using different PDF sets and eigenvector uncertainty sets

within a particular PDF. The CT10 PDF uncertainty due to eigenvector variations is evaluated through the use of LHAPDF [68] following the prescriptions outlined in Ref. [69]. The uncertainty related to the choice of PDF is evaluated by comparing the results with those from the central value of other PDF sets such as MMHT2014 [70], NNPDF3.0 [71] and CT14 [53]. PDF-related uncertainties in the signal shape are not considered. The uncertainties in the $m_{\ell\ell'}$ modelling in $t\bar{t}$ events is obtained using separate MC samples generated with variations in the renormalisation and factorisation scales and the $hdamp$ parameter (as defined in Section 3).

The effect of experimental systematic uncertainties is assessed through the uncertainties associated to the corrections applied to simulated processes, including lepton momentum resolution and scale, and trigger, identification, reconstruction and isolation efficiencies [57, 58, 65]. The efficiencies are evaluated using events from the $Z \rightarrow \ell\ell$ peak and then extrapolated to high energies.

Mismodelling of the muon momentum resolution at the TeV scale, such as due to residual misalignment of the muon precision chambers, can alter the signal and background shapes. An uncertainty related to this is obtained from studies performed in dedicated data-taking periods with no magnetic field in the MS. The muon reconstruction efficiency is affected at high- p_T by possible large energy losses in the calorimeter. The associated uncertainty is estimated by comparing studies with $Z \rightarrow \mu\mu$ events in data extrapolated at high- p_T to the results predicted by MC simulation [72]. The effect on the muon reconstruction efficiency was found to be approximately 3% per TeV as a function of muon p_T .

The uncertainty in the electron identification efficiency extrapolation is based on the differences in the electron shower shapes in the EM calorimeters between data and MC simulation in the $Z \rightarrow ee$ peak, which are propagated to the high- p_T electron sample. The effect on the electron identification efficiency was found to be 2% and is independent of p_T for electrons with transverse momentum above 150 GeV [72].

The treatment of systematic uncertainties for τ leptons with p_T up to 100 GeV is detailed in Ref. [65]. An additional uncertainty of 20% per TeV is assigned to the reconstruction efficiency of τ leptons with $p_T > 100$ GeV to account for the degradation of the modelling and reconstruction efficiency due to track merging, derived through studies in simulation and in dijet data events at 8 TeV [73].

The uncertainties associated to the matrix method used for the $e\mu$ channel are evaluated by considering effects on the ϵ_F measurement, including the multi-jet control sample definition and the uncertainties in the overall normalisation. The former effect is evaluated by shifting the E_T^{miss} and m_T requirements by ± 10 GeV, while the latter is taken into account by varying the MC subtraction of other SM processes by the luminosity and experimental systematic uncertainties. For the $e\tau$ and $\mu\tau$ channels, the uncertainty in the τ fake rate and W +jets normalisation in the MC subtraction is considered. The τ fake rate is re-evaluated when removing the m_T requirement, requiring $m_{\tau\ell} > 110$ GeV to reduce the Drell–Yan background and vetoing events with a jet identified as originating from a b -quark [74] to reduce top-quark background contamination. The variations obtained for the τ fake rates are assigned as systematic uncertainties. Given the limited data available for τ lepton $p_T > 500$ GeV, the statistical uncertainty from the last data bin is used together with an uncertainty of 20% per TeV in τ lepton p_T . The uncertainty on the W +jets normalisation is obtained by recalculating the normalisation factor after a variation for each of the experimental systematic uncertainties outlined in Table 1.

The uncertainty in the reducible background estimate is found to be close to 50%, 30% and 40% for the $e\mu$, $e\tau$ and $\mu\tau$ channels, respectively, at $m_{\ell\ell'} = 1.0$ TeV and it is of comparable size to the PDF uncertainty in the $e\tau$ and $\mu\tau$ channels. However, the contribution from reducible backgrounds in the $e\mu$ channel is

below 10%, while for $e\tau$ and $\mu\tau$ final states it is the leading background together with the contribution from top quark production.

Experimental systematic uncertainties common to signal and background processes are assumed to be correlated. The effect of systematic uncertainties on the estimated SM background yields is summarised in Table 1.

For signal processes, only experimental systematic uncertainties are considered. The statistical uncertainty of the signal MC samples is 3%.

Source	$m_{\ell\ell'} = 1 \text{ TeV}$			$m_{\ell\ell'} = 2 \text{ TeV}$			$m_{\ell\ell'} = 3 \text{ TeV}$		
	$e\mu$	$e\tau$	$\mu\tau$	$e\mu$	$e\tau$	$\mu\tau$	$e\mu$	$e\tau$	$\mu\tau$
PDF uncertainty	17%	15%	15%	35%	38%	35%	70%	75%	70%
Luminosity	5%	5%	5%	5%	5%	5%	5%	5%	5%
Statistical	18%	11%	15%	80%	27%	27%	120%	28%	30%
Reducible background	5%	29%	40%	5%	35%	75%	5%	45%	85%
Top quark production modelling	5%	3%	4%	12%	4%	5%	15%	10%	8%
Electron trigger efficiency	1%	1%	N/A	1%	1%	N/A	1%	1%	N/A
Electron identification	2%	2%	N/A	2%	2%	N/A	2%	2%	N/A
Electron energy scale and resolution	3%	3%	N/A	3%	3%	N/A	3%	3%	N/A
Muon reconstruction efficiency	2%	N/A	2%	4%	N/A	4%	6%	N/A	6%
Muon scale and resolution	4%	N/A	4%	12%	N/A	12%	20%	N/A	20%
Muon trigger efficiency	2%	N/A	2%	2%	N/A	2%	2%	N/A	2%
Tau identification	N/A	4%	4%	N/A	5%	5%	N/A	6%	6%
Tau reconstruction	N/A	3%	3%	N/A	4%	4%	N/A	4%	4%
Tau energy calibrations	N/A	2%	2%	N/A	3%	3%	N/A	4%	4%
Total	27%	35%	44%	90%	59%	90%	140%	90%	120%
SM Background in $m_{\ell\ell'} \pm 0.1 \cdot m_{\ell\ell'}$	3.9	11.9	11.4	0.09	0.55	0.49	0.002	0.014	0.017

Table 1: Quantitative summary of the systematic uncertainties taken into account for background processes. Values are provided for $m_{\ell\ell'}$ values of 1, 2 and 3 TeV. The statistical error includes the extrapolation uncertainties of the top quark background in the high- $m_{\ell\ell'}$ region together with the uncertainty related to the number of MC events. Uncertainties are quoted with respect to the total background. N/A means the systematic uncertainty is not applicable. The expected SM background in a mass window within $\pm 0.1 \cdot m_{\ell\ell'}$ is also reported.

7 Statistical analysis

If no deviations from the SM prediction are observed, model-dependent exclusion limits are extracted using a Bayesian method and implemented with the software package Bayesian Analysis Toolkit (BAT) [75] using a template shape method. A binned likelihood function ($\mathcal{L}$) is built as the product of the Poisson probability of observing n_{obs_k} when expecting μ_k in each of the mass bins used for the search:

$$\mathcal{L}(n_{\text{obs}}|\theta, \hat{\Omega}) = \prod_{k=1}^{N_{\text{bins}}} \frac{\mu_k^{n_{\text{obs}_k}} e^{-\mu_k}}{n_{\text{obs}_k}!} \prod_{i=1}^{N_{\text{Sys}}} G(\Omega_i, 0, 1), \quad (3)$$

where μ_k is the expected number of background and signal events ($\mu_k = N_{\text{bkg}_k} + N_{\text{sig}_k}(\theta)$) as a function of the parameter of interest θ , $\hat{\Omega}$ is the vector of nuisance parameters introduced to account for the effect of

systematic uncertainties in the expected yields, N_{bins} is the number of dilepton invariant mass bins, N_{Sys} is the total number of nuisance parameters and $G(\Omega_i, 0, 1)$ is a Gaussian distribution with zero mean and unit standard deviation assumed to be the probability density function for the nuisance parameter Ω_i . The dependence on the vector of nuisance parameters is removed through the use of a Markov Chain Monte Carlo integration technique. Bayes theorem is then applied to construct a posterior probability density function for the number of signal events assuming a uniform prior in the parameter of interest ($P(\theta)$). The number of signal events can be expressed in terms of the cross-section times branching ratio of the signal process ($\sigma \cdot \text{BR}(X \rightarrow \ell\ell')$) as:

$$N_{\text{sig}} = \sum_{k=1}^{N_{\text{bins}}} N_{\text{sig}_k} = \sigma \cdot \text{BR}(X \rightarrow \ell\ell') \cdot L \cdot A\epsilon(X \rightarrow \ell\ell'), \quad (4)$$

where L is the integrated luminosity of the dataset and $A\epsilon(X \rightarrow \ell\ell')$ is the acceptance times efficiency of the physics model tested. As such, a posterior probability density function is obtained for the signal $\sigma \cdot \text{BR}$. A 95% credibility level (CL) upper limit is obtained on the signal cross-section times branching ratio by finding the value of θ^{95} satisfying:

$$0.95 = \frac{\int_0^{\theta^{95}} \mathcal{L}'(n_{\text{obs}}|\theta)P(\theta)d\theta}{\int_0^{\infty} \mathcal{L}'(n_{\text{obs}}|\theta)P(\theta)d\theta}, \quad (5)$$

where $P(\theta)$ is the uniform prior probability mentioned above and $\mathcal{L}'$ is the marginalised likelihood, obtained after performing the Markov Chain Monte Carlo integration over $\hat{\Omega}$. Expected exclusion limits are obtained by running 1000 pseudo-experiments (PE) for each of the signal mass points tested. The median value of the 95% CL upper Bayesian limit PE distribution is taken as the expected limit. The one- and two-standard deviation intervals of the expected limit are obtained from the 1000 PE ensemble by finding the 68% and 95% CL interval envelopes, respectively.

The predicted width of the Z' boson, 3% for $m_{Z'} = 2$ TeV, is lower than the detector resolution for the $e\mu$ and the $\mu\tau$ channels, which are approximately 8% and 12%, respectively, at the same Z' boson mass. For the $e\tau$ final state the detector resolution is 4% at $m_{Z'} = 2$ TeV, comparable to the Z' boson width. The width of the $\tilde{\nu}_\tau$ is below 1% and hence the resolution of the detector is larger than the width for each of the final states investigated. For limit setting on the signal models investigated, a logarithmic $m_{\ell\ell'}$ binning is used with 40 mass bins between 120 and 10 000 GeV. The bin width is around 10% in dilepton mass throughout the whole range.

8 Results

Table 2 summarises the expected and observed yields in the validation and search regions for each of the channels considered in this search. The region $m_{\ell\ell'} < 600$ GeV is defined as the validation region where the data is used to check the SM background prediction, while the region $m_{\ell\ell'} > 600$ GeV is defined as the search region. Selected $e\mu$ events are dominated by $t\bar{t}$ events, while W +jets events are dominant for the $e\tau$ and $\mu\tau$ final states.

Figure 1 shows the $e\mu$, $e\tau$ and $\mu\tau$ invariant mass distribution. The event with the largest dilepton invariant mass is found in the $e\mu$ channel with $m_{e\mu} = 2.1$ TeV. Since the SM expectation for $m_{e\mu} > 2$ TeV is 0.02 ± 0.02 events, the probability of observing one or more events is 2.6%. It is then concluded that the

Process	$m_{e\mu} < 600 \text{ GeV}$	$m_{e\mu} > 600 \text{ GeV}$
Top quark	1190 ± 140	22 ± 5
Diboson	159 ± 17	4.9 ± 0.9
Multi-jet and W +jets	55 ± 11	2.7 ± 1.7
$Z/\gamma^* \rightarrow \ell\ell$	14.5 ± 2.0	0.18 ± 0.04
Total SM background	1410 ± 150	30 ± 7
SM+ Z' ($M_{Z'} = 2 \text{ TeV}$)	-	75 ± 13
SM+ $\tilde{\nu}_\tau$ ($M_{\tilde{\nu}_\tau} = 2 \text{ TeV}$)	-	40 ± 8
SM+QBH RS $n = 1$ ($M_{\text{th}} = 2 \text{ TeV}$)	-	44 ± 9
Data	1463	25

(a) $e\mu$ channel

Process	$m_{e\tau} < 600 \text{ GeV}$	$m_{e\tau} > 600 \text{ GeV}$
Top quark	790 ± 190	25 ± 9
Diboson	109 ± 26	6.2 ± 1.9
Multi-jet and W +jets	3200 ± 800	45 ± 14
$Z/\gamma^* \rightarrow \ell\ell$	1030 ± 240	5.2 ± 1.4
Total SM background	5200 ± 1300	81 ± 25
SM+ Z' ($M_{Z'} = 1.5 \text{ TeV}$)	-	185 ± 34
SM+ $\tilde{\nu}_\tau$ ($M_{\tilde{\nu}_\tau} = 1.5 \text{ TeV}$)	-	105 ± 27
SM+QBH RS $n = 1$ ($M_{\text{th}} = 1.5 \text{ TeV}$)	-	122 ± 28
Data	5416	111

(b) $e\tau$ channel

Process	$m_{\mu\tau} < 600 \text{ GeV}$	$m_{\mu\tau} > 600 \text{ GeV}$
Top quark	580 ± 140	21 ± 7
Diboson	84 ± 20	4.8 ± 1.4
Multi-jet and W +jets	1900 ± 500	34 ± 12
$Z/\gamma^* \rightarrow \ell\ell$	610 ± 140	2.6 ± 0.7
Total SM background	3200 ± 800	63 ± 20
SM+ Z' ($M_{Z'} = 1.5 \text{ TeV}$)	-	130 ± 28
SM+ $\tilde{\nu}_\tau$ ($M_{\tilde{\nu}_\tau} = 1.5 \text{ TeV}$)	-	78 ± 22
SM+QBH RS $n = 1$ ($M_{\text{th}} = 1.5 \text{ TeV}$)	-	90 ± 23
Data	3239	48

(c) $\mu\tau$ channel

Table 2: Observed and expected numbers of (a) $e\mu$, (b) $e\tau$, and (c) $\mu\tau$ events in the validation ($m_{\ell\ell'} < 600 \text{ GeV}$) and search regions ($m_{\ell\ell'} > 600 \text{ GeV}$) for the SM backgrounds and the signal models considered. The quoted errors include statistical and systematic uncertainties. The uncertainties for the total background predictions account for the correlations between the uncertainties of the different background contributions.

observation of this high-mass candidate event is compatible with a statistical fluctuation and no significant excess is found over the expected background. Therefore, the observed data are concluded to be consistent with the SM prediction, and model-dependent exclusion limits are extracted using the techniques described in Section 7.

Figures 2, 3 and 4 show the 95% CL expected and observed upper limits on the production cross-section times branching ratio of the Z' , RPV SUSY $\tilde{\nu}_\tau$ and QBH models for each of the final states considered. The extracted limits worsen for signal masses above 2.5 (1.5) TeV in the $e\mu$ ($e\tau$ and $\mu\tau$) channel due to a decrease in the lepton reconstruction efficiency at very high p_T . Results are summarised in Table 3. The




Figure 1: The invariant mass distribution of final selected (a) $e\mu$, (b) $e\tau$ and (c) $\mu\tau$ pairs for data and MC predictions. Three selected signals are overlaid: a Z' with a mass of 2.0 and 1.5 TeV, a τ sneutrino ($\tilde{\nu}_\tau$) with a mass of 2.0 and 1.5 TeV, and a RS quantum black hole (QBH) with a threshold mass of 2.0 and 1.5 TeV. The signal mass point shown corresponds to the highest acceptance times efficiency in each channel. The error bars show the statistical uncertainty of the observed yields corresponding to a 68% interval in a Poisson distribution, while the band in the bottom plot includes all systematic uncertainties added in quadrature.

$A\epsilon$ of the ADD and RS QBH models were found to agree within 1% and therefore the same curve is used for the limit extraction.







Figure 2: The observed and expected 95% credibility level upper limits on the (a) Z' , (b) τ sneutrino ($\tilde{\nu}_\tau$) and (c) QBH ADD and RS production cross-section times branching ratio in decays to an $e\mu$ final state. The signal theoretical cross-section times branching ratio lines for the Z' model, the QBH ADD model assuming six extra dimensions and the RS model with one extra dimension are obtained from the Monte Carlo generators simulating each process, while the RPV SUSY $\tilde{\nu}_\tau$ includes the NLO K -factor calculated using LoopTools [37]. The expected limits are plotted with the ± 1 and ± 2 standard deviation uncertainty bands.



(a) Z'




(b) RPV SUSY




(c) QBH


Figure 3: The observed and expected 95% credibility level upper limits on the (a) Z' , (b) τ sneutrino ($\tilde{\nu}_\tau$) and (c) QBH ADD and RS production cross-section times branching ratio in decays to an $e\tau$ final state. The signal theoretical cross-section times branching ratio lines for the Z' model, the QBH ADD model assuming six extra dimensions and the RS model with one extra dimension are obtained from the Monte Carlo generators simulating each process, while the RPV SUSY $\tilde{\nu}_\tau$ includes the NLO K -factor calculated using LoopTools [37]. The expected limits are plotted with the ± 1 and ± 2 standard deviation uncertainty bands.



(a) Z'



(b) RPV SUSY



(c) QBH

Figure 4: The observed and expected 95% credibility level upper limits on the (a) Z' , (b) τ sneutrino ($\tilde{\nu}_\tau$) and (c) QBH ADD and RS production cross-section times branching ratio in decays to an $\mu\tau$ final state. The signal theoretical cross-section times branching ratio lines for the Z' model, the QBH ADD model assuming six extra dimensions and the RS model with one extra dimension are obtained from the Monte Carlo generators simulating each process, while the RPV SUSY $\tilde{\nu}_\tau$ includes the NLO K -factor calculated using LoopTools [37]. The expected limits are plotted with the ± 1 and ± 2 standard deviation uncertainty bands.

Model	Expected Limit [TeV]			Observed Limit [TeV]		
	$e\mu$	$e\tau$	$\mu\tau$	$e\mu$	$e\tau$	$\mu\tau$
Z'	3.2	2.7	2.6	3.0	2.7	2.6
RPV SUSY $\tilde{\nu}_\tau$	2.5	2.1	2.0	2.3	2.2	1.9
QBH ADD $n = 6$	4.6	4.1	3.9	4.5	4.1	3.9
QBH RS $n = 1$	2.5	2.2	2.1	2.4	2.2	2.1

Table 3: Expected and observed 95% credibility level lower limits on the mass of a Z' with lepton-flavour-violating couplings, a supersymmetric τ sneutrino ($\tilde{\nu}_\tau$) with R -parity-violating couplings, and the threshold mass for quantum black hole production for the ADD $n = 6$ and RS $n = 1$ models. Limits for all channels are reported.

9 Conclusions

A search for a heavy particle decaying into an $e\mu$, $e\tau$ or $\mu\tau$ ($\ell\ell'$) final state is conducted, using 3.2 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ proton–proton collision data recorded by the ATLAS detector at the Large Hadron Collider. The data are found to be consistent with the Standard Model prediction in both the validation region ($m_{\ell\ell'} < 600 \text{ GeV}$) and search region ($m_{\ell\ell'} > 600 \text{ GeV}$). With no evidence of new physics, Bayesian lower limits at 95% credibility level are set on the mass of a Z' vector boson with lepton-flavour-violating couplings at 3.0, 2.7 and 2.6 TeV separately for $e\mu$, $e\tau$ and $\mu\tau$ pairs, and a supersymmetric τ sneutrino ($\tilde{\nu}_\tau$) with R -parity-violating couplings at 2.3, 2.2 and 1.9 TeV. The results are also interpreted as limits on the threshold mass for quantum black hole production. The exclusion limits extracted on the mass of a Z' and the supersymmetric τ sneutrino extend by around 20% those reported by ATLAS and CMS using the full dataset at $\sqrt{s} = 8 \text{ TeV}$.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [76].

References

- [1] P. Langacker. ‘The Physics of Heavy Z' Gauge Bosons’. In: *Rev. Mod. Phys.* 81 (2009), pp. 1199–1228. doi: [10.1103/RevModPhys.81.1199](https://doi.org/10.1103/RevModPhys.81.1199). arXiv:[0801.1345](https://arxiv.org/abs/0801.1345) [hep-ph].
- [2] G. R. Farrar and P. Fayet. ‘Phenomenology of the Production, Decay, and Detection of New Hadronic States Associated with Supersymmetry’. In: *Phys. Lett. B* 76 (1978), pp. 575–579. doi: [10.1016/0370-2693\(78\)90858-4](https://doi.org/10.1016/0370-2693(78)90858-4).
- [3] R. Barbier et al. ‘R-parity violating supersymmetry’. In: *Phys. Rept.* 420 (2005), pp. 1–202. doi: [10.1016/j.physrep.2005.08.006](https://doi.org/10.1016/j.physrep.2005.08.006). arXiv:[hep-ph/0406039](https://arxiv.org/abs/hep-ph/0406039).
- [4] Y. A. Golfand and E. P. Likhtman. ‘Extension of the Algebra of Poincare Group Generators and Violation of p Invariance’. In: *JETP Lett.* 13 (1971). [*Pisma Zh. Eksp. Teor. Fiz.* 13,452(1971)], pp. 323–326.
- [5] D. V. Volkov and V. P. Akulov. ‘Is the Neutrino a Goldstone Particle?’ In: *Phys. Lett. B* 46 (1973), pp. 109–110. doi: [10.1016/0370-2693\(73\)90490-5](https://doi.org/10.1016/0370-2693(73)90490-5).
- [6] J. Wess and B. Zumino. ‘Supergauge Transformations in Four-Dimensions’. In: *Nucl. Phys. B* 70 (1974), pp. 39–50. doi: [10.1016/0550-3213\(74\)90355-1](https://doi.org/10.1016/0550-3213(74)90355-1).
- [7] J. Wess and B. Zumino. ‘Supergauge Invariant Extension of Quantum Electrodynamics’. In: *Nucl. Phys. B* 78 (1974), p. 1. doi: [10.1016/0550-3213\(74\)90112-6](https://doi.org/10.1016/0550-3213(74)90112-6).
- [8] S. Ferrara and B. Zumino. ‘Supergauge Invariant Yang-Mills Theories’. In: *Nucl. Phys. B* 79 (1974), p. 413. doi: [10.1016/0550-3213\(74\)90559-8](https://doi.org/10.1016/0550-3213(74)90559-8).
- [9] A. Salam and J. A. Strathdee. ‘Supersymmetry and Nonabelian Gauges’. In: *Phys. Lett. B* 51 (1974), pp. 353–355. doi: [10.1016/0370-2693\(74\)90226-3](https://doi.org/10.1016/0370-2693(74)90226-3).
- [10] D. M. Gingrich. ‘Quantum black holes with charge, colour, and spin at the LHC’. In: *J. Phys. G* 37 (2010), p. 105008. doi: [10.1088/0954-3899/37/10/105008](https://doi.org/10.1088/0954-3899/37/10/105008). arXiv:[0912.0826](https://arxiv.org/abs/0912.0826) [hep-ph].
- [11] ATLAS Collaboration. ‘Search for a Heavy Neutral Particle Decaying to $e\mu$, $e\tau$, or $\mu\tau$ in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector’. In: *Phys. Rev. Lett.* 115 (2015), p. 031801. arXiv:[1503.04430v1](https://arxiv.org/abs/1503.04430v1) [hep-ex].
- [12] CMS Collaboration. ‘Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s} = 8$ TeV’. In: *Eur. Phys. J. C* 76 (2016), p. 317. arXiv:[1604.05239](https://arxiv.org/abs/1604.05239) [hep-ex].
- [13] N. Arkani-Hamed, S. Dimopoulos and G. Dvali. ‘The Hierarchy problem and new dimensions at a millimeter’. In: *Phys. Lett. B* 429 (1998), pp. 263–272. doi: [10.1016/S0370-2693\(98\)00466-3](https://doi.org/10.1016/S0370-2693(98)00466-3). arXiv:[hep-ph/9803315](https://arxiv.org/abs/hep-ph/9803315) [hep-ph].
- [14] L. Randall and R. Sundrum. ‘A Large Mass Hierarchy from a Small Extra Dimension’. In: *Phys. Rev. Lett.* 83 (1999), pp. 3370–3373. doi: [10.1103/PhysRevLett.83.3370](https://doi.org/10.1103/PhysRevLett.83.3370). arXiv:[hep-th/9905221](https://arxiv.org/abs/hep-th/9905221) [hep-th].
- [15] K. S. Thorne. ‘Nonspherical gravitational collapse: A short review’. In: *J R Klauder, Magic Without Magic, San Francisco* (1972), 231–258.
- [16] S. Dimopoulos and G. L. Landsberg. ‘Black holes at the LHC’. In: *Phys. Rev. Lett.* 87 (2001), p. 161602. doi: [10.1103/PhysRevLett.87.161602](https://doi.org/10.1103/PhysRevLett.87.161602). arXiv:[hep-ph/0106295](https://arxiv.org/abs/hep-ph/0106295) [hep-ph].

- [17] S. B. Giddings and S. D. Thomas. ‘High-energy colliders as black hole factories: The End of short distance physics’. In: *Phys. Rev. D* 65 (2002), p. 056010. doi: [10.1103/PhysRevD.65.056010](https://doi.org/10.1103/PhysRevD.65.056010). arXiv:[hep-ph/0106219](https://arxiv.org/abs/hep-ph/0106219) [hep-ph].
- [18] P. Meade and L. Randall. ‘Black Holes and Quantum Gravity at the LHC’. In: *JHEP* 05 (2008), p. 003. doi: [10.1088/1126-6708/2008/05/003](https://doi.org/10.1088/1126-6708/2008/05/003). arXiv:[0708.3017](https://arxiv.org/abs/0708.3017) [hep-ph].
- [19] D. M. Gingrich and K. Martell. ‘Study of highly-excited string states at the Large Hadron Collider’. In: *Phys. Rev. D* 78 (2008), p. 115009. doi: [10.1103/PhysRevD.78.115009](https://doi.org/10.1103/PhysRevD.78.115009). arXiv:[0808.2512](https://arxiv.org/abs/0808.2512) [hep-ph].
- [20] X. Calmet, W. Gong and S. D. H. Hsu. ‘Colorful quantum black holes at the LHC’. In: *Phys. Lett. B* 668 (2008), pp. 20–23. doi: [10.1016/j.physletb.2008.08.011](https://doi.org/10.1016/j.physletb.2008.08.011). arXiv:[0806.4605](https://arxiv.org/abs/0806.4605) [hep-ph].
- [21] ATLAS Collaboration. ‘Search for new phenomena in the dijet mass distribution using p - p collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector’. In: *Phys. Rev. D* 91.5 (2015), p. 052007. doi: [10.1103/PhysRevD.91.052007](https://doi.org/10.1103/PhysRevD.91.052007). arXiv:[1407.1376](https://arxiv.org/abs/1407.1376) [hep-ex].
- [22] ATLAS Collaboration. ‘Search for new phenomena in the dijet mass and angular distributions with the ATLAS detector at $\sqrt{s} = 13$ TeV’. In: *Phys. Lett. B* 754 (2016), p. 302. doi: [10.1016/j.physletb.2016.01.032](https://doi.org/10.1016/j.physletb.2016.01.032). arXiv:[1512.01530](https://arxiv.org/abs/1512.01530) [hep-ex].
- [23] CMS Collaboration. ‘Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV’. In: *Phys. Rev. D* 91 (2015), p. 052009. doi: [10.1103/PhysRevD.91.052009](https://doi.org/10.1103/PhysRevD.91.052009). arXiv:[1501.04198](https://arxiv.org/abs/1501.04198) [hep-ph].
- [24] ATLAS Collaboration. ‘Search for Quantum Black Hole production in high-invariant-mass lepton+jet final states using pp collisions at $\sqrt{s} = 8$ TeV and the ATLAS detector’. In: *Phys. Rev. Lett.* 112.9 (2014), p. 091804. doi: [10.1103/PhysRevLett.112.091804](https://doi.org/10.1103/PhysRevLett.112.091804). arXiv:[1311.2006](https://arxiv.org/abs/1311.2006) [hep-ex].
- [25] ATLAS Collaboration. ‘Search for new phenomena in photon+jet events collected in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector’. In: *Phys. Lett. B* 728 (2014), pp. 562–578. doi: [10.1016/j.physletb.2013.12.029](https://doi.org/10.1016/j.physletb.2013.12.029). arXiv:[1309.3230](https://arxiv.org/abs/1309.3230) [hep-ex].
- [26] ATLAS Collaboration. ‘Search for high-mass dilepton resonances in pp collisions at 8 TeV with the ATLAS Detector’. In: *Phys. Rev. D* 90 (2014), p. 05005. doi: [10.1103/PhysRevD.90.052005](https://doi.org/10.1103/PhysRevD.90.052005). arXiv:[1405.4123](https://arxiv.org/abs/1405.4123) [hep-ex].
- [27] ATLAS Collaboration. ‘The ATLAS experiment at the CERN Large Hadron Collider’. In: *JINST* 3 (2008), S08003. doi: [10.1088/1748-0221/3/08/S08003](https://doi.org/10.1088/1748-0221/3/08/S08003).
- [28] ATLAS Collaboration. ‘ATLAS Insertable B-Layer Technical Design Report’. In: *CERN-LHCC-2010-013, ATLAS-TDR-19, CERN* (2010). URL: <http://cds.cern.ch/record/1291633>.
- [29] ATLAS Collaboration. ‘ATLAS Insertable B-Layer Technical Design Report Addendum’. In: *CERN-LHCC-2012-009, ATLAS-TDR-19-ADD-1, Addendum to CERN-LHCC-2010-013, ATLAS-TDR-019, CERN* (2012). URL: <http://cds.cern.ch/record/1451888>.
- [30] ATLAS Collaboration. ‘2015 start-up trigger menu and initial performance assessment of the ATLAS trigger using Run-2 data’. In: *ATL-DAQ-PUB-2016-001 ATL-DAQ-PUB-2016-001* (2016). URL: <http://cds.cern.ch/record/2136007>.
- [31] ATLAS Collaboration. ‘Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC’. In: *Eur. Phys. J. C* 73 (2013), p. 2518. doi: [10.1140/epjc/s10052-013-2518-3](https://doi.org/10.1140/epjc/s10052-013-2518-3). arXiv:[1302.4393](https://arxiv.org/abs/1302.4393) [hep-ex].

- [32] T. Sjöstrand, S. Mrenna and P. Z. Skands. ‘A Brief Introduction to PYTHIA 8.1’. In: *Comput. Phys. Commun.* 178 (2008), pp. 852–867. doi: [10.1016/j.cpc.2008.01.036](https://doi.org/10.1016/j.cpc.2008.01.036). arXiv:[0710.3820](https://arxiv.org/abs/0710.3820) [hep-ph].
- [33] NNPDF Collaboration, R.D. Ball et al. ‘Parton distributions with LHC data’. In: *Nucl. Phys. B* 867 (2013), pp. 244–289. doi: [10.1016/j.nuclphysb.2012.10.003](https://doi.org/10.1016/j.nuclphysb.2012.10.003). arXiv:[1207.1303](https://arxiv.org/abs/1207.1303) [hep-ph].
- [34] ATLAS Collaboration. ‘ATLAS Run 1 Pythia8 tunes’. In: *ATL-PHYS-PUB-2014-021* (2014). URL: <http://cds.cern.ch/record/1966419>.
- [35] J. Alwall et al. ‘The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations’. In: *JHEP* 07 (2014), p. 079. doi: [10.1007/JHEP07\(2014\)079](https://doi.org/10.1007/JHEP07(2014)079). arXiv:[1405.0301](https://arxiv.org/abs/1405.0301) [hep-ph].
- [36] Wang Shao-Ming, Han Liang, Ma Wen-Gan, Zhang Ren-You and Jiang Yi. ‘Revisiting the QCD corrections to the R-parity violating processes $p\bar{p}/pp \rightarrow e\mu + X$ ’. In: *Chin. Phys. Lett.* 25:58 (2008). doi: [10.1088/0256-307X/25/1/017](https://doi.org/10.1088/0256-307X/25/1/017). arXiv:[0706.3079](https://arxiv.org/abs/0706.3079) [hep-ph].
- [37] T. Hahn, M. Perez-Victoria. ‘Automatized One-Loop Calculations in 4 and D dimensions’. In: *Comput. Phys. Commun.* 118 (1999), pp. 153–165. doi: [10.1016/S0010-4655\(98\)00173-8](https://doi.org/10.1016/S0010-4655(98)00173-8). arXiv:[hep-ph/9807565](https://arxiv.org/abs/hep-ph/9807565) [hep-ph].
- [38] D. Gingrich. ‘Monte Carlo event generator for black hole production and decay in proton-proton collisions’. In: *Comput. Phys. Commun.* 181 (2010), pp. 1917–1924. doi: [10.1016/j.cpc.2010.07.027](https://doi.org/10.1016/j.cpc.2010.07.027). arXiv:[0911.5370](https://arxiv.org/abs/0911.5370) [hep-ph].
- [39] J. Pumplin et al. ‘New generation of parton distributions with uncertainties from global QCD analysis’. In: *JHEP* 07 (2002), p. 012. doi: [10.1088/1126-6708/2002/07/012](https://doi.org/10.1088/1126-6708/2002/07/012). arXiv:[hep-ph/0201195](https://arxiv.org/abs/hep-ph/0201195).
- [40] S. Alioli et al. ‘A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX’. In: *JHEP* 06 (2010), p. 043. doi: [10.1007/JHEP06\(2010\)043](https://doi.org/10.1007/JHEP06(2010)043). arXiv:[1002.2581](https://arxiv.org/abs/1002.2581) [hep-ph].
- [41] H.-L. Lai et al. ‘New parton distributions for collider physics’. In: *Phys. Rev. D* 82 (2010), p. 074024. doi: [10.1103/PhysRevD.82.074024](https://doi.org/10.1103/PhysRevD.82.074024). arXiv:[1007.2241](https://arxiv.org/abs/1007.2241) [hep-ph].
- [42] T. Sjöstrand, S. Mrenna and P. Z. Skands. ‘PYTHIA 6.4 Physics and Manual’. In: *JHEP* 05 (2006), p. 026. doi: [10.1088/1126-6708/2006/05/026](https://doi.org/10.1088/1126-6708/2006/05/026). arXiv:[hep-ph/0603175](https://arxiv.org/abs/hep-ph/0603175).
- [43] P. Z. Skands. ‘Tuning Monte Carlo Generators: The Perugia Tunes’. In: *Phys. Rev. D* 82 (2010), p. 074018. doi: [10.1103/PhysRevD.82.074018](https://doi.org/10.1103/PhysRevD.82.074018). arXiv:[1005.3457](https://arxiv.org/abs/1005.3457) [hep-ph].
- [44] P. Artoisenet et al. ‘Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations’. In: *JHEP* 03 (2013), p. 015. doi: [10.1007/JHEP03\(2013\)015](https://doi.org/10.1007/JHEP03(2013)015). arXiv:[1212.3460](https://arxiv.org/abs/1212.3460) [hep-ph].
- [45] M. Czakon and A. Mitov. ‘Top++: A Program for the Calculation of the Top-Pair Cross-Section at Hadron Colliders’. In: *Comput. Phys. Commun.* 185 (2014), p. 2930. doi: [10.1016/j.cpc.2014.06.021](https://doi.org/10.1016/j.cpc.2014.06.021). arXiv:[1112.5675](https://arxiv.org/abs/1112.5675) [hep-ph].
- [46] N. Kidonakis. ‘Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^- ’. In: *Phys. Rev. Lett.* 82 (2010), p. 211802. doi: [10.1103/PhysRevD.82.054018](https://doi.org/10.1103/PhysRevD.82.054018). arXiv:[1005.4451](https://arxiv.org/abs/1005.4451) [hep-ph].
- [47] T. Gleisberg et al. ‘Event generation with SHERPA 1.1’. In: *JHEP* 02 (2009), p. 007. doi: [10.1088/1126-6708/2009/02/007](https://doi.org/10.1088/1126-6708/2009/02/007). arXiv:[0811.4622](https://arxiv.org/abs/0811.4622) [hep-ph].

- [48] T. Gleisberg and S. Höche. ‘Comix, a new matrix element generator’. In: *JHEP* 12 (2008), p. 039. doi: [10.1088/1126-6708/2008/12/039](https://doi.org/10.1088/1126-6708/2008/12/039). arXiv:[0808.3674](https://arxiv.org/abs/0808.3674) [hep-ph].
- [49] F. Cascioli, P. Maierhofer and S. Pozzorini. ‘Scattering Amplitudes with Open Loops’. In: *Phys. Rev. Lett.* 108 (2012), p. 111601. doi: [10.1103/PhysRevLett.108.111601](https://doi.org/10.1103/PhysRevLett.108.111601). arXiv:[1111.5206](https://arxiv.org/abs/1111.5206) [hep-ph].
- [50] S. Schumann and F. Krauss. ‘A Parton shower algorithm based on Catani-Seymour dipole factorisation’. In: *JHEP* 03 (2008), p. 038. doi: [10.1088/1126-6708/2008/03/038](https://doi.org/10.1088/1126-6708/2008/03/038). arXiv:[0709.1027](https://arxiv.org/abs/0709.1027) [hep-ph].
- [51] S. Höche et al. ‘QCD matrix elements + parton showers: The NLO case’. In: *JHEP* 04 (2013), p. 027. doi: [10.1007/JHEP04\(2013\)027](https://doi.org/10.1007/JHEP04(2013)027). arXiv:[1207.5030](https://arxiv.org/abs/1207.5030) [hep-ph].
- [52] Y. Li and F. Petriello. ‘Combining QCD and electroweak corrections to dilepton production in FEWZ’. In: *Phys. Rev. D* 86 (2012), p. 094034. doi: [10.1103/PhysRevD.86.094034](https://doi.org/10.1103/PhysRevD.86.094034). arXiv:[1208.5967](https://arxiv.org/abs/1208.5967) [hep-ph].
- [53] S. Dulat et al. ‘New parton distribution functions from a global analysis of quantum chromodynamics’. In: *Phys. Rev. D* 93 (2016), p. 033006. doi: [10.1103/PhysRevD.93.033006](https://doi.org/10.1103/PhysRevD.93.033006). arXiv:[1506.07443](https://arxiv.org/abs/1506.07443) [hep-ph].
- [54] J. R. Andersen et al. ‘Les Houches 2013: Physics at TeV Colliders: Standard Model Working Group Report’. In: (2014). arXiv:[1405.1067](https://arxiv.org/abs/1405.1067) [hep-ph].
- [55] ATLAS Collaboration. ‘The ATLAS Simulation Infrastructure’. In: *Eur. Phys. J. C* 70 (2010), pp. 823–874. doi: [10.1140/epjc/s10052-010-1429-9](https://doi.org/10.1140/epjc/s10052-010-1429-9). arXiv:[1005.4568](https://arxiv.org/abs/1005.4568) [physics.ins-det].
- [56] S. Agostinelli et al. ‘GEANT4: A Simulation toolkit’. In: *Nucl. Instrum. Meth. A* 506 (2003), pp. 250–303. doi: [10.1016/S0168-9002\(03\)01368-8](https://doi.org/10.1016/S0168-9002(03)01368-8).
- [57] ATLAS Collaboration. ‘Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV’. In: *Eur. Phys. J. C* 76 (2016), p. 292. arXiv:[1603.05598](https://arxiv.org/abs/1603.05598) [hep-ex]. URL: <http://cds.cern.ch/record/2139897>.
- [58] ATLAS Collaboration. ‘Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton-proton collision data’. In: *ATLAS-CONF-2014-032* (2014). URL: <http://cds.cern.ch/record/1706245>.
- [59] ATLAS Collaboration. ‘Electron identification measurements in 2015 data’. In: *ATLAS-PHYS-PUB-2015-041* (2015). URL: <http://cds.cern.ch/record/2048202>.
- [60] M. Cacciari, G. P. Salam and G. Soyez. ‘The Anti-k(t) jet clustering algorithm’. In: *JHEP* 04 (2008), p. 063. doi: [10.1088/1126-6708/2008/04/063](https://doi.org/10.1088/1126-6708/2008/04/063). arXiv:[0802.1189](https://arxiv.org/abs/0802.1189) [hep-ph].
- [61] ATLAS Collaboration. ‘Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1’. In: (2014). arXiv:[1603.02934](https://arxiv.org/abs/1603.02934) [hep-ex].
- [62] ATLAS Collaboration. ‘Jet Calibration and Systematic Uncertainties for Jets Reconstructed in the ATLAS Detector at $\sqrt{s} = 13$ TeV’. In: *ATL-PHYS-PUB-2015-015* (2015). URL: <http://cds.cern.ch/record/2037613>.
- [63] ATLAS Collaboration. ‘Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector’. In: (2015). arXiv:[1510.03823](https://arxiv.org/abs/1510.03823) [hep-ex].

- [64] ATLAS Collaboration. ‘Data-driven determination of the energy scale and resolution of jets reconstructed in the ATLAS calorimeters using dijet and multijet events at $\sqrt{s} = 8$ TeV’. In: *ATLAS-CONF-2015-017* ATLAS-CONF-2015-017 (2015). URL: <http://cds.cern.ch/record/2008678>.
- [65] ATLAS Collaboration. ‘Reconstruction, Energy Calibration, and Identification of Hadronically Decaying Tau Leptons in the ATLAS Experiment for Run-2 of the LHC’. In: *ATL-PHYS-PUB-2015-045* (2015). URL: <http://cds.cern.ch/record/2064383>.
- [66] ATLAS Collaboration. *Measurements of the photon identification efficiency with the ATLAS detector using 4.9 fb^{-1} of pp collision data collected in 2011*. ATLAS-CONF-2012-123 (2012). URL: <http://cdsweb.cern.ch/record/1473426>.
- [67] ATLAS Collaboration. ‘Performance of missing transverse momentum reconstruction for the ATLAS detector in the first proton-proton collisions at $\sqrt{s} = 13$ TeV’. In: *ATL-PHYS-PUB-2015-027* (2015). URL: <http://cds.cern.ch/record/2037904>.
- [68] A. Buckley et al. ‘LHAPDF6: parton density access in the LHC precision era’. In: *Eur. Phys. J. C* 75.3 (2015), p. 132. DOI: [10.1140/epjc/s10052-015-3318-8](https://doi.org/10.1140/epjc/s10052-015-3318-8). arXiv:[1412.7420](https://arxiv.org/abs/1412.7420) [hep-ph].
- [69] J. Butterworth et al. ‘PDF4LHC recommendations for LHC Run II’. In: (2015). arXiv:[1510.03865](https://arxiv.org/abs/1510.03865).
- [70] P. Motylinski et al. ‘Updates of PDFs for the 2nd LHC run’. In: *International Conference on High Energy Physics 2014 (ICHEP 2014) Valencia, Spain, July 2-9, 2014*. 2014. arXiv:[1411.2560](https://arxiv.org/abs/1411.2560) [hep-ph].
- [71] R. D. Ball et al. ‘Parton distributions for the LHC Run II’. In: *JHEP* 04 (2015), p. 040. DOI: [10.1007/JHEP04\(2015\)040](https://doi.org/10.1007/JHEP04(2015)040). arXiv:[1410.8849](https://arxiv.org/abs/1410.8849) [hep-ph].
- [72] ATLAS Collaboration. ‘Search for high-mass new phenomena in the dilepton final state using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector’. In: (2016). arXiv:[1607.03669](https://arxiv.org/abs/1607.03669) [hep-ex].
- [73] ATLAS Collaboration. ‘Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV’. In: *Eur. Phys. J. C* 75 (2015), p. 303. DOI: [10.1140/epjc/s10052-015-3500-z](https://doi.org/10.1140/epjc/s10052-015-3500-z). arXiv:[1412.7086](https://arxiv.org/abs/1412.7086) [hep-ph].
- [74] ATLAS Collaboration. ‘Expected performance of the ATLAS b -tagging algorithms in Run-2’. In: *ATL-PHYS-PUB-2015-022* (2015). URL: <http://cds.cern.ch/record/2037697>.
- [75] A. Caldwell, D. Kollar and K. Kroninger. ‘BAT: The Bayesian Analysis Toolkit’. In: *Comput. Phys. Commun.* 180 (2009), pp. 2197–2209. DOI: [10.1016/j.cpc.2009.06.026](https://doi.org/10.1016/j.cpc.2009.06.026). arXiv:[0808.2552](https://arxiv.org/abs/0808.2552) [physics.data-an].
- [76] ATLAS Collaboration. *ATLAS Computing Acknowledgements 2016-2017*. ATL-GEN-PUB-2016-002. 2016. URL: <http://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud^{136d}, G. Aad⁸⁷, B. Abbott¹¹⁴, J. Abdallah⁶⁵, O. Abdinov¹², B. Abeloos¹¹⁸, R. Aben¹⁰⁸, O.S. AbouZeid¹³⁸, N.L. Abraham¹⁵², H. Abramowicz¹⁵⁶, H. Abreu¹⁵⁵, R. Abreu¹¹⁷, Y. Abulaiti^{149a,149b}, B.S. Acharya^{168a,168b,a}, S. Adachi¹⁵⁸, L. Adamczyk^{40a}, D.L. Adams²⁷, J. Adelman¹⁰⁹, S. Adomeit¹⁰¹, T. Adye¹³², A.A. Affolder⁷⁶, T. Agatonovic-Jovin¹⁴, J. Agricola⁵⁶, J.A. Aguilar-Saavedra^{127a,127f}, S.P. Ahlen²⁴, F. Ahmadov^{67,b}, G. Aielli^{134a,134b}, H. Akerstedt^{149a,149b}, T.P.A. Åkesson⁸³, A.V. Akimov⁹⁷, G.L. Alberghi^{22a,22b}, J. Albert¹⁷³, S. Albrand⁵⁷, M.J. Alconada Verzini⁷³, M. Aleksa³², I.N. Aleksandrov⁶⁷, C. Alexa^{28b}, G. Alexander¹⁵⁶, T. Alexopoulos¹⁰, M. Alhroob¹¹⁴, B. Ali¹²⁹, M. Aliev^{75a,75b}, G. Alimonti^{93a}, J. Alison³³, S.P. Alkire³⁷, B.M.M. Allbrooke¹⁵², B.W. Allen¹¹⁷, P.P. Allport¹⁹, A. Aloisio^{105a,105b}, A. Alonso³⁸, F. Alonso⁷³, C. Alpigiani¹³⁹, A.A. Alshehri⁵⁵, M. Alstady⁸⁷, B. Alvarez Gonzalez³², D. Álvarez Piqueras¹⁷¹, M.G. Alviggi^{105a,105b}, B.T. Amadio¹⁶, K. Amako⁶⁸, Y. Amaral Coutinho^{26a}, C. Amelung²⁵, D. Amidei⁹¹, S.P. Amor Dos Santos^{127a,127c}, A. Amorim^{127a,127b}, S. Amoroso³², G. Amundsen²⁵, C. Anastopoulos¹⁴², L.S. Ancu⁵¹, N. Andari¹⁹, T. Andeen¹¹, C.F. Anders^{60b}, G. Anders³², J.K. Anders⁷⁶, K.J. Anderson³³, A. Andreazza^{93a,93b}, V. Andrei^{60a}, S. Angelidakis⁹, I. Angelozzi¹⁰⁸, P. Anger⁴⁶, A. Angerami³⁷, F. Anghinolfi³², A.V. Anisenkov^{110,c}, N. Anjos¹³, A. Annovi^{125a,125b}, C. Antel^{60a}, M. Antonelli⁴⁹, A. Antonov^{99,*}, F. Anulli^{133a}, M. Aoki⁶⁸, L. Aperio Bella¹⁹, G. Arabidze⁹², Y. Arai⁶⁸, J.P. Araque^{127a}, A.T.H. Arce⁴⁷, F.A. Arduh⁷³, J-F. Arguin⁹⁶, S. Argyropoulos⁶⁵, M. Arik^{20a}, A.J. Armbruster¹⁴⁶, L.J. Armitage⁷⁸, O. Arnaez³², H. Arnold⁵⁰, M. Arratia³⁰, O. Arslan²³, A. Artamonov⁹⁸, G. Artoni¹²¹, S. Artz⁸⁵, S. Asai¹⁵⁸, N. Asbah⁴⁴, A. Ashkenazi¹⁵⁶, B. Åsman^{149a,149b}, L. Asquith¹⁵², K. Assamagan²⁷, R. Astalos^{147a}, M. Atkinson¹⁷⁰, N.B. Atlay¹⁴⁴, K. Augsten¹²⁹, G. Avolio³², B. Axen¹⁶, M.K. Ayoub¹¹⁸, G. Azuelos^{96,d}, M.A. Baak³², A.E. Baas^{60a}, M.J. Baca¹⁹, H. Bachacou¹³⁷, K. Bachas^{75a,75b}, M. Backes¹²¹, M. Backhaus³², P. Bagiacchi^{133a,133b}, P. Bagnaia^{133a,133b}, Y. Bai^{35a}, J.T. Baines¹³², O.K. Baker¹⁸⁰, E.M. Baldin^{110,c}, P. Balek¹⁷⁶, T. Balestri¹⁵¹, F. Balli¹³⁷, W.K. Balunas¹²³, E. Banas⁴¹, Sw. Banerjee^{177,e}, A.A.E. Bannoura¹⁷⁹, L. Barak³², E.L. Barberio⁹⁰, D. Barberis^{52a,52b}, M. Barbero⁸⁷, T. Barillari¹⁰², M-S Barisits³², T. Barklow¹⁴⁶, N. Barlow³⁰, S.L. Barnes⁸⁶, B.M. Barnett¹³², R.M. Barnett¹⁶, Z. Barnovska-Blenessy⁵, A. Baroncelli^{135a}, G. Barone²⁵, A.J. Barr¹²¹, L. Barranco Navarro¹⁷¹, F. Barreiro⁸⁴, J. Barreiro Guimarães da Costa^{35a}, R. Bartoldus¹⁴⁶, A.E. Barton⁷⁴, P. Bartos^{147a}, A. Basalaev¹²⁴, A. Bassalat^{118,f}, R.L. Bates⁵⁵, S.J. Batista¹⁶², J.R. Batley³⁰, M. Battaglia¹³⁸, M. Bause^{133a,133b}, F. Bauer¹³⁷, H.S. Bawa^{146,g}, J.B. Beacham¹¹², M.D. Beattie⁷⁴, T. Beau⁸², P.H. Beauchemin¹⁶⁶, P. Bechtel²³, H.P. Beck^{18,h}, K. Becker¹²¹, M. Becker⁸⁵, M. Beckingham¹⁷⁴, C. Becot¹¹¹, A.J. Beddall^{20e}, A. Beddall^{20b}, V.A. Bednyakov⁶⁷, M. Bedognetti¹⁰⁸, C.P. Bee¹⁵¹, L.J. Beemster¹⁰⁸, T.A. Beermann³², M. Begel²⁷, J.K. Behr⁴⁴, C. Belanger-Champagne⁸⁹, A.S. Bell⁸⁰, G. Bella¹⁵⁶, L. Bellagamba^{22a}, A. Bellerive³¹, M. Bellomo⁸⁸, K. Belotskiy⁹⁹, O. Beltramello³², N.L. Belyaev⁹⁹, O. Benary^{156,*}, D. Benchevkroun^{136a}, M. Bender¹⁰¹, K. Bendtz^{149a,149b}, N. Benekos¹⁰, Y. Benhammou¹⁵⁶, E. Benhar Noccioli¹⁸⁰, J. Benitez⁶⁵, D.P. Benjamin⁴⁷, J.R. Bensinger²⁵, S. Bentvelsen¹⁰⁸, L. Beresford¹²¹, M. Beretta⁴⁹, D. Berge¹⁰⁸, E. Bergeas Kuutmann¹⁶⁹, N. Berger⁵, J. Beringer¹⁶, S. Berlendis⁵⁷, N.R. Bernard⁸⁸, C. Bernius¹¹¹, F.U. Bernlochner²³, T. Berry⁷⁹, P. Berta¹³⁰, C. Bertella⁸⁵, G. Bertoli^{149a,149b}, F. Bertolucci^{125a,125b}, I.A. Bertram⁷⁴, C. Bertsche⁴⁴, D. Bertsche¹¹⁴, G.J. Besjes³⁸, O. Bessidskaia Bylund^{149a,149b}, M. Bessner⁴⁴, N. Besson¹³⁷, C. Betancourt⁵⁰, A. Bethani⁵⁷, S. Bethke¹⁰², A.J. Bevan⁷⁸, R.M. Bianchi¹²⁶, L. Bianchini²⁵, M. Bianco³², O. Biebel¹⁰¹, D. Biedermann¹⁷, R. Bielski⁸⁶, N.V. Biesuz^{125a,125b}, M. Biglietti^{135a}, J. Bilbao De Mendizabal⁵¹, T.R.V. Billoud⁹⁶, H. Bilokon⁴⁹, M. Bindi⁵⁶, S. Binet¹¹⁸, A. Bingul^{20b}, C. Bini^{133a,133b}, S. Biondi^{22a,22b}, T. Bisanz⁵⁶, D.M. Bjergaard⁴⁷, C.W. Black¹⁵³, J.E. Black¹⁴⁶, K.M. Black²⁴, D. Blackburn¹³⁹, R.E. Blair⁶, J.-B. Blanchard¹³⁷, T. Blazek^{147a}, I. Bloch⁴⁴,

C. Blocker²⁵, A. Blue⁵⁵, W. Blum^{85,*}, U. Blumenschein⁵⁶, S. Blunier^{34a}, G.J. Bobbink¹⁰⁸, V.S. Bobrovnikov^{110,c}, S.S. Bocchetta⁸³, A. Bocci⁴⁷, C. Bock¹⁰¹, M. Boehler⁵⁰, D. Boerner¹⁷⁹, J.A. Bogaerts³², D. Bogavac¹⁴, A.G. Bogdanchikov¹¹⁰, C. Bohm^{149a}, V. Boisvert⁷⁹, P. Bokan¹⁴, T. Bold^{40a}, A.S. Boldyrev^{168a,168c}, M. Bomben⁸², M. Bona⁷⁸, M. Boonekamp¹³⁷, A. Borisov¹³¹, G. Borissov⁷⁴, J. Bortfeldt³², D. Bortoletto¹²¹, V. Bortolotto^{62a,62b,62c}, K. Bos¹⁰⁸, D. Boscherini^{22a}, M. Bosman¹³, J.D. Bossio Sola²⁹, J. Boudreau¹²⁶, J. Bouffard², E.V. Bouhova-Thacker⁷⁴, D. Boumediene³⁶, C. Bourdarios¹¹⁸, S.K. Boutle⁵⁵, A. Boveia³², J. Boyd³², I.R. Boyko⁶⁷, J. Bracinik¹⁹, A. Brandt⁸, G. Brandt⁵⁶, O. Brandt^{60a}, U. Bratzler¹⁵⁹, B. Brau⁸⁸, J.E. Brau¹¹⁷, W.D. Breaden Madden⁵⁵, K. Brendlinger¹²³, A.J. Brennan⁹⁰, L. Brenner¹⁰⁸, R. Brenner¹⁶⁹, S. Bressler¹⁷⁶, T.M. Bristow⁴⁸, D. Britton⁵⁵, D. Britzger⁴⁴, F.M. Brochu³⁰, I. Brock²³, R. Brock⁹², G. Brooijmans³⁷, T. Brooks⁷⁹, W.K. Brooks^{34b}, J. Brosamer¹⁶, E. Brost¹⁰⁹, J.H. Broughton¹⁹, P.A. Bruckman de Renstrom⁴¹, D. Brunco^{147b}, R. Brunelieri⁵⁰, A. Bruni^{22a}, G. Bruni^{22a}, L.S. Bruni¹⁰⁸, B.H. Brunt³⁰, M. Bruschi^{22a}, N. Bruscino²³, P. Bryant³³, L. Bryngemark⁸³, T. Buanes¹⁵, Q. Buat¹⁴⁵, P. Buchholz¹⁴⁴, A.G. Buckley⁵⁵, I.A. Budagov⁶⁷, F. Buehrer⁵⁰, M.K. Bugge¹²⁰, O. Bulekov⁹⁹, D. Bullock⁸, H. Burckhart³², S. Burdin⁷⁶, C.D. Burgard⁵⁰, B. Burghgrave¹⁰⁹, K. Burka⁴¹, S. Burke¹³², I. Burmeister⁴⁵, J.T.P. Burr¹²¹, E. Busato³⁶, D. Büscher⁵⁰, V. Büscher⁸⁵, P. Bussey⁵⁵, J.M. Butler²⁴, C.M. Buttar⁵⁵, J.M. Butterworth⁸⁰, P. Butti¹⁰⁸, W. Buttinger²⁷, A. Buzatu⁵⁵, A.R. Buzykaev^{110,c}, S. Cabrera Urbán¹⁷¹, D. Caforio¹²⁹, V.M. Cairo^{39a,39b}, O. Cakir^{4a}, N. Calace⁵¹, P. Calafiura¹⁶, A. Calandri⁸⁷, G. Calderini⁸², P. Calfayan¹⁰¹, G. Callea^{39a,39b}, L.P. Caloba^{26a}, S. Calvente Lopez⁸⁴, D. Calvet³⁶, S. Calvet³⁶, T.P. Calvet⁸⁷, R. Camacho Toro³³, S. Camarda³², P. Camarri^{134a,134b}, D. Cameron¹²⁰, R. Caminal Armadans¹⁷⁰, C. Camincher⁵⁷, S. Campana³², M. Campanelli⁸⁰, A. Camplani^{93a,93b}, A. Campoverde¹⁴⁴, V. Canale^{105a,105b}, A. Canepa^{164a}, M. Cano Bret¹⁴¹, J. Cantero¹¹⁵, T. Cao⁴², M.D.M. Capeans Garrido³², I. Caprini^{28b}, M. Caprini^{28b}, M. Capua^{39a,39b}, R.M. Carbone³⁷, R. Cardarelli^{134a}, F. Cardillo⁵⁰, I. Carli¹³⁰, T. Carli³², G. Carlino^{105a}, L. Carminati^{93a,93b}, S. Caron¹⁰⁷, E. Carquin^{34b}, G.D. Carrillo-Montoya³², J.R. Carter³⁰, J. Carvalho^{127a,127c}, D. Casadei¹⁹, M.P. Casado^{13,i}, M. Casolino¹³, D.W. Casper¹⁶⁷, E. Castaneda-Miranda^{148a}, R. Castelijns¹⁰⁸, A. Castelli¹⁰⁸, V. Castillo Gimenez¹⁷¹, N.F. Castro^{127a,j}, A. Catinaccio³², J.R. Catmore¹²⁰, A. Cattai³², J. Caudron²³, V. Cavaliere¹⁷⁰, E. Cavallaro¹³, D. Cavalli^{93a}, M. Cavalli-Sforza¹³, V. Cavasinni^{125a,125b}, F. Ceradini^{135a,135b}, L. Cerda Alberich¹⁷¹, B.C. Cerio⁴⁷, A.S. Cerqueira^{26b}, A. Cerri¹⁵², L. Cerrito^{134a,134b}, F. Cerutti¹⁶, M. Cerv³², A. Cervelli¹⁸, S.A. Cetin^{20d}, A. Chafaq^{136a}, D. Chakraborty¹⁰⁹, S.K. Chan⁵⁸, Y.L. Chan^{62a}, P. Chang¹⁷⁰, J.D. Chapman³⁰, D.G. Charlton¹⁹, A. Chatterjee⁵¹, C.C. Chau¹⁶², C.A. Chavez Barajas¹⁵², S. Che¹¹², S. Cheatham^{168a,168c}, A. Chegwiddden⁹², S. Chekanov⁶, S.V. Chekulaev^{164a}, G.A. Chelkov^{67,k}, M.A. Chelstowska⁹¹, C. Chen⁶⁶, H. Chen²⁷, K. Chen¹⁵¹, S. Chen^{35b}, S. Chen¹⁵⁸, X. Chen^{35c}, Y. Chen⁶⁹, H.C. Cheng⁹¹, H.J. Cheng^{35a}, Y. Cheng³³, A. Cheplakov⁶⁷, E. Cheremushkina¹³¹, R. Cherkaoui El Moursli^{136e}, V. Chernyatin^{27,*}, E. Cheu⁷, L. Chevalier¹³⁷, V. Chiarella⁴⁹, G. Chiarelli^{125a,125b}, G. Chiodini^{75a}, A.S. Chisholm³², A. Chitan^{28b}, M.V. Chizhov⁶⁷, K. Choi⁶³, A.R. Chomont³⁶, S. Chouridou⁹, B.K.B. Chow¹⁰¹, V. Christodoulou⁸⁰, D. Chromek-Burckhart³², J. Chudoba¹²⁸, A.J. Chuinard⁸⁹, J.J. Chwastowski⁴¹, L. Chytka¹¹⁶, G. Ciapetti^{133a,133b}, A.K. Ciftci^{4a}, D. Cinca⁴⁵, V. Cindro⁷⁷, I.A. Cioara²³, C. Ciocca^{22a,22b}, A. Ciocio¹⁶, F. Ciotto^{105a,105b}, Z.H. Citron¹⁷⁶, M. Citterio^{93a}, M. Ciubancan^{28b}, A. Clark⁵¹, B.L. Clark⁵⁸, M.R. Clark³⁷, P.J. Clark⁴⁸, R.N. Clarke¹⁶, C. Clement^{149a,149b}, Y. Coadou⁸⁷, M. Cobal^{168a,168c}, A. Coccaro⁵¹, J. Cochran⁶⁶, L. Colasurdo¹⁰⁷, B. Cole³⁷, A.P. Colijn¹⁰⁸, J. Collot⁵⁷, T. Colombo¹⁶⁷, G. Compostella¹⁰², P. Conde Muiño^{127a,127b}, E. Coniavitis⁵⁰, S.H. Connell^{148b}, I.A. Connelly⁷⁹, V. Consorti⁵⁰, S. Constantinescu^{28b}, G. Conti³², F. Conventi^{105a,l}, M. Cooke¹⁶, B.D. Cooper⁸⁰, A.M. Cooper-Sarkar¹²¹, K.J.R. Cormier¹⁶², T. Cornelissen¹⁷⁹, M. Corradi^{133a,133b}, F. Corriveau^{89,m}, A. Corso-Radu¹⁶⁷, A. Cortes-Gonzalez³², G. Cortiana¹⁰², G. Costa^{93a}, M.J. Costa¹⁷¹, D. Costanzo¹⁴², G. Cottin³⁰, G. Cowan⁷⁹, B.E. Cox⁸⁶, K. Cranmer¹¹¹, S.J. Crawley⁵⁵, G. Cree³¹, S. Crépe-Renaudin⁵⁷, F. Crescioli⁸², W.A. Cribbs^{149a,149b},

M. Crispin Ortuzar¹²¹, M. Cristinziani²³, V. Croft¹⁰⁷, G. Crosetti^{39a,39b}, A. Cueto⁸⁴,
T. Cuhadar Donszelmann¹⁴², J. Cummings¹⁸⁰, M. Curatolo⁴⁹, J. Cúth⁸⁵, H. Czirr¹⁴⁴, P. Czodrowski³,
G. D'amen^{22a,22b}, S. D'Auria⁵⁵, M. D'Onofrio⁷⁶, M.J. Da Cunha Sargedas De Sousa^{127a,127b},
C. Da Via⁸⁶, W. Dabrowski^{40a}, T. Dado^{147a}, T. Dai⁹¹, O. Dale¹⁵, F. Dallaire⁹⁶, C. Dallapiccola⁸⁸,
M. Dam³⁸, J.R. Dandoy³³, N.P. Dang⁵⁰, A.C. Daniells¹⁹, N.S. Dann⁸⁶, M. Danninger¹⁷²,
M. Dano Hoffmann¹³⁷, V. Dao⁵⁰, G. Darbo^{52a}, S. Darmora⁸, J. Dassoulas³, A. Dattagupta¹¹⁷,
W. Davey²³, C. David¹⁷³, T. Davidek¹³⁰, M. Davies¹⁵⁶, P. Davison⁸⁰, E. Dawe⁹⁰, I. Dawson¹⁴², K. De⁸,
R. de Asmundis^{105a}, A. De Benedetti¹¹⁴, S. De Castro^{22a,22b}, S. De Cecco⁸², N. De Groot¹⁰⁷,
P. de Jong¹⁰⁸, H. De la Torre⁹², F. De Lorenzi⁶⁶, A. De Maria⁵⁶, D. De Pedis^{133a}, A. De Salvo^{133a},
U. De Sanctis¹⁵², A. De Santo¹⁵², J.B. De Vivie De Regie¹¹⁸, W.J. Dearnaley⁷⁴, R. Debbe²⁷,
C. Debenedetti¹³⁸, D.V. Dedovich⁶⁷, N. Dehghanian³, I. Deigaard¹⁰⁸, M. Del Gaudio^{39a,39b},
J. Del Peso⁸⁴, T. Del Prete^{125a,125b}, D. Delgove¹¹⁸, F. Deliot¹³⁷, C.M. Delitzsch⁵¹, A. Dell'Acqua³²,
L. Dell'Asta²⁴, M. Dell'Orso^{125a,125b}, M. Della Pietra^{105a,l}, D. della Volpe⁵¹, M. Delmastro⁵,
P.A. Delsart⁵⁷, D.A. DeMarco¹⁶², S. Demers¹⁸⁰, M. Demichev⁶⁷, A. Demilly⁸², S.P. Denisov¹³¹,
D. Denysiuk¹³⁷, D. Derendarz⁴¹, J.E. Derkaoui^{136d}, F. Derue⁸², P. Dervan⁷⁶, K. Desch²³, C. Deterre⁴⁴,
K. Dette⁴⁵, P.O. Deviveiros³², A. Dewhurst¹³², S. Dhaliwal²⁵, A. Di Ciaccio^{134a,134b}, L. Di Ciaccio⁵,
W.K. Di Clemente¹²³, C. Di Donato^{133a,133b}, A. Di Girolamo³², B. Di Girolamo³², B. Di Micco^{135a,135b},
R. Di Nardo³², A. Di Simone⁵⁰, R. Di Sipio¹⁶², D. Di Valentino³¹, C. Diaconu⁸⁷, M. Diamond¹⁶²,
F.A. Dias⁴⁸, M.A. Diaz^{34a}, E.B. Diehl⁹¹, J. Dietrich¹⁷, S. Díez Cornell⁴⁴, A. Dimitrievska¹⁴,
J. Dingfelder²³, P. Dita^{28b}, S. Dita^{28b}, F. Dittus³², F. Djama⁸⁷, T. Djobava^{53b}, J.I. Djuvsland^{60a},
M.A.B. do Vale^{26c}, D. Dobos³², M. Dobre^{28b}, C. Doglioni⁸³, J. Dolejsi¹³⁰, Z. Dolezal¹³⁰,
M. Donadelli^{26d}, S. Donati^{125a,125b}, P. Dondero^{122a,122b}, J. Donini³⁶, J. Dopke¹³², A. Doria^{105a},
M.T. Dova⁷³, A.T. Doyle⁵⁵, E. Drechsler⁵⁶, M. Dris¹⁰, Y. Du¹⁴⁰, J. Duarte-Campderros¹⁵⁶,
E. Duchovni¹⁷⁶, G. Duckeck¹⁰¹, O.A. Ducu^{96,n}, D. Duda¹⁰⁸, A. Dudarev³², A.Ch. Dudder⁸⁵,
E.M. Duffield¹⁶, L. Duflo¹¹⁸, M. Dührssen³², M. Dumancic¹⁷⁶, M. Dunford^{60a}, H. Duran Yildiz^{4a},
M. Düren⁵⁴, A. Durglishvili^{53b}, D. Duschinger⁴⁶, B. Dutta⁴⁴, M. Dyndal⁴⁴, C. Eckardt⁴⁴, K.M. Ecker¹⁰²,
R.C. Edgar⁹¹, N.C. Edwards⁴⁸, T. Eifert³², G. Eigen¹⁵, K. Einsweiler¹⁶, T. Ekelof¹⁶⁹, M. El Kacimi^{136c},
V. Ellajosyula⁸⁷, M. Ellert¹⁶⁹, S. Elles⁵, F. Ellinghaus¹⁷⁹, A.A. Elliot¹⁷³, N. Ellis³², J. Elmsheuser²⁷,
M. Elsing³², D. Emelianov¹³², Y. Enari¹⁵⁸, O.C. Endner⁸⁵, J.S. Ennis¹⁷⁴, J. Erdmann⁴⁵, A. Ereditato¹⁸,
G. Ernis¹⁷⁹, J. Ernst², M. Ernst²⁷, S. Errede¹⁷⁰, E. Ertel⁸⁵, M. Escalier¹¹⁸, H. Esch⁴⁵, C. Escobar¹²⁶,
B. Esposito⁴⁹, A.I. Etienne¹³⁷, E. Etzion¹⁵⁶, H. Evans⁶³, A. Ezhilov¹²⁴, M. Ezzi^{136e}, F. Fabbri^{22a,22b},
L. Fabbri^{22a,22b}, G. Facini³³, R.M. Fakhruddinov¹³¹, S. Falciano^{133a}, R.J. Falla⁸⁰, J. Faltova³², Y. Fang^{35a},
M. Fanti^{93a,93b}, A. Farbin⁸, A. Farilla^{135a}, C. Farina¹²⁶, E.M. Farina^{122a,122b}, T. Farooque¹³, S. Farrell¹⁶,
S.M. Farrington¹⁷⁴, P. Farthouat³², F. Fassi^{136e}, P. Fassnacht³², D. Fassouliotis⁹, M. Fauci Giannelli⁷⁹,
A. Favareto^{52a,52b}, W.J. Fawcett¹²¹, L. Fayard¹¹⁸, O.L. Fedin^{124,o}, W. Fedorko¹⁷², S. Feigl¹²⁰,
L. Feligioni⁸⁷, C. Feng¹⁴⁰, E.J. Feng³², H. Feng⁹¹, A.B. Fenyuk¹³¹, L. Feremenga⁸,
P. Fernandez Martinez¹⁷¹, S. Fernandez Perez¹³, J. Ferrando⁴⁴, A. Ferrari¹⁶⁹, P. Ferrari¹⁰⁸, R. Ferrari^{122a},
D.E. Ferreira de Lima^{60b}, A. Ferrer¹⁷¹, D. Ferrere⁵¹, C. Ferretti⁹¹, A. Ferretto Parodi^{52a,52b}, F. Fiedler⁸⁵,
A. Filipčić⁷⁷, M. Filipuzzi⁴⁴, F. Filthaut¹⁰⁷, M. Fincke-Keeler¹⁷³, K.D. Finelli¹⁵³,
M.C.N. Fiolhais^{127a,127c}, L. Fiorini¹⁷¹, A. Firan⁴², A. Fischer², C. Fischer¹³, J. Fischer¹⁷⁹, W.C. Fisher⁹²,
N. Flaschel⁴⁴, I. Fleck¹⁴⁴, P. Fleischmann⁹¹, G.T. Fletcher¹⁴², R.R.M. Fletcher¹²³, T. Flick¹⁷⁹,
L.R. Flores Castillo^{62a}, M.J. Flowerdew¹⁰², G.T. Forcolin⁸⁶, A. Formica¹³⁷, A. Forti⁸⁶, A.G. Foster¹⁹,
D. Fournier¹¹⁸, H. Fox⁷⁴, S. Fracchia¹³, P. Francavilla⁸², M. Franchini^{22a,22b}, D. Francis³²,
L. Franconi¹²⁰, M. Franklin⁵⁸, M. Frate¹⁶⁷, M. Fraternali^{122a,122b}, D. Freeborn⁸⁰,
S.M. Fressard-Batraneanu³², F. Friedrich⁴⁶, D. Froidevaux³², J.A. Frost¹²¹, C. Fukunaga¹⁵⁹,
E. Fullana Torregrosa⁸⁵, T. Fusayasu¹⁰³, J. Fuster¹⁷¹, C. Gabaldon⁵⁷, O. Gabizon¹⁷⁹, A. Gabrielli^{22a,22b},
A. Gabrielli¹⁶, G.P. Gach^{40a}, S. Gadatsch³², S. Gadomski⁷⁹, G. Gagliardi^{52a,52b}, L.G. Gagnon⁹⁶,

P. Gagnon⁶³, C. Galea¹⁰⁷, B. Galhardo^{127a,127c}, E.J. Gallas¹²¹, B.J. Gallop¹³², P. Gallus¹²⁹, G. Galster³⁸, K.K. Gan¹¹², J. Gao⁵⁹, Y. Gao⁴⁸, Y.S. Gao^{146,g}, F.M. Garay Walls⁴⁸, C. García¹⁷¹, J.E. García Navarro¹⁷¹, M. Garcia-Sciveres¹⁶, R.W. Gardner³³, N. Garelli¹⁴⁶, V. Garonne¹²⁰, A. Gascon Bravo⁴⁴, K. Gasnikova⁴⁴, C. Gatti⁴⁹, A. Gaudiello^{52a,52b}, G. Gaudio^{122a}, L. Gauthier⁹⁶, I.L. Gavrilenko⁹⁷, C. Gay¹⁷², G. Gaycken²³, E.N. Gazis¹⁰, Z. Gecse¹⁷², C.N.P. Gee¹³², Ch. Geich-Gimbel²³, M. Geisen⁸⁵, M.P. Geisler^{60a}, K. Gellerstedt^{149a,149b}, C. Gemme^{52a}, M.H. Genest⁵⁷, C. Geng^{59,p}, S. Gentile^{133a,133b}, C. Gentsos¹⁵⁷, S. George⁷⁹, D. Gerbaudo¹³, A. Gershon¹⁵⁶, S. Ghasemi¹⁴⁴, M. Ghneimat²³, B. Giacobbe^{22a}, S. Giagu^{133a,133b}, P. Giannetti^{125a,125b}, B. Gibbard²⁷, S.M. Gibson⁷⁹, M. Gignac¹⁷², M. Gilchriese¹⁶, T.P.S. Gillam³⁰, D. Gillberg³¹, G. Gilles¹⁷⁹, D.M. Gingrich^{3,d}, N. Giokaris⁹, M.P. Giordani^{168a,168c}, F.M. Giorgi^{22a}, F.M. Giorgi¹⁷, P.F. Giraud¹³⁷, P. Giromini⁵⁸, D. Giugni^{93a}, F. Giuli¹²¹, C. Giuliani¹⁰², M. Giulini^{60b}, B.K. Gjølsten¹²⁰, S. Gkaitatzis¹⁵⁷, I. Gkialas¹⁵⁷, E.L. Gkougkousis¹¹⁸, L.K. Gladilin¹⁰⁰, C. Glasman⁸⁴, J. Glatzer⁵⁰, P.C.F. Glaysheer⁴⁸, A. Glazov⁴⁴, M. Goblirsch-Kolb²⁵, J. Godlewski⁴¹, S. Goldfarb⁹⁰, T. Golling⁵¹, D. Golubkov¹³¹, A. Gomes^{127a,127b,127d}, R. Gonçalves^{127a}, J. Goncalves Pinto Firmino Da Costa¹³⁷, G. Gonella⁵⁰, L. Gonella¹⁹, A. Gongadze⁶⁷, S. González de la Hoz¹⁷¹, G. Gonzalez Parra¹³, S. Gonzalez-Sevilla⁵¹, L. Goossens³², P.A. Gorbounov⁹⁸, H.A. Gordon²⁷, I. Gorelov¹⁰⁶, B. Gorini³², E. Gorini^{75a,75b}, A. Gorišek⁷⁷, E. Gornicki⁴¹, A.T. Goshaw⁴⁷, C. Gössling⁴⁵, M.I. Gostkin⁶⁷, C.R. Goudet¹¹⁸, D. Goudami^{136c}, A.G. Goussiou¹³⁹, N. Govender^{148b,q}, E. Gozani¹⁵⁵, L. Graber⁵⁶, I. Grabowska-Bold^{40a}, P.O.J. Gradin⁵⁷, P. Grafström^{22a,22b}, J. Gramling⁵¹, E. Gramstad¹²⁰, S. Grancagnolo¹⁷, V. Gratchev¹²⁴, P.M. Gravila^{28e}, H.M. Gray³², E. Graziani^{135a}, Z.D. Greenwood^{81,r}, C. Greife²³, K. Gregersen⁸⁰, I.M. Gregor⁴⁴, P. Grenier¹⁴⁶, K. Grevtsov⁵, J. Griffiths⁸, A.A. Grillo¹³⁸, K. Grimm⁷⁴, S. Grinstein^{13,s}, Ph. Gris³⁶, J.-F. Grivaz¹¹⁸, S. Groh⁸⁵, J.P. Grohs⁴⁶, E. Gross¹⁷⁶, J. Grosse-Knetter⁵⁶, G.C. Grossi⁸¹, Z.J. Grout⁸⁰, L. Guan⁹¹, W. Guan¹⁷⁷, J. Guenther⁶⁴, F. Guescini⁵¹, D. Guest¹⁶⁷, O. Gueta¹⁵⁶, E. Guido^{52a,52b}, T. Guillemin⁵, S. Guindon², U. Gul⁵⁵, C. Gumpert³², J. Guo¹⁴¹, Y. Guo^{59,p}, R. Gupta⁴², S. Gupta¹²¹, G. Gustavino^{133a,133b}, P. Gutierrez¹¹⁴, N.G. Gutierrez Ortiz⁸⁰, C. Gutsche⁴⁶, C. Guyot¹³⁷, C. Gwenlan¹²¹, C.B. Gwilliam⁷⁶, A. Haas¹¹¹, C. Haber¹⁶, H.K. Hadavand⁸, N. Haddad^{136e}, A. Hadeef⁸⁷, S. Hageböck²³, M. Hagihara¹⁶⁵, Z. Hajduk⁴¹, H. Hakobyan^{181,*}, M. Haleem⁴⁴, J. Haley¹¹⁵, G. Halladjian⁹², G.D. Hallewell⁸⁷, K. Hamacher¹⁷⁹, P. Hamal¹¹⁶, K. Hamano¹⁷³, A. Hamilton^{148a}, G.N. Hamity¹⁴², P.G. Hamnett⁴⁴, L. Han⁵⁹, K. Hanagaki^{68,t}, K. Hanawa¹⁵⁸, M. Hance¹³⁸, B. Haney¹²³, P. Hanke^{60a}, R. Hanna¹³⁷, J.B. Hansen³⁸, J.D. Hansen³⁸, M.C. Hansen²³, P.H. Hansen³⁸, K. Hara¹⁶⁵, A.S. Hard¹⁷⁷, T. Harenberg¹⁷⁹, F. Hariri¹¹⁸, S. Harkusha⁹⁴, R.D. Harrington⁴⁸, P.F. Harrison¹⁷⁴, F. Hartjes¹⁰⁸, N.M. Hartmann¹⁰¹, M. Hasegawa⁶⁹, Y. Hasegawa¹⁴³, A. Hasib¹¹⁴, S. Hassani¹³⁷, S. Haug¹⁸, R. Hauser⁹², L. Hauswald⁴⁶, M. Havranek¹²⁸, C.M. Hawkes¹⁹, R.J. Hawkings³², D. Hayakawa¹⁶⁰, D. Hayden⁹², C.P. Hays¹²¹, J.M. Hays⁷⁸, H.S. Hayward⁷⁶, S.J. Haywood¹³², S.J. Head¹⁹, T. Heck⁸⁵, V. Hedberg⁸³, L. Heelan⁸, S. Heim¹²³, T. Heim¹⁶, B. Heinemann¹⁶, J.J. Heinrich¹⁰¹, L. Heinrich¹¹¹, C. Heinz⁵⁴, J. Hejbal¹²⁸, L. Helary³², S. Hellman^{149a,149b}, C. Helsens³², J. Henderson¹²¹, R.C.W. Henderson⁷⁴, Y. Heng¹⁷⁷, S. Henkelmann¹⁷², A.M. Henriques Correia³², S. Henrot-Versille¹¹⁸, G.H. Herbert¹⁷, H. Herde²⁵, V. Herget¹⁷⁸, Y. Hernández Jiménez¹⁷¹, G. Herten⁵⁰, R. Hertenberger¹⁰¹, L. Hervas³², G.G. Hesketh⁸⁰, N.P. Hessey¹⁰⁸, J.W. Hetherly⁴², R. Hickling⁷⁸, E. Higón-Rodríguez¹⁷¹, E. Hill¹⁷³, J.C. Hill³⁰, K.H. Hiller⁴⁴, S.J. Hillier¹⁹, I. Hinchliffe¹⁶, E. Hines¹²³, R.R. Hinman¹⁶, M. Hirose⁵⁰, D. Hirschbuehl¹⁷⁹, J. Hobbs¹⁵¹, N. Hod^{164a}, M.C. Hodgkinson¹⁴², P. Hodgson¹⁴², A. Hoecker³², M.R. Hoferkamp¹⁰⁶, F. Hoenig¹⁰¹, D. Hohn²³, T.R. Holmes¹⁶, M. Homann⁴⁵, T. Honda⁶⁸, T.M. Hong¹²⁶, B.H. Hooberman¹⁷⁰, W.H. Hopkins¹¹⁷, Y. Horii¹⁰⁴, A.J. Horton¹⁴⁵, J.-Y. Hostachy⁵⁷, S. Hou¹⁵⁴, A. Hoummada^{136a}, J. Howarth⁴⁴, J. Hoya⁷³, M. Hrabovsky¹¹⁶, I. Hristova¹⁷, J. Hrivnac¹¹⁸, T. Hryn'ova⁵, A. Hrynevich⁹⁵, C. Hsu^{148c}, P.J. Hsu^{154,u}, S.-C. Hsu¹³⁹, Q. Hu⁵⁹, S. Hu¹⁴¹, Y. Huang⁴⁴, Z. Hubacek¹²⁹, F. Hubaut⁸⁷, F. Huegging²³, T.B. Huffman¹²¹, E.W. Hughes³⁷, G. Hughes⁷⁴, M. Huhtinen³², P. Huo¹⁵¹,

N. Huseynov^{67,b}, J. Huston⁹², J. Huth⁵⁸, G. Iacobucci⁵¹, G. Iakovidis²⁷, I. Ibragimov¹⁴⁴,
 L. Iconomidou-Fayard¹¹⁸, E. Ideal¹⁸⁰, Z. Idrissi^{136e}, P. Iengo³², O. Igonkina^{108,v}, T. Iizawa¹⁷⁵,
 Y. Ikegami⁶⁸, M. Ikeno⁶⁸, Y. Ilchenko^{11,w}, D. Iliadis¹⁵⁷, N. Ilic¹⁴⁶, T. Ince¹⁰², G. Introzzi^{122a,122b},
 P. Ioannou^{9,*}, M. Iodice^{135a}, K. Iordanidou³⁷, V. Ippolito⁵⁸, N. Ishijima¹¹⁹, M. Ishino¹⁵⁸, M. Ishitsuka¹⁶⁰,
 R. Ishmukhametov¹¹², C. Issever¹²¹, S. Istin^{20a}, F. Ito¹⁶⁵, J.M. Iturbe Ponce⁸⁶, R. Iuppa^{163a,163b},
 W. Iwanski⁶⁴, H. Iwasaki⁶⁸, J.M. Izen⁴³, V. Izzo^{105a}, S. Jabbar³, B. Jackson¹²³, P. Jackson¹, V. Jain²,
 K.B. Jakobi⁸⁵, K. Jakobs⁵⁰, S. Jakobsen³², T. Jakoubek¹²⁸, D.O. Jamin¹¹⁵, D.K. Jana⁸¹, R. Jansky⁶⁴,
 J. Janssen²³, M. Janus⁵⁶, G. Jarlskog⁸³, N. Javadov^{67,b}, T. Javůrek⁵⁰, F. Jeanneau¹³⁷, L. Jeanty¹⁶,
 G.-Y. Jeng¹⁵³, D. Jennens⁹⁰, P. Jenni^{50,x}, C. Jeske¹⁷⁴, S. Jézéquel⁵, H. Ji¹⁷⁷, J. Jia¹⁵¹, H. Jiang⁶⁶,
 Y. Jiang⁵⁹, S. Jiggins⁸⁰, J. Jimenez Pena¹⁷¹, S. Jin^{35a}, A. Jinaru^{28b}, O. Jinnouchi¹⁶⁰, H. Jivan^{148c},
 P. Johansson¹⁴², K.A. Johns⁷, W.J. Johnson¹³⁹, K. Jon-And^{149a,149b}, G. Jones¹⁷⁴, R.W.L. Jones⁷⁴,
 S. Jones⁷, T.J. Jones⁷⁶, J. Jongmanns^{60a}, P.M. Jorge^{127a,127b}, J. Jovicevic^{164a}, X. Ju¹⁷⁷, A. Juste Rozas^{13,s},
 M.K. Köhler¹⁷⁶, A. Kaczmarek⁴¹, M. Kado¹¹⁸, H. Kagan¹¹², M. Kagan¹⁴⁶, S.J. Kahn⁸⁷, T. Kaji¹⁷⁵,
 E. Kajomovitz⁴⁷, C.W. Kalderon¹²¹, A. Kaluza⁸⁵, S. Kama⁴², A. Kamenshchikov¹³¹, N. Kanaya¹⁵⁸,
 S. Kaneti³⁰, L. Kanjir⁷⁷, V.A. Kantserov⁹⁹, J. Kanzaki⁶⁸, B. Kaplan¹¹¹, L.S. Kaplan¹⁷⁷, A. Kapliy³³,
 D. Kar^{148c}, K. Karakostas¹⁰, A. Karamaoun³, N. Karastathis¹⁰, M.J. Kareem⁵⁶, E. Karentzos¹⁰,
 M. Karnevskiy⁸⁵, S.N. Karpov⁶⁷, Z.M. Karpova⁶⁷, K. Karthik¹¹¹, V. Kartvelishvili⁷⁴,
 A.N. Karyukhin¹³¹, K. Kasahara¹⁶⁵, L. Kashif¹⁷⁷, R.D. Kass¹¹², A. Kastanas¹⁵, Y. Kataoka¹⁵⁸,
 C. Kato¹⁵⁸, A. Katre⁵¹, J. Katzy⁴⁴, K. Kawade¹⁰⁴, K. Kawagoe⁷², T. Kawamoto¹⁵⁸, G. Kawamura⁵⁶,
 V.F. Kazanin^{110,c}, R. Keeler¹⁷³, R. Kehoe⁴², J.S. Keller⁴⁴, J.J. Kempster⁷⁹, H. Keoshkerian¹⁶²,
 O. Kepka¹²⁸, B.P. Kerševan⁷⁷, S. Kersten¹⁷⁹, R.A. Keyes⁸⁹, M. Khader¹⁷⁰, F. Khalil-zada¹²,
 A. Khanov¹¹⁵, A.G. Kharlamov^{110,c}, T. Kharlamova¹¹⁰, T.J. Khoo⁵¹, V. Khovanskiy⁹⁸, E. Khramov⁶⁷,
 J. Khubua^{53b,y}, S. Kido⁶⁹, C.R. Kilby⁷⁹, H.Y. Kim⁸, S.H. Kim¹⁶⁵, Y.K. Kim³³, N. Kimura¹⁵⁷,
 O.M. Kind¹⁷, B.T. King⁷⁶, M. King¹⁷¹, J. Kirk¹³², A.E. Kiryunin¹⁰², T. Kishimoto¹⁵⁸, D. Kisielewska^{40a},
 F. Kiss⁵⁰, K. Kiuchi¹⁶⁵, O. Kivernyk¹³⁷, E. Kladiva^{147b}, M.H. Klein³⁷, M. Klein⁷⁶, U. Klein⁷⁶,
 K. Kleinknecht⁸⁵, P. Klimek¹⁰⁹, A. Klimentov²⁷, R. Klingenberg⁴⁵, J.A. Klinger¹⁴², T. Klioutchnikova³²,
 E.-E. Kluge^{60a}, P. Kluit¹⁰⁸, S. Kluth¹⁰², J. Knapik⁴¹, E. Kneringer⁶⁴, E.B.F.G. Knoops⁸⁷, A. Knue⁵⁵,
 A. Kobayashi¹⁵⁸, D. Kobayashi¹⁶⁰, T. Kobayashi¹⁵⁸, M. Kobel¹⁴⁶, M. Kocian¹⁴⁶, P. Kodys¹³⁰,
 N.M. Koehler¹⁰², T. Koffas³¹, E. Koffeman¹⁰⁸, T. Koi¹⁴⁶, H. Kolanoski¹⁷, M. Kolb^{60b}, I. Koletsou⁵,
 A.A. Komar^{97,*}, Y. Komori¹⁵⁸, T. Kondo⁶⁸, N. Kondrashova⁴⁴, K. Köneke⁵⁰, A.C. König¹⁰⁷,
 T. Kono^{68,z}, R. Konoplich^{111,aa}, N. Konstantinidis⁸⁰, R. Kopeliansky⁶³, S. Koperny^{40a}, L. Köpke⁸⁵,
 A.K. Kopp⁵⁰, K. Korcyl⁴¹, K. Kordas¹⁵⁷, A. Korn⁸⁰, A.A. Korol^{110,c}, I. Korolkov¹³, E.V. Korolkova¹⁴²,
 O. Kortner¹⁰², S. Kortner¹⁰², T. Kosek¹³⁰, V.V. Kostyukhin²³, A. Kotwal⁴⁷,
 A. Kourkouveli-Charalampidi^{122a,122b}, C. Kourkoumelis⁹, V. Kouskoura²⁷, A.B. Kowalewska⁴¹,
 R. Kowalewski¹⁷³, T.Z. Kowalski^{40a}, C. Kozakai¹⁵⁸, W. Kozanecki¹³⁷, A.S. Kozhin¹³¹,
 V.A. Kramarenko¹⁰⁰, G. Kramberger⁷⁷, D. Krasnopevtsev⁹⁹, M.W. Krasny⁸², A. Krasznahorkay³²,
 A. Kravchenko²⁷, M. Kretz^{60c}, J. Kretzschmar⁷⁶, K. Kreutzfeldt⁵⁴, P. Krieger¹⁶², K. Krizka³³,
 K. Kroeninger⁴⁵, H. Kroha¹⁰², J. Kroll¹²³, J. Kroseberg²³, J. Krstic¹⁴, U. Kruchonak⁶⁷, H. Krüger²³,
 N. Krumnack⁶⁶, M.C. Kruse⁴⁷, M. Kruskal²⁴, T. Kubota⁹⁰, H. Kucuk⁸⁰, S. Kuday^{4b}, J.T. Kuechler¹⁷⁹,
 S. Kuehn⁵⁰, A. Kugel^{60c}, F. Kuger¹⁷⁸, A. Kuhl¹³⁸, T. Kuhl⁴⁴, V. Kukhtin⁶⁷, R. Kukla¹³⁷, Y. Kulchitsky⁹⁴,
 S. Kuleshov^{34b}, M. Kuna^{133a,133b}, T. Kunigo⁷⁰, A. Kupco¹²⁸, H. Kurashige⁶⁹, Y.A. Kurochkin⁹⁴,
 V. Kus¹²⁸, E.S. Kuwertz¹⁷³, M. Kuze¹⁶⁰, J. Kvita¹¹⁶, T. Kwan¹⁷³, D. Kyriazopoulos¹⁴², A. La Rosa¹⁰²,
 J.L. La Rosa Navarro^{26d}, L. La Rotonda^{39a,39b}, C. Lacasta¹⁷¹, F. Lacava^{133a,133b}, J. Lacey³¹, H. Lacker¹⁷,
 D. Lacour⁸², V.R. Lacuesta¹⁷¹, E. Ladygin⁶⁷, R. Lafaye⁵, B. Laforge⁸², T. Lagouri¹⁸⁰, S. Lai⁵⁶,
 S. Lammers⁶³, W. Lampl⁷, E. Lançon¹³⁷, U. Landgraf⁵⁰, M.P.J. Landon⁷⁸, M.C. Lanfermann⁵¹,
 V.S. Lang^{60a}, J.C. Lange¹³, A.J. Lankford¹⁶⁷, F. Lanni²⁷, K. Lantzsche²³, A. Lanza^{122a}, S. Laplace⁸²,
 C. Lapoire³², J.F. Laporte¹³⁷, T. Lari^{93a}, F. Lasagni Manghi^{122a,22b}, M. Lassnig³², P. Laurelli⁴⁹,

W. Lavrijsen¹⁶, A.T. Law¹³⁸, P. Laycock⁷⁶, T. Lazovich⁵⁸, M. Lazzaroni^{93a,93b}, B. Le⁹⁰, O. Le Dortz⁸², E. Le Guirriec⁸⁷, E.P. Le Quilleuc¹³⁷, M. LeBlanc¹⁷³, T. LeCompte⁶, F. Ledroit-Guillon⁵⁷, C.A. Lee²⁷, S.C. Lee¹⁵⁴, L. Lee¹, B. Lefebvre⁸⁹, G. Lefebvre⁸², M. Lefebvre¹⁷³, F. Legger¹⁰¹, C. Leggett¹⁶, A. Lehan⁷⁶, G. Lehmann Miotto³², X. Lei⁷, W.A. Leight³¹, A.G. Leister¹⁸⁰, M.A.L. Leite^{26d}, R. Leitner¹³⁰, D. Lellouch¹⁷⁶, B. Lemmer⁵⁶, K.J.C. Leney⁸⁰, T. Lenz²³, B. Lenzi³², R. Leone⁷, S. Leone^{125a,125b}, C. Leonidopoulos⁴⁸, S. Leontsinis¹⁰, G. Lerner¹⁵², C. Leroy⁹⁶, A.A.J. Lesage¹³⁷, C.G. Lester³⁰, M. Levchenko¹²⁴, J. Levêque⁵, D. Levin⁹¹, L.J. Levinson¹⁷⁶, M. Levy¹⁹, D. Lewis⁷⁸, A.M. Leyko²³, M. Leyton⁴³, B. Li^{59,p}, C. Li⁵⁹, H. Li¹⁵¹, H.L. Li³³, L. Li⁴⁷, L. Li¹⁴¹, Q. Li^{35a}, Q. Li⁵⁹, S. Li⁴⁷, X. Li⁸⁶, Y. Li¹⁴⁴, Z. Liang^{35a}, B. Liberti^{134a}, A. Liblong¹⁶², P. Lichard³², K. Lie¹⁷⁰, J. Liebal²³, W. Liebig¹⁵, A. Limosani¹⁵³, S.C. Lin^{154,ab}, T.H. Lin⁸⁵, B.E. Lindquist¹⁵¹, A.E. Lioni⁵¹, E. Lipeles¹²³, A. Lipniacka¹⁵, M. Lisovyi^{60b}, T.M. Liss¹⁷⁰, A. Lister¹⁷², A.M. Litke¹³⁸, B. Liu^{154,ac}, D. Liu¹⁵⁴, H. Liu⁹¹, H. Liu²⁷, J. Liu⁸⁷, J.B. Liu⁵⁹, K. Liu⁸⁷, L. Liu¹⁷⁰, M. Liu⁴⁷, M. Liu⁵⁹, Y.L. Liu⁵⁹, Y. Liu⁵⁹, M. Livan^{122a,122b}, A. Lleres⁵⁷, J. Llorente Merino^{35a}, S.L. Lloyd⁷⁸, F. Lo Sterzo¹⁵⁴, E.M. Lobodzinska⁴⁴, P. Loch⁷, W.S. Lockman¹³⁸, F.K. Loebinger⁸⁶, A.E. Loevschall-Jensen³⁸, K.M. Loew²⁵, A. Loginov^{180,*}, T. Lohse¹⁷, K. Lohwasser⁴⁴, M. Lokajicek¹²⁸, B.A. Long²⁴, J.D. Long¹⁷⁰, R.E. Long⁷⁴, L. Longo^{75a,75b}, K.A. Looper¹¹², J.A. López^{34b}, D. Lopez Mateos⁵⁸, B. Lopez Paredes¹⁴², I. Lopez Paz¹³, A. Lopez Solis⁸², J. Lorenz¹⁰¹, N. Lorenzo Martinez⁶³, M. Losada²¹, P.J. Lösel¹⁰¹, X. Lou^{35a}, A. Lounis¹¹⁸, J. Love⁶, P.A. Love⁷⁴, H. Lu^{62a}, N. Lu⁹¹, H.J. Lubatti¹³⁹, C. Luci^{133a,133b}, A. Lucotte⁵⁷, C. Luedtke⁵⁰, F. Luehring⁶³, W. Lukas⁶⁴, L. Luminari^{133a}, O. Lundberg^{149a,149b}, B. Lund-Jensen¹⁵⁰, P.M. Luzzi⁸², D. Lynn²⁷, R. Lysak¹²⁸, E. Lytken⁸³, V. Lyubushkin⁶⁷, H. Ma²⁷, L.L. Ma¹⁴⁰, Y. Ma¹⁴⁰, G. Maccarrone⁴⁹, A. Macchiolo¹⁰², C.M. Macdonald¹⁴², B. Maček⁷⁷, J. Machado Miguens^{123,127b}, D. Madaffari⁸⁷, R. Madar³⁶, H.J. Maddocks¹⁶⁹, W.F. Mader⁴⁶, A. Madsen⁴⁴, J. Maeda⁶⁹, S. Maeland¹⁵, T. Maeno²⁷, A. Maevskiy¹⁰⁰, E. Magradze⁵⁶, J. Mahlstedt¹⁰⁸, C. Maiani¹¹⁸, C. Maidantchik^{26a}, A.A. Maier¹⁰², T. Maier¹⁰¹, A. Maio^{127a,127b,127d}, S. Majewski¹¹⁷, Y. Makida⁶⁸, N. Makovec¹¹⁸, B. Malaescu⁸², Pa. Malecki⁴¹, V.P. Maleev¹²⁴, F. Malek⁵⁷, U. Mallik⁶⁵, D. Malon⁶, C. Malone¹⁴⁶, C. Malone³⁰, S. Maltezos¹⁰, S. Malyukov³², J. Mamuzic¹⁷¹, G. Mancini⁴⁹, L. Mandelli^{93a}, I. Mandić⁷⁷, J. Maneira^{127a,127b}, L. Manhaes de Andrade Filho^{26b}, J. Manjarres Ramos^{164b}, A. Mann¹⁰¹, A. Manousos³², B. Mansoulie¹³⁷, J.D. Mansour^{35a}, R. Mantifel⁸⁹, M. Mantoani⁵⁶, S. Manzoni^{93a,93b}, L. Mapelli³², G. Marceca²⁹, L. March⁵¹, G. Marchiori⁸², M. Marcisovsky¹²⁸, M. Marjanovic¹⁴, D.E. Marley⁹¹, F. Marroquim^{26a}, S.P. Marsden⁸⁶, Z. Marshall¹⁶, S. Marti-Garcia¹⁷¹, B. Martin⁹², T.A. Martin¹⁷⁴, V.J. Martin⁴⁸, B. Martin dit Latour¹⁵, M. Martinez^{13,s}, V.I. Martinez Outschoorn¹⁷⁰, S. Martin-Haugh¹³², V.S. Martoiu^{28b}, A.C. Martyniuk⁸⁰, M. Marx¹³⁹, A. Marzin³², L. Masetti⁸⁵, T. Mashimo¹⁵⁸, R. Mashinistov⁹⁷, J. Masik⁸⁶, A.L. Maslennikov^{110,c}, I. Massa^{22a,22b}, L. Massa^{22a,22b}, P. Mastrandrea⁵, A. Mastroberardino^{39a,39b}, T. Masubuchi¹⁵⁸, P. Mättig¹⁷⁹, J. Mattmann⁸⁵, J. Maurer^{28b}, S.J. Maxfield⁷⁶, D.A. Maximov^{110,c}, R. Mazini¹⁵⁴, S.M. Mazza^{93a,93b}, N.C. Mc Fadden¹⁰⁶, G. Mc Goldrick¹⁶², S.P. Mc Kee⁹¹, A. McCarn⁹¹, R.L. McCarthy¹⁵¹, T.G. McCarthy¹⁰², L.I. McClymont⁸⁰, E.F. McDonald⁹⁰, J.A. Mcfayden⁸⁰, G. Mchedlidze⁵⁶, S.J. McMahon¹³², R.A. McPherson^{173,m}, M. Medinnis⁴⁴, S. Meehan¹³⁹, S. Mehlhase¹⁰¹, A. Mehta⁷⁶, K. Meier^{60a}, C. Meineck¹⁰¹, B. Meirose⁴³, D. Melini¹⁷¹, B.R. Mellado Garcia^{148c}, M. Melo^{147a}, F. Meloni¹⁸, A. Mengarelli^{22a,22b}, S. Menke¹⁰², E. Meoni¹⁶⁶, S. Mergelmeyer¹⁷, P. Mermod⁵¹, L. Merola^{105a,105b}, C. Meroni^{93a}, F.S. Merritt³³, A. Messina^{133a,133b}, J. Metcalfe⁶, A.S. Mete¹⁶⁷, C. Meyer⁸⁵, C. Meyer¹²³, J-P. Meyer¹³⁷, J. Meyer¹⁰⁸, H. Meyer Zu Theenhausen^{60a}, F. Miano¹⁵², R.P. Middleton¹³², S. Miglioranza^{52a,52b}, L. Mijović⁴⁸, G. Mikenberg¹⁷⁶, M. Mikestikova¹²⁸, M. Mikuž⁷⁷, M. Milesi⁹⁰, A. Milic⁶⁴, D.W. Miller³³, C. Mills⁴⁸, A. Milov¹⁷⁶, D.A. Milstead^{149a,149b}, A.A. Minaenko¹³¹, Y. Minami¹⁵⁸, I.A. Minashvili⁶⁷, A.I. Mincer¹¹¹, B. Mindur^{40a}, M. Mineev⁶⁷, Y. Minegishi¹⁵⁸, Y. Ming¹⁷⁷, L.M. Mir¹³, K.P. Mistry¹²³, T. Mitani¹⁷⁵, J. Mitrevski¹⁰¹, V.A. Mitsou¹⁷¹, A. Miucci¹⁸, P.S. Miyagawa¹⁴², J.U. Mjörnmark⁸³, M. Mlynarikova¹³⁰,

T. Moa^{149a,149b}, K. Mochizuki⁹⁶, S. Mohapatra³⁷, S. Molander^{149a,149b}, R. Moles-Valls²³, R. Monden⁷⁰, M.C. Mondragon⁹², K. Mönig⁴⁴, J. Monk³⁸, E. Monnier⁸⁷, A. Montalbano¹⁵¹, J. Montejo Berlingen³², F. Monticelli⁷³, S. Monzani^{93a,93b}, R.W. Moore³, N. Morange¹¹⁸, D. Moreno²¹, M. Moreno Llácer⁵⁶, P. Morettini^{52a}, S. Morgenstern³², D. Mori¹⁴⁵, T. Mori¹⁵⁸, M. Morii⁵⁸, M. Morinaga¹⁵⁸, V. Morisbak¹²⁰, S. Moritz⁸⁵, A.K. Morley¹⁵³, G. Mornacchi³², J.D. Morris⁷⁸, S.S. Mortensen³⁸, L. Morvaj¹⁵¹, M. Mosidze^{53b}, J. Moss^{146,ad}, K. Motohashi¹⁶⁰, R. Mount¹⁴⁶, E. Mountricha²⁷, E.J.W. Moyse⁸⁸, S. Muanza⁸⁷, R.D. Mudd¹⁹, F. Mueller¹⁰², J. Mueller¹²⁶, R.S.P. Mueller¹⁰¹, T. Mueller³⁰, D. Muenstermann⁷⁴, P. Mullen⁵⁵, G.A. Mullier¹⁸, F.J. Munoz Sanchez⁸⁶, J.A. Murillo Quijada¹⁹, W.J. Murray^{174,132}, H. Musheghyan⁵⁶, M. Muškinja⁷⁷, A.G. Myagkov^{131,ae}, M. Myska¹²⁹, B.P. Nachman¹⁴⁶, O. Nackenhorst⁵¹, K. Nagai¹²¹, R. Nagai^{68,z}, K. Nagano⁶⁸, Y. Nagasaka⁶¹, K. Nagata¹⁶⁵, M. Nagel⁵⁰, E. Nagy⁸⁷, A.M. Nairz³², Y. Nakahama¹⁰⁴, K. Nakamura⁶⁸, T. Nakamura¹⁵⁸, I. Nakano¹¹³, H. Namasivayam⁴³, R.F. Naranjo Garcia⁴⁴, R. Narayan¹¹, D.I. Narrias Villar^{60a}, I. Naryshkin¹²⁴, T. Naumann⁴⁴, G. Navarro²¹, R. Nayyar⁷, H.A. Neal⁹¹, P.Yu. Nechaeva⁹⁷, T.J. Neep⁸⁶, A. Negri^{122a,122b}, M. Negrini^{22a}, S. Nektarijevic¹⁰⁷, C. Nellist¹¹⁸, A. Nelson¹⁶⁷, S. Nemecek¹²⁸, P. Nemethy¹¹¹, A.A. Nepomuceno^{26a}, M. Nessi^{32,af}, M.S. Neubauer¹⁷⁰, M. Neumann¹⁷⁹, R.M. Neves¹¹¹, P. Nevski²⁷, P.R. Newman¹⁹, D.H. Nguyen⁶, T. Nguyen Manh⁹⁶, R.B. Nickerson¹²¹, R. Nicolaidou¹³⁷, J. Nielsen¹³⁸, A. Nikiforov¹⁷, V. Nikolaenko^{131,ae}, I. Nikolic-Audit⁸², K. Nikolopoulos¹⁹, J.K. Nilsen¹²⁰, P. Nilsson²⁷, Y. Ninomiya¹⁵⁸, A. Nisati^{133a}, R. Nisius¹⁰², T. Nobe¹⁵⁸, M. Nomachi¹¹⁹, I. Nomidis³¹, T. Nooney⁷⁸, S. Norberg¹¹⁴, M. Nordberg³², N. Norjoharuddeen¹²¹, O. Novgorodova⁴⁶, S. Nowak¹⁰², M. Nozaki⁶⁸, L. Nozka¹¹⁶, K. Ntekas¹⁶⁷, E. Nurse⁸⁰, F. Nuti⁹⁰, F. O'grady⁷, D.C. O'Neil¹⁴⁵, A.A. O'Rourke⁴⁴, V. O'Shea⁵⁵, F.G. Oakham^{31,d}, H. Oberlack¹⁰², T. Obermann²³, J. Ocariz⁸², A. Ochi⁶⁹, I. Ochoa³⁷, J.P. Ochoa-Ricoux^{34a}, S. Oda⁷², S. Odaka⁶⁸, H. Ogren⁶³, A. Oh⁸⁶, S.H. Oh⁴⁷, C.C. Ohm¹⁶, H. Ohman¹⁶⁹, H. Oide³², H. Okawa¹⁶⁵, Y. Okumura¹⁵⁸, T. Okuyama⁶⁸, A. Olariu^{28b}, L.F. Oleiro Seabra^{127a}, S.A. Olivares Pino⁴⁸, D. Oliveira Damazio²⁷, A. Olszewski⁴¹, J. Olszowska⁴¹, A. Onofre^{127a,127e}, K. Onogi¹⁰⁴, P.U.E. Onyisi^{11,w}, M.J. Oreglia³³, Y. Oren¹⁵⁶, D. Orestano^{135a,135b}, N. Orlando^{62b}, R.S. Orr¹⁶², B. Osculati^{52a,52b,*}, R. Ospanov⁸⁶, G. Otero y Garzon²⁹, H. Otono⁷², M. Ouchrif^{136d}, F. Ould-Saada¹²⁰, A. Ouraou¹³⁷, K.P. Oussoren¹⁰⁸, Q. Ouyang^{35a}, M. Owen⁵⁵, R.E. Owen¹⁹, V.E. Ozcan^{20a}, N. Ozturk⁸, K. Pachal¹⁴⁵, A. Pacheco Pages¹³, L. Pacheco Rodriguez¹³⁷, C. Padilla Aranda¹³, M. Pagáčová⁵⁰, S. Pagan Griso¹⁶, M. Paganini¹⁸⁰, F. Paige²⁷, P. Pais⁸⁸, K. Pajchel¹²⁰, G. Palacino^{164b}, S. Palazzo^{39a,39b}, S. Palestini³², M. Palka^{40b}, D. Pallin³⁶, E.St. Panagiotopoulou¹⁰, C.E. Pandini⁸², J.G. Panduro Vazquez⁷⁹, P. Pani^{149a,149b}, S. Panitkin²⁷, D. Pantea^{28b}, L. Paolozzi⁵¹, Th.D. Papadopoulou¹⁰, K. Papageorgiou¹⁵⁷, A. Paramonov⁶, D. Paredes Hernandez¹⁸⁰, A.J. Parker⁷⁴, M.A. Parker³⁰, K.A. Parker¹⁴², F. Parodi^{52a,52b}, J.A. Parsons³⁷, U. Parzefall⁵⁰, V.R. Pascuzzi¹⁶², E. Pasqualucci^{133a}, S. Passaggio^{52a}, Fr. Pastore⁷⁹, G. Pásztor^{31,ag}, S. Pataia¹⁷⁹, J.R. Pater⁸⁶, T. Pauly³², J. Pearce¹⁷³, B. Pearson¹¹⁴, L.E. Pedersen³⁸, M. Pedersen¹²⁰, S. Pedraza Lopez¹⁷¹, R. Pedro^{127a,127b}, S.V. Peleganchuk^{110,c}, O. Penc¹²⁸, C. Peng^{35a}, H. Peng⁵⁹, J. Penwell⁶³, B.S. Peralva^{26b}, M.M. Perego¹³⁷, D.V. Perepelitsa²⁷, E. Perez Codina^{164a}, L. Perini^{93a,93b}, H. Pernegger³², S. Perrella^{105a,105b}, R. Peschke⁴⁴, V.D. Peshekhonov⁶⁷, K. Peters⁴⁴, R.F.Y. Peters⁸⁶, B.A. Petersen³², T.C. Petersen³⁸, E. Petit⁵⁷, A. Petridis¹, C. Petridou¹⁵⁷, P. Petroff¹¹⁸, E. Petrolo^{133a}, M. Petrov¹²¹, F. Petrucci^{135a,135b}, N.E. Pettersson⁸⁸, A. Peyaud¹³⁷, R. Pezoa^{34b}, P.W. Phillips¹³², G. Piacquadio^{146,ah}, E. Pianori¹⁷⁴, A. Picazio⁸⁸, E. Piccaro⁷⁸, M. Piccinini^{22a,22b}, M.A. Pickering¹²¹, R. Piegaia²⁹, J.E. Pilcher³³, A.D. Pilkington⁸⁶, A.W.J. Pin⁸⁶, M. Pinamonti^{168a,168c,ai}, J.L. Pinfold³, A. Pingel³⁸, S. Pires⁸², H. Pirumov⁴⁴, M. Pitt¹⁷⁶, L. Plazak^{147a}, M.-A. Pleier²⁷, V. Pleskot⁸⁵, E. Plotnikova⁶⁷, P. Plucinski⁹², D. Pluth⁶⁶, R. Poettgen^{149a,149b}, L. Poggioli¹¹⁸, D. Pohl²³, G. Polesello^{122a}, A. Poley⁴⁴, A. Policicchio^{39a,39b}, R. Polifka¹⁶², A. Polini^{22a}, C.S. Pollard⁵⁵, V. Polychronakos²⁷, K. Pommès³², L. Pontecorvo^{133a}, B.G. Pope⁹², G.A. Popeneciu^{28c}, A. Poppleton³², S. Pospisil¹²⁹, K. Potamianos¹⁶, I.N. Potrap⁶⁷, C.J. Potter³⁰, C.T. Potter¹¹⁷, G. Poulard³², J. Poveda³²,

V. Pozdnyakov⁶⁷, M.E. Pozo Astigarraga³², P. Pralavorio⁸⁷, A. Pranko¹⁶, S. Prell⁶⁶, D. Price⁸⁶, L.E. Price⁶, M. Primavera^{75a}, S. Prince⁸⁹, K. Prokofiev^{62c}, F. Prokoshin^{34b}, S. Protopopescu²⁷, J. Proudfoot⁶, M. Przybycien^{40a}, D. Puddu^{135a,135b}, M. Purohit^{27,aj}, P. Puzo¹¹⁸, J. Qian⁹¹, G. Qin⁵⁵, Y. Qin⁸⁶, A. Quadt⁵⁶, W.B. Quayle^{168a,168b}, M. Queitsch-Maitland⁸⁶, D. Quilty⁵⁵, S. Raddum¹²⁰, V. Radeka²⁷, V. Radescu¹²¹, S.K. Radhakrishnan¹⁵¹, P. Radloff¹¹⁷, P. Rados⁹⁰, F. Ragusa^{93a,93b}, G. Rahal¹⁸², J.A. Raine⁸⁶, S. Rajagopalan²⁷, M. Rammensee³², C. Rangel-Smith¹⁶⁹, M.G. Ratti^{93a,93b}, F. Rauscher¹⁰¹, S. Rave⁸⁵, T. Ravenscroft⁵⁵, I. Ravinovich¹⁷⁶, M. Raymond³², A.L. Read¹²⁰, N.P. Readioff⁷⁶, M. Reale^{75a,75b}, D.M. Rebuzzi^{122a,122b}, A. Redelbach¹⁷⁸, G. Redlinger²⁷, R. Reece¹³⁸, R.G. Reed^{148c}, K. Reeves⁴³, L. Rehnisch¹⁷, J. Reichert¹²³, A. Reiss⁸⁵, C. Rembser³², H. Ren^{35a}, M. Rescigno^{133a}, S. Resconi^{93a}, O.L. Rezanova^{110,c}, P. Reznicek¹³⁰, R. Rezvani⁹⁶, R. Richter¹⁰², S. Richter⁸⁰, E. Richter-Was^{40b}, O. Ricken²³, M. Ridel⁸², P. Rieck¹⁷, C.J. Riegel¹⁷⁹, J. Rieger⁵⁶, O. Rifki¹¹⁴, M. Rijssenbeek¹⁵¹, A. Rimoldi^{122a,122b}, M. Rimoldi¹⁸, L. Rinaldi^{22a}, B. Ristic⁵¹, E. Ritsch³², I. Riu¹³, F. Rizatdinova¹¹⁵, E. Rizvi⁷⁸, C. Rizzi¹³, S.H. Robertson^{89,m}, A. Robichaud-Veronneau⁸⁹, D. Robinson³⁰, J.E.M. Robinson⁴⁴, A. Robson⁵⁵, C. Roda^{125a,125b}, Y. Rodina^{87,ak}, A. Rodriguez Perez¹³, D. Rodriguez Rodriguez¹⁷¹, S. Roe³², C.S. Rogan⁵⁸, O. Røhne¹²⁰, A. Romaniouk⁹⁹, M. Romano^{22a,22b}, S.M. Romano Saez³⁶, E. Romero Adam¹⁷¹, N. Rompotis¹³⁹, M. Ronzani⁵⁰, L. Roos⁸², E. Ros¹⁷¹, S. Rosati^{133a}, K. Rosbach⁵⁰, P. Rose¹³⁸, N.-A. Rosien⁵⁶, V. Rossetti^{149a,149b}, E. Rossi^{105a,105b}, L.P. Rossi^{52a}, J.H.N. Rosten³⁰, R. Rosten¹³⁹, M. Rotaru^{28b}, I. Roth¹⁷⁶, J. Rothberg¹³⁹, D. Rousseau¹¹⁸, A. Rozanov⁸⁷, Y. Rozen¹⁵⁵, X. Ruan^{148c}, F. Rubbo¹⁴⁶, M.S. Rudolph¹⁶², F. Rühr⁵⁰, A. Ruiz-Martinez³¹, Z. Rurikova⁵⁰, N.A. Rusakovich⁶⁷, A. Ruschke¹⁰¹, H.L. Russell¹³⁹, J.P. Rutherford⁷, N. Ruthmann³², Y.F. Ryabov¹²⁴, M. Rybar¹⁷⁰, G. Rybkin¹¹⁸, S. Ryu⁶, A. Ryzhov¹³¹, G.F. Rzehorz⁵⁶, A.F. Saavedra¹⁵³, G. Sabato¹⁰⁸, S. Sacerdoti²⁹, H.F.-W. Sadrozinski¹³⁸, R. Sadykov⁶⁷, F. Safai Tehrani^{133a}, P. Saha¹⁰⁹, M. Sahinsoy^{60a}, M. Saimpert¹³⁷, T. Saito¹⁵⁸, H. Sakamoto¹⁵⁸, Y. Sakurai¹⁷⁵, G. Salamanna^{135a,135b}, A. Salamon^{134a,134b}, J.E. Salazar Loyola^{34b}, D. Salek¹⁰⁸, P.H. Sales De Bruin¹³⁹, D. Salihagic¹⁰², A. Salnikov¹⁴⁶, J. Salt¹⁷¹, D. Salvatore^{39a,39b}, F. Salvatore¹⁵², A. Salvucci^{62a,62b,62c}, A. Salzburger³², D. Sammel⁵⁰, D. Sampsonidis¹⁵⁷, A. Sanchez^{105a,105b}, J. Sánchez¹⁷¹, V. Sanchez Martinez¹⁷¹, H. Sandaker¹²⁰, R.L. Sandbach⁷⁸, H.G. Sander⁸⁵, M. Sandhoff¹⁷⁹, C. Sandoval²¹, D.P.C. Sankey¹³², M. Sannino^{52a,52b}, A. Sansoni⁴⁹, C. Santoni³⁶, R. Santonico^{134a,134b}, H. Santos^{127a}, I. Santoyo Castillo¹⁵², K. Sapp¹²⁶, A. Saprnov⁶⁷, J.G. Saraiva^{127a,127d}, B. Sarrazin²³, O. Sasaki⁶⁸, K. Sato¹⁶⁵, E. Sauvan⁵, G. Savage⁷⁹, P. Savard^{162,d}, N. Savic¹⁰², C. Sawyer¹³², L. Sawyer^{81,r}, J. Saxon³³, C. Sbarra^{22a}, A. Sbrizzi^{22a,22b}, T. Scanlon⁸⁰, D.A. Scannicchio¹⁶⁷, M. Scarcella¹⁵³, V. Scarfone^{39a,39b}, J. Schaarschmidt¹⁷⁶, P. Schacht¹⁰², B.M. Schachtner¹⁰¹, D. Schaefer³², L. Schaefer¹²³, R. Schaefer⁴⁴, J. Schaeffer⁸⁵, S. Schaepe²³, S. Schaetzel^{60b}, U. Schäfer⁸⁵, A.C. Schaffer¹¹⁸, D. Schaile¹⁰¹, R.D. Schamberger¹⁵¹, V. Scharf^{60a}, V.A. Schegelsky¹²⁴, D. Scheirich¹³⁰, M. Schernau¹⁶⁷, C. Schiavi^{52a,52b}, S. Schier¹³⁸, C. Schillo⁵⁰, M. Schioppa^{39a,39b}, S. Schlenker³², K.R. Schmidt-Sommerfeld¹⁰², K. Schmieden³², C. Schmitt⁸⁵, S. Schmitt⁴⁴, S. Schmitz⁸⁵, B. Schneider^{164a}, U. Schnoor⁵⁰, L. Schoeffel¹³⁷, A. Schoening^{60b}, B.D. Schoenrock⁹², E. Schopf²³, M. Schott⁸⁵, J.F.P. Schouwenberg¹⁰⁷, J. Schovancova⁸, S. Schramm⁵¹, M. Schreyer¹⁷⁸, N. Schuh⁸⁵, A. Schulte⁸⁵, M.J. Schultens²³, H.-C. Schultz-Coulon^{60a}, H. Schulz¹⁷, M. Schumacher⁵⁰, B.A. Schumm¹³⁸, Ph. Schune¹³⁷, A. Schwartzman¹⁴⁶, T.A. Schwarz⁹¹, H. Schweiger⁸⁶, Ph. Schwemling¹³⁷, R. Schwienhorst⁹², J. Schwindling¹³⁷, T. Schwindt²³, G. Sciolla²⁵, F. Scuri^{125a,125b}, F. Scutti⁹⁰, J. Searcy⁹¹, P. Seema²³, S.C. Seidel¹⁰⁶, A. Seiden¹³⁸, F. Seifert¹²⁹, J.M. Seixas^{26a}, G. Sekhniaidze^{105a}, K. Sekhon⁹¹, S.J. Sekula⁴², D.M. Seliverstov^{124,*}, N. Semprini-Cesari^{22a,22b}, C. Serfon¹²⁰, L. Serin¹¹⁸, L. Serkin^{168a,168b}, M. Sessa^{135a,135b}, R. Seuster¹⁷³, H. Severini¹¹⁴, T. Sfiligoi⁷⁷, F. Sforza³², A. Sfyrila⁵¹, E. Shabalina⁵⁶, N.W. Shaikh^{149a,149b}, L.Y. Shan^{35a}, R. Shang¹⁷⁰, J.T. Shank²⁴, M. Shapiro¹⁶, P.B. Shatalov⁹⁸, K. Shaw^{168a,168b}, S.M. Shaw⁸⁶, A. Shcherbakova^{149a,149b}, C.Y. Shehu¹⁵², P. Sherwood⁸⁰, L. Shi^{154,al}, S. Shimizu⁶⁹, C.O. Shimmmin¹⁶⁷, M. Shimojima¹⁰³, S. Shirabe⁷²,

M. Shiyakova^{67,am}, A. Shmeleva⁹⁷, D. Shoaleh Saadi⁹⁶, M.J. Shochet³³, S. Shojaii^{93a,93b}, D.R. Shope¹¹⁴,
S. Shrestha¹¹², E. Shulga⁹⁹, M.A. Shupe⁷, P. Sicho¹²⁸, A.M. Sickles¹⁷⁰, P.E. Sidebo¹⁵⁰,
O. Sidiropoulou¹⁷⁸, D. Sidorov¹¹⁵, A. Sidoti^{22a,22b}, F. Siegert⁴⁶, Dj. Sijacki¹⁴, J. Silva^{127a,127d},
S.B. Silverstein^{149a}, V. Simak¹²⁹, Lj. Simic¹⁴, S. Simion¹¹⁸, E. Simioni⁸⁵, B. Simmons⁸⁰, D. Simon³⁶,
M. Simon⁸⁵, P. Sinervo¹⁶², N.B. Sinev¹¹⁷, M. Sioli^{22a,22b}, G. Siragusa¹⁷⁸, S.Yu. Sivoklov¹⁰⁰,
J. Sjölin^{149a,149b}, M.B. Skinner⁷⁴, H.P. Skottowe⁵⁸, P. Skubic¹¹⁴, M. Slater¹⁹, T. Slavicek¹²⁹,
M. Slawinska¹⁰⁸, K. Sliwa¹⁶⁶, R. Slovak¹³⁰, V. Smakhtin¹⁷⁶, B.H. Smart⁵, L. Smestad¹⁵, J. Smiesko^{147a},
S.Yu. Smirnov⁹⁹, Y. Smirnov⁹⁹, L.N. Smirnova^{100,an}, O. Smirnova⁸³, M.N.K. Smith³⁷, R.W. Smith³⁷,
M. Smizanska⁷⁴, K. Smolek¹²⁹, A.A. Snesarev⁹⁷, I.M. Snyder¹¹⁷, S. Snyder²⁷, R. Sobie^{173,m},
F. Socher⁴⁶, A. Soffer¹⁵⁶, D.A. Soh¹⁵⁴, G. Sokhrannyi⁷⁷, C.A. Solans Sanchez³², M. Solar¹²⁹,
E.Yu. Soldatov⁹⁹, U. Soldevila¹⁷¹, A.A. Solodkov¹³¹, A. Soloshenko⁶⁷, O.V. Solovyanov¹³¹,
V. Solovye¹²⁴, P. Sommer⁵⁰, H. Son¹⁶⁶, H.Y. Song^{59,ao}, A. Sood¹⁶, A. Sopczak¹²⁹, V. Sopko¹²⁹,
V. Sorin¹³, D. Sosa^{60b}, C.L. Sotiropoulou^{125a,125b}, R. Soualah^{168a,168c}, A.M. Soukharev^{110,c}, D. South⁴⁴,
B.C. Sowden⁷⁹, S. Spagnolo^{75a,75b}, M. Spalla^{125a,125b}, M. Spangenberg¹⁷⁴, F. Spanò⁷⁹, D. Sperlich¹⁷,
F. Spettel¹⁰², R. Spighi^{22a}, G. Spigo³², L.A. Spiller⁹⁰, M. Spousta¹³⁰, R.D. St. Denis^{55,*}, A. Stabile^{93a},
R. Stamen^{60a}, S. Stamm¹⁷, E. Stanecka⁴¹, R.W. Stanek⁶, C. Stanescu^{135a}, M. Stanescu-Bellu⁴⁴,
M.M. Stanitzki⁴⁴, S. Stapnes¹²⁰, E.A. Starchenko¹³¹, G.H. Stark³³, J. Stark⁵⁷, P. Staroba¹²⁸,
P. Starovoitov^{60a}, S. Stärz³², R. Staszewski⁴¹, P. Steinberg²⁷, B. Stelzer¹⁴⁵, H.J. Stelzer³²,
O. Stelzer-Chilton^{164a}, H. Stenzel⁵⁴, G.A. Stewart⁵⁵, J.A. Stillings²³, M.C. Stockton⁸⁹, M. Stoebe⁸⁹,
G. Stoicea^{28b}, P. Stolte⁵⁶, S. Stonjek¹⁰², A.R. Stradling⁸, A. Straessner⁴⁶, M.E. Stramaglia¹⁸,
J. Strandberg¹⁵⁰, S. Strandberg^{149a,149b}, A. Strandlie¹²⁰, M. Strauss¹¹⁴, P. Strizenec^{147b}, R. Ströhmer¹⁷⁸,
D.M. Strom¹¹⁷, R. Stroynowski⁴², A. Strubig¹⁰⁷, S.A. Stucci²⁷, B. Stugu¹⁵, N.A. Styles⁴⁴, D. Su¹⁴⁶,
J. Su¹²⁶, S. Suchek^{60a}, Y. Sugaya¹¹⁹, M. Suk¹²⁹, V.V. Sulin⁹⁷, S. Sultansoy^{4c}, T. Sumida⁷⁰, S. Sun⁵⁸,
X. Sun^{35a}, J.E. Sundermann⁵⁰, K. Suruliz¹⁵², G. Susinno^{39a,39b}, M.R. Sutton¹⁵², S. Suzuki⁶⁸,
M. Svatos¹²⁸, M. Swiatlowski³³, I. Sykora^{147a}, T. Sykora¹³⁰, D. Ta⁵⁰, C. Taccini^{135a,135b}, K. Tackmann⁴⁴,
J. Taenzer¹⁶², A. Taffard¹⁶⁷, R. Tafirout^{164a}, N. Taiblum¹⁵⁶, H. Takai²⁷, R. Takashima⁷¹, T. Takeshita¹⁴³,
Y. Takubo⁶⁸, M. Talby⁸⁷, A.A. Talyshev^{110,c}, K.G. Tan⁹⁰, J. Tanaka¹⁵⁸, M. Tanaka¹⁶⁰, R. Tanaka¹¹⁸,
S. Tanaka⁶⁸, R. Tanioka⁶⁹, B.B. Tannenwald¹¹², S. Tapia Araya^{34b}, S. Tapprogge⁸⁵, S. Tarem¹⁵⁵,
G.F. Tartarelli^{93a}, P. Tas¹³⁰, M. Tasevsky¹²⁸, T. Tashiro⁷⁰, E. Tassi^{39a,39b}, A. Tavares Delgado^{127a,127b},
Y. Tayalati^{136e}, A.C. Taylor¹⁰⁶, G.N. Taylor⁹⁰, P.T.E. Taylor⁹⁰, W. Taylor^{164b}, F.A. Teischinger³²,
P. Teixeira-Dias⁷⁹, K.K. Temming⁵⁰, D. Temple¹⁴⁵, H. Ten Kate³², P.K. Teng¹⁵⁴, J.J. Teoh¹¹⁹,
F. Tepel¹⁷⁹, S. Terada⁶⁸, K. Terashi¹⁵⁸, J. Terron⁸⁴, S. Terzo¹³, M. Testa⁴⁹, R.J. Teuscher^{162,m},
T. Theveneaux-Pelzer⁸⁷, J.P. Thomas¹⁹, J. Thomas-Wilsker⁷⁹, E.N. Thompson³⁷, P.D. Thompson¹⁹,
A.S. Thompson⁵⁵, L.A. Thomsen¹⁸⁰, E. Thomson¹²³, M. Thomson³⁰, M.J. Tibbetts¹⁶,
R.E. Ticse Torres⁸⁷, V.O. Tikhomirov^{97,ap}, Yu.A. Tikhonov^{110,c}, S. Timoshenko⁹⁹, P. Tipton¹⁸⁰,
S. Tisserant⁸⁷, K. Todome¹⁶⁰, T. Todorov^{5,*}, S. Todorova-Nova¹³⁰, J. Tojo⁷², S. Tokár^{147a},
K. Tokushuku⁶⁸, E. Tolley⁵⁸, L. Tomlinson⁸⁶, M. Tomoto¹⁰⁴, L. Tompkins^{146,aq}, K. Toms¹⁰⁶, B. Tong⁵⁸,
P. Tornambe⁵⁰, E. Torrence¹¹⁷, H. Torres¹⁴⁵, E. Torró Pastor¹³⁹, J. Toth^{87,ar}, F. Touchard⁸⁷,
D.R. Tovey¹⁴², T. Trefzger¹⁷⁸, A. Tricoli²⁷, I.M. Trigger^{164a}, S. Trincas-Duvold⁸², M.F. Tripiana¹³,
W. Trischuk¹⁶², B. Trocmé⁵⁷, A. Trofymov⁴⁴, C. Troncon^{93a}, M. Trotter-McDonald¹⁶, M. Trovatelli¹⁷³,
L. Truong^{168a,168c}, M. Trzebinski⁴¹, A. Trzupek⁴¹, J.C-L. Tseng¹²¹, P.V. Tsiarehka⁹⁴, G. Tsipolitis¹⁰,
N. Tsirintanis⁹, S. Tsiskaridze¹³, V. Tsiskaridze⁵⁰, E.G. Tskhadadze^{53a}, K.M. Tsui^{62a}, I.I. Tsukerman⁹⁸,
V. Tsulaia¹⁶, S. Tsuno⁶⁸, D. Tsybychev¹⁵¹, Y. Tu^{62b}, A. Tudorache^{28b}, V. Tudorache^{28b}, A.N. Tuna⁵⁸,
S.A. Tuppiti^{22a,22b}, S. Turchikhin⁶⁷, D. Turecek¹²⁹, D. Turgeman¹⁷⁶, R. Turra^{93a,93b}, P.M. Tuts³⁷,
M. Tyndel¹³², G. Uccielli^{22a,22b}, I. Ueda¹⁵⁸, M. Ughetto^{149a,149b}, F. Ukegawa¹⁶⁵, G. Unal³²,
A. Undrus²⁷, G. Unel¹⁶⁷, F.C. Ungaro⁹⁰, Y. Unno⁶⁸, C. Unverdorben¹⁰¹, J. Urban^{147b}, P. Urquijo⁹⁰,
P. Urrejola⁸⁵, G. Usai⁸, L. Vacavant⁸⁷, V. Vacek¹²⁹, B. Vachon⁸⁹, C. Valderanis¹⁰¹,

E. Valdes Santurio^{149a,149b}, N. Valencic¹⁰⁸, S. Valentinetti^{22a,22b}, A. Valero¹⁷¹, L. Valery¹³, S. Valkar¹³⁰, J.A. Valls Ferrer¹⁷¹, W. Van Den Wollenberg¹⁰⁸, P.C. Van Der Deijl¹⁰⁸, H. van der Graaf¹⁰⁸, N. van Eldik¹⁵⁵, P. van Gemmeren⁶, J. Van Nieuwkoop¹⁴⁵, I. van Vulpen¹⁰⁸, M.C. van Woerden³², M. Vanadia^{133a,133b}, W. Vandelli³², R. Vanguri¹²³, A. Vaniachine¹⁶¹, P. Vankov¹⁰⁸, G. Vardanyan¹⁸¹, R. Vari^{133a}, E.W. Varnes⁷, T. Varol⁴², D. Varouchas⁸², A. Vartapetian⁸, K.E. Varvell¹⁵³, J.G. Vasquez¹⁸⁰, G.A. Vasquez^{34b}, F. Vazeille³⁶, T. Vazquez Schroeder⁸⁹, J. Veatch⁵⁶, V. Veeraraghavan⁷, L.M. Veloce¹⁶², F. Veloso^{127a,127c}, S. Veneziano^{133a}, A. Ventura^{75a,75b}, M. Venturi¹⁷³, N. Venturi¹⁶², A. Venturini²⁵, V. Vercesi^{122a}, M. Verducci^{133a,133b}, W. Verkerke¹⁰⁸, J.C. Vermeulen¹⁰⁸, A. Vest^{46,as}, M.C. Vetterli^{145,d}, O. Viazlo⁸³, I. Vichou^{170,*}, T. Vickey¹⁴², O.E. Vickey Boeriu¹⁴², G.H.A. Viehhauser¹²¹, S. Viel¹⁶, L. Vigani¹²¹, M. Villa^{22a,22b}, M. Villaplana Perez^{93a,93b}, E. Vilucchi⁴⁹, M.G. Vinciter³¹, V.B. Vinogradov⁶⁷, C. Vittori^{22a,22b}, I. Vivarelli¹⁵², S. Vlachos¹⁰, M. Vlasak¹²⁹, M. Vogel¹⁷⁹, P. Vokac¹²⁹, G. Volpi^{125a,125b}, M. Volpi⁹⁰, H. von der Schmitt¹⁰², E. von Toerne²³, V. Vorobel¹³⁰, K. Vorobev⁹⁹, M. Vos¹⁷¹, R. Voss³², J.H. Vosseveld⁷⁶, N. Vranjes¹⁴, M. Vranjes Milosavljevic¹⁴, V. Vrba¹²⁸, M. Vreeswijk¹⁰⁸, R. Vuillermet³², I. Vukotic³³, Z. Vykydal¹²⁹, P. Wagner²³, W. Wagner¹⁷⁹, H. Wahlberg⁷³, S. Wahrmund⁴⁶, J. Wakabayashi¹⁰⁴, J. Walder⁷⁴, R. Walker¹⁰¹, W. Walkowiak¹⁴⁴, V. Wallangen^{149a,149b}, C. Wang^{35b}, C. Wang^{140,87}, F. Wang¹⁷⁷, H. Wang¹⁶, H. Wang⁴², J. Wang⁴⁴, J. Wang¹⁵³, K. Wang⁸⁹, R. Wang⁶, S.M. Wang¹⁵⁴, T. Wang²³, T. Wang³⁷, W. Wang⁵⁹, X. Wang¹⁸⁰, C. Wanotayaroj¹¹⁷, A. Warburton⁸⁹, C.P. Ward³⁰, D.R. Wardrope⁸⁰, A. Washbrook⁴⁸, P.M. Watkins¹⁹, A.T. Watson¹⁹, M.F. Watson¹⁹, G. Watts¹³⁹, S. Watts⁸⁶, B.M. Waugh⁸⁰, S. Webb⁸⁵, M.S. Weber¹⁸, S.W. Weber¹⁷⁸, S.A. Weber³¹, J.S. Webster⁶, A.R. Weidberg¹²¹, B. Weinert⁶³, J. Weingarten⁵⁶, C. Weiser⁵⁰, H. Weits¹⁰⁸, P.S. Wells³², T. Wenaus²⁷, T. Wengler³², S. Wenig³², N. Wermes²³, M. Werner⁵⁰, M.D. Werner⁶⁶, P. Werner³², M. Wessels^{60a}, J. Wetter¹⁶⁶, K. Whalen¹¹⁷, N.L. Whallon¹³⁹, A.M. Wharton⁷⁴, A. White⁸, M.J. White¹, R. White^{34b}, D. Whiteson¹⁶⁷, F.J. Wickens¹³², W. Wiedenmann¹⁷⁷, M. Wielers¹³², C. Wiglesworth³⁸, L.A.M. Wiik-Fuchs²³, A. Wildauer¹⁰², F. Wilk⁸⁶, H.G. Wilkens³², H.H. Williams¹²³, S. Williams¹⁰⁸, C. Willis⁹², S. Willocq⁸⁸, J.A. Wilson¹⁹, I. Wingerter-Seez⁵, F. Winklmeier¹¹⁷, O.J. Winston¹⁵², B.T. Winter²³, M. Wittgen¹⁴⁶, J. Wittkowski¹⁰¹, T.M.H. Wolf¹⁰⁸, M.W. Wolter⁴¹, H. Wolters^{127a,127c}, S.D. Worm¹³², B.K. Wosiek⁴¹, J. Wotschack³², M.J. Woudstra⁸⁶, K.W. Wozniak⁴¹, M. Wu⁵⁷, M. Wu³³, S.L. Wu¹⁷⁷, X. Wu⁵¹, Y. Wu⁹¹, T.R. Wyatt⁸⁶, B.M. Wynne⁴⁸, S. Xella³⁸, D. Xu^{35a}, L. Xu²⁷, B. Yabsley¹⁵³, S. Yacoob^{148a}, D. Yamaguchi¹⁶⁰, Y. Yamaguchi¹¹⁹, A. Yamamoto⁶⁸, S. Yamamoto¹⁵⁸, T. Yamanaka¹⁵⁸, K. Yamauchi¹⁰⁴, Y. Yamazaki⁶⁹, Z. Yan²⁴, H. Yang¹⁴¹, H. Yang¹⁷⁷, Y. Yang¹⁵⁴, Z. Yang¹⁵, W-M. Yao¹⁶, Y.C. Yap⁸², Y. Yasu⁶⁸, E. Yatsenko⁵, K.H. Yau Wong²³, J. Ye⁴², S. Ye²⁷, I. Yeletsikh⁶⁷, A.L. Yen⁵⁸, E. Yildirim⁸⁵, K. Yorita¹⁷⁵, R. Yoshida⁶, K. Yoshihara¹²³, C. Young¹⁴⁶, C.J.S. Young³², S. Youssef²⁴, D.R. Yu¹⁶, J. Yu⁸, J.M. Yu⁹¹, J. Yu⁶⁶, L. Yuan⁶⁹, S.P.Y. Yuen²³, I. Yusuf^{30,at}, B. Zabinski⁴¹, R. Zaidan⁶⁵, A.M. Zaitsev^{131,ae}, N. Zakharchuk⁴⁴, J. Zalieckas¹⁵, A. Zaman¹⁵¹, S. Zambito⁵⁸, L. Zanello^{133a,133b}, D. Zanzi⁹⁰, C. Zeitnitz¹⁷⁹, M. Zeman¹²⁹, A. Zemla^{40a}, J.C. Zeng¹⁷⁰, Q. Zeng¹⁴⁶, K. Zengel²⁵, O. Zenin¹³¹, T. Ženiš^{147a}, D. Zerwas¹¹⁸, D. Zhang⁹¹, F. Zhang¹⁷⁷, G. Zhang^{59,ao}, H. Zhang^{35b}, J. Zhang⁶, L. Zhang⁵⁰, R. Zhang²³, R. Zhang^{59,au}, X. Zhang¹⁴⁰, Z. Zhang¹¹⁸, X. Zhao⁴², Y. Zhao¹⁴⁰, Z. Zhao⁵⁹, A. Zhemchugov⁶⁷, J. Zhong¹²¹, B. Zhou⁹¹, C. Zhou¹⁷⁷, L. Zhou³⁷, L. Zhou⁴², M. Zhou¹⁵¹, N. Zhou^{35c}, C.G. Zhu¹⁴⁰, H. Zhu^{35a}, J. Zhu⁹¹, Y. Zhu⁵⁹, X. Zhuang^{35a}, K. Zhukov⁹⁷, A. Zibell¹⁷⁸, D. Zieminska⁶³, N.I. Zimine⁶⁷, C. Zimmermann⁸⁵, S. Zimmermann⁵⁰, Z. Zinonos⁵⁶, M. Zinser⁸⁵, M. Ziolkowski¹⁴⁴, L. Živković¹⁴, G. Zobernig¹⁷⁷, A. Zoccoli^{22a,22b}, M. zur Nedden¹⁷, L. Zwalinski³².

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States of America

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c)

Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

⁹ Physics Department, University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

¹⁷ Department of Physics, Humboldt University, Berlin, Germany

¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey, Turkey

²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²³ Physikalisches Institut, University of Bonn, Bonn, Germany

²⁴ Department of Physics, Boston University, Boston MA, United States of America

²⁵ Department of Physics, Brandeis University, Waltham MA, United States of America

²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

²⁸ ^(a) Transilvania University of Brasov, Brasov, Romania; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania

²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

³¹ Department of Physics, Carleton University, Ottawa ON, Canada

³² CERN, Geneva, Switzerland

³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Physics, Nanjing University, Jiangsu; ^(c) Physics Department, Tsinghua University, Beijing 100084, China

- ³⁶ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
- ³⁷ Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ³⁸ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ³⁹ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- ⁴⁰ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ⁴¹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- ⁴² Physics Department, Southern Methodist University, Dallas TX, United States of America
- ⁴³ Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- ⁴⁴ DESY, Hamburg and Zeuthen, Germany
- ⁴⁵ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁷ Department of Physics, Duke University, Durham NC, United States of America
- ⁴⁸ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁹ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁵⁰ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁵¹ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵² ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵³ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵⁴ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵⁵ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁶ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁷ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- ⁵⁸ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- ⁵⁹ Department of Modern Physics, University of Science and Technology of China, Anhui, China
- ⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶³ Department of Physics, Indiana University, Bloomington IN, United States of America
- ⁶⁴ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶⁵ University of Iowa, Iowa City IA, United States of America
- ⁶⁶ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- ⁶⁷ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁸ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁹ Graduate School of Science, Kobe University, Kobe, Japan
- ⁷⁰ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁷¹ Kyoto University of Education, Kyoto, Japan
- ⁷² Department of Physics, Kyushu University, Fukuoka, Japan

- ⁷³ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷⁴ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁷⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷⁶ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁷ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁸ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁹ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁸⁰ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁸¹ Louisiana Tech University, Ruston LA, United States of America
- ⁸² Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸³ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸⁴ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- ⁸⁵ Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸⁶ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁷ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁸ Department of Physics, University of Massachusetts, Amherst MA, United States of America
- ⁸⁹ Department of Physics, McGill University, Montreal QC, Canada
- ⁹⁰ School of Physics, University of Melbourne, Victoria, Australia
- ⁹¹ Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ⁹² Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- ⁹³ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹⁴ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- ⁹⁵ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- ⁹⁶ Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ⁹⁷ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- ⁹⁸ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ⁹⁹ National Research Nuclear University MEPhI, Moscow, Russia
- ¹⁰⁰ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ¹⁰¹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ¹⁰² Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰³ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰⁴ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ¹⁰⁵ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁶ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- ¹⁰⁷ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁸ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹⁰⁹ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- ¹¹⁰ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia

- ¹¹¹ Department of Physics, New York University, New York NY, United States of America
- ¹¹² Ohio State University, Columbus OH, United States of America
- ¹¹³ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹⁴ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- ¹¹⁵ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- ¹¹⁶ Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁷ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- ¹¹⁸ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- ¹¹⁹ Graduate School of Science, Osaka University, Osaka, Japan
- ¹²⁰ Department of Physics, University of Oslo, Oslo, Norway
- ¹²¹ Department of Physics, Oxford University, Oxford, United Kingdom
- ¹²² ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹²³ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- ¹²⁴ National Research Centre "Kurchatov Institute" B.P.Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- ¹²⁵ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁶ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- ¹²⁷ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ¹²⁸ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹²⁹ Czech Technical University in Prague, Praha, Czech Republic
- ¹³⁰ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- ¹³¹ State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- ¹³² Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³³ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ¹³⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ¹³⁶ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
- ¹³⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- ¹³⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
- ¹³⁹ Department of Physics, University of Washington, Seattle WA, United States of America
- ¹⁴⁰ School of Physics, Shandong University, Shandong, China
- ¹⁴¹ Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and

Cosmology, Shanghai Jiao Tong University, Shanghai; (also affiliated with PKU-CHEP), China

¹⁴² Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

¹⁴³ Department of Physics, Shinshu University, Nagano, Japan

¹⁴⁴ Fachbereich Physik, Universität Siegen, Siegen, Germany

¹⁴⁵ Department of Physics, Simon Fraser University, Burnaby BC, Canada

¹⁴⁶ SLAC National Accelerator Laboratory, Stanford CA, United States of America

¹⁴⁷ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

¹⁴⁸ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa

¹⁴⁹ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden

¹⁵⁰ Physics Department, Royal Institute of Technology, Stockholm, Sweden

¹⁵¹ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America

¹⁵² Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

¹⁵³ School of Physics, University of Sydney, Sydney, Australia

¹⁵⁴ Institute of Physics, Academia Sinica, Taipei, Taiwan

¹⁵⁵ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel

¹⁵⁶ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

¹⁵⁷ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

¹⁵⁸ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

¹⁵⁹ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan

¹⁶⁰ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

¹⁶¹ Tomsk State University, Tomsk, Russia, Russia

¹⁶² Department of Physics, University of Toronto, Toronto ON, Canada

¹⁶³ ^(a) INFN-TIFPA; ^(b) University of Trento, Trento, Italy, Italy

¹⁶⁴ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada

¹⁶⁵ Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan

¹⁶⁶ Department of Physics and Astronomy, Tufts University, Medford MA, United States of America

¹⁶⁷ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

¹⁶⁸ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

¹⁶⁹ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden

¹⁷⁰ Department of Physics, University of Illinois, Urbana IL, United States of America

¹⁷¹ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

¹⁷² Department of Physics, University of British Columbia, Vancouver BC, Canada

¹⁷³ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada

¹⁷⁴ Department of Physics, University of Warwick, Coventry, United Kingdom

- ¹⁷⁵ Waseda University, Tokyo, Japan
- ¹⁷⁶ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷⁷ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷⁸ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁸⁰ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁸¹ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁸² Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ^a Also at Department of Physics, King's College London, London, United Kingdom
- ^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^c Also at Novosibirsk State University, Novosibirsk, Russia
- ^d Also at TRIUMF, Vancouver BC, Canada
- ^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America
- ^f Also at Physics Department, An-Najah National University, Nablus, Palestine
- ^g Also at Department of Physics, California State University, Fresno CA, United States of America
- ^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain
- ^j Also at Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Portugal
- ^k Also at Tomsk State University, Tomsk, Russia, Russia
- ^l Also at Università di Napoli Parthenope, Napoli, Italy
- ^m Also at Institute of Particle Physics (IPP), Canada
- ⁿ Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania
- ^o Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia
- ^p Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ^q Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa
- ^r Also at Louisiana Tech University, Ruston LA, United States of America
- ^s Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ^t Also at Graduate School of Science, Osaka University, Osaka, Japan
- ^u Also at Department of Physics, National Tsing Hua University, Taiwan
- ^v Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ^w Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- ^x Also at CERN, Geneva, Switzerland
- ^y Also at Georgian Technical University (GTU), Tbilisi, Georgia
- ^z Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan
- ^{aa} Also at Manhattan College, New York NY, United States of America
- ^{ab} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^{ac} Also at School of Physics, Shandong University, Shandong, China
- ^{ad} Also at Department of Physics, California State University, Sacramento CA, United States of America
- ^{ae} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- ^{af} Also at Section de Physique, Université de Genève, Geneva, Switzerland
- ^{ag} Also at Eotvos Lorand University, Budapest, Hungary
- ^{ah} Also at Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook

NY, United States of America

^{ai} Also at International School for Advanced Studies (SISSA), Trieste, Italy

^{aj} Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America

^{ak} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

^{al} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China

^{am} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria

^{an} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia

^{ao} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan

^{ap} Also at National Research Nuclear University MEPhI, Moscow, Russia

^{aq} Also at Department of Physics, Stanford University, Stanford CA, United States of America

^{ar} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary

^{as} Also at Flensburg University of Applied Sciences, Flensburg, Germany

^{at} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia

^{au} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

* Deceased