

Managing global engineering networks part II:

Zhang, Yufeng; Gregory, Mike; Shi, Yongjiang

DOI:

[10.1177/0954405413490161](https://doi.org/10.1177/0954405413490161)

License:

None: All rights reserved

Document Version

Peer reviewed version

Citation for published version (Harvard):

Zhang, Y, Gregory, M & Shi, Y 2014, 'Managing global engineering networks part II: Case studies and directions for the future research', *Proceedings of the Institution of Mechanical Engineers Part B Journal of Engineering Manufacture*, vol. 228, no. 2, pp. 172-180. <https://doi.org/10.1177/0954405413490161>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Version of record is published in Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture and found at the following address: <http://journals.sagepub.com/doi/abs/10.1177/0954405413490161>

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

**Managing Global Engineering Networks (GEN) PART II:
Case studies and directions for the future research**

Yufeng Zhang

Department of Management, Birmingham Business School, University of Birmingham

Mike Gregory

Department of Engineering, University of Cambridge

Yongjiang Shi

Department of Engineering, University of Cambridge

Corresponding author: Yufeng Zhang, Department of Management, Birmingham Business School, University of Birmingham, University House, Edgbaston Park Road, Edgbaston, Birmingham B15 2RX, UK, e-mail: zhangys@bham.ac.uk, telephone: +44 (0)121 414 6695

Abstract:

The second part of this paper reports our query into the essential characteristics of effective engineering networks in the current business environments through case studies focusing on engineering design, manufacturing engineering, and engineering services. The engineering networks of four global leading companies were studied to refine, enrich and extend the preliminary understandings gained from the first part of this paper.

The case studies suggested essential characteristics of effective engineering networks in four main areas, including (i) efficient engineering processes, (ii) effective engineering learning, (iii) flexible engineering resources, and (iv) digital engineering environment. This contributes to the theoretical understanding of international engineering operations by bridging a missing link between the engineering network theories and the unique nature of engineering.

It is expected that the findings can help managers to improve the performance of their engineering networks and facilitate the effective interface management between engineering and other functional areas.

Keywords: Engineering Management, International Engineering Operations, Global Engineering Networks (GEN)

1. The main research question

Theoretical preparations reported in the first part of this paper helped to define the main research question to guide our case studies: how do global leading companies effectively cope with the unique nature of engineering in their network operations?

2. Research approach

To answer the main research question, we adopted a theory building approach based on the case study method considering the contemporary nature of this research and the complexity of the research object [1-3]. The approach began with exploring the characteristics of effective engineering networks through a literature review and scoping interviews with academics and industrialists. A preliminary framework was developed to guide the case studies (see PART I). Key elements of the framework and their relations have been enriched and extended through the case studies. The studies ended when these theoretical understandings were mature, i.e. when additional case data would not introduce substantial changes to the characteristics of effective engineering networks [1].

Table 1. An overview of the cases

	A Brief Description of the Case Companies	Focusing Areas of Engineering Operations
Case A	One of the world's largest car makers, employing 300k people worldwide	engineering design, manufacturing engineering
Case B	A global leading engineering company in power and automation technologies, employing 117k people worldwide	engineering design
Case C	A leading consumer goods supplier, employing 174k people worldwide	manufacturing engineering
Case D	One of the world's largest aerospace engineering services providers, employing 10k people worldwide	engineering design, engineering services

Four case companies were carefully selected to put together a theoretical sample consisting of engineering network operations in different contextual situations and thus allowing a broad scope of exploration [3-4]. Case selection has been guided by the engineering value chain model developed by Zhang and Gregory (2011) which suggests that engineering activities may have different value creation mechanisms and thus requiring different operational capabilities or organisational structures [5]. The selected cases collectively demonstrate a comprehensive view of engineering activities along the engineering value chain with complementary focusing areas on engineering design, engineering services and manufacturing engineering. This

allowed us to gain an in-depth view of different types of engineering networks and capture generic patterns through cross-case analysis [2]. At the same time, the case companies have been perceived as leading players in international engineering operations, and engineering has been an area of strategic importance in the case companies evidenced by statements from the company websites and recent annual reports (see Table 1). This enhanced the theoretical significance of the case studies and improved the validity of the research design [2]. In addition, the case companies are willing to support this research with top management engagement. Most of them have recently tried to implement network concepts of different forms in their international engineering operations.

Case data was collected mainly through semi-structured interviews and supplementary studies of company documents. Interviewees include senior managers who are most likely to have an overall understanding of their international engineering operations, e.g. corporate strategists, chief engineers, or group engineering directors; and front-line engineers with in-depth knowledge about their engineering operations (above 10 years working experiences). The interviewees were suggested by the case companies when they agreed to support this research or in an exploratory meeting afterwards. Altogether, over 20 senior managers and experienced engineers were interviewed. Most of the senior managers were interviewed twice or more at the beginning of this research to explore the relevant issues and later to review the research findings. A case study protocol, including an overall structure of this research, the aims, approach, expected outputs and a set of interview questions were used to guide the interviews, and thus maintaining a focus on the basic theoretical elements, i.e. engineering natures, external influences, engineering network characteristics, and their linkages.




Figure 1. Key interview questions addressed in the case study protocol

Figure 1 presents the key categories of interview questions addressed in the case study protocol, which collectively contribute to our investigations around the main research question. The first category of questions was to understand the particular requirements of the case companies' engineering operations, targeting at an in-depth view of the unique nature of engineering with specific examples. The second category of questions was to understand the influence of the external business environments. The third category of questions was to capture the structural and infrastructural elements of the case companies' engineering networks with reference to the network configuration features such as network structures, operations processes, governance systems, support infrastructure, and external relationships [5-6]. The questions have been adapted for different purposes of the interview meetings. For example, the questions about the natures of engineering in an exploratory interview may sound like: "*Could you please describe the main functions of your engineering operations? What makes your engineering operations different from other functional areas, e.g. manufacturing, research, or after sale services? Why?*" In the following up meeting, the questions would be more specific by focusing on issues highlighted in the previous meetings, e.g. "*Do you have a formal process to sustain the intangible knowledge of experienced engineers? If so, how does it work? If not, why not?*" Recording equipment was rarely used to encourage open discussion and the interviewer noted down the key issues to facilitate interview scripts preparation afterwards. Most of the interview script was completed on the same day of the interviews. The script was then reviewed by the interviewees via e-mails or telephones. Sensitive materials were removed or coded as the interviewees suggested.

Collected data was analysed through an inductive process of categorization focusing on the key elements of the theoretical framework, i.e. the unique nature of engineering, essential characteristics of effective engineering networks, and their linkages [4][7]. Guided by preliminary understandings gained from the literature, main categories and sub-categories were created and refined by searching the case data, identifying the keywords, classifying them into common patterns, and updating the theoretical elements with emerging patterns. For example, engineering design tools, communication facilities, Internet-based databases were identified as sub-categories contributing to the main category of digital engineering working environment. The relevant keywords, e.g. 'design tools', 'virtual environment' or 'databases', were highlighted in the interview scripts and their implications and contribution to the case companies' engineering networks were analysed to generate potential patterns (see Table 2 as an overview of the analysis). Independent academics, consultants and industrial experts were

involved in the theory building process by advising on the research approach and reviewing the data analysis process and the outcomes, and thus improving the reliability of this research.

3. Case studies

Key observations from individual cases will be introduced in this section followed by cross-case analysis focusing on the characteristics of the case companies' engineering networks.

3.1 Case A- the engineering designer

Our studies with the Company A were focused on its engineering design activities. The company is a global leading company in power and automation technologies. It has three levels of engineering centres. The first level consists of two group research laboratories dedicated to power technologies and automation technologies respectively. Each laboratory collaborates with universities and other external partners to support its divisions in developing cross-divisional technology platforms. The second level includes nine global research and development centres operating around the world. Each centre works closely with the group research laboratories and business divisions to carry out applied research, product development, adaptation and improvement tasks. The third level consists of engineering centres embedded in business units with responsibilities mainly for products development, adaptation and improvement.

Company A's organisation structure has been based on a business area-country matrix with central coordination of key customers and core businesses. The matrix consists of thousands of profit centres in over 100 countries. Internal market mechanisms have been adopted for resource allocation among profit centres. Each engineering centre can make its own decisions on what activities to undertake, and charge another business unit or external customers at approximately market prices.

The company has developed the virtual engineering office (VEO), an information and communication technologies (ICT)-enabled engineering platform, to support collaborative processes for its widely dispersed engineering groups. All the business partners (e.g. producers, suppliers and customers) can get involved in the company's product development processes at the earliest opportunity. Important information (e.g. product specifications, new proposals, or changes to orders) is shared across the VEO to improve coordination while reducing development time and costs. This allows distributed engineering teams to work together

effectively and efficiently, regardless of time zones, locations or CAD systems they use. Early integration of expert knowledge (usually dispersed around the globe) can considerably reduce development time, while spontaneous, ad-hoc collaboration between team members drives innovative solutions that not only improve product design but also minimize the number of design changes. The company's internal report revealed that collaborative design and better interaction between engineering and manufacturing departments can reduce production costs by 10% to 15% without any significant investments.

3.2 Case B- the engineering designer and manufacturer

Company B is a global leading company in the automotive industry. The company's engineering resources are highly concentrated with three vehicle programme centres. Each has thousands of engineers and is fully responsible for the design and development of a particular range of vehicles. The company also has minor engineering centres dispersed with manufacturing facilities with responsibilities for supporting the vehicle programme centres or adapting vehicles for local markets.

Company B's engineering operations follow common processes, and are centrally controlled with a set of metrics around financial health, quality, product performance, operations cost, revenue and market. An ICT-based engineering platform links together engineering activities throughout the company, consisting of computer aided tools and product information management. Main suppliers are closely involved in vehicle development programmes.

Company B's global engineering operations seek for greater efficiency, speed and quality through improved communication, commonality models, and operations synergising. Dispersed engineering resources are brought together with cross-company standards, common working procedures, a worldwide engineering release system, and a powerful global product development system. By adopting common working procedures, the number of engineering changes of a new vehicle programme has been reduced more than 50% on average, and at the same time, the time to get an all-new vehicle to market has been reduced by 27%.

Commonality models and commodity business plans facilitate efficient co-operations between engineering centres. Four levels of commonality models have been adopted across the company: architectures, shared technologies, power packs, and commodities. Cross-brand commodity plans have been adopted to reduce the number of variants and to maximise the economies of scale. Shared vehicle components and platforms have reduced the development costs of some vehicle programmes by as much as 60%.

Best practices, core technologies, and expertise have been developed and disseminated across all the brands. A committee formed by high-level experts from all the brands takes the responsibility of identifying systems which should be designed as core, i.e. systems which are common or scalable across brands. To enable the integration and synergising of engineering operations on a global scale, customer-driven quality management has been implemented as a high priority task at all levels of engineering processes. Global quality operating systems and six-sigma tools/metrics have been aggressively implemented across the company.

3.3 Case C- The engineering manufacturer

Company C is a global leading consumer goods manufacturer. Engineering operations contribute to the success and growth of company C's businesses by supporting new product development, commercialising new concepts, and improving customer services through delivering reliable and safe operations. Its engineering resources are dispersed with three types of centres around the world with main aims to support brands health, development and innovation. Six principal research and development laboratories aiming at long term technology development work closely with product categories to create or maintain excellent brands. Research and development centres in most countries operate closely with local markets for medium term innovations. Many product technology centres collocated with manufacturing sites support existing businesses. At the same time, the company has a corporate technology and engineering group to maintain worldwide engineering standards, capabilities and processes.

The global engineering network of company C seeks for innovation and excellence through collaboration and sharing. Market-driven innovation guides the development of technologies, products and brands. Understanding people to build brands is considered as a basic principle for case C's engineering operations. This allows the company to develop innovative products and solutions for people, and at the same time to develop its people to grow the businesses. A series of methods and techniques have been developed for understanding customer needs, including customer intimacy, gaining consumer insight, risk taking, encouraging diversity, and winning with customers (who are often large retailers).

Learning and sharing across regions and product categories are facilitated by a set of tools, standards, processes and a supportive corporate culture. An engineering portal has been established for engineering data management, which facilitates the virtual site (VS) activities connecting subsidiaries by technologies and regions. Technology platforms have been formed

to maintain standards and to ensure the implementation of best practice along key product lines. The engineering excellence team (EET) has been formed to bring the dispersed experts and specialists together for standards development and collective problem solving. The global engineering team ensures that the EET is actually delivering what the regions need by directing the EET working program with proper strategies and structured working approaches. The engineering academy ensures the consistency of engineering knowledge, especially the intangible knowledge of key individuals. These key individuals have gained valuable skills and capabilities through their rich working experiences but such intangible knowledge is very easy to lose when people move to different roles or leave the company. Cross-posting (or job rotation) across subsidiaries, countries and categories has been used to establish unity, a common sense of purpose, and an understanding of different cultures and attitudes.

3.4 Case D- the engineering service provider

Company D is a global first tier supplier of aerospace engineering services. Its engineering resources are highly distributed with customer bases, technology bases, and manufacturing facilities around the world. The company has a set of independent centres of excellence which are responsible for local businesses, with the central corporate function reviewing their performance quarterly and the technology committee overseeing the long term capability development. These centres are strategically located around the world and can continuously operate from different time zones in 24 hours. Supported by a powerful global information management system based on the Internet, engineers can easily switch between projects even without physical relocation.

Company D's engineering operations have been heavily influenced by the recent changes in the aerospace industry, which is getting increasingly global, concentrated, interdependent and dynamic. The dominant aircraft manufacturers are increasingly moving towards a business model based on systems integration; and the customers (e.g. airlines or armies) pay an increasing attention to the total value along the product lifecycle. Under such circumstances, company D has to improve the scope and quality of its competencies, the global presence, and the relationship with prime contractors to ensure the success of every single bid.

In order to cope with uncertain customer demands, company D has developed a full range of flexible, adaptable and pro-active operating approaches for different kinds of customers' requirements, e.g. on-site working, package work, integrated solutions, design & build, strategic relationships, dedicated and collocated teams, joint teams, or partnerships. These

approaches are customer oriented and can be used on an integrated or standalone basis. People-centric philosophy is another contributor to the company's flexibility. Focusing on the intangible knowledge of engineers makes the engineering processes flexible and effective. In a new programme, particularly at the early stages to develop conceptual solutions, multi-skilled engineers will work closely with customers, often at customer bases, to make sure that customer requirements are well understood and conceptual solutions are worked out in an effective way. At the same time, rigorous risk management improves the performance of existing engineering systems and helps to predict the performance of potential future upgrades.

Company D has developed an efficient process to restructure its engineering network by acquiring external resources and integrating them into its global network. Acquired engineering centres, which usually possess unique technologies or skills, will join the company's engineering network as new centres of excellence after re-organising (or relocating) their resources and connecting them into the company-wide information system. The new centres operate autonomously with their expertise accessible to the other centres via the central engineering information system.

In the recent years, the company has strategically developed external partners or off-shoring engineering operations to cope with fluctuations in demand. It has an established and quality-approved second-tier supplier base to provide peak time or specialist engineering support, including a semi-independent and fully-capable engineering arm which employs about 2000 aerospace engineers with access to above 500 systems and software engineers.

3.5 Cross-case analysis

Table 2 presents a cross-case view of the characteristics of the case companies' engineering networks from the four theoretical perspectives suggested by literature as well as indicating their relevance to the unique nature of engineering.

Company A's engineering operations enhance its technology leadership in key business areas. Engineering processes and standards are developed and maintained by the global research and development centres around the world. Highly autonomous engineering centres allocate resources with the Internal Market mechanisms. A sophisticated virtual engineering office (VEO) has been introduced to support dispersed engineering teams as well as facilitating collaborations with external partners.

Table 2. Characteristics of the case companies' engineering networks

		Company A	Company B	Company C	Company D
Engineering Natures	Emphasising effective problem-solving	Creating profitable products/services based on core technologies; locally responsive engineering teams	Designing & manufacturing high-quality cars in an efficient manner; handling engineering changes timely	Contributing to its main businesses through improving operational efficiency and supporting brand innovation	Providing timely solutions to address changing customer needs as its core competency
	Relying on intangible engineering knowledge	Leading experts providing template solutions in individual key technology areas	Heavily relying on experienced engineers in conceptual design and process design	Senior engineers playing a key role in engineering investment decisions and training programmes	Engineers working closely with customers throughout the project lifecycle
	Requiring adaptation and quick response	Global engineering teams providing basic design architectures which will be adapted by individual business units	Worldwide engineering release systems reducing engineering changes and the time to market	Using proactive methods to capture new market trends and tailoring the product offerings accordingly	Developing a full range of capabilities and flexible working methods to cope with uncertain market needs
	Requiring cross-boundary collaboration	Focusing on core techniques in power and automation; acquiring complementary technologies from partners	Requiring multi-discipline teams from different countries / organisations in different areas of vehicle development	Collaborating across regions and products categories; working with customers to develop innovative products	Engineering teams embedded in customer bases; relying on external engineering capabilities to cope with fluctuations in demand
GEN Characteristics	Management of engineering operations on a global scale	Globally distributed engineering operations along businesses and regions; global research centres develop common engineering processes and solutions in core technology areas	Globally dispersed engineering resources along brands and regions; common engineering processes and standards across brands and regions	Globally distributed operations along product categories and regions; common engineering processes for key product categories; setting and maintaining engineering standards by engineering excellent teams	Independent centres of excellence around the world; efficient resource allocations processes and risk management processes; flexible working approaches for uncertain market demands
	Management of explicit and tacit engineering knowledge	Efficient use of explicit engineering knowledge by standards and product databases; enhancing technology leadership through group research labs and external research networks	Reuse of modularised existing solutions for key components; engineering knowledge sharing through cross-posting and global engineering committee	Transfer best practices via technology platforms; engineering academy to develop and maintain critical engineering knowledge; ensuring the consistency of key expertise/ key individuals	People centric working approaches; developing conceptual solutions by experienced engineers collocated with customers; knowledge based engineering systems
	Exploitation of networked engineering capabilities	Business area-region matrix; autonomous business units allocating resources with internal market mechanisms; central coordination of key customers and core technologies	Interdependent engineering units; flexible resources combination for new vehicle programmes; cooperation across brands, regions, and functions	Flexible collaborations mechanisms across internal engineering centres and suppliers; working with customers to develop innovative product ideas; learning across brands and product categories	Locations of engineering resources across time zones for 24hour engineering; strategic out-sourcing/off-shoring to cope with fluctuations in demand; seamlessly switching resources between projects
	Integration of information & communication technologies (ICT)	Virtual Engineering Office (VEO) linking dispersed engineering teams (internal and external)	ICT integrated systems for global product development, CAD tools and data management	Engineering portal and virtual sites connecting subsidiaries by technologies or regions	Powerful engineering information management system linking dispersed centres of excellence

Company B's engineering operations have been directed by a comprehensive set of common working processes and standards for engineering teams around the world. Explicit engineering knowledge has been developed into worksheets and detailed guidance for effective decision making. Formal and informal mechanisms, e.g. cross-posting or global engineering committee meetings, are introduced to foster the sharing of intangible engineering knowledge within and

across brands. Its engineering network heavily relies on ICT-based engineering systems which consist of a full range of computer aided engineering tools, engineering processes and engineering data management systems.

Company C's engineering network aims to improve innovation and operational excellence in its core product categories. Best practices are disseminated, and engineering expertise is shared across brands and regions. Standards and guidelines are developed and maintained by the global engineering excellence team. An engineering academy helps to maintain intangible engineering knowledge, focusing on the consistency of critical engineering expertise and key individuals. There are supportive corporate cultures to encourage diversity, cross-boundary learning and market driven innovation. The company has an ICT based engineering portal to support technology platforms and virtual engineering sites.

Company D's engineering operations aim to enhance strategic flexibility in uncertain business environments. The company has developed efficient engineering resources allocation processes between projects and engineering teams. Engineering resources are strategically allocated in different time zones to support 24-hour engineering. Many engineering decisions are made locally by individual centres of excellence for quick response to local markets. Experienced engineers work with customers to develop conceptual solutions. A knowledge based engineering system has been used to capitalise intangible engineering expertise. External resources are used to cope with fluctuations in demand. A powerful engineering information management system connects its dispersed engineering teams.

4. Further discussions and directions for the future research

4.1 Essential characteristics of effective engineering networks

Cross-case analysis has suggested essential characteristics of effective engineering networks in four main areas.

- **Efficient Engineering Processes** for managing engineering operations on a global scale. Common working approaches have been adopted in the case companies with various focusing areas along the engineering value chain [5], e.g. key technology areas in Case A, global product development processes in Case B, brand innovation in Case C, or quick response to customer enquiries in Case D. Similar observations were reported in

engineering network studies focusing on concurrent engineering from the perspectives of customer orientation [8], and management structures [9-10].

- **Effective Engineering Learning** through managing explicit and tacit engineering knowledge. Explicit engineering knowledge has been developed into standards and guidance in all the case companies. Tacit engineering knowledge has been maintained through formal mechanisms such as the referencing engineering design models in Case A, the global engineering committee and cross-posting system in Case B, the engineering academy and technology platforms in Case C, and knowledge based project management in Case D; or informal mechanisms such as engineering excellence teams in Case B, and practice sharing forums and supportive working culture in Case C. Relevant practices were reported by studies on collaborative engineering, especially in the areas of supplier involvement [8][11] and cross-organisational learning [12].
- **Flexible Engineering Resources** to fully deploy network based engineering capabilities. Typical examples include internal market mechanisms and reconfigurable network structures in Case A, flexible working approaches in Case D, and outsourcing strategies in Cases B, C and D. Studies on virtual engineering teams [13] and centres of excellence [14] suggested possible means to develop and exploit flexible network capabilities.
- **Digital Engineering Environment** supported by integrated information and communication technologies (ICT). Various ICT-based engineering systems are used in the case companies, which allow the dispersed engineering teams to work together effectively across disciplinary, organisational or geographic boundaries. Examples include the virtual engineering office in Case A, the global product development system in Case B, the virtual sites of Case C, and the global engineering information system of Case D. The recent studies on product lifecycle management [15-16] suggested promising areas of developments in this direction.

These GEN characteristics have enhanced the case companies' competitiveness with international engineering operations, especially through efficient use of explicit engineering knowledge (or tangible knowledge such as guidance, standards and instructions for example) and effective management of tacit engineering knowledge (or intangible knowledge such as skills or know-how for example) [6][17-18]. Engineering capabilities are supported by network coordination mechanisms (such as budget control mechanisms, resources allocation

mechanisms, or decision making mechanisms for example), and network organisation structures (e.g. centres of excellence, virtual teams, or matrix structures of products, technologies or regions). All the case companies heavily rely on their ICT enabled engineering systems, either supported by external solution providers or developed by internal ICT teams. These characteristics would reinforce each other in many situations rather than being mutually exclusive.

We have been closely involved in some recent engineering improvement initiatives in the case companies as external facilitators or academic observers. Our observations confirmed the importance and practical value of gaining an overall understanding of these GEN characteristics in helping companies consider their response to the changing business environments and prioritise their efforts to enhance the performance of their engineering functions. A broader scope of issues relevant to the implementation and management of GEN have been investigated and reported in the following up studies [29], which would in principle suggest a strategic approach to international engineering operations, consisting of developing a competitive vision, making consistent decisions and addressing changes in the contextual environments. Such observations would also contribute to the development of practical tools or guidance that can be directly used by managers to formulate their global engineering strategies or optimise their global engineering networks in the future.

4.2 Directions for the future research

We may venture to express our conviction of the value of such studies, although they have been commonly neglected by manufacturing strategists [19-20][23-24] or scholars writing on new product development [17][25], research & development [21-22], technology management and innovation [26-28]. The case study observations (as summarized in Table 2) would suggest a series of important research areas for enriching this body of knowledge and establishing a solid foundation for the design and operations of global engineering networks (GEN) in the future.




Figure 2. Bridging GEN characteristics and engineering natures

Figure 2 illustrates some possibilities of developing potential research propositions through understanding the linkage between GEN characteristics and engineering natures. For example, the importance of intangible engineering knowledge (N2) has been highlighted in all the case companies. Various learning initiatives (C2) were introduced to maintain the consistency of key engineering expertise, e.g. the engineering excellence teams, engineering academy, or good practice sharing forums. However, such issues have not attracted enough attention in the international manufacturing network literature [19-20] or the international research policy literature [21-22] yet. We may therefore suggest the following research proposition to further investigate the linkage between N2 and C2:

Example Proposition N2-C2: Engineering’s reliance on intangible knowledge requires effective learning mechanisms in international engineering operations.

Similarly, the case study observations indicated that the intangible nature of engineering (N2) has posed a serious problem in engineering off-shoring or engineering outsourcing decisions. This is largely due to the difficulty in precisely specifying engineering tasks or assessing the required capabilities of external partners at an early stage of a complex engineering project. Such decisions often heavily rely on the judgement of some senior engineer and his/her trust in the partners’ capabilities. In an international engineering network, the decision maker may know very little about a partner in another country or hardly trust an expert from a different cultural/institutional background. This would suggest research propositions around such experience based engineering decisions, for example (C4)

Example Proposition N2-C4: Digital working environments will (or will not) improve the effectiveness of engineering decision making.

In addition to developing research propositions around the possible links illustrated in Figure 2, we could also extend the scope of investigation to address the external business environment matters discussed in the first part of this paper. For example, we have observed serious problems in recruiting younger generation engineers in the case companies, especially in their subsidiaries in the developed countries. This may suggest a timely research topic focusing on the inconsistency of engineering capabilities and its impact on manufacturing and many other industrial activities in such regions. It would also be useful to understand the impact of global dispersion on engineering learning or the influence of engineering off-shoring on engineering capability development. Since engineering activities are often deeply embedded in an organisation and its local supply networks, cross-culture or inter-organisation collaborations between partners from different countries would provide a rich area of research in global engineering networks.

We hope that the above examples may inspire some wider discussion on the unique nature of engineering operations and encourage researchers and practitioners to explore its implications in complex global business networks. At the same time, we are cautious of the academic limitation of case base theory building approaches, although they have been considered as appropriate in establishing an overall structure in relatively unexplored fields [1-2][4]. The true value of this paper lies very likely in providing a stepping stone for further advancement in engineering network studies.

5. Summary

We have developed a systematic view of the essential characteristics of effective engineering networks through case studies. This will hopefully lay a foundation for our investigations in the future to better understand their linkages to the unique nature of engineering and at the same time provide guidance for managers to deal with challenges in their engineering network operations on a global scale. Evidenced by the case companies' recent initiatives to develop their global engineering strategies, the above findings can help large multinational companies to enhance the performance of their engineering operations in two main areas. Firstly, an overall understanding of GEN characteristics provides a strategic framework for managers to assess the current situation of their global engineering networks and allow them to develop

improvement plans in a systematic manner. Secondly, discussions on the unique nature of engineering would help managers to understand the linkage between engineering operations and other functional areas, and thus contributing to a more effective interface management between engineering and other operations areas.

We, through this paper, would also like to suggest a benchmarking framework for less successful companies, particularly the small and medium sized enterprises (SMEs) who have tight resources constraints or a rather local view of their engineering operations. The introduced cases may serve as exemplar practice for them to prioritise their effort for gaining global engineering capabilities or learn how to effectively work with their global partners, customers and suppliers.

Acknowledgement:

This study at its later stages of validation and integration has been supported by the Seventh Framework Programme of the European Union through Marie Curie Actions IRSES Europe-China High Value Engineering Networks (EC-HVEN), Grant No. EC FP7 PIRSES-GA-2011-295130.

Reference:

- [1] Eisenhardt KM and Graebner ME. Theory Building from Cases: Opportunities and Challenges. *Academy of Management Journal* 2007; 50(1): 25-32.
- [2] Yin RK. *Case study research: Design and methods*. London: Sage Publications, 2009.
- [3] Baratt M, Choi TY and Li M. Qualitative case studies in operations management: Trends, research outcomes, and future research implications. *Journal of Operations Management* 2011; 29(4): 329-342.
- [4] Christensen CM and Sundahl D. The process of building theory. Working paper No. 02-016, Harvard Business School, Boston, 2001.
- [5] Zhang Y and Gregory M. Managing global network operations along the engineering value chain. *International Journal of Operations & Production Management* 2011; 31(7): 736-764.
- [6] Zhang Y, Gregory M and Shi Y. Global engineering networks (GEN): The integrating framework and key patterns. *IMechE Proceedings, Part B: Journal of Engineering Manufacture* 2007; 221(8): 1269-1283.
- [7] Radnor HA. *Researching your own professional practice: Doing interpretive research*. NY: Oxford University Press, 2002.
- [8] Willaelt SSA, De Graaf R and Minderhoud S. Collaborative engineering: A case study of concurrent engineering in a wider context. *Journal of Engineering Technology Management*

1998; 15(1): 87-109.

[9] Backhouse CJ and Brookes NJ. *Concurrent Engineering: what's working where*. Gower: Design Council, 1996.

[10] Godfrey D. Incorporating value analysis through a Concurrent Engineering program. *Production* 1993; 105(9): 44-47.

[11] Neal CO. Concurrent Engineering with early supplier involvement: a cross-functional challenge. *International Journal of Purchasing and Material Management* 1993; 29(2): 2-9.

[12] Cramton CD. The mutual knowledge problem and its consequences of dispersed collaboration. *Organization Science* 2001; 12(3): 346-362.

[13] Leenders R, Van Engelen J and Kratzer J. Virtuality, communication, and new product team creativity: a social network perspective. *Journal of Engineering and Technology Management* 2003; 20(1/2): 69-92.

[14] Reger G. Coordinating globally dispersed research centres of excellence- the case of Philips Electronics. *Journal of International Management* 2004; 10(1): 51-76.

[15] Ameri F and Dutta D. Product Lifecycle Management: Closing the Knowledge Loops. *Computer Aided Design & Applications* 2005; 2(5): 577-590.

[16] Trappey AJC and Hsiao DW. Applying collaborative design and modularized assembly for automotive ODM supply chain integration. *Computers in Industry* 2008; 59(2/3): 277-287.

[17] Eppinger SD and Chitkara AR. The new practice of global product development. *Sloan Management Review* 2006; 47(4): 22-30.

[18] Hakansson H, Ford D, Gadde L, et al. *Business in networks*. Glasgow: John Wiley & Sons, 2009.

[19] Shi Y and Gregory M. International manufacturing networks: to develop global competitive capabilities. *Journal of Operations Management* 1998; 16(2/3): 195-214.

[20] Vereecke A, van Dierdonck R and De Meyer A. A typology of plants in global manufacturing networks. *Management Science* 2006; 52(11): 1737-50.

[21] Kuemmerle W. The drivers of foreign direct investment into research and development: an empirical investigation. *Journal of International Business Studies* 1999; 30(1): 1-24.

[22] Von Zedtwitz M, Gassmann O and Boutellier R. Organising global R&D: challenges and dilemmas. *Journal of International Management* 2004; 10(1): 21-49.

[23] Voss CA. Alternative paradigms for manufacturing strategy. *Int J Oper Prod Man* 1995; 15(4): 5-16.

[24] Hayes RH, Pisano GP, Upton DM, et al. *Operations, strategy, and technology: pursuing the competitive edge*. Hoboken, NJ: Wiley, 2005.

[25] Fraser P, Farrukh C and Gregory M. Managing product development collaborations- a process maturity approach. *IMEchE Proceedings, Part B: Journal of Engineering Manufacture* 2003; 217(11): 1499-1519.

[26] Ajayi M and Smart P. Innovation and learning: Exploring feedback from service to design. *IMEchE Proceedings, Part B: Journal of Engineering Manufacture* 2008; 222(9):1195-1199.

[27] Lubik S, Garnsey E, Minshall T, et al. Value creation from the innovation environment: Partnership strategies in university spin-outs. *R and D Management* 2013; 43(2): 136-150.

[28] Gregory M. Technology Management: A Process Approach. *IMechE Proceedings, Part B: Journal of Engineering Manufacture* 1995; 209(5): 347-356.

[29] Zhang Y and Gregory M. Towards a strategic view of engineering operations. *IMechE Proceedings, Part B: Journal of Engineering Manufacture* 2013; volume 227, forthcoming.