UNIVERSITY^{OF} BIRMINGHAM University of Birmingham Research at Birmingham

Breaking down the silos of Universal Health Coverage: towards systems for the primary prevention of non-communicable diseases in Africa

Oni, Tolu; Mogo, Ebele; Ahmed, Aliko; Davies, Justine I

DOI: 10.1136/bmjgh-2019-001717

License: Creative Commons: Attribution-NonCommercial (CC BY-NC)

Document Version Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

Oni, T, Mogo, E, Ahmed, A & Davies, JI 2019, 'Breaking down the silos of Universal Health Coverage: towards systems for the primary prevention of non-communicable diseases in Africa', *BMJ Global Health*, vol. 4, no. 4, e001717. https://doi.org/10.1136/bmjgh-2019-001717

Link to publication on Research at Birmingham portal

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

•Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.

•User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?) •Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

BMJ Global Health

Breaking down the silos of Universal Health Coverage: towards systems for the primary prevention of noncommunicable diseases in Africa

Tolu Oni,^{© 1,2,3} Ebele Mogo,¹ Aliko Ahmed,^{1,4} Justine I Davies^{1,2,5,6}

To cite: Oni T, Mogo E, Ahmed A, *et al.* Breaking down the silos of Universal Health Coverage: towards systems for the primary prevention of non-communicable diseases in Africa. *BMJ Global Health* 2019;**4**:e001717. doi:10.1136/ bmjgh-2019-001717

Handling editor Seye Abimbola

Received 16 May 2019 Revised 24 June 2019 Accepted 12 July 2019

Check for updates

© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹MRC Epidemiology Unit, University of Cambridge, Cambridge, UK ²Stellenbosch Institute for Advanced Study, Stellenbosch, South Africa ³School of Public Health and Family Medicine. University of Cape Town, Rondebosch, South Africa ⁴Cambridge Institute of Public Health. University of Cambridge. Cambridge, UK ⁵Institute of Applied Health Research, University of Birmingham, Birmingham, UK ⁶Centre for Global Health, King's College, London, UK

Correspondence to

Dr Tolu Oni; tolullah.oni@mrc-epid.cam. ac.uk The third sustainable development goal (SDG), ensuring healthy lives and well-being for all at all ages, although comprising multiple components, is often strongly linked with the concept of universal health coverage (UHC) and its underlying principles of equity, quality and financial protection. The importance of addressing the upstream determinants of health as a vital accelerator of progress in achieving the SDGs has been recognised¹; however, in practice, the implementation of UHC has often been restricted to a diseasefighting, healthcare-centric approach. This constrains the ability to achieve WHO's definition of health as the attainment of 'complete physical, mental and social well-being'. Vast amounts of experience and research show that health outcomes are shaped by multitiered and multifaceted factors that do not stem solely from the healthcare sector.

The WHO recognises the importance of health determinants, noting that UHC comprises much more than just healthcare and that taking steps towards UHC means steps towards equity, health-promoting development priorities, social inclusion and cohesion, and including public health campaigns.² Building on this, we argue that improved upstream planning and policy may even reduce the need for public health campaigns. Implementation of this more comprehensive and holistic approach to UHC is essential to ensure the full realisation of demographic dividends, particularly in an era of non-communicable diseases (NCDs), many of which can be prevented through upstream interventions that are not typically considered as healthcare.

Africa is experiencing a double burden of disease,³ with the burden of NCDs like type 2 diabetes increasingly borne by disadvantaged populations. In addition to mortality and morbidity, NCDs strike people during their

Summary box

- African countries are not on track to achieve global targets for non-communicable disease (NCD) prevention, driven by an insufficient focus on ecological drivers of NCD risk factors, including poor urban development and the unbridled proliferation of the commercial determinants of health.
- As the risk factors for NCDs are largely shaped outside the healthcare sector, an emphasis on downstream healthcare service provision to the exclusion of upstream population-level prevention limits the goals of universal health coverage (UHC) and its potential for optimal improvements in (achieving) health and well-being outcomes in Africa.
- ► The political will for UHC in Africa will miss the opportunity to turn the tide of this emerging NCD epidemic in Africa, if not oriented to a systems for health rather than a solely healthcare-centric approach. A successful approach needs to proactively incorporate wider health determinants (sectors)—housing, planning, waste management, education, governance and finance, among others—in strategies to improve health. This includes aligning governance and accountability mechanisms and strategic objectives of all 'health determinant' sectors for health creation and long-term cost savings.
- Researchers have a vital role to play, collaborating with policy makers to provide evidence to support implementation and to facilitate knowledge sharing between African countries and globally.

economically productive years,^{4 5} with significant implications on wealth of individuals, their families and their countries. Sub-Saharan Africa has the largest cohort of young people in history,⁶ coupled with challenges related to rapid urbanisation, climate change and insecurity. Efforts to optimise the benefits of health and wealth need to be prioritised.

NCDs are fundamentally related to behavioural risk factors, which are affected by complex ecological drivers intersecting in local social, cultural, policy and economic

BMJ Global Health

contexts. They are further impacted on by global dynamics, such as the globalisation of unhealthy diets and lifestyles, short-term donor-driven governance priorities and the unbridled proliferation of industries that produce harmful substances, such as tobacco, alcohol and ultraprocessed high sugar, and high-salt foods. Additionally, existing public awareness programmes are often not effective, and advocacy for NCDs is weak compared with the support given to other epidemics such as HIV/AIDS.

Fragile health systems conspire with these other factors to ensure that African countries are way-off track to achieve global targets for NCD prevention and management.⁴ In 2001, African nations adopted the Abuja Declaration, pledging to allocate at least 15% of their national annual budgets to health spending. Yet, only three countries in the African region have attained the goals of the Abuja Declaration and the High-Level Taskforce on Innovative Financing for Health.⁷ Where healthcare spending is low, healthcare spending on NCD is even lower; in a region where donors drive health financing, most donor finance is still oriented towards communicable diseases, with about 1%-2% dedicated to NCDs.⁷ Out of pocket expenditure results, where NCD care is needed, with poorer households spending more of their per capita household income on NCDs.²

The result? An exemplar is diabetes. Even if countries meet the SDG goal of decreasing mortality from diabetes by one-third, or if they reduce age-specific and sex-specific prevalence to their 2010 levels (a key aim of the WHO NCD Global Action Plan), the economic burden of diabetes in 2030 will still be 61% higher than that in 2015.⁹ In South Africa, the estimated costs for implementation of local guidelines to achieve reasonable access to care for cardiovascular diseases would substantially impact on the ability of the health system to care for other illnesses.¹⁰ For most African countries, to achieve true UHC to manage NCDs by 2030 would require an unprecedented investment in healthcare services.

So, what can be done? (See box 1.) The crippling cost implications of waiting to address NCDs downstream in the healthcare system are clear. In the context of limited resources, addressing upstream determinants will translate to long-term savings by ultimately reducing the burden of diseases that needs to be addressed within the healthcare system. Countering the notion that this is impossible, given that African countries are struggling to achieve narrow definitions of UHC, we argue that these countries cannot afford not to explore innovative approaches to reduce the need for healthcare to reduce healthcare costs in the long term. It is imperative to evolve the implementation focus of UHC from one of solely reactive provision of health services to one that incorporates primary prevention to flatten the current trajectory of the NCD epidemic in Africa. Sectoral silos need to be broken down to achieve this. For example, obesity, an important risk factor for diabetes, is related to access to infrastructure that encourages an active lifestyle: transit systems,

Box 1 Recommendations for action to breakdown noncommunicable disease (NCD) silos

Policy makers

- 1. Systems for health must work alongside healthcare services: Reducing the burden of NCDs is a complex problem requiring healthcare services to intersect with multiple other systems that affect health.
- 2. *Health financing should be focused on producing health rather than managing disease*: Multisectoral action to reduce the NCD burden requires long-term (extending beyond one policy cycle) budgeting structures and accountability mechanisms for co-benefits across the multiple systems that drive health.
- 3. *Health creation must be central to development*: Africa has the opportunity to redefine urban development to ensure inclusion of health promotion solutions. Measures of success should be grounded in the health of the populations.
- 4. *Policies should align to create health as an outcome*: Policies directly or indirectly resulting in disease have no place alongside those that promote access to care for those diseases.
- Policies and spending should reflect country needs: Spending and policies should not reflect richer donor country interests but should be reoriented to address health outcomes more systematically and sustainably, including through upstream, multisectoral action.

Research community

- 6. *Research and policy collaborations should be the norm:* Academics and policy makers should come together to discuss policy priorities for reducing NCDs and how to provide evidence to support those priorities.
- Investment in platforms for knowledge sharing: South–South and North–South learning should be facilitated to ensure rapid learning between cities and countries in Africa.
- 8. Support frugal innovation for health (beyond healthcare): Long-term frugal innovation is needed to make growing cities and societies spaces that promote health and equitable thriving. African philan-thropists can play a role in this innovation.

External research funders and donors

Research funders and development assistance for health donors: should prioritise funding in line with disease burden and recipient country defined need, which encourages long-term approaches to health creation.

built environment features that promote walking, cycling and green spaces.¹¹ This infrastructure needs to be safe, clean, functional and of reasonable quality. This is the remit of urban planning, waste management and local governments. Smoking, which acts synergistically with diabetes to cause disability and death, is driven by access to cigarettes, harmful advertising and messaging from the tobacco industry that encourage adoption of smoking by young people and stressful living conditions that predispose people to take up unhealthy habits, among others. These factors are within the areas of responsibility of housing, trade policies and government sectors responsible for advertising. Ensuring access to environments that promote healthy eating to prevent obesity is predominantly a matter for policies largely developed outside the healthcare sector. Therefore, beyond healthcare delivery, healthcare practitioners should be encouraged

HEALTH SERVICES	EXPOSURES	INTERMEDIATE OUTCOMES	LONG-TERM OUTCOMES
FOOD	Sugar Salt Greenhouse emissions	Eating behaviour Obesity	Diabetes Hypertension / Cardiovascular disease (CVD) Cognitive function Cancer Climate change
WATER & WASTE	Pest/vectors Poisoning Physical activity opportunities Air pollution Greenhouse emissions	Physical activity Obesity Healthcare episodes Healthcare admissions	Infectious disease Injury Cerebrovascular disease Acute respiratory disease Chronic respiratory disease Climate change
TRANSPORT	Noise pollution Social cohesion opportunities Physical activity opportunities Air pollution Greenhouse emissions	Physical activity Obesity Social cohesion	Diabetes Hypertension / CVD Mental ill-health Chronic respiratory disease Climate change
HABITATION (&planning)	Damp Thermal comfort Ventilation Social cohesion opportunities Physical activity opportunities Air pollution	Physical activity Obesity Sleep & stress Social cohesion Healthcare episodes Healthcare admissions	Acute respiratory disease Chronic respiratory disease Hypertension / CVD Mental ill-health Infectious disease
HEALTHCARE (prophylaxis, treatment, palliation)	Availability Accommodation Affordable Accessible Acceptable	Healthcare episodes Healthcare admissions Disease control	Mortality Morbidity



to advocate for such policies that protect health through addressing upstream determinants.¹²

Achievement of UHC that does not bankrupt health budgets or restrict disease coverage so much as to be worthless rhetoric requires innovative policy making, intersectoral accountability mechanisms and financing structures, which encourage multisectoral action. Figure 1 highlights the importance of intersectoral action by proposing a diverse range of services that can be considered 'health services' by virtue of the impact they have on population health. This shows the familiar healthcare service that ultimately aims to reduce morbidity and mortality from all diseases; this is usually assessed at an intermediate level using indicators such as disease control, admissions and other healthcare episodes. The figure also highlights how transport and planning, for example, could be considered health services by virtue of the services these systems provide for health. For example, transport and planning policies that prioritise obesity and cardiovascular risk reduction by equitably creating physical activity opportunities and reducing air pollution exposure can measurably contribute to reducing diabetes and cardiovascular disease burden in the long term; thus providing a health service. While this action does not necessarily need to be implemented under the 'UHC' umbrella, the political momentum behind UHC provides an opportunity to raise the profile of such approaches to achieving health for all. To be clear, we argue that for long-term healthcare savings and population health, there is a need for a focus on upstream prevention for health creation and protection, not limited to early detection in those already at risk of NCDs, alongside current strategies to treat existing disease. Other examples of such upstream

approaches include tax on sugar-sweetened beverages and aligning performance goals of urban development policies with improving healthy food consumption and increasing active living.

There are promising developments and policy opportunities that can be leveraged to ensure that development produces health as an outcome in Africa. There has been a history of Healthy Cities Initiatives in Africa¹³ with some cities such as Dar es Salaam and Cape Town developing healthy city programmes without the support of international organisations. In addition, there is an Inter-ministerial Taskforce on Health and the Environment in Africa, which convenes health sector and environment sector experts and ministers across Africa to address the environmental threats to human health.¹⁴

The first and second WHO Africa Health Forums in 2017 and 2019 have recognised NCDs as an emerging threat in Africa and the need for intersectoral action to address the social determinants of these diseases.¹⁵ The Commonwealth Ministers of Health meeting and World Health Assembly in May 2019 also provide an opportunity to build on these initial calls to action to critically engage with constraints and enablers of implementing intersectoral approaches to NCD prevention and to foster transdisciplinary partnerships with researchers to develop and evaluate knowledge-based, contextually relevant, innovative and bold interventions to create health that leaves no one behind.

Contributors T0 and JID conceptualised the manuscript. T0 conceptualised and developed the figure and wrote the first draft of the panel recommendations. T0 and EM drafted the first version of the manuscript. All authors contributed to writing and finalising of the manuscript.

BMJ Global Health

Competing interests None.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement No data are available.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

REFERENCES

- 1. World Health Organization. Global action plan for healthy lives and well-being for all. Available: https://www.who.int/sdg/global-action-plan/Global_Action_Plan_Phase_I.pdf
- World Health Organization. Universal health coverage fact sheet, 2019. Available: https://www.who.int/en/news-room/fact-sheets/ detail/universal-health-coverage-(UHC)
- Nyirenda MJ. Non-Communicable diseases in sub-Saharan Africa: understanding the drivers of the epidemic to inform intervention strategies. *Int Health* 2016;8:157–8.
- World Health Organization. Global report on diabetes. France, 2016. Available: https://apps.who.int/iris/bitstream/handle/10665/204871/

9789241565257_eng.pdf;jsessionid=E594F145A5A8870578FC3BFF 35E4FA0B?sequence=1

- Atun R, Davies JI, Gale EAM, et al. Diabetes in sub-Saharan Africa: from clinical care to health policy. *Lancet Diabetes Endocrinol* 2017;5:622–67.
- Ezzati M, Pearson-Stuttard J, Bennett JE, et al. Acting on noncommunicable diseases in low- and middle-income tropical countries. *Nature* 2018;559:507–16.
- 7. Allen LN. Financing national non-communicable disease responses. *Glob Health Action* 2017;10:1326687.
- Wang Q, Fu AZ, Brenner S, *et al.* Out-Of-Pocket expenditure on chronic non-communicable diseases in sub-Saharan Africa: the case of rural Malawi. *PLoS One* 2015;10:e0116897.
- Bommer C, Sagalova V, Heesemann E, et al. Global economic burden of diabetes in adults: projections from 2015 to 2030. Diabetes Care 2018;41:963–70.
- Basu S, Wagner RG, Sewpaul R, *et al.* Implications of scaling up cardiovascular disease treatment in South Africa: a microsimulation and cost-effectiveness analysis. *Lancet Glob Health* 2019;7:e270–80.
- Schalkwijk AAH, van der Zwaard BC, Nijpels G, et al. The impact of greenspace and condition of the neighbourhood on child overweight. Eur J Public Health 2018;28:88–94.
- 12. Oni T, Kockat J, Martinez-Herrera E, *et al.* The healthcare community needs to champion healthy and sustainable urban living spaces. *BMJ* 2019.
- 13. Healthy Cities Initiative. Approaches and experience in the African region. Brazzaville, 2002.
- 14. UN Environment. The third Inter-Ministerial conference on health and environment. Available: https://www.unenvironment.org/ events/conference/third-inter-ministerial-conference-health-andenvironment
- 15. World Health Organization Regional Office for Africa. The first who Africa health forum. putting people first, the road to universal health coverage in Africa. Available: https://afro.who.int/sites/default/files/ 2017-10/Africa%20Health%20Forum%20Report%20-%20English% 20version.pdf