

Evaluating newly formulated osteoprotegerin-chitosan gel

Jayash, Soher; Hashim, Najihah Mohd; Misran, Misni; Baharuddin, Nor Adinar

License:

Creative Commons: Attribution (CC BY)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

Jayash, S, Hashim, NM, Misran, M & Baharuddin, NA 2017, 'Evaluating newly formulated osteoprotegerin-chitosan gel: an in vitro and in vivo study', *Research & Reviews: Journal of Material Sciences*, vol. 5, no. 4, pp. 90. <<http://www.rroj.com/proceedings/evaluating-newly-formulated-osteoprotegerinchitosan-gel-an-in-vitro-and-in-vivo-study-187.html>>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

10th International Conference on

EMERGING MATERIALS AND NANOTECHNOLOGY

July 27-29, 2017 Vancouver, Canada

Evaluating newly formulated osteoprotegerin-chitosan gel: An *in vitro* and *in vivo* study**Soher Nagi Jayash, Najihah Mohd Hashim, Misni Misran and N A Baharuddin**
University of Malaya, Malaysia

The binding of the receptor activator of nuclear factor kappa-B ligand (RANKL) to the receptor activator of nuclear factor kappa-B (RANK) on pre-osteoclast is essential for osteoclast maturation and activity. Osteoprotegerin (OPG) is a soluble decoy receptor for RANKL. Its binding to RANK prevents binding of RANKL to RANK and subsequent hinders activation of osteoclast. Various *in vivo* studies and clinical trials have investigated the systemic use of OPG in treatment of bone diseases. Chitosan is a cationic polymer derived from chitin. This material has antimicrobial activity, biodegradability, and muco-adhesive properties, making it an ideal material for biomedical applications. It also promotes cell adhesion, proliferation and differentiation. It is suggested that the local application of new formulated OPG-chitosan preparation may have similar osteogenic potential in the bone defect. The objectives of this study are: (i) to formulate of different forms of OPG-chitosan gels from different molecular weights of water-soluble chitosan (10, 25, 50 kDa), (ii) to evaluate the gels biodegradation, (iii) to determine amount of OPG protein release from gels and (iv) to evaluate the cytotoxicity of gels by Alamar Blue assay and scanning electron microscope. (iv) Efficacy of gel on bone regeneration in rabbit. From our studies we conclude that our gels are (i) non-toxic (ii) biodegradable and (iii) exhibits sustained release property. (iv) OPG-chitosan has a positive effect on bone formation. Therefore, we have proven that OPG-chitosan gel is evidently viable to be used locally for potential bone defect application.

soheernaji20@yahoo.com